#### Programme

- Variations on TSP
  - TSP in a Directed Graph
  - Hamiltonian Cycles in Graphs

#### Programme

- Variations on TSP
  - TSP in a Directed Graph
  - Hamiltonian Cycles in Graphs

#### Programme

- Variations on TSP
  - TSP in a Directed Graph
  - Hamiltonian Cycles in Graphs


 In the case of undirected graph, we used the MST to make an estimation of the best score.

- In the case of undirected graph, we used the MST to make an estimation of the best score.
- We have not defined MST in directed graphs.


- In the case of undirected graph, we used the MST to make an estimation of the best score.
- We have not defined MST in directed graphs.
- We use another strategy: the reduction of the adjacency matrix, which we explain next.


- In the case of undirected graph, we used the MST to make an estimation of the best score.
- We have not defined MST in directed graphs.
- We use another strategy: the reduction of the adjacency matrix, which we explain next.
- The explanation will be by means of an example.


# TSP in a Directed Graph: an Example





```
\infty
  \infty
               \infty
                            \infty
   5
                                          \infty
```













































































































































#### Programme


- Variations on TSP
  - TSP in a Directed Graph
  - Hamiltonian Cycles in Graphs















El primer paso es completar el grafo haciéndolo fuertemente conexo. Las antiguas aristas tienen peso 1 y las nuevas peso 2.



Si existe una solución para el TSP con costo |V|, entonces existe un ciclo Hamiltoniano en el grafo original. i Puede ver por qué?



