Exercises week 6

Last update 2021/10/03

Goal of the exercises

The goals of this week is to:

- Give you practical experience in using threads to make the your code scale and improve its performance.

- Become familar with the Java concepts: Executor and Future.

- Understand how to use Javas synchronized and concurrent collection classes.

Exercise 6.1 This exercise is based on the program `AccountExperiments.java` (in the exercises directory for week 6). It generates a number of transactions to move money between accounts. Each transaction simulate transaction time by sleeping 50 milliseconds. The transactions are randomly generated, but ensures that the source and target accounts are not the same.

Mandatory

1. Use Mark7 (from Benchmark.java in week3) to measure the execution time and verify that the time it takes to run the program is proportional to the transaction time.

2. Now consider the version in `ThreadsAccountExperimentsMany.java` (in the exercises directory for week 6).

   The first four lines of the `transfer` method are:

   ```
   Account min = accounts[Math.min(source.id, target.id)];
   Account max = accounts[Math.max(source.id, target.id)];
   synchronized(min){
     synchronized(max){
   ```

   Explain why the calculation of `min` and `max` are necessary? Eg. what could happen if the code was written like this:

   ```
   Account s= accounts[source.id];
   Account t = accounts[target.id];
   synchronized(s){
     synchronized(t){
   ```

   Run the program with both versions of the code shown above and explain the results of doing this.

3. Change the program in `ThreadsAccountExperimentsMany.java` to use a the executor framework instead of raw threads. Make it use a fixed size thread pool. For now do not worry about terminating the main thread, but insert a print statement in the `doTransaction` method, so you can see that all executors are active.

4. Ensure that the executor shuts down after all tasks has been executed (Hint: use the same approach as discussed in the lecture slides about "Terminatiun in Executors").

   .

Challenging

5. Use Mark8Setup (from Benchmark.java in week3) to measure the execution time of the solution that ensures termination. Hint: Be inspired by `QuicksortExecutor.java` (in the exercises directory for week 6)

Exercise 6.2 Use the code in file `TestCountPrimesThreads.java` (in the exercises directory for week 6) to count prime numbers using threads.

Mandatory

1. Report and comment on the results you get from running `TestCountPrimesThreads.java`.

2. Rewrite `TestCountPrimesthreads.java` to use executors instead of threads. Run your solutions and report results. How do they compare with the results from the version using threads?

Exercise 6.3 A histogram is a collection of bins, each of which is an integer count. The span of the histogram is the number of bins. In the problems below a span of 30 will be sufficient; in that case the bins are numbered $0 \ldots 29$.

Consider this Histogram interface for creating histograms:

```
interface Histogram {
  public void increment(int bin);
  public int getCount(int bin);
  public float getPercentage(int bin);
  public int getSpan();
  public int getTotal();
}
```

Method call `increment(7)` will add one to bin 7; method call `getCount(7)` will return the current count in bin 7; method call `getPercentage(7)` will return the current percentage of total in bin 7; method `getSpan()` will return the number of bins; method call `getTotal()` will return the current total of all bins.

There is a non-thread-safe implementation of Histogram1 in file SimpleHistogram.java. You may assume that the `dump` method given there is called only when no other thread manipulates the histogram and therefore does not require locking, and that the span is fixed (immutable) for any given Histogram object.

Mandatory

1. Make a thread-safe implementation, class Histogram2, of interface Histogram by adding suitable modifiers (`final` and `synchronized`) to a copy of the Histogram1 class. Which fields and methods need which modifiers? Why? Does the `getSpan` method need to be synchronized?

2. Now consider again counting the number of prime factors in a number p, as in Exercise 6.2. Use the Histogram2 class to write a program with multiple threads that counts how many numbers in the range $0 \ldots 4\,999\,999$ have 0 prime factors, how many have 1 prime factor, how many have 2 prime factors, and so on. You may draw inspiration from the TestCountPrimes.java example.

   The correct result should look like this:

   ```
       0:             2
       1:        348513
       2:        979274
       3:       1232881
       4:       1015979
       5:        660254
       6:        374791
       7:        197039
       8:         98949
       9:         48400
   ... and so on
   ```

   showing that 348 513 numbers in $0 \ldots 4\,999\,999$ have 1 prime factor (those are the prime numbers), 979 274 numbers have 2 prime factors, and so on. (The 2 numbers that have 0 prime factors are 0 and 1). And of course the numbers in the second column should add up to 5 000 000.

.

Challenging

3. Define a thread-safe class Histogram3 that uses an array of java.util.concurrent.atomic.AtomicInteger objects instead of an array of integers to hold the counts.

   In principle this solution might perform better, because there is no need to lock the entire histogram object when two threads update distinct bins. Only when two threads call `increment(7)` at the same time do they need to make sure the increments of bin 7 are atomic.

   Can you now remove `synchronized` from all methods? Why? Run your prime factor counter and check that the results are correct.