120 Years of Olympic History: Athletes and Results(1896–2016)

June 25, 2025

[1]:
```
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
```

[9]:
```
df = pd.read_csv('../data/athlete_events.csv')
df = df.drop_duplicates()
```

[ ]:
```
# The age, height, and weight columns are converted to integer values (optional)
df['Age'] = df['Age'].astype('Int64')
df['Height'] = df['Height'].astype('Int64')
df['Weight'] = df['Weight'].astype('Int64')
```

[ ]:
```
# Missing values (at least in Medal, Age, Height, and Weight) are handled
print(df.isnull().mean().sort_values(ascending=False))
df_medals = df[df['Medal'].notna()]
```

[11]:
```
print(df.head())
print(df.info())
```

```
   ID                      Name Sex   Age  Height  Weight            Team  \
0   1                 A Dijiang   M  24.0   180.0    80.0           China
1   2                  A Lamusi   M  23.0   170.0    60.0           China
2   3       Gunnar Nielsen Aaby   M  24.0     NaN     NaN         Denmark
3   4      Edgar Lindenau Aabye   M  34.0     NaN     NaN  Denmark/Sweden
4   5  Christine Jacoba Aaftink   F  21.0   185.0    82.0     Netherlands

   NOC        Games  Year  Season       City          Sport  \
0  CHN  1992 Summer  1992  Summer  Barcelona     Basketball
1  CHN  2012 Summer  2012  Summer     London           Judo
2  DEN  1920 Summer  1920  Summer  Antwerpen       Football
3  DEN  1900 Summer  1900  Summer      Paris     Tug-Of-War
4  NED  1988 Winter  1988  Winter    Calgary  Speed Skating

                            Event Medal
0       Basketball Men's Basketball   NaN
1      Judo Men's Extra-Lightweight   NaN
2           Football Men's Football   NaN
3       Tug-Of-War Men's Tug-Of-War  Gold
```

```
4  Speed Skating Women's 500 metres   NaN
<class 'pandas.core.frame.DataFrame'>
Index: 269731 entries, 0 to 271115
Data columns (total 15 columns):
 #   Column  Non-Null Count   Dtype
---  ------  --------------   -----
 0   ID      269731 non-null  int64
 1   Name    269731 non-null  object
 2   Sex     269731 non-null  object
 3   Age     260416 non-null  float64
 4   Height  210917 non-null  float64
 5   Weight  208204 non-null  float64
 6   Team    269731 non-null  object
 7   NOC     269731 non-null  object
 8   Games   269731 non-null  object
 9   Year    269731 non-null  int64
 10  Season  269731 non-null  object
 11  City    269731 non-null  object
 12  Sport   269731 non-null  object
 13  Event   269731 non-null  object
 14  Medal   39772 non-null   object
dtypes: float64(3), int64(2), object(10)
memory usage: 32.9+ MB
None
```

[59]:
```
# A dictionary is defined to map each NOC (National Olympic Committee) to its␣
 ↪corresponding continent
noc_to_continent = {
    # North America
    'USA': 'North America', 'CAN': 'North America', 'MEX': 'North America',␣
 ↪'CUB': 'North America',
    'BAH': 'North America', 'DOM': 'North America', 'CRC': 'North America',␣
 ↪'HON': 'North America',
    'GUA': 'North America', 'ESA': 'North America', 'NCA': 'North America',␣
 ↪'PAN': 'North America',
    'TTO': 'North America', 'BAR': 'North America', 'HAI': 'North America',␣
 ↪'JAM': 'North America',

    # South America
    'BRA': 'South America', 'ARG': 'South America', 'COL': 'South America',␣
 ↪'PER': 'South America',
    'URU': 'South America', 'CHI': 'South America', 'VEN': 'South America',␣
 ↪'ECU': 'South America',
    'BOL': 'South America', 'PAR': 'South America', 'GUY': 'South America',␣
 ↪'SUR': 'South America',

    # Europe
```

```
    'GBR': 'Europe', 'FRA': 'Europe', 'GER': 'Europe', 'ITA': 'Europe', 'ESP': 'Europe', 'SWE': 'Europe',
    'NOR': 'Europe', 'FIN': 'Europe', 'DEN': 'Europe', 'NED': 'Europe', 'POL': 'Europe', 'RUS': 'Europe',
    'UKR': 'Europe', 'HUN': 'Europe', 'CZE': 'Europe', 'AUT': 'Europe', 'ROU': 'Europe', 'BEL': 'Europe',
    'SUI': 'Europe', 'BUL': 'Europe', 'YUG': 'Europe', 'SRB': 'Europe', 'CRO': 'Europe', 'SVK': 'Europe',
    'SLO': 'Europe', 'ISL': 'Europe', 'IRL': 'Europe', 'LUX': 'Europe', 'LIE': 'Europe', 'LAT': 'Europe',
    'LTU': 'Europe', 'EST': 'Europe', 'ALB': 'Europe', 'BIH': 'Europe', 'MKD': 'Europe', 'MDA': 'Europe',
    'MON': 'Europe', 'MLT': 'Europe', 'AND': 'Europe',

    # Africa
    'EGY': 'Africa', 'KEN': 'Africa', 'ETH': 'Africa', 'NGR': 'Africa', 'RSA': 'Africa', 'MAR': 'Africa',
    'ALG': 'Africa', 'TUN': 'Africa', 'UGA': 'Africa', 'SEN': 'Africa', 'ZAM': 'Africa', 'ANG': 'Africa',
    'MOZ': 'Africa', 'SUD': 'Africa', 'BOT': 'Africa', 'NAM': 'Africa', 'COD': 'Africa', 'CMR': 'Africa',
    'GHA': 'Africa', 'CIV': 'Africa', 'GUI': 'Africa',

    # Asia
    'CHN': 'Asia', 'JPN': 'Asia', 'KOR': 'Asia', 'PRK': 'Asia', 'IND': 'Asia', 'IRI': 'Asia', 'KAZ': 'Asia',
    'THA': 'Asia', 'MAS': 'Asia', 'PHI': 'Asia', 'INA': 'Asia', 'VIE': 'Asia', 'HKG': 'Asia', 'TPE': 'Asia',
    'SGP': 'Asia', 'QAT': 'Asia', 'UAE': 'Asia', 'JOR': 'Asia', 'SYR': 'Asia', 'LBN': 'Asia', 'KGZ': 'Asia',
    'TJK': 'Asia', 'UZB': 'Asia', 'BAN': 'Asia', 'PAK': 'Asia', 'KSA': 'Asia', 'AFG': 'Asia', 'BRN': 'Asia',
    'MYA': 'Asia', 'MGL': 'Asia', 'NEP': 'Asia', 'CAM': 'Asia', 'TUR': 'Asia', 'ARM': 'Asia', 'GEO': 'Asia',
    'AZE': 'Asia',

    # Oceania
    'AUS': 'Oceania', 'NZL': 'Oceania', 'FIJ': 'Oceania', 'SAM': 'Oceania', 'TGA': 'Oceania', 'PNG': 'Oceania',
    'SOL': 'Oceania', 'VAN': 'Oceania', 'COK': 'Oceania',

    # Other or Historic (optional)
    'EUN': 'Europe',  # Unified Team
    'BOH': 'Europe',  # Bohemia (historical)
    'SCG': 'Europe',  # Serbia and Montenegro
    'GDR': 'Europe',  # East Germany
```

```
    'FRG': 'Europe',  # West Germany
    'ANZ': 'Oceania',  # Australasia
    'TCH': 'Europe',  # Czechoslovakia
}

# The continent column is added by mapping NOC codes using the dictionary
df['Continent'] = df['NOC'].map(noc_to_continent)

# The number of missing continent values is checked (optional)
missing = df['Continent'].isna().sum()
print(f"Missing continent values: {missing}")
print(df[df['Continent'].isna()]['NOC'].unique())
```

```
Missing continent values: 19819
['CHA' 'BLR' 'GRE' 'URS' 'KUW' 'IRQ' 'UAR' 'LIB' 'ERI' 'TAN' 'LBA' 'DJI'
 'PLE' 'COM' 'BRU' 'MDV' 'YAR' 'CGO' 'ISR' 'ISV' 'SRI' 'BEN' 'SOM' 'NIG'
 'MLI' 'POR' 'PUR' 'TKM' 'MRI' 'SEY' 'MTN' 'SKN' 'VIN' 'LBR' 'PLW' 'TOG'
 'AHO' 'ASA' 'RWA' 'DMA' 'CYP' 'BIZ' 'YMD' 'BER' 'SLE' 'YEM' 'IOA' 'OMA'
 'IVB' 'CAF' 'MAD' 'MAL' 'GUM' 'CAY' 'GBS' 'TLS' 'GAB' 'SMR' 'LAO' 'ROT'
 'CPV' 'CRT' 'GEQ' 'SAA' 'ANT' 'ZIM' 'GRN' 'LCA' 'FSM' 'MAW' 'RHO' 'STP'
 'MNE' 'GAM' 'WIF' 'SWZ' 'BUR' 'NBO' 'BDI' 'ARU' 'NRU' 'VNM' 'BHU' 'MHL'
 'KIR' 'UNK' 'TUV' 'NFL' 'KOS' 'SSD' 'LES']
```

[25]:
```
# The number of medals won by each country is counted to identify the top␣
↪medal-winning countries
top_medal_countries = df[df['Medal'].notna()]['NOC'].value_counts().head(10)
print(top_medal_countries)
```

```
NOC
USA    5637
URS    2503
GER    2165
GBR    2067
FRA    1767
ITA    1637
SWE    1536
CAN    1352
AUS    1320
RUS    1165
Name: count, dtype: int64
```

[31]:
```
# The difference in medal counts between genders is analyzed
gender_medals = df[df['Medal'].notna()].groupby('Sex')['Medal'].count()
print(gender_medals)
```

```
Sex
F    11253
M    28519
Name: Medal, dtype: int64
```

[29]:
```
gender_medals = df[df['Medal'].notna()].groupby('Sex')['Medal'].count()
plt.figure(figsize=(6, 6))
plt.pie(gender_medals, labels=gender_medals.index, autopct='%1.1f%%',␣
 ↪startangle=90, colors=['#66b3ff','#ff9999'])
plt.title('Distribution of Olympic Medals by Gender')
plt.axis('equal')
plt.show()
```



[33]:
```
popular_sports = df['Sport'].value_counts().head(10)
print(popular_sports)
```

```
Sport
Athletics               38624
Gymnastics              26707
Swimming                23195
Shooting                11448
Cycling                 10827
Fencing                 10735
Rowing                  10595
Cross Country Skiing     9133
Alpine Skiing            8829
Wrestling                7154
Name: count, dtype: int64
```

[35]:
```
popular_sports = df['Sport'].value_counts().head(10)
plt.figure(figsize=(10, 6))
popular_sports.plot(kind='bar', color='skyblue')
plt.title('Top 10 Most Popular Olympic Sports by Participation')
plt.xlabel('Sport')
plt.ylabel('Number of Participations')
plt.xticks(rotation=45, ha='right')
plt.tight_layout()
plt.grid(axis='y', linestyle='--', alpha=0.7)
plt.show()
```



[37]:
```
#Total medals per country (Top 10)
medal_counts = df[df['Medal'].notna()].groupby('NOC')['Medal'].count().
 ↪sort_values(ascending=False).head(10)
plt.figure(figsize=(10,6))
medal_counts.plot(kind='bar', color='gold')
plt.title('Top 10 Countries by Total Medals')
plt.ylabel('Medal Count')
plt.xlabel('Country (NOC)')
plt.xticks(rotation=45)
plt.grid(axis='y', linestyle='--', alpha=0.7)
plt.tight_layout()
plt.show()
```



[39]:
```
#Gender distribution over years
gender_year = df[df['Medal'].notna()].groupby(['Year', 'Sex'])['Medal'].count().
↪unstack()
gender_year.plot(kind='line', figsize=(12,6), marker='o')
plt.title('Medals by Gender Over Years')
plt.xlabel('Year')
plt.ylabel('Number of Medals')
plt.grid(True)
plt.legend(title='Gender')
plt.tight_layout()
plt.show()
```



[41]:
```
# Medal types distribution
medal_type = df[df['Medal'].notna()]['Medal'].value_counts()
plt.figure(figsize=(6,6))
medal_type.plot(kind='pie', autopct='%1.1f%%', colors=['#FFD700', '#C0C0C0',␣
↪'#CD7F32'])
plt.title('Distribution of Medal Types')
plt.ylabel('')
plt.tight_layout()
plt.show()
```



[43]:
```
#Average athlete age by sport (Top 10)
avg_age_sport = df[df['Age'].notna()].groupby('Sport')['Age'].mean().
 ↪sort_values().head(10)
plt.figure(figsize=(10,6))
avg_age_sport.plot(kind='barh', color='coral')
plt.title('Average Age of Athletes by Sport (Lowest 10)')
plt.xlabel('Average Age')
plt.ylabel('Sport')
plt.grid(axis='x', linestyle='--', alpha=0.7)
plt.tight_layout()
plt.show()
```



[61]:
```
# The most medal-winning sports in each continent are identified
top_sports_by_continent = df[df['Medal'].notna()].groupby(['Continent',␣
 ↪'Sport']).size().reset_index(name='count')
top_sports = top_sports_by_continent.sort_values(['Continent', 'count'],␣
 ↪ascending=[True, False])
print(top_sports.groupby('Continent').first())
```

```
                Sport  count
Continent
Africa       Athletics    273
Asia            Hockey    367
Europe          Rowing   1878
North America  Athletics   1476
Oceania       Swimming    418
```

```
South America   Football    269
```

[65]:
```
# The distribution of medal types by continent is calculated and visualized␣
↪using a stacked bar chart
continent_medal_types = df[df['Medal'].notna()].groupby(['Continent', 'Medal']).
↪size().unstack().fillna(0)

continent_medal_types.plot(kind='bar', stacked=True, figsize=(10,6))
plt.title('Medal Type Distribution by Continent')
plt.xlabel('Continent')
plt.ylabel('Number of Medals')
plt.xticks(rotation=45)
plt.legend(title='Medal')
plt.tight_layout()
plt.show()
```



[75]:
```
# The total number of medals by continent is calculated and visualized
continent_medals = df[df['Medal'].notna()].groupby('Continent')['Medal'].count().
 ↪sort_values(ascending=False)

plt.figure(figsize=(8,6))
continent_medals.plot(kind='bar', color='skyblue')
plt.title('Total Medals by Continent')
plt.xlabel('Continent')
plt.ylabel('Number of Medals')
plt.xticks(rotation=45)
plt.tight_layout()
plt.show()
```



[67]:
```
avg_age_by_continent = df[df['Medal'].notna()].groupby('Continent')['Age'].
↪mean().dropna().sort_values()

avg_age_by_continent.plot(kind='bar', color='green', figsize=(8,6))
plt.title('Average Age of Medalists by Continent')
plt.xlabel('Continent')
plt.ylabel('Average Age')
plt.xticks(rotation=45)
plt.tight_layout()
plt.show()
```



[69]:
```
# The difference in medal counts between continents in the Summer and Winter␣
↪Games is analyzed and visualized
continent_season = df[df['Medal'].notna()].groupby(['Continent',␣
↪'Season'])['Medal'].count().unstack()
continent_season.plot(kind='bar', stacked=True, title='Medals by Continent and␣
↪Season')
plt.ylabel("Number of Medals")
plt.show()
```



[71]:
```
# The most common sport in each continent is identified based on medal counts
top_sports_by_continent = df[df['Medal'].notna()].groupby(['Continent',␣
↪'Sport']).size().reset_index(name='Count')
top_sports = top_sports_by_continent.sort_values(['Continent', 'Count'],␣
↪ascending=[True, False]).groupby('Continent').head(1)
print(top_sports)
```

```
         Continent      Sport  Count
1           Africa  Athletics    273
42            Asia     Hockey    367
105         Europe     Rowing   1878
130  North America  Athletics   1476
207        Oceania   Swimming    418
223  South America   Football    269
```

[80]:
```
# The top-performing countries in each continent are identified based on the␣
↪number of medals won
top_countries_in_continents = df[df['Medal'].notna()].groupby(['Continent',␣
↪'NOC'])['Medal'].count().reset_index()
top_per_continent = top_countries_in_continents.sort_values(['Continent',␣
↪'Medal'], ascending=[True, False]).groupby('Continent').head(3)
print(top_per_continent)
```

```
         Continent  NOC  Medal
12          Africa  RSA    131
7           Africa  KEN    106
11          Africa  NGR     99
22            Asia  CHN    989
29            Asia  JPN    913
32            Asia  KOR    638
65          Europe  GER   2165
63          Europe  GBR   2067
61          Europe  FRA   1767
103  North America  USA   5637
93   North America  CAN   1352
95   North America  CUB    409
105        Oceania  AUS   1320
107        Oceania  NZL    228
104        Oceania  ANZ     29
110  South America  BRA    475
109  South America  ARG    274
118  South America  URU     63
```

[82]:
```
# The most decorated athletes in each continent are identified based on the␣
 ↪number of medals won
top_athletes_by_continent = df[df['Medal'].notna()].groupby(['Continent',␣
 ↪'Name'])['Medal'].count().reset_index()
top_athletes = top_athletes_by_continent.sort_values(['Continent', 'Medal'],␣
 ↪ascending=[True, False]).groupby('Continent').head(1)
print(top_athletes)
```

	Continent	Name	Medal
417	Africa	Tirunesh Dibaba Keneni	6
2447	Asia	Takashi Ono	13
6449	Europe	Edoardo Mangiarotti	13
22719	North America	Michael Fred Phelps, II	28
24799	Oceania	Ian James Thorpe	9
26073	South America	Robert Scheidt	5

[96]:
```
# Medal counts by country and continent are visualized using a heatmap
heatmap_data = df[df['Medal'].notna()]\
    .groupby(['Continent', 'NOC'])['Medal']\
    .count().unstack(fill_value=0)
plt.figure(figsize=(20, 8))
sns.heatmap(heatmap_data, cmap="YlGnBu", linewidths=0.5, linecolor='gray')

plt.title('Heatmap of Olympic Medals by Continent and Country', fontsize=16)
plt.xlabel('Country (NOC)', fontsize=12)
plt.ylabel('Continent', fontsize=12)
plt.xticks(rotation=90, fontsize=8)
plt.yticks(fontsize=10)
plt.tight_layout()
plt.show()
```



[94]:
```
# Continental dominance in specific sports is analyzed and visualized through a␣
↪comparison of medal counts
continent_sport_summary = df[df['Medal'].notna()].groupby(['Sport',␣
↪'Continent'])['Medal'].count().unstack(fill_value=0)
example_sports = ['Swimming', 'Athletics', 'Weightlifting', 'Boxing',␣
↪'Wrestling',
                  'Gymnastics', 'Shooting', 'Judo', 'Rowing', 'Fencing']

print("\nExample: Performance by Continent in Specific Sports")
print(continent_sport_summary.loc[example_sports])

continent_sport_summary.loc[example_sports].T.plot(kind='bar', stacked=True,␣
↪figsize=(10,6))
plt.title('Medal Counts by Continent for Selected Sports')
plt.ylabel('Number of Medals')
plt.show()
```

```
Example: Performance by Continent in Specific Sports
Continent      Africa  Asia  Europe  North America  Oceania  South America
Sport
Swimming           30   201    1047           1185      418             26
Athletics         273    86    1658           1476      114             40
Weightlifting      12   193     282             54        4              9
Boxing             57   127     425            218        9             45
Wrestling           7   326     647            168        3              2
Gymnastics          0   288    1465            195        0              4
Shooting            5    98     780            227       13             16
Judo                4   191     234             55        2             26
Rowing              8    29    1878            578      213             12
Fencing             2    55    1426             90        0              6
```



[98]:
```
# The evolution of athlete participation over the years is analyzed and␣
 ↪visualized
participation_by_year = df.groupby('Year')['ID'].nunique()
participation_by_year.plot(figsize=(10,6), marker='o')
plt.title('Number of Athletes Participating Over Time')
plt.xlabel('Year')
plt.ylabel('Number of Athletes')
plt.grid(True)
plt.show()
```



[100]:
```
# The ratio of female to male athlete participation is calculated and visualized␣
 ↪for each year
gender_ratio = df.groupby(['Year', 'Sex'])['ID'].nunique().unstack()
gender_ratio['Female Ratio'] = gender_ratio['F'] / (gender_ratio['M'] +␣
 ↪gender_ratio['F'])
gender_ratio['Female Ratio'].plot(figsize=(10,5), title='Female Participation␣
 ↪Ratio Over Years')
plt.ylabel('Ratio of Female Athletes')
plt.grid(True)
plt.show()
```



[102]:
```
# The most decorated athlete in each sport is identified based on the number of␣
 ↪medals won
top_athletes_per_sport = df[df['Medal'].notna()].groupby(['Sport',␣
 ↪'Name'])['Medal'].count().sort_values(ascending=False).groupby('Sport').head(1)
print(top_athletes_per_sport)
```

```
Sport          Name
Swimming       Michael Fred Phelps, II               28
Gymnastics     Larysa Semenivna Latynina (Diriy-)    18
Biathlon       Ole Einar Bjrndalen                   13
Fencing        Edoardo Mangiarotti                   13
Canoeing       Birgit Fischer-Schmidt                12
                                                     ..
Rugby Sevens   Daniel "Dan" Bibby                     1
Aeronautics    Hermann Schreiber                      1
Basque Pelota  Jos de Amzola y Aspiza                 1
Cricket        George John Buckley                    1
Alpinism       Tom George Longstaff                   1
Name: Medal, Length: 66, dtype: int64
```

[116]:
```
ireland = df[(df['NOC'] == 'IRL') & (df['Medal'].notna())]
ireland_trend = china.groupby('Year')['Medal'].count()
ireland_trend.plot(kind='line', marker='o', figsize=(8,5), title='Ireland Medal␣
 ↪Count Over Years')
plt.grid(True)
plt.show()
```



[120]:
```
# The countries (or cities) that have hosted the Olympic Games are identified␣
 ↪and analyzed
host_city_counts = df.drop_duplicates(subset=['Year', 'City'])['City'].
 ↪value_counts()
print(host_city_counts.head(15))
```

```
City
London              3
Athina              3
Innsbruck           2
Sankt Moritz        2
Paris               2
Los Angeles         2
Lake Placid         2
Stockholm           2
Amsterdam           1
Berlin              1
Oslo                1
Cortina d'Ampezzo   1
Melbourne           1
Roma                1
Moskva              1
Name: count, dtype: int64
```

[122]:
```
arab_nocs = ['EGY', 'TUN', 'MAR', 'ALG', 'SYR', 'JOR', 'QAT', 'KSA', 'UAE',␣
 ↪'LBN', 'IRQ', 'BAH', 'OMA', 'KWT', 'YEM']
arab_medals = df[df['NOC'].isin(arab_nocs) & df['Medal'].notna()]
arab_medal_counts = arab_medals['NOC'].value_counts()
arab_medal_counts.plot(kind='bar', figsize=(10,5), title='Arab Countries Medal␣
 ↪Count')
plt.xlabel('Country')
plt.ylabel('Medals')
plt.grid(True)
plt.show()
```



[124]:
```
# A general analysis is performed to examine the medal distribution for any␣
 ↪specified continent

def plot_continent_medals(noc_list, title):
    continent_medals = df[df['NOC'].isin(noc_list) & df['Medal'].notna()]
    continent_medal_counts = continent_medals['NOC'].value_counts()

    plt.figure(figsize=(10,5))
    continent_medal_counts.plot(kind='bar', title=title)
    plt.xlabel('Country')
    plt.ylabel('Number of Medals')
    plt.grid(True)
    plt.tight_layout()
    plt.show()
```

[136]:
```
# Africa
africa_nocs = [
    'ALG', 'ANG', 'BEN', 'BOT', 'BUR', 'CAF', 'CIV', 'CMR', 'COD', 'CPV', 'DJI',␣
 ↪'EGY',
    'ERI', 'ETH', 'GAB', 'GAM', 'GHA', 'GUI', 'KEN', 'LES', 'LBA', 'LIB', 'MAD',␣
 ↪'MAR',
    'MLI', 'MOZ', 'MRI', 'MTN', 'NAM', 'NGR', 'NIG', 'RWA', 'SEN', 'SEY', 'SLE',␣
 ↪'SOM',
    'SUD', 'SWZ', 'TOG', 'TUN', 'UGA', 'ZAM', 'ZIM', 'RSA']

# Asia
asia_nocs = [
    'AFG', 'BRN', 'BAN', 'BHU', 'BRU', 'CAM', 'CHN', 'HKG', 'IND', 'INA', 'IRI',␣
 ↪'IRQ',
    'ISR', 'JPN', 'JOR', 'KAZ', 'KGZ', 'KOR', 'KUW', 'LAO', 'LIB', 'MAS', 'MDV',␣
 ↪'MGL',
    'MYA', 'NEP', 'OMA', 'PAK', 'PHI', 'PLE', 'PRK', 'QAT', 'KSA', 'SGP', 'SRI',␣
 ↪'SYR',
    'TJK', 'THA', 'TLS', 'TPE', 'TKM', 'UAE', 'UZB', 'VIE', 'YEM']

# Europe
europe_nocs = [
    'ALB', 'AND', 'ARM', 'AUT', 'AZE', 'BEL', 'BIH', 'BLR', 'BUL', 'CRO', 'CYP',␣
 ↪'CZE',
    'DEN', 'ESP', 'EST', 'FIN', 'FRA', 'GEO', 'GBR', 'GER', 'GRE', 'HUN', 'ISL',␣
 ↪'IRL',
    'ISR', 'ITA', 'KOS', 'LAT', 'LIE', 'LTU', 'LUX', 'MDA', 'MKD', 'MLT', 'MON',␣
 ↪'MNE',
    'NED', 'NOR', 'POL', 'POR', 'ROU', 'RUS', 'SMR', 'SRB', 'SVK', 'SLO', 'SUI',␣
 ↪'SWE',
    'TUR', 'UKR', 'VAT']

# North America
north_america_nocs = [
    'ANT', 'BAH', 'BAR', 'BER', 'BIZ', 'CAN', 'CAY', 'CRC', 'CUB', 'DMA', 'DOM',␣
 ↪'ESA',
    'GUA', 'GRN', 'HAI', 'HON', 'ISV', 'JAM', 'LCA', 'MEX', 'NCA', 'PAN', 'PUR',␣
 ↪'SKN',
    'TTO', 'USA', 'VIN']

# South America
south_america_nocs = [
    'ARG', 'BOL', 'BRA', 'CHI', 'COL', 'ECU', 'GUY', 'PAR', 'PER', 'SUR', 'URU',␣
 ↪'VEN']

# Oceania
```

```
oceania_nocs = [
    'ASA', 'AUS', 'COK', 'FIJ', 'FSM', 'GUM', 'KIR', 'MHL', 'NRU', 'NZL', 'PLW',␣
 ↪'PNG',
    'SAM', 'SOL', 'TGA', 'TKL', 'TUV', 'VAN']
```

[138]:
```
plot_continent_medals(africa_nocs, 'Africa - Medal Count by Country')
plot_continent_medals(asia_nocs, 'Asia - Medal Count by Country')
plot_continent_medals(europe_nocs, 'Europe - Medal Count by Country')
plot_continent_medals(north_america_nocs, 'North America - Medal Count by␣
 ↪Country')
plot_continent_medals(south_america_nocs, 'South America - Medal Count by␣
 ↪Country')
plot_continent_medals(oceania_nocs, 'Oceania - Medal Count by Country')
```




Asia - Medal Count by Country
Number of Medals
0
200
400
600
800
1000
CHN
JPN
KOR
IND
PAK
KAZ
IRI
PRK
TPE
INA
UZB
THA
MGL
MAS
PHI
SGP
ISR
KSA
QAT
LIB
TJK
VIE
HKG
KGZ
SYR
BRN
UAE
KUW
SRI
AFG
IRQ
NEP
JOR
Country


Europe - Medal Count by Country
Number of Medals
0
500
1000
1500
2000
GER
GBR
FRA
ITA
SWE
RUS
HUN
NED
NOR
FIN
SUI
ROU
DEN
POL
ESP
BEL
AUT
BUL
GRE
UKR
CRO
CZE
BLR
TUR
SRB
LTU
EST
SLO
SVK
AZE
POR
IRL
LAT
GEO
ISL
ARM
MNE
ISR
LIE
LUX
MDA
MKD
KOS
CYP
MON
Country


North America - Medal Count by Country
Number of Medals
0
1000
2000
3000
4000
5000
USA
CAN
CUB
JAM
MEX
BAH
TTO
PUR
HAI
DOM
CRC
PAN
GRN
GUA
BER
ISV
BAR
Country


South America - Medal Count by Country
Number of Medals
0
100
200
300
400
BRA
ARG
URU
CHI
COL
PAR
VEN
PER
SUR
ECU
GUY
Country


Oceania - Medal Count by Country
Number of Medals
0
200
400
600
800
1000
1200
AUS
NZL
FIJ
TGA
Country

[140]:
```
# The distribution of each medal type by continent is calculated and visualized␣
↪using a stacked bar chart

df_medals = df[df['Medal'].notna()]

continent_medal_types = df_medals.groupby(['Continent', 'Medal']).size().
↪unstack(fill_value=0)

continent_medal_types = continent_medal_types[['Gold', 'Silver', 'Bronze']]

continent_medal_types.plot(kind='bar', stacked=True, figsize=(10,6),␣
↪colormap='viridis')
plt.title('Medal Type Distribution by Continent')
plt.xlabel('Continent')
plt.ylabel('Number of Medals')
plt.legend(title='Medal Type')
plt.grid(True)
plt.tight_layout()
plt.show()
```