



How To Call External APIs Integration

Revision History:

Version	Author	Date	Modifications
1.0	Amir Alfoly	2024-02-14	First version
1.1	Esraa Elsaadawy	2024-12-03	Order Payment Data Revamp
1.2	Esraa Elsaadawy	2026-03-04	Add Return & Exchange Orders Creation Update Order Creation to include require flextock delivery service option and add status response codes

1. Authentication

URL:

<https://api.flextock.com/base/auth/>

Method:

POST

Body:

```
{
  "username": "username",
  "password": "password",
  "key": "api key"
}
```

Parameters:

Name	Description
username	merchant username
password	merchant account password
key	the api key provided for authentication

Returns:

```
{  
  "refresh":  
    "eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJ0b2t0bl90eXBIIjoicmVmcmVzaCI6ImV4cCI6MTY0MzI4N  
Tg1OCwianRpIjoiZjcyMWUxOGM3OGI0ND",  
  "access":  
    "eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJ0b2t0bl90eXBIIjoieWNjZXNzIiwiaXhwLjoxNjQzMjAzMDU4LCJqdGkiOiI3Ym"  
}
```

access: is the token used in the bearer parameter to authorize other apis.

2. Create Product

This endpoint allows you to create products on Flextock's system.
In one request, up to 100 products can be created.

URL:

<https://api.flextock.com/external-integration/create-products/>

Method:

POST

Body:

```
{
  "products": [
    {
      "sku_code": "test-live-124",
      "sku_name": "test-live-123",
      "sku_description": "SKU descriptiontest",
      "sku_image_url": "https://cdn.images.example/images/sku00111.jpg",
      "price": 200,
      "merchant_promotional_price": 150 //Optional In case of having promotion on the SKU
    }
  ]
}
```

Returns:

If the products is created successfully, the response will be:

```
{
  "response": [
    {
      "sku_code": "test-live-125",
      "message": "SKU code created successfully."
    }
  ]
}
```

If the product already exists:

```
{  
  "response": [  
    {  
      "sku_code": "test-live-124",  
      "message": "SKU code already exists."  
    }  
  ]  
}
```

3. Create Order:

This endpoint allows you to create orders on Flextock's system.
In one request, up to 100 orders can be created.

URL:

<https://api.flextock.com/external-integration/create-order/>

Method:

POST

Body:

```
{  
  "order_code": "test-live-order-123",  
  "order_date": "2021-01-10",  
  "shipping_fees": 30,  
  "is_free_shipping": false,  
  "is_gift_order": false,  
  "order_currency": "SAR",  
  "integration_source": "barmaja",  
  "vendor_name": "barmaja",  
  "customer_address": {  
    "country": "Egypt",  
    "city": "Cairo",  
    "area": "Heliopolis",  
    "address_line1": "24 Mohamed abd el hady",  
    "address_line2": "24 Mohamed abd el hady",  
    "building_no": "5",  
    "floor_no": "2",  
    "apartment_no": "1",  
    "is_work_address": false,  
    "first_name": "Muhammad",  
    "last_name": "Ashraf",  
    "phone_number": "01236547854",  
    "secondary_phone_number": "01236547854",  
  },  
}
```

```
    "note": "delivery will be at 2:00 PM"
  },
  "line_items": [
    {
      "sku_code": "test-live-123",
      "quantity": 1,
      "sku_price": 100,
      "sku_promotional_price": 80,
    }
  ],
  "extra_fees": [
    {
      "name": "COD Fees",
      "value": 10,
    }
  ],
  "payment_data": [
    {
      "value": 210,
      "payment_type": "prepaid",
      "payment_method": "credit card",
      "payment_reference": "XYZ-ABC-HLM",
      "payment_timestamp": "2024-12-03 13:46:14.000 +0200",
    }
  ],
  "discounts_data": [
    {
      "value": 210,
      "discount_type": "Fixed",
      "discount_code": "HELLOCUSTOMER",
    }
  ],
  "requires_self_delivery": true,
  "shipment_data": {
    "courier_name_code": "ARKZ",
    "tracking_number": "1234567"
  }
}
```

}

Parameters:

Parameter name	Description					
order_code	Unique order reference at the merchant					
order_date	Order creation date at the merchant, this is for reference					
integration_source	Put name of the merchant					
customer_address.city	One of the supported cities					
	<table><tr><td>City Name</td></tr><tr><td></td></tr></table>		City Name			
	City Name					
customer_address.area	One of the supported areas					
	<table><tr><td>City Name</td><td>Area Name</td></tr><tr><td></td><td></td></tr></table>		City Name	Area Name		
	City Name	Area Name				
customer_address.address_line1	Customer address					
customer_address.address_line2	Additional address					
line_items	Array of order line items					
line_items.sku_code	Array of ordered products sku codes					
line_items.quantity	SKU quantity					
line_items.sku_price	SKU Price					
line_items.sku_promotional_price	SKU Promotional Price (Optional) It must have a value or be null. If it has value, even if the value is 0, it will be considered as the promotional price					
shipping_fees	Order Shipping Fees					
is_free_shipping	Boolean indicates whether the order is free shipping or					

	not (Optional)
is_gift_order	Boolean indicates whether the order is a gift or not (Optional)
order_currency	Order Currency
extra_fees	Array of Order Extra Fees (Any Fees other than the items cost and the shipping fees, e.g.: COD collection fees) (Optional)
extra_fees.name	Extra Fee Name
extra_fees.value	Extra Fee Value
payment_data	Array of Order Payments Data
payment_data.value	The amount of money paid using this method
payment_data.payment_type	Payment type must be cash_on_delivery or prepaid
payment_data.payment_method	Mandatory only If the payment type is prepaid. Contains the prepaid method name
payment_data.payment_reference	Mandatory only If the payment type is prepaid. It contains the prepaid payment reference
payment_data.payment_timestamp	Payment Timestamp/Date
discounts_data	Array of Order Discounts Data (Optional)
discounts_data.value	Discount Value
discounts_data.discount_type	Discount Type Supported Types: fixed & percentage
discounts_data.discount_code	Discount Code
requires_self_delivery	Boolean determines whether order requires Flextock Delivery or the merchant will deliver it Default: false
shipment_data.courier_name_code	Shipper Code Must be the same name as exists in Flextock System (Case Sensitive) Codes Are Predefined in Flextock System as per the merchant request

	Supported only for orders with <code>requires_self_delivery</code> set to true
shipment_data.tracking_number	Shipment Company Tracking Number Supported only for Orders with <code>requires_self_delivery</code> set to true

Returns:

```
{
  "message": "Order created successfully."
}
```

Validation Rules:

- **order_code:** Must be unique
- **line_items:** Must contain at least 1 item
- **line_items.sku_code:** Must exist in the system and must not be duplicated in the same order
- **line_items.quantity:** Must be greater than zero
- **customer_address:** Must include at least a "first_name" or "last_name"

Response Status Codes:

Status Code	Description										
200	Order created successfully.										
400	Bad request. Returned when any validation fails or an unexpected error occurs during order creation. Possible causes include: <table> <tr> <th>Cause</th><th>Error</th></tr> <tr> <td>Duplicate order code</td><td>Order code: {order_code} already exists.</td></tr> <tr> <td>Empty line items</td><td>Line items cannot be empty.</td></tr> <tr> <td>SKU not found</td><td>SKU {sku_code} not exists.</td></tr> <tr> <td>Zero / negative quantity</td><td>SKU {sku_code} quantity should be</td></tr> </table>	Cause	Error	Duplicate order code	Order code: {order_code} already exists.	Empty line items	Line items cannot be empty.	SKU not found	SKU {sku_code} not exists.	Zero / negative quantity	SKU {sku_code} quantity should be
Cause	Error										
Duplicate order code	Order code: {order_code} already exists.										
Empty line items	Line items cannot be empty.										
SKU not found	SKU {sku_code} not exists.										
Zero / negative quantity	SKU {sku_code} quantity should be										

		greater than 0.
	Duplicate SKU in order	Duplicate SKU sku_code: {sku_code} in the same order.
	Empty SKU code	SKU code cannot be empty.
	Missing customer name	First name or Last name are required for customer contact.
	Unexpected error	Varies
401	Authentication credentials were not provided or are invalid. Error Message: Authentication credentials were not provided.	
403	The authenticated user does not have the "CreateOrderAPI.POST" permission. Error Message: You do not have permission to perform this action.	
500	Unhandled System Error Note: In this case, you shall contact system tech support	

4. Get Order status:

This endpoint takes the order code in the body and returns the current status of the order and its tracking data.

In one request, it can take up to 100 orders

URL:

<https://api.flextock.com/external-integration/order-status/>

Method:

POST

Body:

- Get status single order

```
{  
  "order_code": "test-live-order-123"  
}
```

- Get status multiple orders

```
{  
  "order_code_array": [ "test-live-order-123", "test-live-order-124" ]  
}
```

Returns:

```
{  
  "courier_name": null,  
  "order_status": "canceled",  
  "tracking_number": null,  
  "tracking_url": null  
}
```

5. List products

This endpoint returns all the products on Flextock's system for the current user.

URL:

<https://api.flextock.com/external-integration/list-products/>

Method:

POST

Body:

```
{"request": "product listing"}
```

Returns:

A list of all the products

For example:

```
[
  {
    "item_quantity": "0",
    "sku_description": "",
    "sku_code": "TEST_FLAG2",
    "sku_image_url": "",
    "sku_name": "in stock flag test",
    "sku_price": 150,
    "sku_promotional_price": null
  },
  {
    "item_quantity": "0",
    "sku_description": "SKU descriptiontest",
    "sku_code": "test-live-123003",
    "sku_image_url": "https://cdn.images.example/images/sku00111.jpg",
    "sku_name": "test-live-123004",
```

```
    "sku_price": 100,  
    "sku_promotional_price": 80  
  },  
  {  
    "item_quantity": "0",  
    "sku_description": "",  
    "sku_code": "1798",  
    "sku_image_url": "",  
    "sku_name": "Shirt",  
    "sku_price": 180,  
    "sku_promotional_price": null  
  }  
]
```

6. Get Order details:

This endpoint takes the order code in the url and returns the SKU codes in the order and its cash on delivery value.

URL:

https://api.flextock.com/external-integration/order-details?order_code=

Method:

GET

Example:

https://api.flextock.com/external-integration/order-details?order_code=test-live-order-123

Returns:

```
{  
  "Order_code": "test-live-order-123",  
  "Sku": "JER-CRASH-B-XXL",  
  "COD": 100.0  
}
```

Note that this endpoint only takes a maximum order at a time.

7. Update Product Details:

This endpoint allows the user to update the product details in our system.

URL:

https://api.flextock.com/external-integration/update-product/

Method:

Patch

Example: *https://api.flextock.com/external-integration/update-product/*

Body:

```
{
  "sku_code": "JER-CRASH-B-XL",
  "price": 1800,
  "promotional_price": 1500, //Optional In case of having promotion on the SKU
  "sku_name": "Black UNISEX CRASH GAME OVERSIZE T-Shirt - XL (90KG-105KG) / WHITE",
  "sku_description": "A 10% Cotton Oversized T-shirt",
  "sku_image_url": "https://image.com"
}
```

Returns:

If the product is updated successfully it will return:

```
{
  "Done"
}
```

If there is a field missing, for example if the body doesn't have "sku_name"

The response will be:

```
{ "Please add Sku name" and so on. }
```

Note that this endpoint only takes a maximum product at a time.

8. Create Return Order:

URL:

<https://api.flextock.com/external-integration/create-return-order/>

Method:

POST

Body:

```
{
  "order_date": "2021-01-10",
  "integration_source": "barmaja",
  "customer_address": {
    "country": "Egypt",
    "city": "Cairo",
    "area": "Heliopolis",
    "address_line1": "24 Mohamed abd el hady",
    "address_line2": "24 Mohamed abd el hady",
    "building_no": "5",
    "floor_no": "2",
    "apartment_no": "1",
    "is_work_address": false,
    "first_name": "Muhammad",
    "last_name": "Ashraf",
    "phone_number": "01236547854",
    "secondary_phone_number": "01236547854",
    "note": "delivery will be at 2:00 PM"
  },
  "outbound_order_code": "FTT-OT-80191WCQ7M",
  "return_skus": [
    {
      "sku_code": "test-live-123",
      "quantity": 1,
      "is_damaged": false,
    }
  ]
}
```



```

],
"cash_returned": 50,
"requires_self_delivery": true,
"shipment_data": {
  "courier_name_code": "ARKZ",
  "tracking_number": "1234567"
}
}

```

Parameters:

Parameter name	Description	
order_date	Order creation date at the merchant, this is for reference	
cash_returned	The total amount needs to be returned to the customer, and will be 0 if the order refunded online	
integration_source	Put name of the merchant	
customer_address.city	One of the supported cities City Name	
customer_address.area	One of the supported areas City Name Area Name	
customer_address.address_line1	Customer address	
customer_address.address_line2	Additional address	
return_skus	Array of returned SKUs	
return_skus.sku_code	Array of returned products sku codes	

return_skus.quantity	SKU quantity
return_skus.is_damaged	Is Returned SKU damaged or not
outbound_order_code	Original Outbound Order Code which return order is created on
requires_self_delivery	Boolean determines whether order requires Flextock Delivery or the merchant will deliver it Default: false
shipment_data.courier_name_code	Shipper Code Must be the same name as exists in Flextock System (Case Sensitive) Codes Are Predefined in Flextock System as per the merchant request Supported only for orders with requires_self_delivery set to true
shipment_data.tracking_number	Shipment Company Tracking Number Supported only for Orders with requires_self_delivery set to true

Returns:

```
{
  "message": "Return Order created successfully."
}
```

9. Create Exchange Order:

URL:

<https://api.flextock.com/external-integration/create-exchange-order/>

Method:

POST

Body:

```
{
  "order_date": "2021-01-10",
  "integration_source": "barmaja",
  "customer_address": {
    "country": "Egypt",
    "city": "Cairo",
    "area": "Heliopolis",
    "address_line1": "24 Mohamed abd el hady",
    "address_line2": "24 Mohamed abd el hady",
    "building_no": "5",
    "floor_no": "2",
    "apartment_no": "1",
    "is_work_address": false,
    "first_name": "Muhammad",
    "last_name": "Ashraf",
    "phone_number": "01236547854",
    "secondary_phone_number": "01236547854",
    "note": "delivery will be at 2:00 PM"
  },
  "outbound_order_code": "FTT-OT-80191WCQ7M",
  "return_skus": [
    {
      "sku_code": "test-live-123",
      "quantity": 1,
      "is_damaged": false,
    }
  ]
}
```

```

],
"exchange_skus": [
  {
    "sku_code": "test-live-124",
    "quantity": 1,
    "sku_price": 160,
  }
],
"cash_on_delivery": 50,
"cash_returned": 50,
"requires_self_delivery": true,
"shipment_data": {
  "courier_name_code": "ARKZ",
  "tracking_number": "1234567"
}
}

```

Parameters:

Parameter name	Description
order_date	Order creation date at the merchant, this is for reference
cash_returned	The total amount needs to be returned to the customer, and will be 0 if the order refunded online
cash_on_delivery	The total amount needed to be collected from the customer and will be 0 if the order is paid online Important Note: Only 1 field from cash_returned and cash_on_delivery must have a value, and the other must be empty
integration_source	Put name of the merchant
customer_address.city	One of the supported cities City Name
customer_address.area	One of the supported areas

	City Name	Area Name
customer_address.address_line1	Customer address	
customer_address.address_line2	Additional address	
return_skus	Array of returned SKUs	
return_skus.sku_code	Array of returned products sku codes	
return_skus.quantity	SKU quantity	
return_skus.is_damaged	Is Returned SKU damaged or not	
exchange_skus	Array of SKUs to be handed to the customer	
exchange_skus.sku_code	Array of products to be handed to the customer sku codes	
exchange_skus.quantity	SKU quantity	
exchange_skus.sku_price	SKU Price	
outbound_order_code	Original Outbound Order Code which exchange order is created on	
requires_self_delivery	Boolean determines whether order requires Flextock Delivery or the merchant will deliver it Default: false	
shipment_data.courier_name_code	Shipper Code Must be the same name as exists in Flextock System (Case Sensitive) Codes Are Predefined in Flextock System as per the merchant request Supported only for orders with requires_self_delivery set to true	
shipment_data.tracking_number	Shipment Company Tracking Number Supported only for Orders with requires_self_delivery set to true	

Returns:

```
{  
  "message": "Exchange Order created successfully."  
}
```