Ð		class="row g-2">Đ	
	<div class="col py-3 mx-auto">Đ</div>	<div< td=""></div<>	
Ð		class="col-auto">Đ	
	html Đ	<label< a=""></label<>	
Đ	<html lang="en">Đ</html>	class="form-label">á¾#ã @â Đ	
	shood D	<select< td=""></select<>	
	<head>Đ</head>	name="type" class="form-select border border-dark"Đ	
	<title>sport</title> Đ Đ	bolder-dark D	
Đ	√neau>D	autocomplete="off" required>Đ	
	<body>Đ</body>	autocomplete= on required>b	
Ð	150a) 25	<pre><option disabled="" selected="" value="">ä %ã~-à â>0ä ásÂ</option></pre>	
Đ		option>Đ	
	dr> D	Ď	
Ð		Đ	
	<div class="card">Đ</div>	Ð	
	<div class="card-</td><td><div</td></tr><tr><td>head</td><td>ler display-6">Đ</div>	class="col-1">Đ	
	ä ãNHâ ã^,ã-	<label< td=""></label<>	
	Ð	class="form-label">àŽ3áž'áž ãžIä %äŽ Đ	
	<div class="card-body">Đ</div>	<input< td=""></input<>	
<pre><form action="/sport/</pre></td><td>type=" class="needs-</td><td>border-dark" post"="" td="" text"="" đ<=""></form></pre>			
valid	ation">Đ <div anartplayaum"="" class="form-</td><td>nama_" td="" valua_""p<=""></div>		
grou		name="sportPlaynum" value=""Đ	
grou	div class="row>	autocomplete="off" required>Đ	
row-	cols-1">Đ	D	
1000	<div< td=""><td>Đ</td></div<>	Đ	
class	s="row g-2">Đ	Đ	
	<div< td=""><td>Đ</td></div<>	Đ	
class	s="col-5">Đ	Ð	
	<label< td=""><td>Đ</td></label<>	Đ	
class="form-label">à®7äŽ-à 5âÎ2Đ <input< td=""><td><div class="form-control border border-dark" td="" text"="" đ<=""><td>content-center">Đ</td></div></td></input<>		<div class="form-control border border-dark" td="" text"="" đ<=""><td>content-center">Đ</td></div>	content-center">Đ
		<div< td=""></div<>	
		class="col-2">Đ	
name="sportName" value="" autocomplete="off"Đ		<a< td=""></a<>	
		href="javascript:history.back()" class="btn	
	ino d. D	btn-danger">â. ä %ãN Ð	
requ	ired>Đ	Ð	
	Đ Đ	<div< td=""></div<>	
Đ		class="col-2">Đ <button< td=""></button<>	
ט	<div< td=""><td>class="btn btn-success" type="submit">â.7áž"ã <!--</td--></td></div<>	class="btn btn-success" type="submit">â.7áž"ã </td	
	Suiv	button>Đ	