


Verditype / Primitiver




```
let num1 = 10;
```

```
let num2 = 20;
```

```
let test = num1 > num2;
```

```
let s = "Hello";
```

Verditype / Primitiver



```
let num1 = 10;
```


```
let num2 = 20;
```

```
let test = num1 > num2;
```

```
let s = "Hello";
```

```
num2 = s;
```

Verditype / Primitiver



```
let num1 = 10;
```

```
let num2 = 20;
```

```
let test = num1 > num2;
```

```
let s = "Hello";
```

```
num2 = s;
```

Referansetype

```
let fruits1 = ['Apple', 'Banana'];  
console.log(fruits1);
```

```
(2) ['Apple', 'Banana']
```

```
let fruits2 = fruits1;  
fruits2.push('Orange');  
console.log(fruits1);  
console.log(fruits2);
```

```
(3) ['Apple', 'Banana', 'Orange']
```

```
(3) ['Apple', 'Banana', 'Orange']
```

Hvorfor blir `fruits1` egentlig endret når vi prøver å endre `fruits2`?


```
let fruits1 = ['Apple', 'Banana'];
```

Stack


Heap

#000002 = ['Apple', 'Banana']


```
let fruits1 = ['Apple', 'Banana'];
```




```
let fruits1 = ['Apple', 'Banana'];  
let fruits2 = fruits1;
```




```
let fruits1 = ['Apple', 'Banana'];  
let fruits2 = fruits1;
```




```
let fruits1 = ['Apple', 'Banana'];  
let fruits2 = fruits1;  
fruits2.push('Orange');
```




```
let fruits1 = ['Apple', 'Banana'];  
let fruits2 = fruits1;  
fruits2.push('Orange');
```




```
let fruits1 = ['Apple', 'Banana'];  
let fruits2 = [...fruits1];
```



```
let fruits1 = ['Apple', 'Banana'];  
let fruits2 = [...fruits1];
```



```
let fruits1 = ['Apple', 'Banana'];  
let fruits2 = [...fruits1];  
fruits2.push('Orange');
```



```
let fruits1 = ['Apple', 'Banana'];  
let fruits2 = [...fruits1];  
fruits2.push('Orange');
```

