CodeWithHarry Menu▼

Login





HTML Cheatsheet

Structure

This is the basic template or barebone structure of HTML.

Boilerplate

Headings

There are six headings available in HTML, H1 is the largest among all, and H6 is the smallest.

<h1> Tag

```
<h1>Heading 1</h1>
```

<h2> Tag

```
<h2>Heading 2</h2>
```

<h3> Tag

```
<h3>Heading 3</h3>
```

h4 Tag

```
<h4>Heading 4</h4>
```

h5 Tag

```
<h5>Heading 5</h5>
```

h6 Tag

```
<h6>Heading 6</h6>
```

Container

Container tags are the tags that contain some data such as text, image, etc. There are several container tags in HTML.

div tag

div tag or division tag is used to make blocks or divisions in the document.

```
<div> This is div block </div>
```

span tag

span is a container for inline content

```
<span> This is span block </span>
```

p tag

Paragraph

```
 This is a paragraph
```

pre tag

pre tag represents pre-formatted text

```
 Hello World
```

code tag

code tag is used to represent source codes

```
<code>
import python
</code>
```

Text Formatting

Text formatting tags are used to format text or data of HTML documents. You can do certain things like creating italic, bold, strong text to make your document look more attractive and understandable.

 tag

```
<box><b>I'm bold text</b></br>
```

 tag

```
<strong>I'm important text</strong>
```

<i> tag

```
<i>>I'm italic text</i>
```

 tag

```
<em>Emphasized text
```

<sub> tag

```
<sub>Subscript</sub>
```

<sup> tag

```
<sup>Superscript</sup>
```

Lists

Lists can be either numerical, alphabetic, bullet, or other symbols. You can specify list type and list items in HTML for the clean document.

tag

Ordered list starts with tag and each list item starts with tag

```
      >Data 1
      Data 2
      Data 3
```

tag

```
     <!i>>Your Data
     <!i>>Your Data
```

Media

Media is anything that is present in digital form such as image, video, audio, etc.

<audio> tag

It is used to embed sound content in the document.

 tag

It is used to embed or import image in a webpage.

```
<img src="Source_of_image" alt="Alternate text">
```

<video> tag

It is used to embed video in the webpage.

Table

A table is a collection of rows and columns. It is used to represent data in tabular form.

Table Structure

```
<caption>Demo Table</caption>
 <thead>
   >
     Column1
     Column2
   </thead>
 Data1
     Data2
     Data2
   >
     Data1
     Data2
     Data2
   <tfoot>
```

```
Data
```

Links

Links are clickable text that can redirect you to some other page.

<a> tag

<a> or anchor tag defines a hyperlink.

```
<a href="https://www.codewithharry.com/">Visit CodeWithHarry.com!</a>
```

Form

Sample Form

Form is used to collect user's input, generally user's data is sent to server for further processing.

```
<form action="/action.php" method="post">
   Name: <input name="name" type="text" /> <br />
   Age: <input max="90" min="1" name="age" step="1" type="number" value="18
   <select name="gender">
        <option selected="selected" value="male">Male</option>
        <option value="female">Female</option>
        </select><br />
        <input checked="checked" name="newsletter" type="radio" value="daily" />
            value="weekly" /> Weekly<br />
        <textarea cols="20" name="comments" rows="5">Comment</textarea><br />
        <label><input name="terms" type="checkbox" value="tandc" />Accept terms</ti>
        </rr>
    </ri>
    </ri>
    </ri>
</ri>
```

Characters & Symbols

Some symbols are not directly present on the keyboard, but there are some ways to use them in HTML documents. We can display them either by entity name, decimal, or hexadecimal

value.

Copyright Symbol (©)

©

Less than (<)

<

Greater than (>)

>

Ampersand (&)

&

Dollar (\$)

\$

Random Text

Elon Musk

Elon Reeve Musk FRS is an entrepreneur and business magnate. He is the found

Semantic Elements

Semantic elements are those elements that are self describable, i.e., from their name itself, you can understand their meaning.

<section> tag

It defines a section in the document

<section>This is a section</section>

<article> tag

It represents self-contained content

<article> Enter your data here </article>

<aside> tag

It is used to place content in the sidebar

<aside> Your data </aside>

Download this Cheatsheet

Add a new comment

Type Your Comment

Post Comment

Comments (63)



siddiquialbeena76_gm 2023-07-23

Tysm, very helpfull!

REPLY



rvipin069_gm 2023-07-23

I well perfered for this book best web development and best books <a href="https://www.amazon._encoding=UTF8&ie=UTF8&useRedirectOnSuccess=1&path=%2Fdp%2F0070701946%2Fref%3Dre id=amzn1.sym.df9fe057-524b-4172-ac34-9a1b3c4e647d%3Aamzn1.sym.df9fe057-524b-4172-ac34

8aeb4efc088d&pd_rd_w=qGJbM&pd_rd_wg=GU4YU&qid=1690106519&sr=1-2-e0fa1fdd-d857-4(21&linkId=aff06df85a35213bf2402068af24252b&language=en_IN&ref_=as_li_ss_il" target="_blank _encoding=UTF8&ASIN=0070701946&Format=_SL160_&ID=AsinImage&MarketPlace=IN&Service in.amazon-adsystem.com/e/ir?t=rajvipin7mad7-21&language=en_IN&l=li2&o=31&a=0070701946

REPLY



pyadav5638_gm 2023-07-20

Thank Harry bhai love you

REPLY



hafizsufyan21217_gm 2023-07-19

Thanks V I am from Pakistanpk

REPLY



karanjeet13kj_gm 2023-07-08

Thank for making this.

REPLY



Copyright © 2022 CodeWithHarry.com









•