

STRING OPERATIONS

① What is a string?

- A string is a sequence of characters (letters, numbers, symbols) stored using double quotes i.e. ""

Name ← "Ali"

- Accessing Characters within a string?

Name ← "ALI"

OUTPUT Name[1] // prints A

OUTPUT Name[3] // prints I

- Finding length of an String

- LENGTH() is used to find the length of a string

Name ← Ali

← 4

← 4

- APPLY:

TEXT ← "HELLO"

LEN ← LENGTH(TEXT)

This Function returns the length of the variable passed as parameters

- OUTPUT LEN

→ This will print 4

1000, — 9999

Example

```
DECLARE name: STRING  IF length >= 1000
— name1 ← "MANEEHA"    AND
  LEN ← LENGTH(name1)  length ≤ 9999
OUTPUT LEN             // 7  THE "VALID"
                           ELSE "INVALID"

name2 ← "AIMEN"
  LEN ← LENGTH(name2)
OUTPUT LEN             // 5
```

SUBSTRING

Extract a part of a string from a specific point

SUBSTRING (string, starting point, number of characters)

APPLY

MANEEHA → NEEHA
1 2 3

TEXT ← "MANEEHA"
part ← SUBSTRING(TEXT, 3, 5) PD
OUTPUT part // NEEHA

Name ← "AIMEN"
1 2 3 4

(1, 4) aim

Nickname ← SUBSTRING(Name, 1, 4)
OUTPUT Nickname // Aime.

↳ comments
↳ ignore

SUBSTRING (string, 1, 2)
PD

CONVERT to UPPER: `UPPERCASE(String)` converts all lower case to UPPER CASE

APPLY:

`Name ← "ali"`

`Result ← UPPERCASE(Name)`

OUTPUT Result // "ALI"

Convert to lower - works opposite to `UPPERCASE`

APPLY:

`word ← "HELLO"`

`Result ← LOWERCASE(word)`

OUTPUT Result // "hello"

STRING CONCATINATION:

`startName ← "Aimen"`

`SirName ← "Tawad"`

`FullName ← startname + SirName`

OUTPUT FullName // "Aimen Tawad"