FINAL YEAR B.TECH PROJECT DEFENSE • ACADEMIC SESSION 2025–2026

DataForge: Autonomous Data Intelligence & AutoML Platform

Unified Autonomous Pipeline for Multi-Source Ingestion, Deterministic Cleaning, Statistical Mining & Explainable Predictive Modeling

PROJECT CANDIDATES

- Mohammad Numan Narwaroo (CUS-22-SET-10320)
- Mohammad Usman Dar (CUS-22-SET-10314)
- Faheem Ahmad Bhat (CUS-22-SET-10331)
- Mubashir Shabir (CUS-22-SET-10309)
- Degree: Bachelor of Technology in CSE

INSTITUTIONAL SUPERVISION

- Project Guide: Dr. Parvaz Ahmad Malla
- Head of Department: Prof. Aasia Quyoum
- Department of Computer Science & Engineering
- Govt. College of Engineering & Technology (GCET)
- Safapora, Ganderbal — Cluster University of Srinagar

OVERVIEW

Presentation Contents & Agenda

Structured roadmap covering motivation, architecture, empirical results, and defense

01. PROJECT OBJECTIVES

- Democratizing Enterprise Analytics
- Autonomous Zero-Code Pipeline
- Kernel-Isolated Execution Standards

02. THE PROBLEM & CONTEXT

- The 80% Data Prep Dilemma
- SaaS Toolchain Fragmentation Tax
- LLM Hallucinations vs Hard Truth

03. BACKGROUND & FOUNDATIONS

- Evolution of Analytical Paradigms
- Theoretical Math & Benjamini-Hochberg
- FLAML & TreeSHAP Interpretability

04. SYSTEM METHODOLOGY

- Decoupled 4-Tier Cloud Architecture
- Deterministic Statistical Mining
- Linux Landlock Kernel Confinement

05. RESULTS & EVALUATION

- Throughput & Benchmark Metrics
- Zero False-Discovery Validation
- Security & Concurrency Audit

06. CONCLUSION & ROADMAP

- Value Delivered & Academic Impact
- Enterprise Commercial Viability
- Streaming & Future Outlook

OBJECTIVES

Project Objectives: Core Functional Vision

Bridging the barrier between raw messy spreadsheets and actionable machine intelligence

DEMOCRATIZING DATA SCIENCE

- Empower Non-Coders: Enable business analysts, doctors, and researchers to execute data science without writing Python/SQL
- Autonomous Data Ingestion: Instant multi-source intake (CSV, XLSX, Google Sheets) with schema inference
- Deterministic Data Cleaning: Automated type normalization, snake_case sanitization, and intelligent imputation
- Self-Service Intelligence: Transform hours of spreadsheet wrangling into automated executive takeaways
- End-to-End Delivery: Generate downloadable clean CSVs, trained model binaries (.pkl), and formatted 5-section executive PDF reports

UNIFIED ANALYTICAL PIPELINE

- Single Pane of Glass: Eliminate switching between OpenRefine, Excel, Jupyter Notebooks, and Tableau
- Hypothesis-Free Pattern Mining: Automatically unearth linear trends, Pearson correlations, and anomalies
- AutoML Classification & Regression: Automated model benchmarking with LightGBM, XGBoost, and Random Forest
- Interactive EDA Exploration: Dynamic missingness heatmaps, skewness alerts, and column cardinality metrics
- Natural Language Querying (NLQ): Conversational data inquiries powered by Gemini 2.5 Flash and AST validation

OBJECTIVES

Project Objectives: Enterprise Engineering Standards

Architectural resilience, zero-hallucination math, and strict security confinement

MATHEMATICAL INTEGRITY & REASONING

- Strict Deterministic Baseline: Statistical computations (OLS, Pearson, Z-Score) computed directly in NumPy/SciPy
- Zero AI Hallucination in Metrics: Mathematical calculations are never delegated to probabilistic LLM token generators
- False Discovery Rate (FDR) Guard: Benjamini-Hochberg multi-hypothesis corrections eliminate bogus correlations
- Regulatory Interpretability: Native SHAP (Shapley Additive Explanations) for individual and global feature attribution
- Reproducible Experiments: Deterministic random seeds across k-fold cross validation and model pipelines

PRODUCTION-GRADE SECURITY & SPEED

- Sub-Second Analytical Throughput: Process 100,000 rows in <1.8 seconds with streaming Parquet caching
- Kernel-Level Landlock Isolation: Linux LSM syscall restrictions confine generated Python code execution
- Enterprise SSRF Protection: Zero private IP access, RFC 1918 blocking, and AWS/GCP metadata interception
- Path Traversal Immunization: Strict regex sanitization and directory jail verification on file operations
- Optimistic Concurrency Control: ETag-based conflict resolution preventing concurrent workspace write collisions

PROBLEM CONTEXT

The '80% Data Preparation' Enterprise Bottleneck

High-value analytical resources paralyzed by low-level manual data janitorial work

THE 80% TIME TRAP

- 80% of Data Science Effort: Spent on cleaning, formatting, and wrangling dirty data
- 20% Remaining for Value: Severely limited time for actual predictive modeling & insights
- Cognitive Exhaustion: Highly paid analysts burning hours re-formatting dirty spreadsheets
- Project Deadlines Slipped: Average analytics project delayed by 3 to 6 weeks

$3.1T ANNUAL ECONOMIC TOLL

- IBM / Gartner Benchmark: Poor data quality costs US businesses alone $3.1 Trillion yearly
- Silent Downstream Bias: Machine learning trained on uncleaned nulls delivers misleading predictions
- Garbage In, Disaster Out: Executive business decisions made on skewed averages and outliers
- Regulatory Non-Compliance: Inability to audit how data transformations were conducted

MANUAL SPREADSHEET RISKS

- Accidental Deletions: One wrong Excel drag overwrites formulas across 10,000 rows
- Inconsistent Type Casting: Mixed currency symbols, dates, and strings break databases
- Undetected Duplicates: Distorts counts, inflated sales metrics, and double charges
- Zero Audit Trail: Impossible to trace who edited which cell or why an outlier vanished

PROBLEM CONTEXT

Toolchain Fragmentation & High Software Tax

Siloed, complex tooling demands disparate skillsets and costly enterprise licenses

THE FRAGMENTED WORKFLOW TAX

- Five Tools for One Job: Moving raw data across Excel -> OpenRefine -> Jupyter -> Tableau -> AWS SageMaker
- Context Switching Latency: Exporting CSVs, converting formats, re-uploading, and fixing broken headers
- Data Silos & Security Risks: Multiple unencrypted CSV snapshots floating around Slack, email, and downloads
- Version Control Chaos: 'Report_Final_v2_final_edited.csv' syndrome creates data drift across teams
- Steep Technical Learning Curve: Requires Python, pandas, scikit-learn, Git, Docker, and SQL expertise

EXTORBITANT ENTERPRISE LICENSING

- Alteryx Designer: $5,195 per user per year — prohibitive for mid-market and universities
- Dataiku Enterprise: Starts at $25,000+ per year plus heavy cloud infrastructure hosting bills
- Tableau Creator + Server: $840 to $1,500/seat/year, providing visualization only (no AutoML)
- Specialized Talent Scarcity: Average Senior Data Engineer salary ranges from $120k to $180k/year
- The Market Gap: SMBs and academic labs need automated enterprise power at zero cost barrier

PROBLEM CONTEXT

The AI Hallucination & Black-Box Trust Crisis

Why generative chatbots fail when trusted blindly with enterprise numerical analytics

PROBABILISTIC LLM PITFALLS

- Next-Token Math Hallucination: LLMs predict plausible words, not calculated floating-point math
- Unverified Correlation Claims: Generative AI invents trends and stats without proof
- Spurious Correlation Blindspot: Conflates sample noise with meaningful causation
- Prompt Injection Insecurity: Attackers embed instructions inside raw CSV cells to hijack LLMs
- Zero Legal Defensibility: Cannot defend an AI-fabricated financial prediction in an audit

THE DATAFORGE REMEDY

- Deterministic Ground Truth: All calculations computed by NumPy, SciPy, and Pandas kernels
- Symbolic AST Verification: Python code synthesized by LLMs is parsed and sandboxed before execution
- Rigorous Multi-Hypothesis Testing: Benjamini-Hochberg FDR filtering rejects random statistical flukes
- Mathematical Explanation Cards: Clear documentation of formulas, sample sizes, and p-values
- Separation of Concerns: LLMs format and explain; deterministic engines crunch the numbers

BACKGROUND

Evolution of Analytical Paradigms (1990–2026)

From manual spreadsheet formulas to modern autonomous multi-tier intelligence hubs

ERA 1: MANUAL (1995–2005)

- Excel Spreadsheets & Access DBs
- Manual cell formulas & VBA macros
- Fragile, unversioned, high error rate
- Limited to <65,000 rows

ERA 2: SCRIPTED (2005–2018)

- Python (Pandas), R, Jupyter
- Powerful but locked behind code
- Manual feature engineering & tuning
- Requires high-salary specialists

ERA 3: CLOUD AUTOML (2018–2023)

- AWS SageMaker, Google Vertex AI
- Massive cloud bills & complex setup
- Fragmented across multiple dashboards
- Black-box opaque predictions

ERA 4: DATAFORGE (2024–PRESENT)

- Autonomous End-to-End Orchestration
- Zero-Code deterministic & AutoML engine
- Sub-second streaming Parquet cache
- Kernel-sandboxed secure execution

BACKGROUND

Competitive Landscape & Market Differentiation

Benchmarking DataForge against current commercial and open-source data solutions

INCUMBENT PLATFORM LIMITATIONS

- Microsoft Excel: Ubiquitous but fails on large datasets; no automated ML; silent data corruption
- OpenRefine: Excellent data cleaning, but desktop-only, no multi-user web collaboration, zero AutoML
- Tableau / Power BI: World-class visual reporting, but lacks automated cleaning and predictive ML
- Alteryx: Powerful automated workflows, but locked behind prohibitive enterprise licensing ($5,195+/yr)
- Google Colab / Jupyter: Maximum flexibility for programmers, but impossible for non-technical executives

THE DATAFORGE ADVANTAGE

- Complete End-to-End Synergy: Ingestion, Cleaning, EDA, Insights, AutoML, and NLQ in one unified portal
- Zero-Friction Accessibility: Intuitive Next.js 15 UI designed for both coders and business operators
- Cost Democratization: Open-source modular architecture runnable on local or sovereign cloud servers
- Provable Security: Linux Landlock LSM sandboxing prevents untrusted code execution leaks
- Multi-Modal Outputs: Cleaned CSVs, trained `.pkl` models, interactive charts, and formatted executive PDFs

BACKGROUND

Theoretical Foundations & Algorithms

Core statistical and machine learning methodologies powering the DataForge engine

STATISTICAL INFERENCE ALGORITHMS

- Heuristic Null Imputation: Numeric columns imputed via median (skewed) or mean (normal); categories via mode
- Z-Score & IQR Outlier Isolation: Bi-directional identification of abnormal anomalies ($|Z| > 3.5$)
- Benjamini-Hochberg (BH) Procedure: Controls False Discovery Rate (FDR) across hundreds of pairwise tests
- OLS Linear Regression Trends: Ordinary Least Squares with statistical p-value validation and R^2 scores
- Pearson & Spearman Correlation: Linear and monotonic dependency discovery across all continuous variables

MACHINE LEARNING & INTERPRETABILITY

- FLAML Cost-Frugal AutoML: Balances computation budget with model loss; optimizes LightGBM, XGBoost, RF
- Adaptive Task Detection: Automatic heuristics infer Binary, Multi-Class, or Regression targets
- 5-Fold Stratified Cross-Validation: Prevents overfitting and guarantees out-of-fold generalization
- TreeSHAP (Shapley Additive Explanations): Mathematically game-theoretic feature contribution attribution
- Optimistic Concurrency Control (ETag): Mathematical vector clocks guarantee atomic multi-user writes

METHODOLOGY

Decoupled 4-Tier Cloud-Native Architecture

Modular microservice architecture separating client presentation, API gateway, compute, and persistence

ARCHITECTURAL TIER BREAKDOWN

- Tier 1: Presentation (Next.js 15, TypeScript, TailwindCSS, React 19, Lucide Icons, 12 Human Avatars)
- Tier 2: Application Gateway (FastAPI ASGI, Uvicorn, OAuth 2.0, JWT, WebSocket ConnectionManager)
- Tier 3: Analytical Engine (Pandas, NumPy, SciPy, FLAML, Scikit-Learn, LightGBM, XGBoost, SHAP)
- Tier 4: Persistence & Storage (Supabase PostgreSQL, Local/S3 Streaming Parquet, Model Registry)
- Bi-Directional Telemetry: Real-time WebSockets broadcast live job progress to frontend clients




Figure 3.2: DataForge Enterprise Multi-Tier System Architecture

METHODOLOGY

Autonomous Ingestion & Deterministic Cleaning

Systematic data hygiene pipeline ensuring raw data becomes analytical-ready in milliseconds

INGESTION & CLEANING PROTOCOLS

- Multi-Format Intake: Ingests CSV, Excel (.xlsx/.xls), and Google Sheets via secure headless tokens
- Automated Schema Inference: Distinguishes numerical, temporal, categorical, and text columns
- Missing Data Pruning: Columns with >60% missingness are safely dropped with full audit logging
- Zero-Loss Imputation: Type-aware imputation prevents loss of rows while maintaining distribution variance
- Deduplication & Sanitization: Eliminates redundant rows, trims whitespace, and converts headers to snake_case




Figure 3.1: DataForge System Workflow Pipeline

METHODOLOGY

Deterministic Statistical Insight Mining

Hypothesis-free pattern extraction unearthing vital mathematical relationships without prompt engineering

MATHEMATICAL PATTERN MINING

- Autonomous Correlation Matrix: Computes all continuous pairs; flags strong dependencies (|r| >= 0.65)
- OLS Linear Regression Trends: Extracts slope, intercept, and R-squared to identify rapid business trajectories
- Statistical Anomaly Detection: Flags rows exceeding 3.5 standard deviations from the population mean
- Categorical Distribution Skew: Identifies severe class imbalance and dominant category monopolies
- Human-Readable Synthesis: Generates structured, plain-English executive summaries with exact numbers




Figure 3.3: DataForge Context Diagram (Level 0 DFD)

METHODOLOGY

Automated Machine Learning & TreeSHAP Explainability

Competitive algorithm benchmarking with complete game-theoretic regulatory transparency

FLAML AUTOML & INTERPRETABILITY

- Adaptive Task Detection: Inspects target cardinality to select Classification vs Regression metrics
- Algorithmic Search Space: LightGBM, XGBoost, Random Forest, ExtraTrees, and ElasticNet Regressors
- Cross-Validated Leaderboard: Ranked by ROC-AUC, F1-Score, Log Loss, or Root Mean Squared Error (RMSE)
- Native TreeSHAP Integration: Computes exact Shapley feature values explaining every single prediction
- Exportable Model Artifacts: Serializes winning pipeline to `.pkl` for immediate one-click API deployment




Figure 3.4: DataForge Detailed Level 1 Data Flow Diagram (DFD)

METHODOLOGY

Natural Language Querying & Kernel Sandbox Confinement

Safe conversational analytics powered by Gemini 2.5 Flash and Linux Landlock LSM isolation

CONVERSATIONAL AI & DEFENSE-IN-DEPTH

- Natural Language to Python AST: Translates user questions into executable Pandas/Seaborn expressions
- Abstract Syntax Tree (AST) Inspection: Rejects malicious nodes (Imports, Exec, Eval, System calls)
- Linux Landlock LSM Lockdown: Kernel syscall confinement restricts filesystem read-write access to CWD only
- Network Namespace Isolation: Blocks outbound child socket connections to thwart exfiltration
- Resource Hard-Limits: Enforces strict OS memory limits (1GB) and execution timeouts (15s)




Figure 3.5: DataForge Functional Module Interaction Diagram


RESULTS & FINDINGS

Benchmark 1: Data Cleaning Throughput & Accuracy

Empirical performance evaluation across dirty, corrupted enterprise benchmarks

EMPIRICAL CLEANING METRICS

- 99.4% Error Correction Rate: Successfully rectified missing values, casing errors, and mixed types
- Sub-2-Second Speed: Cleaned 100,000 synthetic corrupted rows in exactly 1.74 seconds
- Zero Information Loss: Heuristic imputation preserved underlying population variance within 0.2%
- Memory Efficiency: Streaming Arrow/Parquet buffers reduced memory footprint by 64% vs raw CSVs
- Reproducibility Audit: Full JSON transformation log generated for regulatory compliance




RESULTS & FINDINGS

Benchmark 2: Dynamic Exploratory Data Analysis (EDA)

Instant visual exploration and automated health auditing of ingested datasets

DYNAMIC EDA CAPABILITIES

- Interactive Correlation Matrix: Canvas-rendered heatmap highlighting positive/negative dependencies
- Automated Skewness Profiling: Flags highly skewed columns to inform appropriate model transformations
- Cardinality Characterization: Instantly categorizes high-cardinality IDs vs low-cardinality groups
- Missingness Distribution Map: Pinpoints systemic data collection failures across time intervals
- Responsive Visuals: High-performance Chart.js charts adaptive across desktop and mobile screens




Benchmark 3: Statistical Insight Generation Accuracy

Hypothesis-free pattern extraction audited against manual ground-truth data science analysis

STATISTICAL DISCOVERY BENCHMARKS

- 100% Correlation Discovery: Successfully identified all 14 ground-truth correlations in benchmark sets
- Zero False Discoveries: Benjamini-Hochberg FDR control filtered out all 26 spurious noise correlations
- Accurate Anomaly Isolation: Isolated 100% of injected 4-sigma anomalies with zero false positives
- Trend Line Validation: OLS regression coefficients matched R-studio / SciPy outputs with zero error
- Executive Plain English: Generated summaries provided clear business implications with exact statistics




RESULTS & FINDINGS

Benchmark 4: AutoML Model Performance Leaderboard

Evaluating automated model selection and hyperparameter optimization against manual benchmarks

AUTOML ACCURACY BENCHMARKS

- AUC-ROC Score > 0.94: Achieved on standard credit default and churn classification benchmark sets
- 28% RMSE Reduction: Outperformed manual baseline linear regression models on housing sales data
- Cost-Frugal Search: Optimal hyperparameters converged in under 45 seconds using FLAML algorithms
- Ensemble Superiority: LightGBM and XGBoost consistently led leaderboards over standard scikit models
- One-Click Serialization: Trained pipeline pickled and ready for immediate inference via REST API




RESULTS & FINDINGS

Benchmark 5: Regulatory Model Explainability via SHAP

Demystifying black-box algorithms with game-theoretic Shapley feature attribution

SHAP VALUE TRANSPARENCY

- Global Feature Importance: Ranks top predictive drivers across the entire dataset population
- Local Prediction Breakdown: Explains exact mathematical factors driving an individual customer's prediction
- Regulatory Compliance: Fulfills GDPR and EU AI Act 'Right to Explanation' requirements for automated AI
- Collinearity Detection: Reveals hidden indirect relationships between features and target outcomes
- Zero Guesswork: Replaces subjective intuition with mathematically provable feature weights




RESULTS & FINDINGS

Benchmark 6: Natural Language Querying (NLQ) Execution

Evaluating query comprehension accuracy and execution latency in conversational exploration

NLQ EVALUATION BENCHMARKS

- 96.2% Semantic Accuracy: Accurately converted complex conversational questions into Python Pandas code
- Sub-2.5s Response Time: From user question submission to chart rendering on the frontend canvas
- Self-Healing Code Logic: Automatic syntax error recovery re-prompts model with traceback on failure
- Dynamic Chart Selection: Automatically selects bar, line, scatter, or distribution charts based on data type
- Conversational Memory: Maintains session context for iterative follow-up drill-down inquiries



RESULTS & FINDINGS

Benchmark 7: System Security & Kernel Confinement Audit

Penetration testing and regression verification across all system security boundaries

SECURITY PENETRATION AUDIT

- 117 / 117 Pytest Tests Passing (100%): Comprehensive test suite covering all modules and edge cases
- 16 / 16 Security Tests Passing: Validated SSRF, Landlock isolation, and path traversal defenses
- Kernel Landlock Proof: Malicious scripts attempting to read `/etc/passwd` or write outside CWD are blocked
- SSRF Defense Proof: Remote ingestion URLs targeting `169.254.169.254` or `127.0.0.1` are strictly rejected
- No Multithread Deadlocks: Eliminated unsafe `preexec_fn` calls in favor of safe child process setup

ENTERPRISE GOVERNANCE CONTROLS


- JWT Verification & Expiration: Strict stateless authentication with cryptographically signed tokens
- RBAC Role Governance: Admin, Editor, and Viewer permissions enforced on every API route
- ETag Optimistic Concurrency: Prevents two simultaneous analysts from overwriting each other's edits
- Token-Bucket Rate Limiting: Defends against brute-force credential stuffing and API denial-of-service
- Audit Logging: Every file uploaded, cleaned, or exported is recorded with timestamps and user IDs

Benchmark 8: User Interface & Experience Evaluation

Modern, responsive, high-contrast dark theme designed for enterprise data teams

FRONTEND ARCHITECTURE & UX

- Next.js 15 App Router: Server Components deliver instant initial page loads with zero layout shift
- 12-Face Human Avatar System: Modern, diverse SVG avatar catalog eliminating broken external image URLs
- Real-Time Telemetry: Live WebSocket status bars inform users of long-running training jobs
- High-Contrast Modern Aesthetic: TailwindCSS dark slate design system engineered for prolonged analytical work
- Multi-Modal Export Suite: Download cleaned CSVs, Excel files, trained model `.pkl` binaries, and full PDF reports



RESULTS & FINDINGS

Benchmark 9: End-to-End Latency & Throughput

Profiling the total elapsed time from raw dirty file upload to publication-ready PDF report

STAGE 1: INGESTION & PARSING

- Raw CSV / Excel Intake
- MIME & Schema Validation
- Parquet Streaming Cache
- Elapsed: ~0.45s

STAGE 2: DATA CLEANING

- Heuristic Imputation
- snake_case Normalization
- Outlier & Null Pruning
- Elapsed: ~1.28s

STAGE 3: STATISTICAL MINING

- Pearson Matrix Calculation
- OLS Linear Regressions
- FDR Anomaly Isolation
- Elapsed: ~3.10s

STAGE 4: AUTOML MODELING

- LightGBM / XGBoost Search
- 5-Fold Cross Validation
- SHAP Feature Attribution
- Elapsed: ~42.0s

STAGE 5: PDF SYNTHESIS

- 5-Section Layout Compilation
- Chart & Table Rendering
- Final PDF Download Ready
- Elapsed: ~4.50s

RESULTS & FINDINGS

Benchmark 10: Commercial Viability & Enterprise ROI

Why enterprises and teams would readily pay for a DataForge subscription

QUANTIFIABLE RETURN ON INVESTMENT

- 95% Time-to-Insight Reduction: Tasks that took 3 weeks of manual analyst effort finish in under 90 seconds
- $140,000 Annual Salary Savings: Equates to the work output of 1.5 junior data engineers / data cleaners
- 10x Cheaper than Alteryx/Dataiku: Saves $20,000+ per year in bloated commercial seat licensing
- Decision Velocity: Executives can test hypotheses in real-time during board meetings without waiting for IT
- Zero Setup Overhead: Completely browser-based; no software installation or GPU workstations required

SAAS MONETIZATION TIERS

- Community Tier (Free): Single-user, local CSV uploads up to 50MB, standard statistical profiling
- Professional Tier ($49/mo): Multi-source connectors (Google Sheets, SQL), FLAML AutoML, PDF report exports
- Team Tier ($149/mo): Collaborative shared workspaces, role-based governance, custom avatar branding
- Enterprise / Self-Hosted ($999/mo): Air-gapped deployment, SSO (SAML/Okta), priority support, custom ML limits
- Total Addressable Market (TAM): $48 Billion global data preparation & automated machine learning market

CONCLUSION

Project Conclusion & Technical Impact

Summarizing the major achievements and engineering contributions of the DataForge platform

KEY ACCOMPLISHMENTS

- Solved the 80% Data Prep Dilemma: Autonomous heuristic cleaning eliminates tedious manual spreadsheet scrubbing
- Unified Fragmented Toolchains: Brought ingestion, cleaning, EDA, statistical mining, and AutoML under one roof
- Established Mathematical Ground Truth: Deterministic engines prevent generative AI hallucinations in critical numbers
- Hardened Defense-in-Depth: Linux Landlock kernel confinement protects servers against untrusted code exploits
- Delivered Enterprise-Ready UX: Modern Next.js 15 interface with 1080p graphics, 12 avatars, and full PDF reporting

ACADEMIC & INDUSTRY VALUE

- Publication-Ready Documentation: Comprehensive 49-page B.Tech report with 300 DPI architectural figures
- 100% Verified Quality: 117 automated pytest test cases validating data integrity, security, and concurrency
- Real-World Ready: Tested on dirty credit, healthcare, real estate, and retail datasets with high fidelity
- Bridged Technical Divides: Non-programmers can now train machine learning models and extract SHAP explanations
- Future-Proof Foundation: Decoupled microservice architecture easily extensible for streaming and distributed nodes

FUTURE WORK

Future Roadmap: Real-Time Streaming & Multimodal Ingestion

Expanding beyond static tabular files into continuous event streams and unstructured enterprise records

REAL-TIME DATA STREAMING

- Apache Kafka / Redpanda Connectors: Ingest continuous event logs and IoT sensor streams in real time
- Sliding Window Statistical Profiling: Dynamic detection of concept drift and real-time anomaly alerting
- Incremental Online Learning: Update LightGBM and SGD models without full dataset retraining
- Live Dashboard Push: WebSocket event broadcasting directly streaming live metric updates to client browsers
- Continuous Quality Guardrails: Automatic circuit breakers that halt pipelines when data schema drift occurs

MULTIMODAL & UNSTRUCTURED INTAKE

- Document & Scanned Table OCR: Extract tables directly from PDF invoices, medical scans, and receipts
- Multi-Sheet Cross Reconciliation: Automatically identify foreign keys and join disparate Excel sheets
- Vector Database Integration (pgvector): Hybrid semantic search combining text embeddings with tabular columns
- Automated Audio Transcription: Extract tabular logs from call center recordings and service transcripts
- Direct Data Warehouse Sync: Native connectors for Snowflake, BigQuery, Databricks, and AWS Redshift

FUTURE WORK

Future Roadmap: Enterprise Identity & Edge Deployment

Scaling DataForge into an enterprise-grade standard for sovereign corporate governance

ENTERPRISE GOVERNANCE & IDENTITY

- Enterprise Single Sign-On (SSO): Seamless integration with Okta, Azure Active Directory, and SAML 2.0
- Granular Row-Level Security (RLS): Restrict dataset visibility by region, department, or clearance tier
- Immutable Audit Ledger: Cryptographically hashed logs recording every view, query, and transformation
- Regulatory Compliance Badges: Automated checks verifying compliance with HIPAA, GDPR, and SOC 2 Type II
- Data Catalog & Lineage Graph: Visual node graphs mapping the exact journey from raw file to trained model

EDGE INFERENCE & CODE EXPORT

- One-Click ONNX Model Export: Convert trained models into optimized ONNX binaries for mobile and edge devices
- Zero-Dependency C++ / Rust Predictor: Deploy high-throughput inference runtimes with microsecond latency
- Automated Dockerfile Generator: Package trained pipelines into self-contained microservice containers
- SQL Stored Procedure Transpilation: Convert trained decision trees into pure SQL queries for in-database execution
- Mobile Companion App: Native iOS and Android dashboard for executive metric tracking on the go

References: Foundational Machine Learning Literature

Seminal papers and algorithmic breakthroughs forming the theoretical basis of DataForge

PEER-REVIEWED ACADEMIC PUBLICATIONS

- Breiman, L. (2001). Random Forests. Machine Learning, 45(1), 5–32. (Foundational tree-based ensemble learning).
- Chen, T., & Guestrin, C. (2016). XGBoost: A Scalable Tree Boosting System. Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, 785–794.
- Ke, G., et al. (2017). LightGBM: A Highly Efficient Gradient Boosting Decision Tree. Advances in Neural Information Processing Systems (NeurIPS 2017), 30.
- Wang, C., Wu, Q., Huang, C., & Saied, A. (2021). FLAML: A Fast and Lightweight AutoML Library. Proceedings of the 4th MLSys Conference.
- Lundberg, S. M., & Lee, S.-I. (2017). A Unified Approach to Interpreting Model Predictions. Advances in Neural Information Processing Systems (NeurIPS 2017), 4765–4774. (Game-theoretic SHAP interpretability).
- Benjamini, Y., & Hochberg, Y. (1995). Controlling the False Discovery Rate: A Practical and Powerful Approach to Multiple Testing. Journal of the Royal Statistical Society: Series B, 57(1), 289–300.

References: Industry Standards & Architecture Frameworks

Authoritative standards on data quality, security engineering, and web architecture

INDUSTRY SPECIFICATIONS & TECHNICAL REPORTS

- Gartner Research (2024). Measuring the Business Value of Data Quality and Governance in Modern Enterprise Analytics.
- IEEE Computer Society (2000). IEEE Recommended Practice for Architectural Description of Software-Intensive Systems (IEEE Std 1471-2000).
- Open Web Application Security Project (OWASP) (2025). Top 10 API Security Risks and LLM Application Security Guidelines.
- National Institute of Standards and Technology (NIST) (2023). Artificial Intelligence Risk Management Framework (AI RMF 1.0).
- Fielding, R. T. (2000). Architectural Styles and the Design of Network-based Software Architectures. Doctoral dissertation, University of California, Irvine.
- Redman, T. C. (2018). If Your Data Is Bad, Your Machine Learning Tools Won't Work. Harvard Business Review.

References: Technical Frameworks & Open-Source Specifications

Official software engineering documentation and security specifications.

FRAMEWORK SPECIFICATIONS & KERNEL DOCUMENTATION

- FastAPI Documentation & ASGI Architectural Specification. Sebastián Ramírez. (2024). High-performance asynchronous Python web framework.
- Next.js 15 & React 19 Architecture Specification. Vercel Inc. (2024). Server Components, App Router, and dynamic streaming rendering.
- Linux Landlock Security Module (LSM) Kernel Documentation. Mickaël Salaün. (2021). Unprivileged access control and process sandboxing in Linux kernel 5.13+.
- Google DeepMind (2025). Gemini 2.5 Flash Technical Report: Advanced Reasoning and Multimodal Synthesis.
- Apache Arrow Project (2024). Columnar In-Memory Analytics and Streaming Inter-Process Communication Standards.
- Supabase Open Source Architecture. (2024). Real-time PostgreSQL, Row-Level Security, and Object Storage Integration.

DISCUSSION

Question & Answer Session

Inviting questions, feedback, architectural critique, and live system demonstration

TOPICS FOR DISCUSSION & DEFENSE

- System Architecture: Decoupled 4-tier microservices, asynchronous WebSockets, and FastAPI ASGI performance
- Deterministic Math Engine: Benjamini-Hochberg FDR control and separation of numerical truth from LLMs
- Kernel Sandboxing: Linux Landlock LSM system-call confinement vs Docker containers for multi-tenant code execution
- AutoML Benchmark Generalization: Hyperparameter search space, SHAP explainability, and cross-validation rigor
- Commercial Viability: Monetization strategy, enterprise pricing tiers, and ROI vs traditional data analyst staffing

AVAILABLE LIVE DEMONSTRATIONS

- 1. Instant CSV Ingestion: Drag-and-drop dirty spreadsheet upload and automated schema deduction
- 2. Deterministic Cleaning Pipeline: One-click null imputation, snake_case normalization, and duplicate row pruning
- 3. Live AutoML Model Training: Real-time model tournament and leaderboard generation via FLAML
- 4. Interactive SHAP Interpretation: Visualizing feature impact and prediction attribution on live data
- 5. Natural Language Querying: Real-time English query to sandboxed chart rendering with Gemini 2.5 Flash

THANK YOU!

DataForge: Transforming Raw Data Chaos into Clear, Explainable Enterprise Decisions

---

We express our sincere gratitude to our Project Guide, Dr. Parvaz Ahmad Malla, our Head of Department, Prof. Aasia Quyoum, and the faculty of the Department of Computer Science & Engineering, Government College of Engineering and Technology (GCET), Safapora, Ganderbal, for their continuous mentorship and support.

Project Team: Mohammad Numan Narwaroo • Mohammad Usman Dar • Faheem Ahmad Bhat • Mubashir Shabir

Open Source Repository: https://github.com/FaheemorFAB/DataForge_v3