ENVIRONMENT    No Environment ⌄    LAYOUT    Double Column ⌄    LANGUAGE    cURL - cURL ⌄    ⚙

# Repliq_Django_Challenge

## GET  Get Company

```
http://127.0.0.1:9000/main_app/company/
```

**Body**  raw (json)

```json
{
    "name": "Repliq"
}
```

**Example Request**                                    Get Company ⌄

```
curl
```

```
curl --location --request GET 'http://127.0.0.1:9000/main_app/company/' \
--data '{
    "name": "Repliq"
}'
```

**Example Response**

**Body**    Headers (0)

**No response body**
This request doesn't return any response body

## POST  Create Company Profile

## POST  Create Company Profile

```
http://127.0.0.1:9000/main_app/company/
```

**Body**  raw (json)

```json
{
    "name": "Repliq",
    "address": "Lalmatia,Dhaka"
}
```

**Example Request**                              Create Company Profile ⌄

**Example Request**                              Create Company Profile ⌄

```
curl
```

```
curl --location 'http://127.0.0.1:9000/main_app/company/' \
--data '{
    "name": "Repliq",
    "address": "Lalmatia,Dhaka"
}'
```

**Example Response**

**Body**    Headers (0)

**No response body**
This request doesn't return any response body

## GET  Get Employee By Company

```
http://127.0.0.1:9000/main_app/employee/
```

**Body**  raw (json)

```json
{
    "company": "Repliq"
}
```

**Example Request**                              Get Employee By Company ⌄

```
curl
```

```
curl --location --request GET 'http://127.0.0.1:9000/main_app/employee/' \
--data '{
    "company": "Repliq"
}'
```

**Example Response**

**Body**    Headers (0)

**No response body**
This request doesn't return any response body

## POST  Add Employee

```
http://127.0.0.1:9000/main_app/employee/
```

**Body**  raw (json)

```json
json
```

**Example Request**                                    Add Employee ⌄

```
curl
```

```
curl --location 'http://127.0.0.1:9000/main_app/employee/' \
--data-raw '{
    "name": "Fahim",
    "email": "islamfahim227@gmail.com",
    "phone": "01953758655",
    "address": "zigatola,hazaribagh,dhaka",
    "company": 1
```

```json
{
    "name": "Fahim",
    "email": "islamfahim227@gmail.com",
    "phone": "01953758655",
    "address": "zigatola,hazaribagh,dhaka",
    "company": 1
}
```

## POST   Add Device

http://127.0.0.1:9000/main_app/device/

**Body**   raw (json)

```json
{
    "name": "Iphone",
    "device_model": "Iphone 13",
    "company": 1
}
```

## GET   Get All devices

http://127.0.0.1:9000/main_app/device/

**Body**   raw (json)

```json
{
    "company": "Repliq"
}
```

## PATCH   Device Checkout

http://127.0.0.1:9000/main_app/device/1/

**Body**   raw (json)

```json
{
    "action": "Checkout",
    "latest_condition" :"Checkout Test 7",
    "checked_out_by": 1
}
```

## PATCH   Device Return

http://127.0.0.1:9000/main_app/device/1/

**Body** raw (json)

```json
{
    "action": "Return",
    "latest_condition" :"Return Test 8",
    "checked_out_by": 1
}
```

curl --location --request PATCH 'http://127.0.0.1:9000/main_app/device/1/' \
--data '{
    "action": "Return",
    "latest_condition" :"Return Test 8",
    "checked_out_by": 1
}'

**Example Response**

Body    Headers (0)

**No response body**
This request doesn't return any response body

Example Request                              Device Log ⌄

GET    Device Log

http://127.0.0.1:9000/main_app/device_log/

**Body** raw (json)

```json
{
    "company": "Repliq"
}
```

**Example Request**                         Device Log ⌄

curl --location --request GET 'http://127.0.0.1:9000/main_app/device_log/' \
--data '{
    "company": "Repliq"
}'

**Example Response**

Body    Headers (0)