CS23336-Introduction to Python Programming

Started on Wednesday, 4 September 2024, 1:42 PM

Completed on Wednesday, 4 September 2024, 2:48 PM

Time taken 1 hour 6 mins 5.00/5.00 Marks

Grade 100.00 out of 100.00

Question 1

Correct Mark 1.00 out of 1.00

Flag question **Question text** A strobogrammatic number is a number that looks the same when rotated 180 degrees (looked at upside down). Write a program to determine if a number is strobogrammatic. The number is represented as a string. Example 1: Input: 69 **Output:** true Example 2: Input: 88 **Output:** true Example 3: Input: 962 **Output:** false Example 4:

Input:

Output:

true

For example:

Result **Test** print(Strobogrammatic(69)) true

print(Strobogrammatic(962)) false

Answer:(penalty regime: 0 %)

Reset answer

```
1 def Strobogrammatic(n):
2 b=n
3 c=0
4 while b!=0:
5 b//=10
6 c+=1
7 for i in range(0,c):
8 n1=n%10
9 if(n1==0 or n1==6 or n1==8 or n1==9):
10 flag=1
11 else:
12 flag=0
13 break
14 n//=10
15 if(flag==0):
16 return 'false'
17 else:
18 return 'true'
```

Feedback

Test	Expected	Got
<pre>print(Strobogrammatic(69))</pre>	true	true
<pre>print(Strobogrammatic(88))</pre>	true	true
<pre>print(Strobogrammatic(962))</pre>	false	false

Passed all tests!

Correct

Marks for this submission: 1.00/1.00.

Question 2

Correct

Mark 1.00 out of 1.00

Flag question

Question text

complete function to implement coin change making problem i.e. finding the minimum number of coins of certain denominations that add up to given amount of money.

The only available coins are of values 1, 2, 3, 4

Input Format:

Integer input from stdin.

Output Format:

return the minimum number of coins required to meet the given target.

Example Input:

16

Output:

4

Explanation:

We need only 4 coins of value 4 each

Example Input:

25

Output:

7

Explanation:

We need 6 coins of 4 value, and 1 coin of 1 value

Answer:(penalty regime: 0 %)

```
Reset answer
```

Feedback

Test Expected Got

print(coinChange(16)) 4

Passed all tests!

Correct

Marks for this submission: 1.00/1.00.

Question 3

Correct

Mark 1.00 out of 1.00

Flag question

Question text

A number is considered to be ugly if its only prime factors are 2, 3 or 5.

[1, 2, 3, 4, 5, 6, 8, 9, 10, 12, 15, ...] is the sequence of ugly numbers.

Task:

complete the function which takes a number n as input and checks if it's an ugly number.

return ugly if it is ugly, else return not ugly

Hint:

An ugly number U can be expressed as: $U = 2^a * 3^b * 5^c$, where a, b and c are nonnegative integers.

For example:

Test Result

```
print(checkUgly(6)) ugly
```

print(checkUgly(21)) not ugly
Answer:(penalty regime: 0 %)

Reset answer

```
1 def checkUgly(n):
2 flag=0
3 while n>1:
4 while n\(^22=0\):
5 | n//=2
6 while n\(^32=0\):
7 | n//=3
8 while n\(^52=0\):
9 | n//=5
10 if n!=1:
11 | flag=1
12 break
13 if flag==1:
14 return 'not ugly'
15 else:
16 return 'ugly'
```

Feedback

```
Test Expected Got

print(checkUgly(6)) ugly ugly

print(checkUgly(21)) not ugly not ugly
```

Passed all tests!

Correct

Marks for this submission: 1.00/1.00.

Question 4

Correct
Mark 1.00 out of 1.00
Flag question

Question text

Write a function that returns the value of a+aa+aaa+aaa with a given digit as the value of a.

Suppose the following input is supplied to the program:

g

Then, the output should be:

9+99+999+9999=11106

Sample Input Format:

9

Sample Output format:

11106

For example:

Test Result

print(Summation(8)) 9872

Answer:(penalty regime: 0 %)

Reset answer

```
1 def Summation(n):
2 b=0
3 c=str(n)
4- for i in range(0,4):
5 b+=n
6 n=str(n)
7 n=n+c
8 n=int(n)
9 return b
10
```

Feedback

 Test
 Expected
 Got

 print(Summation(8))
 9872
 9872

 print(Summation(10))
 10203040
 10203040

Passed all tests!

Correct

Marks for this submission: 1.00/1.00.

Question 5

Correct

Mark 1.00 out of 1.00

Flag question

Question text

An e-commerce company plans to give their customers a special discount for Christmas.

They are planning to offer a flat discount. The discount value is calculated as the sum of all the prime digits in the total bill amount.

Write an algorithm to find the discount value for the given total bill amount.

Constraints

1 <= orderValue< 10e100000

Input

The input consists of an integer order Value, representing the total bill amount.

Output

Print an integer representing the discount value for the given total bill amount.

Example Input

578

Output

For example:

Test Result

print(christmasDiscount(578)) 12

Answer:(penalty regime: 0 %)

Reset answer

Feedback

Test Expected Got

print(christmasDiscount(578)) 12
12

Passed all tests!

Correct

Marks for this submission: 1.00/1.00.

Finish review

Skip Quiz navigation

Quiz navigation

Question 1 This page Question 2 This page Question 3 This page Question 4 This page Question 5 This page Show one page at a time Finish review