

SOFTWARE DESIGN DOCUMENT (SDD) FACULTY OF COMPUTING

SOFTWARE DESIGN DOCUMENT (SDD)		
PRESENTED BY:	PRESENTED TO:	DATE:
ANF.co	Ts. Dr. Rohani binti Abu Bakar	15 June 2025

TEAM MEMBERS

Chief Executive Officer	Chief Business Analyst	Chief Developer
		
MOHAMAD FAHMI BIN MOHD RAZALI CB23021	NURUNNAJIHAH BINTI ZAINAL CB23027	MUHAMMAD AMIR FIRDAUS BIN MOHD RODHI CB23051

Submitted to the Software Design Workshop (BCS2343)
Bachelor of Computer Science (Software Engineering) with Honours
Faculty of Computing, Universiti Malaysia Pahang Al-Sultan Abdullah (UMPSA)

DOCUMENT APPROVAL

	Name	Date
Authenticated by:  Project Leader	Mohamad Fahmi bin Mohd Razali	15 June 2025
Approved by: Project Manager		
Approved by: Client	Ts. Dr. Rohani binti Abu Bakar	

Software: Microsoft Word, Draw.io

Archiving Place: https://umpedumy-my.sharepoint.com/:w:/g/personal/cb23021_adab_umpsa_edu_my/EaeWQ-UEaU1IrP7ebc97yl4BvC1HFyo0xFmMmUTjiFStsg?e=zYVHW7

Copies Available: 1

TABLE OF CONTENT

1. INTRODUCTION	1
1.1 Purpose	1
1.2 System Identification	2
1.3 System Overview	4
References	5
2. DATA DESIGN.....	6
2.1 ENTITY RELATIONSHIP DIAGRAM (ERD).....	6
2.2 DATA DICTIONARY	7
Module 2: NURUNNAJIHAH BINTI ZAINAL (CB23027).....	7
2.2.1 Users	7
2.2.2 PublicUser	7
2.2.3 MCMCStaff.....	7
2.2.4 InquirySubmission.....	8
Module 3: MOHAMAD FAHMI BIN MOHD RAZALI (CB23021).....	8
2.2.5 Agency	8
2.2.6 SubmissionAssignment	8
Module 4: MUHAMMAD AMIR FIRDAUS BIN MOHD RODHI (CB23051)	9
2.2.7 InquiryProgress.....	9
3. GENERAL ARCHITECTURE.....	10
3.1 APPLICATION LAYER	10
3.1.1 userLogin Package [PG-MYS-100].....	11
3.1.2 Dashboard Package [PG-MYS-200]	11
3.1.3 InquirySubmission Package [PG-MYS-300]	12
3.1.4 InquiryAssignment Package [PG-MYS-400].....	12
3.1.5 InquiryProgress Package [PG-MYS-500]	13
3.1.6 GenerateReport Package [PG-MYS-600]	13
3.2 BUSINESS SERVICES LAYER	15
3.2.1 Controllor Package [PG-MYR-700].....	16
3.2.2 Model Package [PG-MYR-800]	16
3.3 MIDDLEWARE LAYER.....	17
3.4 PACKAGE RELATIONSHIP	18
4. DETAIL DESIGN.....	19
Module 2: NURUNNAJIHAH BINTI ZAINAL (CB23027)	19

4.1 InquirySubmission [PG-MYS-300]	19
4.1.1 publicAddInquiry [PG-MYS-300-CL-301].....	19
4.1.2 publicViewInquiry [PG-MYS-300-CL-302]	20
4.1.3 publicViewInquiryDetails [PG-MYS-300-CL-303].....	21
4.1.4 publicPublicInquiry [PG-MYS-300-CL-304]	22
4.1.5 mcmcNewInquiry [PG-MYS-300-CL-305]	22
4.1.6 mcmcNewInquiryDetails [PG-MYS-300-CL-306].....	23
4.1.7 mcmcPreviousInquiry [PG-MYS-300-CL-307].....	24
4.1.8 agencyPreviousInquiry [PG-MYS-300-CL-308]	25
4.1.9 agencyPreviousInquiryDetails [PG-MYS-300-CL-309].....	26
Module 3: MOHAMAD FAHMI BIN MOHD RAZALI (CB23021)	28
4.2 InquiryAssignment [PG-MYS-400].....	28
4.2.1 publicAgencyAssignment [PG-MYS-400-CL-401].....	28
4.2.2 mcmcAssignInquiry [PG-MYS-400-CL-402].....	29
4.2.3 mcmcAssignInquiryDetails [PG-MYS-400-CL-403]	31
4.2.4 agencyIncomingInquiry [PG-MYS-400-CL-404].....	33
4.2.5 agencyIncomingInquiryDetails [PG-MYS-400-CL-405].....	34
Module 4: MUHAMMAD AMIR FIRDAUS BIN MOHD RODHI (CB23051)	38
4.3 InquiryProgress [PG-MYS-500]	38
4.3.1 publicInquiryTracking [PG-MYS-500-CL-501]	38
4.3.2 publicHistory [PG-MYS-500-CL-502]	39
4.3.3 publicHistoryDetails [PG-MYS-500-CL-503].....	40
4.3.4 mcmcMonitorAgencyProgress [PG-MYS-500-CL-504]	41
4.3.5 agencyAssignedInquiry [PG-MYS-500-CL-505]	43
4.3.6 agencyAssignedInquiryDetails [PG-MYS-500-CL-506].....	44
4.4 GenerateReport.....	46
Module 2: NURUNNAJIHAH BINTI ZAINAL (CB23027)	46
4.4.1 mcmcReportPage [PG-MYS-600-CL-601].....	46
4.4.2 mcmcGenerateInquiryReport [PG-MYS-600-CL-602]	47
4.4.3 mcmcInquiryReportPdf [PG-MYS-600-CL-603]	47
Module 3: MOHAMAD FAHMI BIN MOHD RAZALI (CB23021)	49
4.4.4 mcmcReportPage [PG-MYS-600-CL-601]	49
4.4.5 mcmcInquiryAssignmentReport [PG-MYS-600-CL-604].....	49
4.4.6 mcmcAssignmentReportPdf [PG-MYS-600-CL-605]	51
Module 4: MUHAMMAD AMIR FIRDAUS BIN MOHD RODHI (CB23051)	52

4.4.7 mcmcAgencyPerformanceReport [PG-MYS-600-CL-606].....	52
4.4.8 mcmcAgencyPerformanceReportPdf [PG-MYS-600-CL-607]	53
4.5 Controller Package [PG-MYS-700]	55
Module 2: NURUNNAJIHAH BINTI ZAINAL (CB23027).....	55
4.5.1 InquiryController [PG-MYS-700-CL-703]	55
4.5.2 ReportController [PG-MYS-700-CL-706]	59
Module 3: MOHAMAD FAHMI BIN MOHD RAZALI (CB23021).....	62
4.5.3 AssignmentController [PG-MYS-700-CL-704]	62
4.5.4 ReportController [PG-MYS-700-CL-706]	64
Module 4: MUHAMMAD AMIR FIRDAUS BIN MOHD RODHI (CB23051)	66
4.5.5 ProgressController [PG-MYS-700-CL-705]	66
4.5.6 ReportController [PG-MYS-700-CL-706]	68
4.6 Model Package [PG-MYS-800]	70
Module 2: NURUNNAJIHAH BINTI ZAINAL (CB23027).....	70
4.6.1 InquirySubmission [PG-MYS-800-CL-805]	70
4.6.2 SubmissionAssignment [PG-MYS-800-CL-806].....	72
4.6.3 InquiryProgress [PG-MYS-800-CL-803].....	72
Module 3: MOHAMAD FAHMI BIN MOHD RAZALI (CB23021).....	73
4.7.4 Agency [PG-MYS-800-CL-804]	73
4.6.5 InquirySubmission [PG-MYS-800-CL-805]	74
4.6.6 SubmissionAssignment [PG-MYS-800-CL-806].....	75
Module 4: MUHAMMAD AMIR FIRDAUS BIN MOHD RODHI (CB23051)	77
4.6.7 InquirySubmission [PG-MYS-800-CL-805]	77
4.6.8 SubmissionAssignment [PG-MYS-800-CL-806].....	78
4.6.9 InquiryProgress [PG-MYS-800-CL-807].....	79
5. REQUIREMENT TRACEABILITY	80
Module 2: NURUNNAJIHAH BINTI ZAINAL (CB23027)	80
5.1 ManageInquirySubmission [RQ-MYS-200]	80
5.2 GenerateReport [RQ-MYS-500]	81
Module 3: MOHAMAD FAHMI BIN MOHD RAZALI (CB23021)	81
5.3 ManageSubmissionAssignment [RQ-MYS-300].....	81
5.4 GenerateReport [RQ-MYS-500]	82
Module 4: MUHAMMAD AMIR FIRDAUS BIN MOHD RODHI (CB23051)	82
5.5 ManageInquiryProgress [RQ-MYS-400]	82
5.6 GenerateReport [RQ-MYS-500]	83

Appendix A	84
------------------	----

LIST OF FIGURES

Figure 2. 1 Entity Relationship Diagram (ERD) for MySebenarnya System.....	6
Figure 3. 1 Application Layer for MySebenarnya Systems	10
Figure 3. 2 Business Services Layer for MySebenarnya Systems.....	15
Figure 3. 3 Middleware Layer for MySebenarnya Systems	17
Figure 3. 4 Model View Controller (MVC) Package Relationship for MySebenarnya Systems	18
Figure 4. 1 Views for InquirySubmission Package.....	19
Figure 4. 2 InquiryAssignment Package	28
Figure 4. 3 InquiryProgress Packages.....	38
Figure 4. 4 GenerateReport Packages	46
Figure 4. 5 Controller Package	55
Figure 4. 6 Model Package	70
Figure 5. 1 Packages and its Classes in views	84
Figure 5. 2 Controller and Model	85

LIST OF ABBREVIATIONS

SDD	Software Design Document
MYS	MySebenarnya System
PG	Package
CL	Class

1. INTRODUCTION

1.1 Purpose

The Software Design Document (SDD) for the MySebenarnya System serves as a detailed structure for a system's architecture and design. The purpose of this document is to guide the developers during the implementation phase by describing the design goals and demonstrating how the proposed design satisfied the functional and non-functional requirements. The SDD promotes effective communication between stakeholders, facilitates future system maintenance and enhances project management to ensure that the MySebenarnya System is developed in an efficient and consistent manner.

1.2 System Identification

System Title	MySebenarnya System	
System Abbreviation	MYS-2025	
System Identification Number	MYS_2025-1.0.25	
	Meanings for terms use:	
	MYS	MySebenarnya System
	2025	Year document created
	1.0.25	Version of release
System Version Number	1.0.25	
	This is the initial release for the MySebenarnya System to the user.	
System Release Number	1.0.25	
	- Starting with number 1 as the major release. - Middle with number 0 as the minor release number that this is initial version of the system. - Number 25 at the service releases shows that this system is released in 2025.	
Document Identification ID	SDD-MYS-2025	
	Meanings for terms use:	
	SDD	Software Design Document
	MYS	MySebenarnya System
	2025	Year document created
Package ID	PG-MYS-100	
	Meanings for terms use:	
	PG	Package
	MYS	MySebenarnya System
	100	Number of packages in this system
Class ID	PG-MYS-100-CL-101	
	Meanings for terms use:	
	PG	Package
	MYS	MySebenarnya System
	100	Number of packages in this system
	CL	Class

	101	Number of class in this system
Requirement ID	RQ-MYS-100	
	Meanings for terms use:	
	RQ	Requirement
	MYS	MySebenarnya System
	100	Number of requirements in this system

1.3 System Overview

MySebenarnya system is a news validation platform designed to overcome the fake news by verifying the news from social media post. This system enables Public User to submit inquiry of news. MCMC Staff will receive and review these inquiries for validity. MCMC Staff will assign them to relevant Agency. MCMC Staff also monitor all inquiries. Agency receive assigned inquiries and need to verify within their jurisdiction or not. If not in their jurisdiction, MCMC Staff will manage to reassignments the inquiry. Agency will update the inquiry status to under investigation, true, fake or rejected. Public Users and MCMC Staff can track inquiry progress in real-time and Public User can see the assigned agency and view full history on their dashboard. Agencies maintain transparency of investigation by recording all status updates that visible to MCMC and the Public User. MCMC Staff can generate the report based on the total number of inquiries received from Public User, number of inquiries assigned to each agency and generate reports on agency performance.

References

1. TS. DR. ROHANI BINTI ABU BAKAR (2025). Appendix 1: Request for proposal Document. Pekan, Pahang: Universiti Malaysia Pahang Al-Sultan Abdullah.
2. TS. DR. ROHANI BINTI ABU BAKAR (2025). Appendix 2: SDD Template Document Student. Pekan, Pahang: Universiti Malaysia Pahang Al-Sultan Abdullah
3. SALUR KEPADA KAMI. (2017, February 28). SEBENARNYA.MY.
<https://sebenarnya.my/salur/>
4. Software Requirement Specification (SRS), SRW GROUP PROJECT.docx. (n.d).
https://umpedumy-my.sharepoint.com/:w:/g/personal/cb23027_adab_umpsa_edu_my/EU3vwA_kUgNP12I7T5_wMboBvV3HHakbnK6mToeegbflTQ

2. DATA DESIGN

2.1 ENTITY RELATIONSHIP DIAGRAM (ERD)




Figure 2. 1 Entity Relationship Diagram (ERD) for MySebenarnya System

2.2 DATA DICTIONARY

Module 2: NURUNNAJIHAH BINTI ZAINAL (CB23027)

2.2.1 Users

Field Name	Description	Data Type	Constraint
userID	A unique identifier assigned to each user	INT(20)	PK
username	Username of Public User as registered in the system	VARCHAR(50)	
email	Email address used by Public User for login to the system	VARCHAR(50)	
contact	Public user contact details	VARCHAR(30)	
password	A secure password set by Public User for login to the system	VARCHAR(255)	
name	The full name of the user	VARCHAR(50)	
userType	The role of the user in the system	VARCHAR(20)	

2.2.2 PublicUser

Field Name	Description	Data Type	Constraint
userID	A unique identifier assigned to each user	INT(20)	PK
publicUserID	Public User unique id	INT(20)	FK
publicUserAge	Public user age	INT (11)	

2.2.3 MCMCStaff

Field Name	Description	Data Type	Constraint
userID	A unique identifier assigned to each user	INT(10)	PK
MCMCStaffID	MCMC Staff unique id	INT(10)	FK
staffPosition	Indicates the degree of the authority or responsibility assigned to the MCMC Staff	VARCHAR(30)	

2.2.4 InquirySubmission

Field Name	Description	Data Type	Constraint
submissionID	News submission unique id	INT(20)	PK
publicUserID	Public User unique id	INT(20)	FK
submissionTitle	Title for the submission inquiry	VARCHAR(100)	
submissionDescription	Description for the submission inquiry	VARCHAR(255)	
submissionCategory	Category for the submission (e.g.,Disaster,Crime)	VARCHAR(30)	
submissionEvidence	Evidence for the submission	VARCHAR(255)	
sourceOfNews	Source of the news (e.g., facebook, Tiktok)	VARCHAR(100)	
submissionDate	Date of the news	DATE	
submissionStatus	Status of the inquiry	VARCHAR(30)	

Module 3: MOHAMAD FAHMI BIN MOHD RAZALI (CB23021)

2.2.5 Agency

Field Name	Description	Data Type	Constraint
userID	A unique identifier assigned to each user	INT(20)	PK
agencyID	Agency unique id	INT(20)	FK
PIC	Person in Charge of each agency	VARCHAR(255)	

2.2.6 SubmissionAssignment

Field Name	Description	Data Type	Constraint
assignmentID	Submission assignment unique id	INT(20)	PK
agencyID	Agency unique id	INT(20)	FK
MCMCStaffID	MCMC Staff unique id	INT(20)	FK
submissionID	News submission unique id	INT(20)	FK
assignmentDate	Date of the assignment	DATE	
jurisdictionStatus	Status of the assignment	VARCHAR(50)	
comment	Comment from MCMC Staff to Agency and comment from Agency if the inquiry outside their jurisdiction	VARCHAR(255)	

Module 4: MUHAMMAD AMIR FIRDAUS BIN MOHD RODHI (CB23051)

2.2.7 InquiryProgress

Field Name	Description	Data Type	Constraint
progressID	Progress unique id	INT(20)	PK
assignmentID	Assignment unique id	INT(20)	FK
submissionID	News submission unique id	INT(20)	FK
agencyID	Agency unique id	INT(20)	FK
verificationStatus	Current status of verification such as “Under Investigation”, “True”, “Fake” and “Rejected”	VARCHAR(50)	
verificationDate	Timestamp when the status was last updated	DATE	
investigationDetails	Agency notes and conclusions	VARCHAR (100)	
SupportingDocuments	Any documents that support the details for the status update	VARCHAR(255)	

3. GENERAL ARCHITECTURE

3.1 APPLICATION LAYER




Figure 3. 1 Application Layer for MySebenarnya Systems

3.1.1 userLogin Package [PG-MYS-100]

Class Name	Description
login	Interface that gathers user information such as username and password in order to authenticate access to the system.

3.1.2 Dashboard Package [PG-MYS-200]

Class Name	Description
mcmcDashboard	Interface that provides MCMC Staff number of users in the system.
agencyDashboard	Interface that enables agencies to view the total assigned inquiries to them.

3.1.3 InquirySubmission Package [PG-MYS-300]

Class Name	Description
publicAddInquiry	Interface that allows public user to create and submit a new inquiry.
publicViewInquiry	Interface that allows public user to view list of submitted inquiries.
publicViewInquiryDetails	Interface that allows public user to view the details of submitted inquiries.
publicPublicInquiry	Interface that allows public user to view a list of inquiries from other individuals.
mcmcNewInquiry	Interface that allows MCMC Staff to view a newly submitted inquiries from public user.
mcmcNewInquiryDetails	Interface that allows MCMC Staff to view details of each newly submitted inquiries.
mcmcPreviousInquiry	Interface that allows MCMC Staff to view a list of previous filtered inquiries.
agencyPreviousInquiry	Interface that allows agencies to view a list of assigned inquiries to them.
agencyPreviousInquiryDetails	Interface that allows agencies to view details of a list of assigned inquiries to them.

3.1.4 InquiryAssignment Package [PG-MYS-400]

Class Name	Description
publicAgencyAssignment	Interface that allows Public User to view the assigned agency of their inquiry with the date inquiry was assigned.
mcmcAssignInquiry	Interface that allows MCMC Staff to view the list of inquiries that already filtered.
mcmcAssignInquiryDetails	Interface that allows MCMC Staff to assign submitted inquiries from Public User to relevant agencies.
agencyIncomingInquiry	Interface that allows agencies to view the list of inquiries submitted to them.
agencyIncomingInquiryDetails	Interface that allows agencies to review the inquiries assigned to determine whether they fall in their jurisdiction or not.

3.1.5 InquiryProgress Package [PG-MYS-500]

Class Name	Description
publicInquiryTracking	Interface that enables the Public User to track the progress and status updates of their submitted inquiries.
publicHistory	Interface that displays the summarized historical progression of an inquiry, showing key status changes and events.
publicHistoryDetails	Interface that provides detailed information on each event or update in an inquiry's history, including timestamps and responsible parties.
mcmcMonitorAgencyProgress	Interface that allows MCMC Staff to monitor and oversee the progress of agency-handled inquiries, ensuring compliance and timely actions.
agencyAssignedInquiry	Interface that presents agencies with a list of inquiries assigned to them, highlighting current status and required actions.
agencyAssignedInquiryDetails	Interface that allows agencies to view and update detailed information for each assigned inquiry, including evidence and actions taken.

3.1.6 GenerateReport Package [PG-MYS-600]

Class Name	Description
mcmcReportPage	Interface that enables MCMC Staff to choose and generate different types of report, including Inquiry Report, Inquiry Assignment Report and Agency Performance Report.
mcmcGenerateInquiryReport	Interface that enables MCMC Staff to generate reports on the total number of inquiries received from public users.
mcmcInquiryReportPdf	Interface that generates a PDF file inquiry reports of total inquiries received from Public User.
mcmcInquiryAssignmentReport	Interface that enables MCMC Staff to generate reports based on the number of inquiries assigned to each agency.

mcmcAssignmentReportPdf	Interface that layout and generate a PDF version of the number of inquiries assigned to each agency.
mcmcAgencyPerformanceReport	Interface that displays agency performance metrics and visual summaries (such as tables and charts) for MCMC Staff to monitor inquiry assignments, resolutions, and trends.
mcmcAgencyPerformanceReportPdf	Interface that generates a downloadable PDF version of the agency performance report, preserving the key metrics and layout for official use, sharing, or archival purposes.

3.2 BUSINESS SERVICES LAYER




Figure 3. 2 Business Services Layer for MySebenarnya Systems

3.2.1 Controller Package [PG-MYR-700]

Class Name	Description
LoginController	The controller that is responsible for managing user login and user log out.
DashboardController	The controller that is responsible for managing the MCMC Staff and Agency dashboard.
InquiryController	The controller that is responsible for managing the new inquiry submission, viewing list inquiry and inquiry details.
AssignmentController	The controller that is responsible for managing the inquiry assignment, assigning agency, rejecting or accepting the assigned inquiry and tracking assignment status.
ProgressController	The controller that is responsible for managing the progress of inquiries and updates the status changes for each inquiry.
ReportController	The controller that is responsible for managing the generating system report.

3.2.2 Model Package [PG-MYR-800]

Class Name	Description
User	Database entity that stores and retrieves the general details of all user types.
PublicUser	Database entity that stores and retrieves the unique details of the Public User
MCMCStaff	Database entity that stores and retrieves the unique details of the MCMC staff
Agency	Database entity that stores and retrieves the unique details of the Agency
InquirySubmission	Database entity that stores and retrieves the inquiries submitted by the Public User
SubmissionAssignment	Database entity that stores and retrieves details of the inquiry assignments to agencies.
InquiryProgress	Database entity that stores and retrieves the progress history of each inquiry, including timestamps, status changes and investigation details.

3.3 MIDDLEWARE LAYER




Figure 3. 3 Middleware Layer for MySebenarnya Systems

Package Name	Description
connect.php	Manage database connections and credentials
auth.php	Handles user authentication and access control

3.4 PACKAGE RELATIONSHIP




Figure 3. 4 Model View Controller (MVC) Package Relationship for MySebenarnya Systems

4. DETAIL DESIGN

Module 2: NURUNNAJIHAH BINTI ZAINAL (CB23027)

4.1 InquirySubmission [PG-MYS-300]




Figure 4. 1 Views for InquirySubmission Package

4.1.1 publicAddInquiry [PG-MYS-300-CL-301]

Class Type	Boundary class	
Responsibility	An interface for Public User to add new inquiry to verify the authenticity of the news by entering details required.	
Attributes	Attributes Name	Attributes Type
	submissionTitle	String
	submissionDescription	String
	submissionCategory	String
	submissionEvidence	String
	sourceOfNews	String
	submissionStatus	String
Methods	Method Name	Description
	createInquiry()	Displays “Add New Inquiry” form submission

	storeInquiry(Request \$request)	Handles the inquiry submission logic when user submits the inquiry form.
Algorithm	1. START 2. createInquiry() is called 3. Display the inquiry submission form 4. storeInquiry(Request \$request) is called 5. Validate the request data: submissionTitle, submissionDescription, submissionCategory, submissionEvidence, sourceOfNews and submissionStatus 6. Store validated result in \$validated 7. Initialize \$filepath to null 8. Check if a file was uploaded along with submissionEvidence 9. Create a new inquiry submission in the database 10. Redirect public user to inquiry submission form 11. Display a success message 12. END	

4.1.2 publicViewInquiry [PG-MYS-300-CL-302]

Class Type	Boundary class	
Responsibility	An interface for Public User to view a list of their previously submitted inquiries.	
Attributes	Attributes Name	Attributes Type
	submissionID	int
	submissionTitle	String
	submissionDescription	String
	submissionDate	date
	submissionStatus	String
Methods	Method Name	Description
	list()	Displays a list of submitted inquiries of the user
Algorithm	1. START	

	2. list() is called 3. Authenticate user 4. Retrieve all inquiries from the database where the publicUserID matches with logged-in user. 5. Display the inquiries in descending order by submissionDate 6. END
--	---

4.1.3 publicViewInquiryDetails [PG-MYS-300-CL-303]

Class Type	Boundary class	
Responsibility	An interface for Public User to view the details of their previously submitted inquiries.	
Attributes	Attributes Name	Attributes Type
	submissionID	int
	submissionTitle	String
	submissionDescription	String
	submissionCategory	String
	submissionEvidence	String
	sourceOfNews	String
	submissionDate	date
	submissionStatus	String
Methods	Method Name	Description
	showInquiryDetail(\$id)	Displays the details of selected inquiries
Algorithm	1. START 2. showInquiryDetail(\$id) is called. 3. Retrieve the inquiry ID (\$id) from the route parameter. 4. Use the InquirySubmission model to query the database for a record where submissionID matches the given \$id and publicUserID matches the current logged-in user. 5. Display the inquiry details page. 6. END	

--	--

4.1.4 publicPublicInquiry [PG-MYS-300-CL-304]

Class Type	Boundary class	
Responsibility	An interface for Public User to view all inquiries submitted by other individuals.	
Attributes	Attributes Name	Attributes Type
	submissionID	int
	submissionTitle	String
	submissionDescription	String
	submissionCategory	String
	submissionDate	date
	publicUserID	int
Methods	Method Name	Description
	viewPublicInquiries()	Displays a list of inquiries that submitted by other individuals
Algorithm	1. START 2. viewPublicInquiries() is called. 3. Get the current logged-in Public User's ID using Auth::id() and store it in variable \$userID. 4. Query the InquirySubmission table to retrieve all inquiries where publicUserID is not equal to current Public User'. 5. Sort and display a list of submitted inquiries by other individuals in descending order by submissionDate. 6. END	

4.1.5 mcmcNewInquiry [PG-MYS-300-CL-305]

Class Type	Boundary class	
Responsibility	An interface for MCMC Staff to view a list of newly submitted inquiries from Public User.	
Attributes	Attributes Name	Attributes Type

	submissionTitle submissionDate submissionStatus submissionDescription submissionID	String date String String int
Methods	Method Name	Description
	mcmcNewInquiries()	Displays a list of newly submitted inquiries by Public User.
Algorithm	1. START 2. mcmcNewInquiry() is called. 3. Find inquiry submissions that have submissionStatus of “Pending Review”. 4. Display a list of newly submitted inquiries that are marked with “Pending Review” status in descending order by submissionDate. 5. END	

4.1.6 mcmcNewInquiryDetails [PG-MYS-300-CL-306]

Class Type	Boundary class	
Responsibility	An interface for MCMC Staff to view the details of newly submitted inquiries from Public User.	
Attributes	Attributes Name	Attributes Type
	submissionTitle submissionDate submissionStatus submissionCategory submissionDescription n submissionEvidence sourceOfNews	String date String String String String String
Methods	Method Name	Description

	mcmcInquiryDetails(\$id)	Displays the details of selected inquiries.
Algorithm	1. START 2. mcmcInquiryDetails(\$id) is called. 3. Get the ID of the inquiry to be displayed. 4. Search for the inquiry using that ID. 5. Display the full details of the selected inquiry. 6. END	

4.1.7 mcmcPreviousInquiry [PG-MYS-300-CL-307]

Class Type	Boundary class	
Responsibility	An interface for MCMC Staff to view a record of all previously filtered inquiries.	
Attributes	Attributes Name	Attributes Type
	submissionID	int
	submissionTitle	String
	submissionStatus	String
	submissionDate	date
	submissionDescription	String
	assignedAgency	int
Methods	Method Name	Description
	mcmcPreviousInquiries(Request \$request)	Displays a list of filtered inquiries from Public User.
Algorithm	1. START 2. mcmcPreviousInquiries(Request \$request) is called 3. Initialize a query to filter inquiries where submissionStatus is either 'Verified Inquiry' or 'Dismissed Inquiry'. 4. Check if the request includes a date range filter. If yes, add query to filter inquiries where submissionDate equals to the selected date.	

	5. Check if the request includes a status filter. • If yes, add query to filter inquiries where submissionStatus equals to selected status. 6. Check if the request includes an Agency filter. • If yes, add query to filter inquiries where assignedAgency equals to selected Agency. 7. Sort and display the filtered inquiries by submissionDate in descending order. 8. Execute and store the result in a variable named \$inquiries. 9. END
--	---

4.1.8 agencyPreviousInquiry [PG-MYS-300-CL-308]

Class Type	Boundary class	
Responsibility	An interface for Agency to view a record of all past inquiries assigned to them.	
Attributes	Attributes Name	Attributes Type
	submissionID	int
	assignmentID	int
	submissionTitle	String
	verificationStatus	String
	verificationDate	date
	assignmentDate	date
	investigationStatus	String
	start_date	date
	end_date	date
Methods	Method Name	Description
	agencyPreviousInquiry(Request \$request)	Retrieve and filters inquiries assigned to an agency
Algorithm	1. START 2. agencyPreviousInquiry(Request \$request) is called. 3. Retrieve the authenticated Agency's ID	

	4. Initialize a query to find inquiries linked to the Agency by joining SubmissionAssignment and InquirySubmission table based on submissionID and filter inquiries assigned to the Agency. 5. Apply filters if selected • If investigationStatus exists, filter by verificationStatus • If start_date and end_date exist, filter inquiries within the date range. 6. Display inquiries by assignmentDate in descending order. 7. END
--	--

4.1.9 agencyPreviousInquiryDetails [PG-MYS-300-CL-309]

Class Type	Boundary class	
Responsibility	An interface for Agency to view the details of past inquiries assigned to them.	
Attributes	Attributes Name	Attributes Type
	submissionID	int
	submissionTitle	String
	submissionCategory	String
	submissionDate	date
	sourceOfNews	String
	verificationStatus	String
	verificationDate	date
	investigationDetails	String
	SupportingDocuments	String
Methods	Method Name	Description
	viewAgencyPreviousInquiryDetails(\$id)	Retrieve and displays the full details and status history of the inquiry
Algorithm	1. START 2. viewAgencyPreviousInquiryDetails(\$id) is called with inquiry ID.	

	3. Retrieve inquiry details from InquirySubmission table using submissionID. 4. Retrieve inquiry history from InquiryProgress table using submissionID. 5. Display the inquiry details and status history by verificationDate in descending order. 6. END
--	---

Module 3: MOHAMAD FAHMI BIN MOHD RAZALI (CB23021)

4.2 InquiryAssignment [PG-MYS-400]




Figure 4. 2 InquiryAssignment Package

4.2.1 publicAgencyAssignment [PG-MYS-400-CL-401]

Class Type	Boundary class	
Responsibility	An interface to display the agency name and the date inquiry was assigned to agency.	
Attributes	Attributes Name	Attributes Type
	name	string
	assignmentDate	date
Methods	Method Name	Description
	showAssignedAgency(\$submissionID)	Display agency name and assignment date.

Algorithm	START showAssignedAgency(\$submissionID) is invoked Get the logged-in user's public user account If no Public User found, show error and go back Find the user's inquiry with matching \$submissionID Find the user's inquiry that the jurisdictionStatus is Accepted Get all agency assignments for this inquiry (with agency details) Display the publicAgencyAssignment view with: agency name assignment date END
-----------	--

4.2.2 mcmcAssignInquiry [PG-MYS-400-CL-402]

Class Type	Boundary class	
Responsibility	An interface that shows list of inquiries needs to be assigned to relevant agency.	
Attributes	Attributes Name	Attributes Type
	submissionID	int
	submissionTitle	string
	submissionDate	date
	submissionCategory	string
Methods	jurisdictionStatus	string
	Method Name	Description
	mcmcAssignInquiryPage()	Display a list of all verified inquiries that need to be assigned to an agency.

Algorithm	START mcmcAssignInquiryPage() is invoked Retrieve all InquirySubmission records where: - submissionStatus is 'Verified Inquiry' - submissionID exists in SubmissionAssignment with jurisdictionStatus 'Rejected' - submissionID does NOT exist in SubmissionAssignment with jurisdictionStatus other than 'Rejected' Combine results into a single collection Order the combined inquiries by submissionDate in descending order Pass the inquiries collection to the 'InquiryAssignment.mcmcAssignInquiry' view For each inquiry in the list: - Display submissionTitle - Display formatted submissionDate - Display submissionCategory - If all previous assignments are rejected, show "Rejected – please assign again" - Link each card to the assignment details page using submissionID If the list is empty, show a message indicating no inquiries available for assignment END
-----------	--

4.2.3 memcAssignInquiryDetails [PG-MYS-400-CL-403]

Class Type	Boundary class	
Responsibility	An interface to assign inquiry to the relevant agency.	
Attributes	Attributes Name	Attributes Type
	submissionID	int
	submissionTitle	string
	submissionDate	date
	submissionStatus	string
	submissionCategory	string
	submissionDescription	string
	submissionEvidence	string
	sourceOfNews	string
	agencyID	int
	name	string
	comment	string
Methods	Method Name	Description
	showAssignInquiryDetails(\$submission ID	Display the details of a specific inquiry and a form to assign it to an agency.
	storeAssignment(Request \$request, \$submissionID)	Store the assignment of an inquiry to an agency.
Algorithm	Algorithm showAssignInquiryDetails(\$submissionID) START showAssignInquiryDetails(\$submissionID) is invoked Retrieve the InquirySubmission record by \$submissionID Retrieve all Agency records with their associated user for the agency dropdown Retrieve the latest SubmissionAssignment for this inquiry with jurisdictionStatus 'Rejected'	

	Pass \$inquiry, \$agencies, and \$rejectedAssignment to the 'InquiryAssignment.mcmcAssignInquiryDetails' view Display inquiry details (title, date, status, category, description, evidence, source) If a rejected assignment exists, display the agency rejection comment section Display a form: - Dropdown to select agency (agencyID) - Textarea for optional staff comment (comment) - Submit button to assign agency END Algorithm storeAssignment(Request \$request, \$submissionID) START storeAssignment(\$request, \$submissionID) is invoked Validate the request to ensure: - agencyID is provided and exists in the Agency table Retrieve the currently authenticated user's MCMCStaff Create a new SubmissionAssignment record - agencyID - MCMCStaffID from the staff profile - submissionID from the function parameter - assignmentDate as the current timestamp - jurisdictionStatus set to 'Pending' - comment (optional) Redirect the user to the inquiry assignment list page
--	--

	Display a success message: 'Agency assigned successfully!'
	END

4.2.4 agencyIncomingInquiry [PG-MYS-400-CL-404]

Class Type	Boundary class	
Responsibility	An interface that shows list of inquiries that assigned by MCMC Staff.	
Attributes	Attributes Name	Attributes Type
	assignmentID	int
	assignmentDate	date
Methods	submissionTitle	string
	Method Name	Description
	agencyIncomingInquiry()	Display a list of all pending assigned inquiries.
Algorithm	START agencyIncomingInquiry() is invoked Retrieve the agency associated with the currently authenticated user If no agency is found, redirect back and display an error message Retrieve all SubmissionAssignment records where: agencyID matches the current agency's ID jurisdictionStatus is 'Pending' Order the assignments by assignmentDate in descending order Pass the assignments collection to the 'InquiryAssignment.agencyIncomingInquiry' view	

	If the assignments collection is empty: Display a message that there are no incoming assigned inquiries Else, for each assignment in the list: Display the inquiry's submissionTitle Display the assignmentDate (formatted) Provide a link to view the assignment details using assignmentID END
--	---

4.2.5 agencyIncomingInquiryDetails [PG-MYS-400-CL-405]

Class Type	Boundary class	
Responsibility	An interface to accept or reject the assigned inquiry	
Attributes	Attributes Name	Attributes Type
	assignmentID	int
	jurisdictionStatus	string
	comment	string
	submissionTitle	string
	submissionDate	date
	submissionStatus	string
	submissionCategory	string
	submissionDescription	string
	submissionEvidence	string
	sourceOfNews	string
Methods	Method Name	Description
	agencyShowInquiry(\$assignmentID)	Display the details of assigned inquiry for the agency and allow for acceptance or rejection.

Algorithm	acceptInquiry(\$request, \$assignmentID)	Accept an assigned inquiry and add an optional comment.
	rejectInquiry(\$request, \$assignmentID)	Reject an assigned inquiry and require a rejection comment.
	agencyShowInquiry(\$assignmentID) START agencyShowInquiry(\$assignmentID) is invoked Retrieve the agency associated with the currently authenticated user If no agency is found, redirect back and display an error message Retrieve the SubmissionAssignment record where: assignmentID matches agencyID matches the current agency's ID Include the related InquirySubmission data Get the related InquirySubmission record from the assignment Pass the assignment and inquiry to the 'InquiryAssignment.agencyIncomingInquiryDetails' view Display all inquiry details: submissionTitle submissionDate submissionStatus submissionCategory submissionDescription submissionEvidence sourceOfNews If \$assignment->comment is not empty, display it as "MCMC Admin Comment"	

	Display a form to reject the inquiry: - Textarea for rejection_comment (required) - Submit button "Reject & Notify MCMC" Display a form to accept the inquiry: - Textarea for accept_comment (optional) - Submit button "Accept & Proceed Verification" Provide a back button to return to the incoming inquiry list END acceptInquiry(\$request, \$assignmentID) START acceptInquiry(\$request, \$assignmentID) is invoked Retrieve the agency associated with the currently authenticated user Retrieve the SubmissionAssignment record where: - assignmentID matches the provided ID - agencyID matches the current agency's ID Set assignment's jurisdictionStatus to 'Accepted' Set assignment's comment to accept comment from the request (optional) Save the updated assignment record Redirect to the incoming inquiry list with a success message END rejectInquiry(\$request, \$assignmentID)
--	---

START

rejectInquiry(\$request, \$assignmentID) is invoked

Validate the request to ensure:

 rejection_comment is provided, is a string, and maximum 1000 characters

Retrieve the agency associated with the currently authenticated user

Retrieve the SubmissionAssignment record where:

 assignmentID matches the provided ID

 agencyID matches the current agency's ID

Set assignment's jurisdictionStatus to 'Rejected'

Set assignment's comment to rejection_comment from the request

Save the updated assignment record

Redirect to the incoming inquiry list with a success message

END

Module 4: MUHAMMAD AMIR FIRDAUS BIN MOHD RODHI (CB23051)

4.3 InquiryProgress [PG-MYS-500]




Figure 4. 3 InquiryProgress Packages

4.3.1 publicInquiryTracking [PG-MYS-500-CL-501]

Class Type	Boundary class	
Responsibility	Interface that enables the Public User to track the progress and status updates of their submitted inquiries.	
Attributes	Attributes Name	Attributes Type
	submissionTitle	String
	submissionDescription	String
	publicUserID	Int
	submissionStatus	String
	submissionDate	Date
	verificationStatus	String
	jurisdictionStatus	string
Methods	Method Name	Description
	publicInquiryTracking(Request \$request)	This function displays or returns the view/page where public users can track the status of their inquiry submissions
Algorithm	START publicInquiryTracking(Request \$request) is invoked Retrieve all InquirySubmission records where publicUserID matches the currently authenticated user	

	IF a search term is provided in the request Filter the inquiries where submissionTitle or submissionDescription contain the search term END IF IF a status filter is provided in the request Filter the inquiries where at least one of these matches the status: - Related progress.verificationStatus - Related latestAssignment.jurisdictionStatus - submissionStatus field END IF Eager load related progress and latestAssignment data Order the results by submissionDate in descending order Paginate the results, 10 per page Return the publicInquiryTracking view with the filtered, sorted, and paginated inquiries END
--	--

4.3.2 publicHistory [PG-MYS-500-CL-502]

Class Type	Boundary class	
Responsibility	Interface that displays the summarized historical progression of an inquiry, showing key status changes and events.	
Attributes	Attributes Name	Attributes Type
	submissionTitle	String
	submissionDescription	String
	submissionDate	Date
	submissionStatus	Int
	publicUserID	String
	verificationStatus	Date
	verificationDate	String

	jurisdictionStatus assignmentDate	Date
Methods	Method Name	Description
	publicHistory(Request \$request)	This function displays or returns the view/page where public users can view the history of their past inquiry submission
Algorithm	START publicHistory(Request \$request) is invoked Retrieve all InquirySubmission records where publicUserID matches the currently authenticated user Eager load related progress and latestAssignment data Order the inquiries by submissionDate in descending order Paginate the results, 10 per page Return the publicHistory view with the paginated list of inquiries and their related data END	

4.3.3 publicHistoryDetails [PG-MYS-500-CL-503]

Class Type	Boundary class	
Responsibility	Interface that provides detailed information on each event or update in an inquiry's history, including timestamps and responsible parties.	
Attributes	Attributes Name	Attributes Type
	submissionTitle submissionDescription submissionDate submissionStatus publicUserID verificationStatus	String String Date String Int String Date

	verificationDate jurisdictionStatus assignmentDate username	String Date String
Methods	Method Name	Description
	publicHistoryDetails(\$submissionID)	This function displays or returns the detailed view/page for a specific inquiry submission, allowing public users to see all information and progress related to the submission with the given submission ID
Algorithm	START publicHistoryDetails(\$submissionID) is invoked with a specific inquiry submission ID Retrieve the InquirySubmission record with the given ID, including: - All related assignments - For each assignment, include the associated agency and its user - For each assignment, include the related progress updates If the inquiry is not found, return a 404 error Pass the loaded inquiry details (with all assignments, agency, user, and progress data) to the publicHistoryDetails view for display END	

4.3.4 memcMonitorAgencyProgress [PG-MYS-500-CL-504]

Class Type	Boundary class
------------	----------------

Responsibility	Interface that allows MCMC Staff to monitor and oversee the progress of agency-handled inquiries, ensuring compliance and timely actions.	
Attributes	Attributes Name	Attributes Type
	submissionTitle	String
	submissionDescription	String
	submissionDate	Date
	submissionStatus	String
	publicUserID	Int
	verificationStatus	String
	verificationDate	Date
	jurisdictionStatus	String
	assignmentDate	Date
	username	String
Methods	Method Name	Description
	mcmcMonitorAgencyProgress(\$submissionID)	This function displays the agency's progress on a specific inquiry submission, allowing MCMC staff to monitor its status using the given submission ID
Algorithm	START mcmcMonitorAgencyProgress(\$submissionID) is invoked with a specific inquiry submission ID Retrieve the InquirySubmission record with the given ID, including: - All related assignments - For each assignment, include the associated agency and its user - For each assignment, include the related progress updates - The associated publicUser who submitted the inquiry	

	If the inquiry is not found, return a 404 error Pass the loaded inquiry details (with all assignments, agencies, agency users, progress, and public user data) to the mcmcMonitorAgencyProgress view for display END
--	---

4.3.5 agencyAssignedInquiry [PG-MYS-500-CL-505]

Class Type	Boundary class	
Responsibility	Interface that presents agencies with a list of inquiries assigned to them, highlighting current status and required actions.	
Attributes	Attributes Name	Attributes Type
	submissionTitle	String
	submissionDescription	String
	submissionDate	Date
	submissionStatus	String
	publicUserID	Int
	verificationStatus	String
	jurisdictionStatus	String
	assignmentDate	Date
	agencyID	Int
Methods	Method Name	Description
	agencyAssignedInquiry(Request \$request)	This function displays a list of inquiries assigned to the agency
Algorithm	START agencyAssignedInquiry(Request \$request) is invoked Retrieve the currently authenticated user's agency ID Retrieve all InquirySubmission records where: - There is at least one related assignment with: - agencyID matching the user's agency - jurisdictionStatus is 'Accepted' - No related progress record	

	For each matching inquiry, eager load the related assignments with the same filters Order the inquiries by submissionDate in descending order Paginate the results, 10 per page Return the agencyAssignedInquiry view with the paginated list of inquiries and their filtered assignments END
--	--

4.3.6 agencyAssignedInquiryDetails [PG-MYS-500-CL-506]

Class Type	Boundary class	
Responsibility	Interface that allows agencies to view and update detailed information for each assigned inquiry, including evidence and actions taken.	
Attributes	Attributes Name	Attributes Type
	submissionTitle	String
	submissionDescription	String
	submissionDate	Date
	submissionStatus	String
	publicUserID	Int
	verificationStatus	String
	jurisdictionStatus	String
	assignmentID	Int
	assignmentDate	Date
Methods	Method Name	Description
	agencyAssignedInquiryDetails(\$assignmentID)	This function displays the details of a specific assigned inquiry for the agency, using the given assignment ID
Algorithm	START agencyAssignedInquiryDetails(\$assignmentID) is invoked with a	

	specific assignment ID Retrieve the SubmissionAssignment record with the given ID, including: - The related inquirySubmission (inquiry submission details) - The related progress (progress updates for this assignment) If the assignment is not found, return a 404 error Pass the assignment (with inquiry and progress details) to the agencyAssignedInquiryDetails view for display END
--	---

4.4 GenerateReport




Figure 4. 4 GenerateReport Packages

Module 2: NURUNNAJIHAH BINTI ZAINAL (CB23027)

4.4.1 mcmcReportPage [PG-MYS-600-CL-601]

Class Type	Boundary class	
Responsibility	An interface for MCMC Staff generates and view different types of reports related to inquiries and Agency performance.	
Attributes	Attributes Name	Attributes Type
	-	-
Methods	Method Name	Description
	mcmcReportPage()	Displays the main report page for MCMC Staff.
	viewInquiryReport()	Displays an overview report of all inquiries.
Algorithm	mcmcReportPage() 1. START 2. mcmcReportPage() is called. 3. Load MCMC Report page. 4. Display MCMC Report page. 5. END viewInquiryReport() 1. START 2. Displays Generate Inquiry Report page.	

	3. END
--	--------

4.4.2 mcmcGenerateInquiryReport [PG-MYS-600-CL-602]

Class Type	Boundary class	
Responsibility	An interface for MCMC Staff to generate reports based on total number of inquiries received from Public User.	
Attributes	Attributes Name	Attributes Type
	submissionDate	date
	submissionTitle	String
	submissionCategory	String
	submissionStatus	String
Methods	Method Name	Description
	generateInquiryReport(Request \$request)	Generates inquiry reports based on specific criteria.
Algorithm	1. START 2. generateInquiryReport(Request \$request) is called. 3. Query the InquirySubmission model to display the inquiries where the submissionStatus is either 'Verified Inquiry' or 'Dismissed Inquiry' 4. If a category is specified, filter the list of inquiries. 5. If start_date and end_date are selected, apply date range filter. 6. Display a matching list of inquiries. 7. END	

4.4.3 mcmcInquiryReportPdf [PG-MYS-600-CL-603]

Class Type	Boundary class	
Responsibility	An interface to display a summary of total inquiries in a structured table format.	
Attributes	Attributes Name	Attributes Type
	submissionDate	date
	submissionTitle	String
	submissionCategory	String

	submissionStatus	String
Methods	Method Name	Description
	exportPDFInquiry(Request \$request)	Generates a PDF file of total inquiries for MCMC Staff based on optional filters.
	exportExcelInquiry()	Generates an Excel report for inquiries based on selected filters.
Algorithm	exportPDFInquiry(Request \$request) 1. START 2. exportPDFInquiry(Request \$request)) is called. 3. Initialize a query on the InquirySubmission model to prepare for dynamic filtering. 4. Check if the request includes a status filter. • If yes, add query to filter inquiries where submissionStatus equals to selected category. 5. Check if the request includes both start_date and end_date. • If yes, apply a date range filter. 6. Generate and return a downloadable PDF file named total_inquiry_report.pdf. 6. END exportExcelInquiry() 1. START 2. Retrieve inquiries from database where submissionStatus is either 'Verified Inquiry' or 'Dismissed Inquiry'. 3. Select column submissionDate, submissionTitle, submissionCategory and submissionStatus 4. Convert the retrieved data into a collection. 5. Generate and return a downloadable Excel file named inquiries_xlsx.	

	6. END
--	--------

Module 3: MOHAMAD FAHMI BIN MOHD RAZALI (CB23021)

4.4.4 mcmcReportPage [PG-MYS-600-CL-601]

Class Type	Boundary class	
Responsibility	An interface as a main page for type of report selection	
Attributes	Attributes Name	Attributes Type
	none	none
Methods	Method Name	Description
	mcmcReportPage()	As a main page for type of report selection.
Algorithm	START mcmcReportPage() is invoked Render the 'GenerateReport.mcmcReportPage' view END	

4.4.5 mcmcInquiryAssignmentReport [PG-MYS-600-CL-604]

Class Type	Boundary class	
Responsibility	An interface to generate the report of inquiry assignments to agencies with options for filtering by agency and date, and for downloading as PDF or Excel.	
Attributes	Attributes Name	Attributes Type
	assignmentID	int
	name	string
	submissionTitle	string
	assignmentDate	date
Methods	Method Name	Description

	mcmcInquiryAssignmentReport(Request)	Generate and display a report of inquiry assignments to agencies.
	exportAssignmentPdf(Request)	Download report as PDF.
	exportAssignmentHtmlExcel()	Download report as Excel.
Algorithm	START mcmcInquiryAssignmentReport(Request) is invoked Retrieve query parameters: - agency_id from request (optional) - start_date from request (optional) - end_date from request (optional) Generate \$assignmentsByAgency: - Group by agencyID and count total assignments per agency - load agency.user Generate \$assignments: - Execute the main query, ordered by assignmentDate descending Retrieve all agencies for the filter dropdown, ordered by user name Pass \$assignments, \$assignmentsByAgency, \$agencies, \$agencyID, \$start, and \$end to the report Blade view Display a filter form for agency and date range - Show download buttons for PDF and Excel (with current filters) - Show a bar chart of assignment totals by agency - Show summary statistics (total assignments) - Display a table of assignments with columns: No, Assignment ID, Agency Name, Inquiry Title, Date Assigned	

	END START exportAssignmentPdf(Request) is invoked Retrieve agency_id, start_date, and end_date from request Build a filtered SubmissionAssignment query Get the filtered assignments Generate a PDF from the assignments using a Blade view Download the PDF file END START exportAssignmentHtmlExcel() is invoked Retrieve all SubmissionAssignment records, ordered by assignmentDate descending Build an HTML table with columns: Assignment ID, Agency, Inquiry Title, Date Assigned Return the table as a downloadable Excel file END
--	---

4.4.6 mcmcAssignmentReportPdf [PG-MYS-600-CL-605]

Class Type	Boundary class	
Responsibility	An interface that as a layout for download PDF.	
Attributes	Attributes Name	Attributes Type
	none	none
Methods	Method Name	Description
	none	none
Algorithm	none	

Module 4: MUHAMMAD AMIR FIRDAUS BIN MOHD RODHI (CB23051)

4.4.7 memcAgencyPerformanceReport [PG-MYS-600-CL-606]

Class Type	Boundary class	
Responsibility	Interface that displays agency performance metrics and visual summaries (such as tables and charts) for MCMC Staff to monitor inquiry assignments, resolutions, and trends.	
Attributes	Attributes Name	Attributes Type
	userID	Int
	username	String
	submissionCategory	String
	agencyID	Int
Methods	Method Name	Description
	viewPerformanceReport(Request \$request)	This function displays the performance report page, showing relevant performance data or statistics to the user
Algorithm	START viewPerformanceReport(Request \$request) is invoked Retrieve all users with userType 'agency' as the agencies list Retrieve unique submission categories from InquirySubmission Read filtering inputs: selected agency, category, start date, end date Initialize empty performanceData array FOR each agency in agencies IF a specific agency is selected and this agency does not match SKIP to next agency END IF Start a SubmissionAssignment query for this agency IF filters (category, start date, end date) are set Apply whereHas clause with matching filters on linked InquirySubmission END IF Retrieve assignments and extract their IDs	

	Count assigned: number of InquiryProgress records linked to these assignments Count resolved: number of InquiryProgress records with verificationStatus "Verified as True" or "Identified as Fake" Add to resolved: assignments with jurisdictionStatus "Accepted" Count pending: number of InquiryProgress records with verificationStatus "Under Investigation" Add agency's name and these stats to performanceData END FOR Return the mcmcAgencyPerformanceReport view with agencies, categories, and performanceData END
--	---

4.4.8 mcmcAgencyPerformanceReportPdf [PG-MYS-600-CL-607]

Class Type	Boundary class	
Responsibility	Interface that generates a downloadable PDF version of the agency performance report, preserving the key metrics and layout for official use, sharing, or archival purposes.	
Attributes	Attributes Name	Attributes Type
	username	String
	userID	Int
	submissionCategory	string
Methods	Method Name	Description
	exportPerformancePdf(Request \$request)	This function generates and downloads a performance report as a PDF file
	exportPerformanceExcel(Request \$request)	This function generates and downloads a performance report as an Excel file

Algorithm	START exportPerformancePdf/Excel(Request \$request) is invoked Retrieve all users with userType = 'agency' Retrieve all unique inquiry categories from InquirySubmission Extract filter parameters from the request: - selectedAgency - selectedCategory - startDate - endDate Initialize an empty performanceData array FOR each agency in the list: IF an agency filter is set and this agency does not match, SKIP Build a query to find all assignments for the agency IF any category or date filters are set: Filter assignments by matching submissionCategory and/or submission date range Retrieve all assignments for the agency Extract assignment IDs Count number of inquiries assigned (assigned) using InquiryProgress for these assignment IDs Count number of inquiries resolved (resolved) as: - InquiryProgress with verificationStatus 'Verified as True' or 'Identified as Fake' - PLUS assignments with jurisdictionStatus 'Accepted' Count number of inquiries pending (pending) as InquiryProgress with verificationStatus 'Under Investigation' Add agency performance (name, assigned, resolved, pending) to performanceData END FOR For PDF: Render the data in the Blade view and generate a PDF for download For Excel: Stream the data as a CSV file for download END
-----------	--

4.5 Controller Package [PG-MYS-700]




Figure 4. 5 Controller Package

Module 2: NURUNNAJIHAH BINTI ZAINAL (CB23027)

4.5.1 InquiryController [PG-MYS-700-CL-703]

Class Type	Control class	
Responsibility	Handles the flow of inquiry submissions across different roles of users.	
Attributes	Attributes Name	Attributes Type
	submissionID	int
	publicUserID	int
	submissionTitle	String
	submissionDescription	String
	submissionCategory	String
	submissionEvidence	String
	sourceOfNews	String
	submissionDate	date
	submissionStatus	String
	verificationStatus	String
	verificationDate	date
	assignmentID	int
	assignmentDate	date
	agencyID	int

Methods	Method Name	Description
	createInquiry()	Displays the form for public users to submit inquiries.
	storeInquiry(Request \$request)	Validates inquiry data, handles file uploads and stores the inquiry in the database.
	list()	Fetches and displays the inquiries submitted by the logged-in public user.
	mcmcInquiryDetails(\$id)	Displays the details of a specific inquiry submitted by the public user.
	viewPublicInquiries()	Displays the inquiries submitted by other public users.
	mcmcNewInquiries()	Retrieves inquiries are marked as “Pending Review” for MCMC Staff.
	mcmcInquiryDetails(\$id)	Displays the details of a specific newly submitted inquiry.
	mcmcPreviousInquiries(Request \$request)	Fetches previously reviewed inquiries
	agencyViewInquiries()	Displays a page for Agency to view inquiries.
	agencyPreviousInquiry(Request \$request)	Retrieves past inquiries assigned to the agency, filtered by status or date range.
	agencyPreviousInquiryDetails(\$id)	Displays full history of inquiry, including status updates.
Algorithm	storeInquiry(Request \$request) 1. START	

	2. storeInquiry(Request \$request) is called 3. Validate the request data: submissionTitle, submissionDescription, submissionCategory, submissionEvidence, sourceOfNews and submissionStatus 4. Store validated result in \$validated 5. Initialize \$filepath to null 6. Check if a file was uploaded along with submissionEvidence 7. Create a new inquiry submission in the database 8. Redirect public user to inquiry submission form 9. Display a success message 10. END list() 1. START 2. list() is called. 3. Authenticate user 4. Retrieve all inquiries from the database where the publicUserID matches with logged-in user. 5. Display the inquiries in descending order by submissionDate 6. END 1. START 2. showInquiryDetail(\$id) is called 3. Retrieve the inquiry ID (\$id) from the route parameter 4. Use the InquirySubmission model to query the database for a record where submissionID matches the given \$id and publicUserID matches the current logged-in user. 5. Display the inquiry details page. 6. END viewPublicInquiries()
--	--

	1. START 2. viewPublicInquiries() is called. 3. Get the current logged-in Public User's ID using Auth::id() and store it in variable \$userID. 4. Query the InquirySubmission table to retrieve all inquiries where publicUserID is not equal to current Public User' 5. Sort and display a list of submitted inquiries by other individuals in descending order by submissionDate 6. END mcmcNewInquiry() 1. START 2. mcmcNewInquiry() is called 3. Find inquiry submissions that have submissionStatus of "Pending Review" 4. Display a list of newly submitted inquiries that are marked with "Pending Review" status in descending order by submissionDate 5. END mcmcInquiryDetails(\$id) mcmcPreviousInquiries(Request \$request) 1. START 2. mcmcPreviousInquiries(Request \$request) is called 3. Initialize a query to filter inquiries where submissionStatus is either 'Verified Inquiry' or 'Dismissed Inquiry'. 4. Check if the request includes a date range filter. • If yes, add query to filter inquiries where submissionDate equals to the selected date. 5. Check if the request includes a status filter. • If yes, add query to filter inquiries where submissionStatus equals to selected status. 6. Check if the request includes an Agency filter.
--	---

	• If yes, add query to filter inquiries where assignedAgency equals to selected Agency. 7. Sort and display the filtered inquiries by submissionDate in descending order. 8. Execute and store the result in a variable named \$inquiries. 9. END
--	--

4.5.2 ReportController [PG-MYS-700-CL-706]

Class Type	Control class	
Responsibility	Manage generating, filtering and exporting reports related to inquiry submissions	
Attributes	Attributes Name	Attributes Type
	submissionID	String
	submissionTitle	String
	submissionCategory	String
	submissionDate	date
	submissionStatus	String
	start_date	date
	end_date	date
	category	String
	agency_id	int
	chartData	String
Methods	Method Name	Description
	mcmcReportPage()	Displays the main report page for MCMC Staff.
	viewInquiryReport()	Displays an overview report of all inquiries.
	generateInquiryReport(Request \$request)	Retrieves and filters inquiry records based on status and date range.
	chartData()	Provides graphical representation for visual reports.

	exportPDFInquiry(Request \$request) exportExcelInquiry()	Generates a PDF report for inquiries based on selected filters. Generates an Excel report for inquiries based on selected filters.
Algorithm	mcmcReportPage() 1. START 2. mcmcReportPage() is called. 3. Load MCMC Report page. 4. Display MCMC Report page. 5. END viewInquiryReport() 1. START 2. Display Generate Inquiry Report page. 3. END generateInquiryReport(Request \$request) 1. START 2. generateInquiryReport(Request \$request) is called. 3. Query the InquirySubmission model to display the inquiries where the submissionStatus is either 'Verified Inquiry' or 'Dismissed Inquiry' 4. If a category is specified, filter the list of inquiries. 5. If start_date and end_date are selected, apply date range filter. 6. Display a matching list of inquiries. 7. END chartData() 1. START	

	2. Query InquirySubmission to get count of submissions grouped by submissionCategory. 3. Count total inquiries with status Verified Inquiry 4. Count total inquiries with status Dismissed Inquiry 5. Display a bar and pie chart along with categories, category counts, verified inquiry counts and dismissed inquiry counts. 6. END exportPDFInquiry(Request \$request) 1. START 2. exportPDFInquiry(Request \$request)) is called. 3. Initialize a query on the InquirySubmission model to prepare for dynamic filtering. 4. Check if the request includes a status filter. • If yes, add query to filter inquiries where submissionStatus equals to selected category. 5. Check if the request includes both start_date and end_date. • If yes, apply a date range filter. 6. Generate and return a downloadable PDF file named total_inquiry_report.pdf. 7. END exportExcelInquiry() 1. START 2. exportExcelInquiry() is called. 3. Retrieve inquiries from database where submissionStatus is either 'Verified Inquiry' or 'Dismissed Inquiry'. 4. Select column submissionDate, submissionTitle, submissionCategory and submissionStatus 5. Convert the retrieved data into a collection. 6. Generate and return a downloadable Excel file named inquiries_xlsx.
--	--

	7. END
--	--------

Module 3: MOHAMAD FAHMI BIN MOHD RAZALI (CB23021)

4.5.3 AssignmentController [PG-MYS-700-CL-704]

Class Type	Boundary class	
Responsibility	Handle assignment, acceptance, and rejection the assigned inquiry among Public User, Agency and MCMC Staff.	
Attributes	Attributes Name	Attributes Type
	None	None
Methods	Method Name	Description
	showAssignedAgency(submissionID)	Display agency name and assignment date.
	mcmcAssignInquiryPage()	Display a list of all verified inquiries that need to be assigned to an agency.
	showAssignInquiryDetails(submissionID)	Display the details of a specific inquiry and a form to assign it to an agency.
	storeAssignment(request, submissionID)	Store the assignment of an inquiry to an agency.
	agencyIncomingInquiry()	Display a list of all pending assigned inquiries
	agencyShowInquiry(assignmentID)	Display the details of assigned inquiry for the agency and allow for acceptance or rejection.
	acceptInquiry(request, assignmentID)	Accept an assigned inquiry and add an optional comment.
	rejectInquiry(request, assignmentID)	Reject an assigned inquiry and require a rejection comment.

Algorithm	START showAssignedAgency(submissionID) is invoked - Retrieve the logged-in public user's ID - Confirm the inquiry belongs to the user - Retrieve all accepted agency assignments for the inquiry - Display the assignments and inquiry details mcmcAssignInquiryPage() is invoked - Retrieve all 'Verified Inquiry' submissions that are either: - Never assigned, - Or only have assignments with status 'Rejected' - Display the list for MCMC assignment showAssignInquiryDetails(submissionID) is invoked - Retrieve inquiry by submissionID - Retrieve all agencies for assignment selection - Display inquiry details and assignment form storeAssignment(request, submissionID) is invoked - Validate agencyID from request - Retrieve logged-in MCMC staff user - Create a new SubmissionAssignment record for the inquiry and selected agency - Redirect to assignment list with a success message agencyIncomingInquiry() is invoked - Retrieve agency for the logged-in user - Retrieve all pending assignments for this agency - Display the list of incoming assignments agencyShowInquiry(assignmentID) is invoked - Retrieve agency for the logged-in user
-----------	---

	Retrieve the assignment and related inquiry for this agency Display assignment and inquiry details, with accept/reject options acceptInquiry(request, assignmentID) is invoked Retrieve agency and assignment for the logged-in user Set assignment status to 'Accepted' with optional comment Save changes and redirect to incoming assignments with a success message rejectInquiry(request, assignmentID) is invoked Retrieve agency and assignment for the logged-in user Set assignment status to 'Rejected' with the rejection comment Save changes and redirect to incoming assignments with a success message END
--	--

4.5.4 ReportController [PG-MYS-700-CL-706]

Class Type	Boundary class	
Responsibility	Filter the date and agency, generate and export inquiry assignment reports in PDF, and Excel formats.	
Attributes	Attributes Name	Attributes Type
	None	None
Methods	Method Name	Description
	mcmcInquiryAssignmentReport(Request)	Display a filtered report of inquiry assignments.
	exportAssignmentPdf(Request)	Export the filtered inquiry assignment report as a PDF.
	exportAssignmentHtmlExcel()	Export the inquiry assignment report as an Excel.

Algorithm	START mcmcInquiryAssignmentReport(Request) is invoked - Retrieve agency_id, start_date, and end_date from request - Build a query for SubmissionAssignment with optional agency and date filters - Count assignments grouped by agency - Retrieve all agencies for filter dropdown - Get the filtered assignments, ordered by assignment date - Pass all data to the report view for display exportAssignmentPdf(Request) is invoked - Retrieve agency_id, start_date, and end_date from request - Build a query for SubmissionAssignment with optional agency and date filters - Get the filtered assignments, ordered by assignment date - Generate a PDF using the designated view and assignment data - Return the PDF as a file download exportAssignmentHtmlExcel() is invoked - Retrieve all assignments with agency and inquiry details, ordered by assignment date - Build an HTML table containing assignment data - Return the table as an Excel file download END
-----------	--

Module 4: MUHAMMAD AMIR FIRDAUS BIN MOHD RODHI (CB23051)

4.5.5 ProgressController [PG-MYS-700-CL-705]

Class Type	Boundary class	
Responsibility	The controller that is responsible for managing the progress of inquiries and updates the status changes for each inquiry.	
Attributes	Attributes Name	Attributes Type
	None	None
Methods	Method Name	Description
	publicInquiryTracking(Request \$request)	Displays a page for public users to track the status of their inquiry submissions
	mcmcMonitorAgencyProgress(\$submissionID)	Displays the agency's progress on a specific inquiry submission for MCMC staff to monitor, using the provided submission ID
	agencyAssignedInquiry(Request \$request)	Displays a list of inquiries assigned to the current agency
	agencyAssignedInquiryDetails(\$assignmentID)	Shows detailed information about a specific assigned inquiry for the agency, based on the assignment ID
	updateInvestigationStatus(Request \$request, \$assignmentID)	Updates the investigation status of an assigned inquiry using the given assignment ID and request data
	publicHistory(Request \$request)	Displays a page where public users can view the history of their previous inquiry submissions
	publicHistoryDetails(\$submissionID)	Shows detailed information and progress about a specific inquiry

		submission for public users, based on the submission ID.
Algorithm	publicInquiryTracking(Request \$request) 1. START 2. return public inquiry tracking view 3. END mcmcMonitorAgencyProgress(\$submissionID) 1. START 2. return MCMC monitor agency progress view 3. END agencyAssignedInquiry(Request \$request) 1. START 2. return agency assigned inquiry view 3. END agencyAssignedInquiryDetails(\$assignmentID) 1. START 2. return agency assigned inquiry details view 3. END updateInvestigationStatus(Request \$request, \$assignmentID) 1. START	

	2. return redirect to agency assigned inquiry with success message 3. END publicHistory(Request \$request) 1. START 2. return public history view 3. END publicHistoryDetails(\$submissionID) 1. START 2. return public history details view 3. END
--	---

4.5.6 ReportController [PG-MYS-700-CL-706]

Class Type	Boundary class	
Responsibility	The controller that is responsible for managing the generating system report.	
Attributes	Attributes Name	Attributes Type
	None	None
Methods	Method Name	Description
	viewPerformanceReport(Request \$request) exportPerformancePdf(Request \$request) exportPerformanceExcel(Request \$request)	Displays the performance report page, showing relevant performance data or statistics to the user Generates and downloads a performance report as a PDF file Generates and downloads a performance report as an Excel file

Algorithm	viewPerformanceReport(Request \$request) 1. START 2. return view performance report 3. END exportPerformancePdf(Request \$request) 1. START 2. return export performance pdf 3. END exportPerformanceExcel(Request \$request) 1. START 2. return export performance excel 3. END
-----------	---

4.6 Model Package [PG-MYS-800]




Figure 4. 6 Model Package

Module 2: NURUNNAJIHAH BINTI ZAINAL (CB23027)

4.6.1 InquirySubmission [PG-MYS-800-CL-805]

Class Type	Entity class	
Responsibility	This model is used to interact with table InquirySubmission.	
Attributes	Attributes Name	Attributes Type
	submissionID	int
	publicUserID	int
	submissionTitle	String
	submissionDescription	String
	submissionCategory	String
	submissionEvidence	String
	sourceOfNews	String
	submissionDate	date
	submissionStatus	String
Methods	Method Name	Description
	scopeFilterByCategory(\$query, \$category)	Allows filtering inquiries based on category.
	scopeFilterByDateRange(\$query, \$startDate, \$endDate)	Allows filtering inquiries based on a date range.
	scopeMonthly(\$query, \$month, \$year)	Allows filtering inquiries based on specific month of given year.

	scopeYearly(\$query, \$year)	Allows filtering inquiries based on year only.
Algorithm	scopeFilterByCategory(\$query, \$category) 1. START 2. scopeFilterByCategory(\$query, \$category) is called. 3. Retrieve inquiries from InquirySubmission table where submissionCategory matches the selected category. 4. Display filtered inquiries. 5. END scopeFilterByDateRange(\$query, \$startDate, \$endDate) 1. START 2. scopeFilterByDateRange(\$query, \$startDate, \$endDate) is called with a start date and end date. 3. Retrieve inquiries from InquirySubmission table where submissionDate falls within the date range. 4. Display filtered inquiries. 5. END scopeMonthly(\$query, \$month, \$year) 1. START 2. scopeMonthly(\$query, \$month, \$year) is called with month and year filters. 3. Retrieve inquiries where submissionDate matches the selected month and year. 4. Display filtered inquiries. 5. END scopeYearly(\$query, \$year) 1. START 2. scopeYearly(\$query, \$year) is called with a year filter. 3. Retrieve inquiries where submissionDate matches the selected date.	

	4. Display filtered inquiries. 5. END
--	--

4.6.2 SubmissionAssignment [PG-MYS-800-CL-806]

Class Type	Entity class	
Responsibility	This model is used to interact with table SubmissionAssignment.	
Attributes	Attributes Name	Attributes Type
	assignmentID	int
	agencyID	int
	MCMCStaffID	String
	submissionID	String
	assignmentDate	String
	jurisdictionStatus	String
	comment	String
Methods	Method Name	Description
	inquirySubmission()	Links the assignment to the inquiry it corresponds to
Algorithm	1. START 2. inquirySubmission() is called. 3. Retrieve inquiry submission details using submissionID from InquirySubmission table 4. Return the inquiry details linked to the assignment	

4.6.3 InquiryProgress [PG-MYS-800-CL-803]

Class Type	Entity class	
Responsibility	This model is used to interact with table InquiryProgress.	
Attributes	Attributes Name	Attributes Type
	ProgressID	int
	AssignmentID	int
	SubmissionID	int
	AgencyID	int
	JurisdictionStatus	String
	VerificationStatus	String
	VerificationDate	date

	InvestigationDetails	String
Methods	Method Name	Description
	inquiry()	Links a progress record to its original inquiry submission using submissionID.
Algorithm	1. START 2. inquiry() is called. 3. Find the inquiry submission related to submissionID 4. Return the inquiry submission details from InquirySubmission table. 5. END	

Module 3: MOHAMAD FAHMI BIN MOHD RAZALI (CB23021)**4.7.4 Agency [PG-MYS-800-CL-804]**

Class Type	Boundary class	
Responsibility	Represents a user in the system. Supports relationships for public users, MCMC staff, and agencies.	
Attributes	Attributes Name	Attributes Type
	userID	int
	agencyID	int
Methods	PIC	string
	Method Name	Description
	user()	Defines a relationship where the agency belongs to a user
Algorithm	assignments()	Defines a relationship where the agency has many submission assignments
	Algorithm user() START Belongs to User (foreign key userID) END	

	Algorithm assignments() START Has many SubmissionAssignment (foreign key agencyID) END
--	---

4.6.5 InquirySubmission [PG-MYS-800-CL-805]

Class Type	Boundary class	
Responsibility	Represents an inquiry submitted by a public user, storing all relevant details such as title, description, category, evidence, and status.	
Attributes	Attributes Name	Attributes Type
	publicUserID	int
	submissionTitle	string
	submissionDescription	string
	submissionCategory	string
	submissionEvidence	string
	sourceOfNews	string
	submissionDate	date
	submissionStatus	status
	Method Name	Description
Methods	publicUser()	Defines a relationship where the inquiry submission belongs to a public user.
	progress()	Defines a relationship where the inquiry submission has one related inquiry progress record.
	assignments()	Defines a relationship where the inquiry submission has many submission assignments.

Algorithm	Algorithm publicUser() START Belongs to PublicUser (foreign key publicUserID) END Algorithm progress() START Has one InquiryProgress (foreign key submissionID) END Algorithm assignments() START Has many SubmissionAssignment (foreign key submissionID) END
-----------	---

4.6.6 SubmissionAssignment [PG-MYS-800-CL-806]

Class Type	Boundary class	
Responsibility	Represents the assignment of an inquiry submission to an agency by an MCMC staff member, tracking the assignment details, status and related comments.	
Attributes	Attributes Name	Attributes Type
	assignmentID	int
	agencyID	int
	MCMCStaffID	int
	submissionID	int
	assignmentDate	date
	jurisdictionStatus	string
Methods	comment	string
	Method Name	Description
	agency()	Defines a relationship where the submission assignment belongs to an agency.

Algorithm	inquirySubmission()	Defines a relationship where the submission assignment belongs to an inquiry submission.
	progress()	Defines a relationship where the submission assignment has one related inquiry progress record.
	Algorithm agency() START Belongs to Agency (foreign key agencyID) END Algorithm inquirySubmission() START Belongs to InquirySubmission (foreign key submissionID) END Algorithm progress() START Has one InquiryProgress (foreign key assignmentID) END	

Module 4: MUHAMMAD AMIR FIRDAUS BIN MOHD RODHI (CB23051)

4.6.7 InquirySubmission [PG-MYS-800-CL-805]

Class Type	Boundary class	
Responsibility	Database entity that stores and retrieves the inquiries submitted by the Public User	
Attributes	Attributes Name	Attributes Type
	publicUserID	Int
	submissionTitle	String
	submissionDescription	String
	submissionCategory	String
	submissionEvidence	String
	sourceOfNews	String
	submissionDate	Date
	submissionStatus	String
Methods	Method Name	Description
	progress()	This function displays the current progress or status overview, typically summarizing task completion, submissions, or workflow steps for the user or system
Algorithm	START progress() is invoked on an InquirySubmission instance Return the one-to-one relationship between this InquirySubmission and its related InquiryProgress using submissionID END	

4.6.8 SubmissionAssignment [PG-MYS-800-CL-806]

Class Type	Boundary class	
Responsibility	Database entity that stores and retrieves details of the inquiry assignments to agencies.	
Attributes	Attributes Name	Attributes Type
	agencyID	Int
	MCMCStaffID	Int
	submissionID	Int
	assignmentDate	Date
	jurisdictionStatus	String
	comment	String
Methods	Method Name	Description
	progress()	This function displays the current progress or status overview, typically summarizing task completion, submissions, or workflow steps for the user or system
Algorithm	START progress() is invoked on a SubmissionAssignment instance Return the one-to-one relationship between this SubmissionAssignment and its related InquiryProgress using assignmentID END	

4.6.9 InquiryProgress [PG-MYS-800-CL-807]

Class Type	Boundary class	
Responsibility	Database entity that stores and retrieves the progress history of each inquiry, including timestamps, status changes and investigation details.	
Attributes	Attributes Name	Attributes Type
	progressID	Int
	assignmentID	Int
	submissionID	Int
	agencyID	Int
	jurisdictionStatus	String
	verificationStatus	String
	verificationDate	Date
	investigationDetails	String
Methods	Method Name	Description
	assignment()	This function displays the current list of assignments or tasks assigned to the user or entity
Algorithm	START assignment() is invoked on an InquiryProgress instance Return the SubmissionAssignment that is related to this InquiryProgress using AssignmentID END	

5. REQUIREMENT TRACEABILITY

Module 2: NURUNNAJIHAH BINTI ZAINAL (CB23027)

5.1 ManageInquirySubmission [RQ-MYS-200]

Requirement ID	Description	Design ID
RQ-MYS-201	Add New Inquiry Provide Public User with capability to add new inquiry to verify the authenticity of the news.	PG-MYS-300-CL-301
RQ-MYS-202	View Past Inquiry Provide Public User to view a list of their previously submitted inquiries. Provide MCMC Staff the capability to view a record of all previously filtered inquiries. Provide Agency the capability to view a record of all past inquiries assigned to them.	PG-MYS-300-CL-302 PG-MYS-300-CL-307 PG-MYS-300-CL-308
RQ-MYS-203	View Public Inquiry Provide Public User with capability to view a list of submitted inquiries by other public users.	PG-MYS-300-CL-304
RQ-MYS-204	View New Inquiry Provide MCMC Staff the capability to view newly submitted inquiries by Public User.	PG-MYS-300-CL-305
RQ-MYS-205	View Inquiry Submission Details Provide Public User, MCMC Staff and Agency the capability to view details of submitted inquiries.	PG-MYS-300-CL-303 PG-MYS-300-CL-306 PG-MYS-300-CL-309

5.2 GenerateReport [RQ-MYS-500]

Requirement ID	Description	Design ID
RQ-MYS-501	Generate Report Provide MCMC Staff the capability to generate reports based on total number of inquiries received from Public User.	PG-MYS-600-CL-602

Module 3: MOHAMAD FAHMI BIN MOHD RAZALI (CB23021)

5.3 ManageSubmissionAssignment [RQ-MYS-300]

Requirement ID	Description	Design ID
RQ-MYS-301	View Assigned Agency Provide Public User with the capability to view the assigned agency with the assignment date.	PG-MYS-400-CL-401
RQ-MYS-302	View Assigning Inquiry to Agencies Provide MCMC Staff with the capability to view the list of inquiries need to be assigned to the agency. Provide MCMC Staff with the capability to review and assign the inquiry to relevant agency.	PG-MYS-400-CL-402 PG-MYS-400-CL-403
RQ-MYS-303	View Assigned Inquiries Provide Agency with the capability to view the list of inquiries assigned to them. Provide Agency with the capability to review the assigned inquiry to determine if it falls within their jurisdiction.	PG-MYS-400-CL-404 PG-MYS-400-CL-405

5.4 GenerateReport [RQ-MYS-500]

Requirement ID	Description	Design ID
RQ-MYS-501	Generate Report	
	Provide MCMC Staff with the capability to choose the type of report.	PG-MYS-600-CL-601
	Provide MCMC Staff with the capability to generate reports based on the number of inquiries assigned to each agency.	PG-MYS-600-CL-604

Module 4: MUHAMMAD AMIR FIRDAUS BIN MOHD RODHI (CB23051)

5.5 ManageInquiryProgress [RQ-MYS-400]

Requirement ID	Description	Design ID
RQ-MYS-401	ViewInquiryTracking Provide Public User with capability to view all latest inquiry with real time updated status	PG-MYS-500-CL-501
RQ-MYS-402	ViewHistory Provide Public User with capability to view all history log of inquiry	PG-MYS-500-CL-502
RQ-MYS-403	ViewHistoryDetails Provide Public User with capability to view all detailed history log of status changes, including timestamps and agency actions	PG-MYS-500-CL-502 PG-MYS-500-CL-503
RQ-MYS-404	ViewAgencyInvestigationDetails Provide MCMC Staff with capability to track the progress of inquiries assigned to	PG-MYS-300-CL-302 PG-MYS-500-CL-504

	agencies by display real-time updates on each inquiry's status	
RQ-MYS-405	ViewAssignedInquiry Provide Agencies with capability to view all inquiry that was assigned by MCMC Staff and accepted by the agencies	PG-MYS-500-CL-505
RQ-MYS-406	UpdateAssignedInquiryDetails Provide Agencies with capability to update the status of each inquiry assigned by MCMC	PG-MYS-500-CL-505 PG-MYS-500-CL-506

5.6 GenerateReport [RQ-MYS-500]

Requirement ID	Description	Design ID
RQ-MYS-501	Generate Report Provide MCMC Staff with capability to generate reports based on the number of inquiries assigned to each agencies	PG-MYS-600-CL-606 PG-MYS-600-CL-607

Appendix A

Print Screen of Explorer




Figure 5. 1 Packages and its Classes in views




Figure 5. 2 Controller and Model