

```

create database store;

create table country(
    code int primary key ,
    name varchar(20) unique not null ,
    continent_name varchar(20) not null
);

create table user(
    id int primary key ,
    full_name varchar(20) not null unique ,
    email varchar(30) unique ,
    gender varchar(1) not null check ( gender = 'm' OR gender = 'f' ) ,
    date_of_birth varchar(15) not null ,
    created_at DATETIME DEFAULT CURRENT_TIMESTAMP,
    country_code int,
    foreign key (country_code) references country(code)
);

create table orders(
    id int primary key ,
    user_id int ,
    foreign key (user_id) references user(id),
    status varchar(6) check ( status = 'start' OR status = 'finish' ),
    created_at DATETIME DEFAULT CURRENT_TIMESTAMP
);

create table order_items(
    quantity int default 0,
    order_id int,
    foreign key (order_id) references orders(id),
    product_id int,
    foreign key (product_id) references product(id)
);

create table product(
    id int primary key ,
    price int default 0,
    name varchar(10) not null ,
    status varchar(10) check ( status='valid' OR status='expired' ),
    created_at DATETIME DEFAULT CURRENT_TIMESTAMP
);

INSERT INTO country (code, name, continent_name) VALUES (1, 'KSA', 'asia');
INSERT INTO country (code, name, continent_name) VALUES (2, 'Kuwait',
'asia');
INSERT INTO country (code, name, continent_name) VALUES (3, 'Oman', 'asia');
INSERT INTO country (code, name, continent_name) VALUES (4, 'Italy',
'Europe');
INSERT INTO country (code, name, continent_name) VALUES (5, 'Egypt',
'Africa');

insert into user(id, full_name, email, gender, date_of_birth, country_code)
VALUES (1,'fai Ali','fai@example.com','f','17december','1');
insert into user(id, full_name, email, gender, date_of_birth, country_code)

```

```

VALUES (2,' Ali','Ali@example.com','m','17december','4');
insert into user(id, full_name, email, gender, date_of_birth, country_code)
VALUES (3,'nourah Ali','nourah@example.com','f','17december','2');
insert into user(id, full_name, email, gender, date_of_birth, country_code)
VALUES (4,'alanoud','alanoud@example.com','f','17december','3');
insert into user(id, full_name, email, gender, date_of_birth, country_code)
VALUES (5,'lulu','lulu@example.com','f','17december','5');

INSERT INTO product (id, price, name, status) VALUES (1, 100, 'Laptop',
'valid');
INSERT INTO product (id, price, name, status) VALUES (2, 50, 'Mouse',
'valid');
INSERT INTO product (id, price, name, status) VALUES (3, 200, 'Monitor',
'expired');
INSERT INTO product (id, price, name, status) VALUES (4, 30, 'Keyboard',
'valid');
INSERT INTO product (id, price, name, status) VALUES (5, 150, 'Tablet',
'expired');

INSERT INTO orders (id, user_id, status) VALUES (1, 1, 'start');
INSERT INTO orders (id, user_id, status) VALUES (2, 2, 'finish');
INSERT INTO orders (id, user_id, status) VALUES (3, 3, 'start');
INSERT INTO orders (id, user_id, status) VALUES (4, 4, 'finish');
INSERT INTO orders (id, user_id, status) VALUES (5, 5, 'start');

INSERT INTO order_items (quantity, order_id, product_id) VALUES (2, 1, 1);
INSERT INTO order_items (quantity, order_id, product_id) VALUES (1, 2, 2);
INSERT INTO order_items (quantity, order_id, product_id) VALUES (5, 3, 3);
INSERT INTO order_items (quantity, order_id, product_id) VALUES (3, 4, 4);
INSERT INTO order_items (quantity, order_id, product_id) VALUES (4, 5, 5);

#update row from country table
update country set name ='EGY' where code = 5;

#delete row from product
DELETE FROM order_items WHERE product_id = 2;
delete from product where id= 2;

```