Análisis e interpretación de datos de alto rendimiento

BLAST tutorial

Here, there is an additional BLAST tutorial as part of this practical. In this tutorial, we show you how to use a single hypothetical gene sequence (resulting from an ORF prediction) to run a BLAST search and predict what the function of this gene could be by looking at homologues retrieved with BLAST from a selection of other organisms.

ORF Open Reading Frame prediction

Go to https://www.ncbi.nlm.nih.gov/orffinder/ and introduce below fasta sequence. You can also pick random sequence from "AFPN02.1_merge_consensus.fa" and try to predict open reading frames.

```
>Extracted fasta
ACGCAAGTGGCCAGCAGGACAGTGGTTTTTGGGGCGTATCTTCGATCCCAGGGGACATTTTAATGTTTCAACTCC
ATGTA
TTAATTGTGTTTATTTGTAAAATTAATTTATCTGACAATAACATTTCTTATTGATAATGAGAATCATTATTGACA
TAATT
GTTATTATTTTACTGTGTGGGAGCTGTTTGACTATGACCCTGCCCTCTGAAAAACCAGCCACAGATGTGGCTGCG
CAGTG
CTTCCTGAATGCACTGATTCGTGAAACCACAGACTGGAAACTGACAGAATACCCGCCAGACGAATTGATCATCCC
GCTGG
ATGAGCAGAAATCGCTCCATTTCAGAGTGGCTTATTTCTCCCCAACCCAGCATCACCGCTTTGCATTTCCTGCAC
GTCTG
GTCACGGCATCAGGCAGTTATCCTGTCGACTTTACCACTCTCTCCCGGCTTATTATTGATAAGCTACGGCATCAA
CTGTT
TCTGCCCGTTCCCCTCTGCGAAACTTTCCACCAGCGCGTGCTGGAAAGCCACGCCCATACGCAACAGACAATTGA
TGCCC
GTCATGACTGGACCGCCCTGCGTGAAAAAGCGTTGAATTTTGGCGAAGCTGAGCAGGCGCTGCTGACAGGACACG
CTTTC
CACCCTGCGCCTAAGTCTCATGAACCGTTTAACCGGCGGGAGGCTGAACGCTACCTGCCTGATATGGCACCCCAC
TTCCC
ACTGCGGTGGTTTTCGGTGGATAAAACGCAAATCGCCGGTGAAAGTTTGCATCTCAACCTTCAACAGCGGCTGAC
GCGAT
TTGCCGCAGAGAATGCGCCTCAGTTACTCAACGAATTAAGTGACAACCAATGGCTGTTCCCGTTGCACCCGTGGC
AGGGG
GAATATCTTTTGCAGCAGGGGTGGTGCCAGGCACTTGTTGCTAAAGGGCTGATTAAAGACTTAGGTGAGGCCGGC
ACGTC
GTGGCTGCCGACCACCTCTTCCCGTTCCCTCTACTGTGCCACCAGCCGCGATATGATCAAGTTCTCCCTGAGCGT
ACGGC
TGACCAACTCCATCCGTACTCTGTCCGTGAAAGAAGTGAAGCGTGGGATGCGCCTGGCACGCCTGGCTCAAACCG
ACGGC
TGGCAGATGCTACAGGTCCGCTTCCCGACTTTCCGGGTAATGCAGGAGGATGGCTGGGCCGGGCTGCTCGATCTT
AACGG
CAACATCATGCAGGAAAGTCTGTTTGCCCTGCGTGAAAATCTGCTGGTGGATCAGCCGAAAAGCCAGACCAACGT
ACTGG
TCTCCCTGACTCAGGCCGCACCTGATGGCGGTGATTCGCTGCTGGTTTCGGCGGTAAAACGCCTGAGCGATCGCC
TCGGT
ATCACTGTGCAACAGGCCGCCCATGCATGGGTCGATGCATACTGTCAGCAAGTGCTAAAGCCGCTGTTTACGGCT
```

```
GAAGC
GGATTACGGCCTGGTGCTGCTGGCGCATCAGCAAAATATTCTTGTCCAGATGCTTGGGGATCTGCCGGTCGGATT
TATTT
ACCGTGACTGTCAGGGCAGCGCTTTTATGCCTCACGCGACAGACTGGCTCGATTCTATTGGCGAGGCGCAGGCGG
AAAAT
ATTTTCACCCATGAGCAGTTGCTGCGCTATTTCCCTTATTACCTGCTGGTTAACTCCACTTTTGCTGTGACCGCT
GCGCT
GGGGGCTGCCGGGCTGGACAGCGAATCGAATCTGATGGCTCGTGTACGAGCATCGCTGGCTGAAGTGCGTGATCA
GGTGA
CTCATAAAACCTGTCTCAACTACGTGCTGGAAAGTCCGTACTGGAACGTAAAAGGTAACTTTTTCTGTTATCTGA
ACGAT
CATAACGAGAACACCATTGTTGACCCTTCGGTGATCTATTTCGATTTCGCTAACCCGCTGCAGGCTCAGGAGGTC
TGAAT
GTCTGAGGCAAACATTATTCACAGCAGATATGGACTGCGCTGTGAAAAACTCGACAAGCCCCTGAATCTTGGCTG
GGGAC
```

Select bacterial genetic code. For ORF start codon to use, select "ATG" only and submit.



Select the longest ORF, show the six frame translation and SmartBlast.



Explore the BLAST phylogenetic tree and aligned sequence.



![BLAST output](figures/blast _output.png)

BLAST algorithm

https://en.wikipedia.org/wiki/BLAST

Used to seach DNA or Protein sequences on biological databases (NCBI, ENSEMBL...). You can also create your own database to BLAST localy.

BLAST nucleotide sequence

Go to https://blast.ncbi.nlm.nih.gov/Blast.cgi?PAGE_TYPE=BlastSearch

Insert Hfq fasta sequence - extracted from our consensus sequence - and select organism to perform BLAST (humans, archaea, cow, mouse, bacteria). Select "discontiguous megablast" (selected for evolutive distant species) and "show results in a new window".

```
>LOCUS_44550 RNA-binding protein Hfq
ATGGCTAAGGGGCAATCTTTACAAGATCCGTTCCTGAACGCACTGCGTCGGGAACGTGTTCCAGTTTCTATTTAT
TTGGTGAATGGTATTAAGCTGCAAGGGCAAATCGAGTCTTTT
GATCAGTTCGTGATCCTGTTGAAAAACACGGTCAGCCAGATGGTTTACAAGCACGCGATTTCTACTGTTGTCCCG
TCTCGCCCGGTTTCTCATCACAGTAACAACGCCGGTGGCGGT
ACCAGCAGTAACTACCATCATGGTAGCAGCGCGCAGAATACTTCCGCGCAACAGGACAGCGAAGAAACCGAATAA
```



Click on human alignment. Surprised on the level of conservation between Eukaryotes and bacteria!!!! 😮



BLAST protein sequence

Go to https://blast.ncbi.nlm.nih.gov/Blast.cgi?PAGE=Proteins

Insert ClpX protein fasta sequence - extracted from our annotated sequence - and select organism to perform BLAST (humans, archaea, cow, mouse). Select "PSI-BLAST" (Position-Specific Iterated BLAST) and "show results in a new window".

```
> ATP-dependent protease ATP-binding subunit ClpX from AFPN02.1
MTDKRKDGSGKLLYCSFCGKSQHEVRKLIAGPSVYICDECVDLCN
DIIREEIKEVAPHRERSALPTPHEIRNHLDDYVIGQEQAKKVLAVAVYNHYKRLRNGDT
SNGVELGKSNILLIGPTGSGKTLLAETLARLLDVPFTMADATTLTEAGYVGEDVENIIQ
KLLQKCDYDVQKAQRGIVYIDEIDKISRKSDNPSITRDVSGEGVQQALLKLIEGTVAAV
PPQGGRKHPQQEFLQVDTSKILFICGGAFAGLDKVISHRVETGSGIGFGATVKAKSDKA
SEGELLAQVEPEDLIKFGLIPEFIGRLPVVATLNELSEEALIQILKEPKNALTKQYQAL
FNLEGVDLEFRDEALDAIAKKAMARKTGARGLRSIVEAALLDTMYDLPSMEDVEKVVID
ESVIDGQSKPLLIYGKPEAQQASGE
```



Select "All" and run 2nd PSI_BLAST Iteration.



Select "All" and "Distance tree of results".



Observe pylogenetic tree using only one gene!!



Homologous paralogous

https://www.ncbi.nlm.nih.gov/homologene

http://pfam.xfam.org/family/PF00816