CLAUDE CERTIFIED ARCHITECT — FOUNDATIONS

Objectives Index

All 37 official exam objectives for *Claude Certified Architect – Foundations*, each with its own page of 15 certification-style practice questions.

#	Objective	Page
1	Configure agentic loops to emit multiple tool calls within a single response turn, enabling parallel execution of independent subtasks and reducing total round-trip latency.	obj-01
2	Apply session resumption techniques—including targeted re-analysis of changed files and context injection—to restore agent state accurately without repeating prior work.	obj-02
3	Construct subagent prompts that include all findings, structured data, and source metadata required for task completion without returning to the coordinator for missing context.	obj-03
4	Evaluate subagent delegation strategies—goal-oriented versus procedural instructions—and select the approach that enables adaptive behavior while maintaining coordinator visibility and control.	obj-04
5	Configure subagent invocations with appropriate tool restrictions, context scoping, and system prompts that constrain each agent to its designated role.	obj-05
6	Diagnose misconfigured subagent spawning by identifying missing tool permissions, incorrect AgentDefinition parameters, or absent coordinator-to-subagent wiring.	obj-06
7	Decompose complex tasks into dynamically generated subtasks that adapt as new information is discovered, rather than executing a fixed sequence regardless of intermediate findings.	obj-07
8	Select the appropriate agentic review architecture—plan mode, direct execution, or multi-phase workflow—based on task scope, risk level, and human approval requirements.	obj-08
9	Design state persistence strategies for multi-agent pipelines that enable reliable resumption after interruption without repeating completed work or losing prior findings.	obj-09
10	Evaluate multi-agent orchestration patterns—coordinator-worker, parallel execution, and sequential pipelines—to select the structure best satisfying research coverage, latency, and reliability requirements.	obj-10
11	Configure Claude Code CLI invocations for automated CI/CD pipelines using non-interactive flags, permission modes, and cost and turn limits that prevent runaway executions.	obj-11
12	Structure iterative refinement workflows by providing concrete input-output examples, targeted feedback on specific failures, and batched issue descriptions for consolidated evaluation.	obj-12
13	Design Claude Code review configurations that load the correct project standards, restrict unnecessary tool access, and produce structured output suitable for automated downstream processing.	obj-13

#	Objective	Page
14	Apply the `context: fork` frontmatter option to Skill and slash command configurations that should execute in an isolated subagent context, preventing cross-contamination of session state.	obj-14
15	Improve automated test generation quality by providing existing test files as context, defining fixture conventions, and specifying criteria that distinguish meaningful behavioral tests from trivial assertions.	obj-15
16	Select the correct Claude Code configuration mechanism—CLAUDE.md, `.claude/rules/` with glob patterns, Skills, hooks, or settings permissions—based on guidance type and when it should apply.	obj-16
17	Apply systematic codebase exploration strategies using Grep, Glob, and Read tools that build incremental understanding while managing context window constraints.	obj-17
18	Design subagent output schemas that render structured data, prose summaries, and citation metadata in the format best suited to downstream synthesis and reporting.	obj-18
19	Design synthesis agent behavior that preserves source-level uncertainty, distinguishing well-established findings from contested claims rather than collapsing conflicting data into single confident statements.	obj-19
20	Apply context management strategies—subagent isolation, scratchpad files, and targeted file reading—to sustain coherent codebase exploration across sessions exceeding context limits.	obj-20
21	Apply context window optimization techniques—summarization, sliding windows, structured state objects, and selective retention—to maintain response quality as conversations exceed practical token limits.	obj-21
22	Design human review routing strategies that direct extractions to reviewers based on confidence scores, document characteristics, and field-level ambiguity rather than random sampling.	obj-22
23	Select the appropriate API processing mode—synchronous Messages API or asynchronous Message Batches API—based on latency requirements, workflow blocking behavior, and acceptable processing windows.	obj-23
24	Design specialized review passes that separate concerns—security, business logic, API design—into focused prompts with dedicated few-shot examples, preventing recall trade-offs from competing concerns in a single prompt.	obj-24
25	Select and implement the most reliable structured output method—tool use with JSON schema, prompt-based formatting, or prefilled responses—based on required schema compliance strictness.	obj-25
26	Design extraction schemas with optional fields, nullable values, and appropriate enum definitions that allow the model to accurately represent missing or ambiguous information without fabricating values.	obj-26
27	Implement tool use with defined JSON schemas to enforce structured output compliance, and configure `tool_choice` to guarantee tool invocation when conversational responses would cause downstream failures.	obj-27

#	Objective	Page
28	Resolve structured output truncation failures by splitting large review tasks into smaller scoped API calls and merging resulting data structures, rather than increasing max_tokens beyond practical limits.	obj-28
29	Apply extraction accuracy patterns—structured schemas with optional fields, format normalization instructions, and few-shot examples—to reduce hallucination and improve consistency across varied document formats.	obj-29
30	Reduce automated review false positive rates by supplying project-specific conventions, accepted patterns, and exclusion criteria as persistent context applied on every review.	obj-30
31	Design prompt criteria that define explicit inclusion and exclusion boundaries, preventing the model from generating findings or extractions in categories where performance is unreliable.	obj-31
32	Select the appropriate Claude Code built-in tool—Grep, Glob, Read, or Bash—based on the nature of the search or file operation required for a given codebase task.	obj-32
33	Configure tool distribution in multi-agent systems by assigning each subagent only the tools required for its designated role, reducing decision complexity and preventing out-of-role tool invocations.	obj-33
34	Distinguish between MCP resources and tools, and expose server content as resources to reduce exploratory tool calls and improve agent efficiency in cross-system queries.	obj-34
35	Integrate MCP servers into Claude Code and agent applications by selecting the correct server scope, configuring authentication via environment variable expansion, and verifying tool discovery.	obj-35
36	Write MCP tool descriptions that clearly distinguish each tool's purpose, input formats, use-case boundaries, and relationships to semantically similar tools, reducing misrouting and incorrect tool selection.	obj-36
37	Configure the `tool_choice` parameter to guarantee tool invocation when structured output is required, and sequence multi-tool workflows so prerequisite data is obtained before dependent tools are called.	obj-37

Total: 37 pages × 15 questions = 555 practice questions.