

04

Road-facing
shops

03

Flexible homes
on each upper floor

04

Parking bays
below road level

Independent stair
and passenger lift.

Separate parking entry and
exit; proposed road ramp.



Architectural visualization of the proposed concept. Materials, surroundings and landscaping are indicative; the dimensioned plans define the layout.

EXPLORE THE FURNISHED 3D WALKTHROUGH

Click here to open the model and move between floors and rooms ↗


faisal-b-ashraf.github.io/bhaderwah/




01 / SITE INTELLIGENCE

The site sets the geometry

Boundary dimensions are taken from SITE PLAN-2(1).pdf. The reference building layout has not been reused.



CLIENT-SUPPLIED GOOGLE EARTH CONTEXT



A Separate arrivals

Pedestrian entry stays on University Road. Parking enters at the footpath side and exits opposite toward a proposed road ramp; its alignment and land availability require confirmation.

B Relative levels

Road datum: $\pm 0'0''$. Existing plot: approximately -6'7", based on the client statement. No contour survey or verified spot levels were supplied.

C Orientation


Floor plans are rotated to place the long road segment at the top. True bearings are not supplied; no surveyed north arrow is implied.

Source dimensions are preserved as supplied. The vector outline has been reconciled to these dimensions; a new cadastral or topographic survey has not been performed.

02 / LOWER GROUND · PROPOSED FFL -10'0"

Parking below the road-level slab

Four ordinary bays, a footpath-side entry and an opposite-side exit toward a proposed road ramp.



Level strategy. The shops stay flush with the road. Proposed parking FFL is -10'0"; the earlier reported plot level is approximately -6'7". Excavation, structure and drainage require development against a measured survey.

01 Four parking bays

Each bay is 8'6" x 17'0". The former vehicle-lift reservation is an ordinary parking bay.

02 Separate entry + exit

Entry is from the footpath side. The opposite-side exit points toward a proposed ramp connecting up to road level.

03 Independent pedestrian route

Parking users reach the stair and passenger lift through their own lobby. Access to the homes does not pass through a shop.

04 Ramp to be developed


Gateways and arrows show the intended connection. Confirm ramp alignment, gradient, transitions, turning room and land availability.

Access and parking are conceptual. Four bays are indicative; vehicle swept paths, structural clearances and the final parking requirement remain to be checked.

03 / ROAD LEVEL · PROPOSED FFL ±0'0"

Four shops with a clear commercial identity

Illustrative fit-outs for everyday needs, campus-serving retail and a compact café.



GRAPHIC SCALE / DO NOT SCALE FOR CONSTRUCTION



Shared support. Four independent shopfront entrances sit beside the dedicated stair and passenger-lift lobby. Common toilets and storage serve the commercial floor. Tenant demand, licensing and service requirements will inform final leasing.

01 Café + bakery

Coffee bar, espresso machine, glazed pastry display and compact café seating. A tapered tenancy with a 19-foot frontage.

02 Print + stationery

Books and stationery shelving, a copier counter and checkout within a nominal 14 × 24-foot bay.

03 Convenience store

Grocery shelves, produce display, chilled drinks and a checkout counter within a nominal 14 × 26-foot bay.


04 Pharmacy

Medicine shelves, dispensing counter and health-product displays. A 17 × 12-foot rectangular core sits within the corner tenancy.

04 / FIRST FLOOR • PROPOSED FFL +12'6"

Homes with their own front door

Two one-bedroom apartments and one studio. Every unit connects privately to its own kitchen and bathroom.



Daylight strategy. Main sleeping/living spaces take windows directly from the road frontage. Rear planting strips and service ventilation are within the working envelope; the design does not rely on future public access across neighbouring land.

01 Home A / one bedroom

Bedroom 11' x 12'; living core 14' x 14'; bath 5' x 7'. The tapered campus end becomes a private terrace and useful storage, rather than a narrow sleeping space.

02 Studio B

A 14' x 16' living/sleeping core, a 6' x 8' bath and a kitchenette. One entrance from the gallery; direct road-facing windows.

03 Home C / one bedroom

Bedroom 11' x 12'; living core 17' x 12'; bath 6' x 8'. The bedroom connects internally to the living room. The irregular end accommodates kitchen and built-in storage.

04 A consistent service core

The stair, passenger lift and wet zones stay aligned above the commercial floor. The rear gallery reaches the common laundry and service room.

Dimensions describe nominal room cores, not the full area of irregular units. Terrace guards, window ventilation, sound separation, protected escape and the lawful building envelope remain part of the next design stage.


05 / SECOND FLOOR • PROPOSED FFL +23'0"

One layout, two operating choices

The same three-unit arrangement can support long-term lets or self-contained serviced stays, subject to the approved use.

TO CAMPUS JUNCTION

TO BHADERWAH



01 Suite A / one bedroom

A separate bedroom and living room support a couple or a small family. The living room can accept a sofa bed after checking final clearances and permitted occupancy.

02 Studio B

A compact self-contained stay with a kitchen point and private bathroom. Suitable for an individual or couple, subject to operating requirements.

03 Suite C / one bedroom

A larger living room and a private bedroom provide a family-oriented option. The kitchenette sits in the corner extension, keeping the room core regular.

04 Flexible management

Housekeeping and linen use the common rear room. Access control and a small host/check-in point can be integrated with the arrival lobby without blocking the escape route.

Owner choice. Fit out as ordinary rentals first, or furnish for serviced stays once demand and management arrangements are established. Physical adaptability does not itself grant a change-of-use approval.

No occupancy, room-rate or revenue projections are assumed. Confirm the local accommodation classification, fire strategy, parking provision and operating permissions before selecting short-stay use.


06 / SECTION + ARCHITECTURAL EXPRESSION

The road and the building work together

Relative levels are a design proposal based on the stated road-to-plot difference. Final levels require a measured topographic survey.

A-A / SECTION THROUGH RETAIL 02

Cut through Retail 02 and parking; plot depth here is approximately 32'6".




Side parking access is outside the section plane.

The proposed parking floor is 3'5" below the stated existing ground. A 1'6" structural zone below road level leaves an indicative 8'6" parking clearance. These are coordination allowances, not structural member designs.

B-B / UNFOLDED ROAD ELEVATION

Frontage bend retained in the plans; elevation unfolded for clarity.



Architectural character. Warm mineral-coloured walls, a stone-toned lower plinth, restrained bronze/wood-tone screens and a charcoal standing-seam roof. Recessed shopfronts keep canopies within the working boundary.



Roof pitch, drainage, snow/seismic design, façade materials, waterproofing and the impact of adjoining construction require local engineering. No Google Earth spot level is used as a design datum.

07 / ACCOMMODATION SCHEDULE + DESIGN BASIS

A coordinated brief for the next stage

Updated family concept using the supplied site dimensions, with side-access parking and four road-facing shops.

SPACE / USE	PROPOSED DIMENSIONS	DESIGN INTENT
Road level / Retail 01	19' frontage; 11' × 15' fit-out core	Café and bakery: coffee bar, pastry display and compact seating.
Road level / Retail 02 + 03	14' × 24'; 14' × 26'	Print / stationery and convenience store with dedicated commercial fittings.
Road level / Retail 04	17' × 12' rectangular core	Pharmacy: dispensing counter, medicine shelves and health-product displays.
Each upper floor / Home or Suite A	Bed 11' × 12'; living 14' × 14'	One bedroom, kitchenette and 5' × 7' bathroom; private tapered terrace.
Each upper floor / Studio B	Living/sleeping 14' × 16'	Kitchenette and 6' × 8' bathroom; one entrance from the shared gallery.
Each upper floor / Home or Suite C	Bed 11' × 12'; living 17' × 12'	One bedroom, kitchenette and 6' × 8' bathroom; internal room connection.
Lower ground / Parking target	4 bays, each 8'6" × 17'0"	Separate footpath-side entry and opposite exit toward a proposed road ramp.

TO DEVELOP BEFORE SCHEMATIC DESIGN

Survey + permissions. Confirm legal boundary, bearings, road width/reservation, approved land use, setbacks, floor-area/height controls and levels along the entire frontage. The drawn envelope is a feasibility assumption, not a zero-setback approval.	Access + operations. Develop separate parking entry / exit, ramp alignment, slope, transitions and turning space. Confirm land availability, the passenger-lift layout, stair strategy, fire separation and accessible routes.
Frame + ground. Coordinate geotechnical advice, excavation support beside the raised road, retaining walls, foundations, seismic frame behaviour and parking waterproofing. Columns shown in the plans are indicative only.	Services + demand. Confirm water, sewer/outfall, power, drainage, mechanical ventilation and metering. Check actual tenant demand and short-stay permissions before fixing fit-outs or operating assumptions.
	Regulatory reference: J&K Unified Building Bye-Laws 2021; current local provisions to verify.

REFERENCE BASIS

Client-supplied SITE PLAN-2(1).pdf and AYAZ AHMED SHAIKH BHADERWAH.pdf, dated September 2026; client Google Earth screenshots and stated level difference. Prior Floor_Plans_v5 layout not adopted.