

**SIR SYED UNIVERSITY OF ENGINEERING & TECHNOLOGY COMPUTER SCIENCE & INFORMATION
TECHNOLOGY DEPARTMENT**

FALL 2024

WEB ENGINEERING LAB (CS-311L)

FINAL LAB EXAM

Semester: 5th

Date: 17th January, 2025

ROLL NO:

Batch: 2022F

Max Marks: 15

SECTION: C

Q) Choose the correct option

1. **What does HTML stand for?**
 - a) Hyperlinks and Text Markup Language
 - b) Home Tool Markup Language
 - c) Hyper Text Markup Language
 - d) Hyper Text Machine Language
2. **Which CSS property is used to change the text color of an element?**
 - a) font-color
 - b) text-color
 - c) color
 - d) background-color
3. **Which HTML tag is used to create a hyperlink?**
 - a) <link>
 - b) <a>
 - c) <href>
 - d) <hyperlink>
4. **Which CSS property is used to control the spacing between lines of text?**
 - a) line-height
 - b) letter-spacing
 - c) word-spacing
 - d) text-spacing
5. **What is the correct HTML for inserting an image?**
 - a)
 - b) <image src="image.jpg" alt="My Image">
 - c)
 - d) <picture src="image.jpg" alt="My Image">

6. **Which CSS property is used to make text bold?**

- a) font-weight
- b) font-style
- c) text-bold
- d) bold

7. **Which HTML element is used to define the structure of an HTML document?**

- a) <body>
- b) <head>
- c) <html>
- d) <title>

8. **Which CSS property is used to add space outside an element's border?**

- a) padding
- b) margin
- c) border-spacing
- d) outline

9. **What is the correct HTML for creating a checkbox?**

- a) <input type="check">
- b) <input type="checkbox">
- c) <checkbox>
- d) <check>

10. **Which CSS property is used to align text horizontally?**

- a) text-align
- b) align-text
- c) horizontal-align
- d) text-position

11. **Which HTML tag is used to create an unordered list?**

- a)
- b)
- c)
- d) <list>

12. **Which CSS property is used to change the font of an element?**

- a) font-family
- b) font-style
- c) font-type
- d) font-face

13. What is the correct HTML for adding a background color?

- a) <body bgcolor="yellow">
- b) <body style="background-color:yellow;">
- c) <background>yellow</background>
- d) <body color="yellow">

14. Which CSS property is used to control the size of an element's text?

- a) font-size
- b) text-size
- c) size
- d) font-style

15. Which HTML element is used to define a table row?

- a) <td>
- b) <tr>
- c) <th>
- d) <table>

16. Which CSS property is used to add space inside an element's border?

- a) margin
- b) padding
- c) border-spacing
- d) outline

17. What is the correct HTML for creating a drop-down list?

- a) <input>
- b) <select>
- c) <dropdown>
- d) <list>

18. Which CSS property is used to make an element's text italic?

- a) font-weight
- b) font-style
- c) text-italic
- d) italic

19. Which HTML tag is used to define a paragraph?

- a) <para>
- b) <p>
- c) <paragraph>
- d) <pg>

20. **Which CSS property is used to add a shadow to text?**

- a) text-shadow
- b) box-shadow
- c) shadow
- d) font-shadow

21. **What is the correct HTML for inserting a line break?**

- a)

- b) <lb>
- c) <break>
- d) <line>

22. **Which CSS property is used to control the visibility of an element?**

- a) display
- b) visibility
- c) opacity
- d) hidden

23. **Which HTML element is used to define the title of a document?**

- a) <head>
- b) <title>
- c) <meta>
- d) <header>

24. **Which CSS property is used to create rounded corners?**

- a) border-radius
- b) corner-radius
- c) rounded
- d) border-style

25. **What is the correct HTML for creating a text input field?**

- a) <input type="textfield">
- b) <input type="text">
- c) <textinput>
- d) <text>

26. **Which CSS property is used to set the background image of an element?**

- a) background-image
- b) image-background
- c) bg-image
- d) background

27. Which HTML tag is used to define a table header?

- a) <td>
- b) <th>
- c) <tr>
- d) <thead>

28. Which CSS property is used to control the order of elements in a flex container?

- a) order
- b) flex-order
- c) z-index
- d) position

29. What is the correct HTML for creating a button?

- a) <button>
- b) <input type="button">
- c) <btn>
- d) Both a and b

30. Which CSS property is used to create space between the border and content of an element?

- a) margin
- b) padding
- c) border-spacing
- d) outline

31. Which HTML tag is used to define a list item?

- a)
- b)
- c)
- d) <list>

32. Which CSS property is used to align items vertically in a flex container?

- a) align-items
- b) justify-content
- c) vertical-align
- d) align-content

33. What is the correct HTML for creating a horizontal rule?

- a) <hr>
- b) <line>
- c) <rule>
- d) <hl>

34. Which CSS property is used to create a transparent background?

- a) background: transparent;
- b) opacity: 0;
- c) visibility: hidden;
- d) background-color: none;

35. Which HTML tag is used to define a footer?

- a) <footer>
- b) <bottom>
- c) <foot>
- d) <end>

36. Which CSS property is used to create a gradient background?

- a) background-gradient
- b) gradient
- c) background-image
- d) linear-gradient

37. What is the correct HTML for embedding a video?

- a) <video src="video.mp4"></video>
- b) <embed src="video.mp4">
- c) <media src="video.mp4">
- d) <iframe src="video.mp4"></iframe>

38. Which CSS property is used to create a sticky element?

- a) position: sticky;
- b) position: fixed;
- c) position: relative;
- d) position: absolute;

39. Which HTML tag is used to define a navigation section?

- a) <nav>
- b) <navigation>
- c) <menu>
- d) <navbar>

40. Which CSS property is used to create a border around an element?

- a) border-style
- b) border-width
- c) border
- d) outline

41. What is the correct HTML for creating a form?

- a) <form>
- b) <input>
- c) <fieldset>
- d) <submit>

42. Which CSS property is used to create a transition effect?

- a) transition
- b) animation
- c) transform
- d) effect

43. Which HTML tag is used to define a section in a document?

- a) <section>
- b) <div>
- c)
- d) <article>

44. Which CSS property is used to create a grid layout?

- a) display: grid;
- b) display: flex;
- c) display: block;
- d) display: inline;

45. What is the correct HTML for creating a meta description?

- a) <meta name="description" content="Your description">
- b) <description>Your description</description>
- c) <meta description="Your description">
- d) <meta content="Your description">

46. Which CSS property is used to create a hover effect?

- a) hover
- b) active
- c) :hover
- d) :active

47. Which HTML tag is used to define a header?

- a) <header>
- b) <head>
- c) <h1>
- d) <title>

48. Which CSS property is used to create a fixed background image?

- a) background-attachment: fixed;
- b) background-position: fixed;
- c) background-fixed: true;
- d) background-style: fixed;

49. What is the correct HTML for creating a comment?

- a) <!-- Comment -->
- b) // Comment
- c) /* Comment */
- d) <comment>Comment</comment>

50. Which CSS property is used to create a flexbox layout?

- a) display: flex;
- b) display: grid;
- c) display: block;
- d) display: inline;

51. What does DOM stand for?

- a) Document Object Model
- b) Data Object Model
- c) Document Oriented Model
- d) Dynamic Object Model

52. Which method is used to select an element by its ID in JavaScript?

- a) document.querySelector()
- b) document.getElementById()
- c) document.getElementsByClassName()
- d) document.getElementsByTagName()

53. What is the correct syntax for referring to an external JavaScript file?

- a) <script href="script.js">
- b) <script src="script.js">
- c) <script name="script.js">
- d) <script file="script.js">

54. Which event occurs when a user clicks on an HTML element?

- a) onchange
- b) onclick
- c) onmouseover
- d) onload

55. What is the output of typeof null in JavaScript?

- a) "object"
- b) "null"
- c) "undefined"
- d) "string"

56. Which method is used to add a new element to the DOM?

- a) document.createElement()
- b) document.append()
- c) document.addElement()
- d) document.newElement()

57. What is the purpose of the addEventListener() method?

- a) To add a new element to the DOM
- b) To attach an event handler to an element
- c) To remove an event handler from an element
- d) To create a new event

58. Which of the following is NOT a JavaScript data type?

- a) String
- b) Boolean
- c) Number
- d) Float

59. What does the querySelector() method return?

- a) The first element that matches a CSS selector
- b) All elements that match a CSS selector
- c) The last element that matches a CSS selector
- d) A list of all elements in the document

60. Which method is used to remove an element from the DOM?

- a) element.remove()
- b) element.delete()
- c) element.hide()
- d) element.detach()

61. What is the output of 5 + "5" in JavaScript?

- a) 10
- b) "55"
- c) "10"
- d) Error

62. Which property is used to change the content of an HTML element?

- a) innerHTML
- b) outerHTML
- c) textContent
- d) innerText

63. What is the purpose of the `setAttribute()` method?

- a) To get the value of an attribute
- b) To set the value of an attribute
- c) To remove an attribute
- d) To check if an attribute exists

64. Which of the following is a valid way to declare a JavaScript variable?

- a) `var x = 10;`
- b) `let x = 10;`
- c) `const x = 10;`
- d) All of the above

65. What is the purpose of the `appendChild()` method?

- a) To add a new child element to an existing element
- b) To remove a child element from an existing element
- c) To replace a child element in an existing element
- d) To clone a child element

66. What is the output of `console.log(typeof NaN)`?

- a) "number"
- b) "NaN"
- c) "undefined"
- d) "string"

67. Which method is used to find all elements that match a CSS selector?

- a) `document.querySelector()`
- b) `document.querySelectorAll()`
- c) `document.getElementsByClassName()`
- d) `document.getElementsByTagName()`

68. What is the purpose of the `classList` property in JavaScript?

- a) To add or remove CSS classes from an element
- b) To change the ID of an element
- c) To modify the inner HTML of an element
- d) To change the tag name of an element

69. **What is the output of `console.log(0 == false)`?**

- a) true
- b) false
- c) undefined
- d) Error

70. **Which method is used to prevent the default behavior of an event?**

- a) `event.preventDefault()`
- b) `event.stopPropagation()`
- c) `event.cancelDefault()`
- d) `event.stopDefault()`

71. **What is the purpose of the `localStorage` object in JavaScript?**

- a) To store data temporarily in the browser
- b) To store data permanently in the browser
- c) To store data on the server
- d) To store data in cookies

72. **What is the output of `console.log([] + [])`?**

- a) `[]`
- b) `""`
- c) `"undefined"`
- d) Error

73. **Which method is used to replace a child element in the DOM?**

- a) `replaceChild()`
- b) `replace()`
- c) `swapChild()`
- d) `replaceElement()`

74. **What is the purpose of the `fetch()` API in JavaScript?**

- a) To make HTTP requests
- b) To manipulate the DOM
- c) To create animations
- d) To handle events

75. **What is the output of `console.log(1 + "2" + "2")`?**

- a) `"122"`
- b) `"32"`
- c) `5`
- d) Error

76. Which class is used to create a fixed-width container in Bootstrap?

- a) .fixed-container
- b) .container
- c) .fixed-container
- d) .responsive-container

77. What is the default grid system in Bootstrap based on?

- a) 10 columns
- b) 12 columns
- c) 16 columns
- d) 8 columns

78. Which class is used to create a full-width container in Bootstrap?

- a) .container
- b) .container-fluid
- c) .full-width
- d) .responsive-container

79. Which Bootstrap class is used to create a button?

- a) .btn
- b) .button
- c) .btn-primary
- d) .btn-link

80. What is the purpose of the .row class in Bootstrap?

- a) To create a horizontal group of columns
- b) To create a vertical group of columns
- c) To create a table row
- d) To create a responsive image

81. Which class is used to create a navigation bar in Bootstrap?

- a) .navbar
- b) .nav
- c) .navigation
- d) .nav-bar

82. Which Bootstrap class is used to align text to the center?

- a) .text-center
- b) .align-center
- c) .center-text
- d) .text-middle

83. What is the purpose of the .col class in Bootstrap?

- a) To define a column in the grid system
- b) To define a row in the grid system
- c) To define a container in the grid system
- d) To define a responsive image

84. Which class is used to create a card in Bootstrap?

- a) .card
- b) .panel
- c) .box
- d) .container

85. Which Bootstrap class is used to create a dropdown menu?

- a) .dropdown
- b) .menu
- c) .dropdown-menu
- d) .select

86. What is the purpose of the .img-fluid class in Bootstrap?

- a) To make images responsive
- b) To add a border to images
- c) To align images to the center
- d) To add a shadow to images

87. Which class is used to create a Bootstrap alert?

- a) .alert
- b) .message
- c) .notification
- d) .warning

88. What is the purpose of the .mt-3 class in Bootstrap?

- a) To add margin-top of 3 units
- b) To add margin-bottom of 3 units
- c) To add padding-top of 3 units
- d) To add padding-bottom of 3 units

89. Which class is used to create a Bootstrap modal?

- a) .modal
- b) .popup
- c) .dialog
- d) .window

90. What is React primarily used for?

- a) Backend development
- b) Building user interfaces
- c) Database management
- d) Server-side scripting

91. What is the correct command to create a new React app using Create React App?

- a) `npm create-react-app my-app`
- b) `npx create-react-app my-app`
- c) `npm install create-react-app`
- d) `npx install create-react-app`

92. What is a React component?

- a) A reusable piece of code that returns a React element
- b) A function that handles server requests
- c) A database query
- d) A CSS file

93. Which of the following is used to pass data from a parent component to a child component in React?

- a) state
- b) props
- c) context
- d) refs

94. What is the purpose of the `useState` hook in React?

- a) To manage state in functional components
- b) To create a new component
- c) To handle side effects
- d) To fetch data from an API

95. Which method is used to convert a string to a number in JavaScript?

- a) `parseInt()`
- b) `toString()`
- c) `toNumber()`
- d) `convertToNumber()`

96. Which class is used to create a responsive fixed-width container in Bootstrap?

- a) `.container-fluid`
- b) `.container`
- c) `.fixed-container`
- d) `.responsive-container`

97. **What is the output of** `console.log(typeof [])`?

- a) "array"
- b) "object"
- c) "undefined"
- d) "null"

98. **Which method is used to add an element to the end of an array?**

- a) `push()`
- b) `pop()`
- c) `shift()`
- d) `unshift()`

99. **What is the purpose of the** `this` **keyword in JavaScript?**

- a) To refer to the current function
- b) To refer to the current object
- c) To refer to the parent object
- d) To refer to the global object

100. **What is the output of** `console.log(0 == "0")`?

- a) `true`
- b) `false`
- c) `undefined`
- d) `Error`