

**SIR SYED UNIVERSITY OF ENGINEERING & TECHNOLOGY COMPUTER SCIENCE &  
INFORMATION TECHNOLOGY DEPARTMENT**

**FALL 2024**

**WEB ENGINEERING LAB (CS-311L)**

**FINAL LAB EXAM**

Semester: 5<sup>th</sup>

Date: 17<sup>th</sup> January, 2025

ROLL NO:

Batch: 2022F

Max Marks: 15

SECTION: C

1. **What does HTML stand for?**
  - a) Hyperlinks and Text Markup Language
  - b) Home Tool Markup Language
  - c) Hyper Text Markup Language
  - d) Hyper Text Machine Language
  
2. **Which CSS property is used to change the text color of an element?**
  - a) font-color
  - b) text-color
  - c) color
  - d) background-color
  
3. **Which HTML tag is used to create a hyperlink?**
  - a) <link>
  - b) <a>
  - c) <href>
  - d) <hyperlink>
  
4. **Which CSS property is used to control the spacing between lines of text?**
  - a) line-height
  - b) letter-spacing
  - c) word-spacing
  - d) text-spacing
  
5. **What is the correct HTML for inserting an image?**
  - a) 
  - b) <image src="image.jpg" alt="My Image">
  - c) <img href="image.jpg" alt="My Image">
  - d) <picture src="image.jpg" alt="My Image">

6. **Which CSS property is used to make text bold?**

- a) font-weight
- b) font-style
- c) text-bold
- d) bold

7. **Which HTML element is used to define the structure of an HTML document?**

- a) <body>
- b) <head>
- c) <html>
- d) <title>

8. **Which CSS property is used to add space outside an element's border?**

- a) padding
- b) margin
- c) border-spacing
- d) outline

9. **What is the correct HTML for creating a checkbox?**

- a) <input type="check">
- b) <input type="checkbox">
- c) <checkbox>
- d) <check>

10. **Which CSS property is used to align text horizontally?**

- a) text-align
- b) align-text
- c) horizontal-align
- d) text-position

11. **Which HTML tag is used to create an unordered list?**

- a) <ul>
- b) <ol>
- c) <li>
- d) <list>

12. **Which CSS property is used to change the font of an element?**

- a) font-family
- b) font-style
- c) font-type
- d) font-face

**13. What is the correct HTML for adding a background color?**

- a) <body bgcolor="yellow">
- b) <body style="background-color:yellow;">
- c) <background>yellow</background>
- d) <body color="yellow">

**14. Which CSS property is used to control the size of an element's text?**

- a) font-size
- b) text-size
- c) size
- d) font-style

**15. Which HTML element is used to define a table row?**

- a) <td>
- b) <tr>
- c) <th>
- d) <table>

**16. Which CSS property is used to add space inside an element's border?**

- a) margin
- b) padding
- c) border-spacing
- d) outline

**17. What is the correct HTML for creating a drop-down list?**

- a) <input>
- b) <select>
- c) <dropdown>
- d) <list>

**18. Which CSS property is used to make an element's text italic?**

- a) font-weight
- b) font-style
- c) text-italic
- d) italic

**19. Which HTML tag is used to define a paragraph?**

- a) <para>
- b) <p>
- c) <paragraph>
- d) <pg>

**20. Which CSS property is used to add a shadow to text?**

- a) text-shadow
- b) box-shadow
- c) shadow
- d) font-shadow

**21. What is the correct HTML for inserting a line break?**

- a) <br>
- b) <lb>
- c) <break>
- d) <line>

**22. Which CSS property is used to control the visibility of an element?**

- a) display
- b) visibility
- c) opacity
- d) hidden

**23. Which HTML element is used to define the title of a document?**

- a) <head>
- b) <title>
- c) <meta>
- d) <header>

**24. Which CSS property is used to create rounded corners?**

- a) border-radius
- b) corner-radius
- c) rounded
- d) border-style

**25. What is the correct HTML for creating a text input field?**

- a) <input type="textfield">
- b) <input type="text">
- c) <textinput>
- d) <text>

**26. Which CSS property is used to set the background image of an element?**

- a) background-image
- b) image-background
- c) bg-image
- d) background

**27. Which HTML tag is used to define a table header?**

- a) <td>
- b) <th>
- c) <tr>
- d) <thead>

**28. Which CSS property is used to control the order of elements in a flex container?**

- a) order
- b) flex-order
- c) z-index
- d) position

**29. What is the correct HTML for creating a button?**

- a) <button>
- b) <input type="button">
- c) <btn>
- d) Both a and b

**30. Which CSS property is used to create space between the border and content of an element?**

- a) margin
- b) padding
- c) border-spacing
- d) outline

**31. Which HTML tag is used to define a list item?**

- a) <ul>
- b) <ol>
- c) <li>
- d) <list>

**32. Which CSS property is used to align items vertically in a flex container?**

- a) align-items
- b) justify-content
- c) vertical-align
- d) align-content

**33. What is the correct HTML for creating a horizontal rule?**

- a) <hr>
- b) <line>
- c) <rule>
- d) <hl>

**34. Which CSS property is used to create a transparent background?**

- a) background: transparent;
- b) opacity: 0;
- c) visibility: hidden;
- d) background-color: none;

**35. Which HTML tag is used to define a footer?**

- a) <footer>
- b) <bottom>
- c) <foot>
- d) <end>

**36. Which CSS property is used to create a gradient background?**

- a) background-gradient
- b) gradient
- c) background-image
- d) linear-gradient

**37. What is the correct HTML for embedding a video?**

- a) <video src="video.mp4"></video>
- b) <embed src="video.mp4">
- c) <media src="video.mp4">
- d) <iframe src="video.mp4"></iframe>

**38. Which CSS property is used to create a sticky element?**

- a) position: sticky;
- b) position: fixed;
- c) position: relative;
- d) position: absolute;

**39. Which HTML tag is used to define a navigation section?**

- a) <nav>
- b) <navigation>
- c) <menu>
- d) <navbar>

**40. Which CSS property is used to create a border around an element?**

- a) border-style
- b) border-width
- c) border
- d) outline

**41. What is the correct HTML for creating a form?**

- a) <form>
- b) <input>
- c) <fieldset>
- d) <submit>

**42. Which CSS property is used to create a transition effect?**

- a) transition
- b) animation
- c) transform
- d) effect

**43. Which HTML tag is used to define a section in a document?**

- a) <section>
- b) <div>
- c) <span>
- d) <article>

**44. Which CSS property is used to create a grid layout?**

- a) display: grid;
- b) display: flex;
- c) display: block;
- d) display: inline;

**45. What is the correct HTML for creating a meta description?**

- a) <meta name="description" content="Your description">
- b) <description>Your description</description>
- c) <meta description="Your description">
- d) <meta content="Your description">

**46. Which CSS property is used to create a hover effect?**

- a) hover
- b) active
- c) :hover
- d) :active

**47. Which HTML tag is used to define a header?**

- a) <header>
- b) <head>
- c) <h1>
- d) <title>

**48. Which CSS property is used to create a fixed background image?**

- a) background-attachment: fixed;
- b) background-position: fixed;
- c) background-fixed: true;
- d) background-style: fixed;

**49. What is the correct HTML for creating a comment?**

- a) <!-- Comment -->
- b) // Comment
- c) /\* Comment \*/
- d) <comment>Comment</comment>

**50. Which CSS property is used to create a flexbox layout?**

- a) display: flex;
- b) display: grid;
- c) display: block;
- d) display: inline;

**51. What does DOM stand for?**

- a) Document Object Model
- b) Data Object Model
- c) Document Oriented Model
- d) Dynamic Object Model

**52. Which method is used to select an element by its ID in JavaScript?**

- a) document.querySelector()
- b) document.getElementById()
- c) document.getElementsByClassName()
- d) document.getElementsByTagName()

**53. What is the correct syntax for referring to an external JavaScript file?**

- a) <script href="script.js">
- b) <script src="script.js">
- c) <script name="script.js">
- d) <script file="script.js">

**54. Which event occurs when a user clicks on an HTML element?**

- a) onchange
- b) onclick
- c) onmouseover
- d) onload



**55. What is the output of typeof null in JavaScript?**

- a) "object"
- b) "null"
- c) "undefined"
- d) "string"

**56. Which method is used to add a new element to the DOM?**

- a) document.createElement()
- b) document.append()
- c) document.addElement()
- d) document.newElement()

**57. What is the purpose of the addEventListener() method?**

- a) To add a new element to the DOM
- b) To attach an event handler to an element
- c) To remove an event handler from an element
- d) To create a new event

**58. Which of the following is NOT a JavaScript data type?**

- a) String
- b) Boolean
- c) Number
- d) Float

**59. What does the querySelector() method return?**

- a) The first element that matches a CSS selector
- b) All elements that match a CSS selector
- c) The last element that matches a CSS selector
- d) A list of all elements in the document

**60. Which method is used to remove an element from the DOM?**

- a) element.remove()
- b) element.delete()
- c) element.hide()
- d) element.detach()

**61. What is the output of 5 + "5" in JavaScript?**

- a) 10
- b) "55"
- c) "10"
- d) Error

**62. Which property is used to change the content of an HTML element?**

- a) innerHTML
- b) outerHTML
- c) textContent
- d) innerText

**63. What is the purpose of the `setAttribute()` method?**

- a) To get the value of an attribute
- b) To set the value of an attribute
- c) To remove an attribute
- d) To check if an attribute exists

**64. Which of the following is a valid way to declare a JavaScript variable?**

- a) `var x = 10;`
- b) `let x = 10;`
- c) `const x = 10;`
- d) All of the above

**65. What is the purpose of the `appendChild()` method?**

- a) To add a new child element to an existing element
- b) To remove a child element from an existing element
- c) To replace a child element in an existing element
- d) To clone a child element

**66. What is the output of `console.log(typeof NaN)`?**

- a) "number"
- b) "NaN"
- c) "undefined"
- d) "string"

**67. Which method is used to find all elements that match a CSS selector?**

- a) `document.querySelector()`
- b) `document.querySelectorAll()`
- c) `document.getElementsByClassName()`
- d) `document.getElementsByTagName()`

**68. What is the purpose of the `classList` property in JavaScript?**

- a) To add or remove CSS classes from an element
- b) To change the ID of an element
- c) To modify the inner HTML of an element
- d) To change the tag name of an element

69. **What is the output of `console.log(0 == false)`?**

- a) true
- b) false
- c) undefined
- d) Error

70. **Which method is used to prevent the default behavior of an event?**

- a) `event.preventDefault()`
- b) `event.stopPropagation()`
- c) `event.cancelDefault()`
- d) `event.stopDefault()`

71. **What is the purpose of the `localStorage` object in JavaScript?**

- a) To store data temporarily in the browser
- b) To store data permanently in the browser
- c) To store data on the server
- d) To store data in cookies

72. **What is the output of `console.log([] + [])`?**

- a) `[]`
- b) `""`
- c) `"undefined"`
- d) Error

73. **Which method is used to replace a child element in the DOM?**

- a) `replaceChild()`
- b) `replace()`
- c) `swapChild()`
- d) `replaceElement()`

74. **What is the purpose of the `fetch()` API in JavaScript?**

- a) To make HTTP requests
- b) To manipulate the DOM
- c) To create animations
- d) To handle events

75. **What is the output of `console.log(1 + "2" + "2")`?**

- a) `"122"`
- b) `"32"`
- c) `5`
- d) Error

**76. Which class is used to create a fixed-width container in Bootstrap?**

- a) .fixed-container
- b) .container
- c) .fixed-container
- d) .responsive-container

**77. What is the default grid system in Bootstrap based on?**

- a) 10 columns
- b) 12 columns
- c) 16 columns
- d) 8 columns

**78. Which class is used to create a full-width container in Bootstrap?**

- a) .container
- b) .container-fluid
- c) .full-width
- d) .responsive-container

**79. Which Bootstrap class is used to create a button?**

- a) .btn
- b) .button
- c) .btn-primary
- d) .btn-link

**80. What is the purpose of the .row class in Bootstrap?**

- a) To create a horizontal group of columns
- b) To create a vertical group of columns
- c) To create a table row
- d) To create a responsive image

**81. Which class is used to create a navigation bar in Bootstrap?**

- a) .navbar
- b) .nav
- c) .navigation
- d) .nav-bar

**82. Which Bootstrap class is used to align text to the center?**

- a) .text-center
- b) .align-center
- c) .center-text
- d) .text-middle

**83. What is the purpose of the .col class in Bootstrap?**

- a) To define a column in the grid system
- b) To define a row in the grid system
- c) To define a container in the grid system
- d) To define a responsive image

**84. Which class is used to create a card in Bootstrap?**

- a) .card
- b) .panel
- c) .box
- d) .container

**85. Which Bootstrap class is used to create a dropdown menu?**

- a) .dropdown
- b) .menu
- c) .dropdown-menu
- d) .select

**86. What is the purpose of the .img-fluid class in Bootstrap?**

- a) To make images responsive
- b) To add a border to images
- c) To align images to the center
- d) To add a shadow to images

**87. Which class is used to create a Bootstrap alert?**

- a) .alert
- b) .message
- c) .notification
- d) .warning

**88. What is the purpose of the .mt-3 class in Bootstrap?**

- a) To add margin-top of 3 units
- b) To add margin-bottom of 3 units
- c) To add padding-top of 3 units
- d) To add padding-bottom of 3 units

**89. Which class is used to create a Bootstrap modal?**

- a) .modal
- b) .popup
- c) .dialog
- d) .window

**90. What is React primarily used for?**

- a) Backend development
- b) Building user interfaces
- c) Database management
- d) Server-side scripting

**91. What is the correct command to create a new React app using Create React App?**

- a) npm create-react-app my-app
- b) npx create-react-app my-app
- c) npm install create-react-app
- d) npx install create-react-app

**92. What is a React component?**

- a) A reusable piece of code that returns a React element
- b) A function that handles server requests
- c) A database query
- d) A CSS file

**93. Which of the following is used to pass data from a parent component to a child component in React?**

- a) state
- b) props
- c) context
- d) refs

**94. What is the purpose of the useState hook in React?**

- a) To manage state in functional components
- b) To create a new component
- c) To handle side effects
- d) To fetch data from an API

**95. Which method is used to convert a string to a number in JavaScript?**

- a) parseInt()
- b) toString()
- c) toNumber()
- d) convertToNumber()

**96. Which class is used to create a responsive fixed-width container in Bootstrap?**

- a) .container-fluid
- b) .container
- c) .fixed-container
- d) .responsive-container

97. **What is the output of** `console.log(typeof [])`?

- a) "array"
- b) "object"
- c) "undefined"
- d) "null"

98. **Which method is used to add an element to the end of an array?**

- a) `push()`
- b) `pop()`
- c) `shift()`
- d) `unshift()`

99. **What is the purpose of the** `this` **keyword in JavaScript?**

- a) To refer to the current function
- b) To refer to the current object
- c) To refer to the parent object
- d) To refer to the global object

100. **What is the output of** `console.log(0 == "0")`?

- a) `true`
- b) `false`
- c) `undefined`
- d) `Error`

1. c
2. c
3. b
4. a
5. a
6. a
7. c
8. b
9. b
10. a
11. a
12. a
13. b
14. a
15. b
16. b
17. b
18. b
19. b
20. a
21. a
22. b
23. b
24. a
25. b
26. a
27. b
28. a
29. d
30. b
31. c
32. a
33. a
34. a
35. a
36. c
37. a
38. a
39. a
40. c
41. a
42. a
43. a
44. a
45. a
46. c
47. a
48. a
49. a
50. a
51. a
52. b
53. b
54. b
55. a



56. a  
57. b  
58. d  
59. a  
60. a  
61. b  
62. a  
63. b  
64. d  
65. a  
66. a  
67. b  
68. a  
69. a  
70. a  
71. b  
72. b  
73. a  
74. a  
75. a  
76. b  
77. b  
78. b  
79. a  
80. a  
81. a  
82. a  
83. a  
84. a  
85. c  
86. a  
87. a  
88. a  
89. a  
90. b  
91. b  
92. a  
93. b  
94. a  
95. a  
96. b  
97. b  
98. a  
99. b  
100.

a