

1. **What does HTML stand for?**
- a) Hyperlinks and Text Markup Language
 - b) Home Tool Markup Language
 - c) Hyper Text Markup Language
 - d) Hyper Text Machine Language

Answer: c) Hyper Text Markup Language

2. **Which CSS property is used to change the text color of an element?**

- a) font-color
- b) text-color
- c) color
- d) background-color

Answer: c) color

3. **Which HTML tag is used to create a hyperlink?**

- a) <link>
- b) <a>
- c) <href>
- d) <hyperlink>

Answer: b) <a>

4. **Which CSS property is used to control the spacing between lines of text?**

- a) line-height
- b) letter-spacing
- c) word-spacing
- d) text-spacing

Answer: a) line-height

5. **What is the correct HTML for inserting an image?**

- a)
- b) <image src="image.jpg" alt="My Image">
- c)
- d) <picture src="image.jpg" alt="My Image">

**Answer: a) **

6. **Which CSS property is used to make text bold?**

- a) font-weight
- b) font-style
- c) text-bold
- d) bold

Answer: a) font-weight

7. **Which HTML element is used to define the structure of an HTML document?**

- a) <body>
- b) <head>
- c) <html>
- d) <title>

Answer: c) <html>

8. **Which CSS property is used to add space outside an element's border?**

- a) padding
- b) margin
- c) border-spacing

d) outline

Answer: b) margin

9. **What is the correct HTML for creating a checkbox?**

a) `<input type="check">`

b) `<input type="checkbox">`

c) `<checkbox>`

d) `<check>`

Answer: b) `<input type="checkbox">`

10. **Which CSS property is used to align text horizontally?**

a) text-align

b) align-text

c) horizontal-align

d) text-position

Answer: a) text-align

11. **Which HTML tag is used to create an unordered list?**

a) `<ul>`

b) `<ol>`

c) `<li>`

d) `<list>`

Answer: a) `<ul>`

12. **Which CSS property is used to change the font of an element?**

a) font-family

b) font-style

c) font-type

d) font-face

Answer: a) font-family

13. **What is the correct HTML for adding a background color?**

a) `<body bgcolor="yellow">`

b) `<body style="background-color:yellow;">`

c) `<background>yellow</background>`

d) `<body color="yellow">`

Answer: b) `<body style="background-color:yellow;">`

14. **Which CSS property is used to control the size of an element's text?**

a) font-size

b) text-size

c) size

d) font-style

Answer: a) font-size

15. **Which HTML element is used to define a table row?**

a) `<td>`

b) `<tr>`

c) `<th>`

d) `<table>`

Answer: b) `<tr>`

16. **Which CSS property is used to add space inside an element's border?**

a) margin

b) padding

- c) border-spacing
- d) outline

Answer: b) padding

17. **What is the correct HTML for creating a drop-down list?**

- a) <input>
- b) <select>
- c) <dropdown>
- d) <list>

Answer: b) <select>

18. **Which CSS property is used to make an element's text italic?**

- a) font-weight
- b) font-style
- c) text-italic
- d) italic

Answer: b) font-style

19. **Which HTML tag is used to define a paragraph?**

- a) <para>
- b) <p>
- c) <paragraph>
- d) <pg>

Answer: b) <p>

20. **Which CSS property is used to add a shadow to text?**

- a) text-shadow
- b) box-shadow
- c) shadow
- d) font-shadow

Answer: a) text-shadow

21. **What is the correct HTML for inserting a line break?**

- a)

- b) <lb>
- c) <break>
- d) <line>

**Answer: a)
**

22. **Which CSS property is used to control the visibility of an element?**

- a) display
- b) visibility
- c) opacity
- d) hidden

Answer: b) visibility

23. **Which HTML element is used to define the title of a document?**

- a) <head>
- b) <title>
- c) <meta>
- d) <header>

Answer: b) <title>

24. **Which CSS property is used to create rounded corners?**

- a) border-radius

- b) corner-radius
- c) rounded
- d) border-style

Answer: a) border-radius

25. **What is the correct HTML for creating a text input field?**

- a) <input type="textfield">
- b) <input type="text">
- c) <textinput>
- d) <text>

Answer: b) <input type="text">

Remaining Mixed MCQs (26-50)

26. **Which CSS property is used to set the background image of an element?**

- a) background-image
- b) image-background
- c) bg-image
- d) background

Answer: a) background-image

27. **Which HTML tag is used to define a table header?**

- a) <td>
- b) <th>
- c) <tr>
- d) <thead>

Answer: b) <th>

28. **Which CSS property is used to control the order of elements in a flex container?**

- a) order
- b) flex-order
- c) z-index
- d) position

Answer: a) order

29. **What is the correct HTML for creating a button?**

- a) <button>
- b) <input type="button">
- c) <btn>
- d) Both a and b

Answer: d) Both a and b

30. **Which CSS property is used to create space between the border and content of an element?**

- a) margin
- b) padding
- c) border-spacing
- d) outline

Answer: b) padding

31. **Which HTML tag is used to define a list item?**

- a)
- b)

- c)
- d) <list>

**Answer: c) **

32. Which CSS property is used to align items vertically in a flex container?

- a) align-items
- b) justify-content
- c) vertical-align
- d) align-content

Answer: a) align-items

33. What is the correct HTML for creating a horizontal rule?

- a) <hr>
- b) <line>
- c) <rule>
- d) <hl>

Answer: a) <hr>

34. Which CSS property is used to create a transparent background?

- a) background: transparent;
- b) opacity: 0;
- c) visibility: hidden;
- d) background-color: none;

Answer: a) background: transparent;

35. Which HTML tag is used to define a footer?

- a) <footer>
- b) <bottom>
- c) <foot>
- d) <end>

Answer: a) <footer>

36. Which CSS property is used to create a gradient background?

- a) background-gradient
- b) gradient
- c) background-image
- d) linear-gradient

Answer: c) background-image

37. What is the correct HTML for embedding a video?

- a) <video src="video.mp4"></video>
- b) <embed src="video.mp4">
- c) <media src="video.mp4">
- d) <iframe src="video.mp4"></iframe>

Answer: a) <video src="video.mp4"></video>

38. Which CSS property is used to create a sticky element?

- a) position: sticky;
- b) position: fixed;
- c) position: relative;
- d) position: absolute;

Answer: a) position: sticky;

39. Which HTML tag is used to define a navigation section?

- a) <nav>

- b) <navigation>
- c) <menu>
- d) <navbar>

Answer: a) <nav>

40. **Which CSS property is used to create a border around an element?**

- a) border-style
- b) border-width
- c) border
- d) outline

Answer: c) border

41. **What is the correct HTML for creating a form?**

- a) <form>
- b) <input>
- c) <fieldset>
- d) <submit>

Answer: a) <form>

42. **Which CSS property is used to create a transition effect?**

- a) transition
- b) animation
- c) transform
- d) effect

Answer: a) transition

43. **Which HTML tag is used to define a section in a document?**

- a) <section>
- b) <div>
- c)
- d) <article>

Answer: a) <section>

44. **Which CSS property is used to create a grid layout?**

- a) display: grid;
- b) display: flex;
- c) display: block;
- d) display: inline;

Answer: a) display: grid;

45. **What is the correct HTML for creating a meta description?**

- a) <meta name="description" content="Your description">
- b) <description>Your description</description>
- c) <meta description="Your description">
- d) <meta content="Your description">

Answer: a) <meta name="description" content="Your description">

46. **Which CSS property is used to create a hover effect?**

- a) hover
- b) active
- c) :hover
- d) :active

Answer: c) :hover

47. Which HTML tag is used to define a header?

- a) <header>
- b) <head>
- c) <h1>
- d) <title>

Answer: a) <header>

48. Which CSS property is used to create a fixed background image?

- a) background-attachment: fixed;
- b) background-position: fixed;
- c) background-fixed: true;
- d) background-style: fixed;

Answer: a) background-attachment: fixed;

49. What is the correct HTML for creating a comment?

- a) <!-- Comment -->
- b) // Comment
- c) /* Comment */
- d) <comment>Comment</comment>

Answer: a) <!-- Comment -->

50. Which CSS property is used to create a flexbox layout?

- a) display: flex;
- b) display: grid;
- c) display: block;
- d) display: inline;

Answer: a) display: flex;

51. What does DOM stand for?

- a) Document Object Model
- b) Data Object Model
- c) Document Oriented Model
- d) Dynamic Object Model

Answer: a) Document Object Model

52. Which method is used to select an element by its ID in JavaScript?

- a) document.querySelector()
- b) document.getElementById()
- c) document.getElementsByClassName()
- d) document.getElementsByTagName()

Answer: b) document.getElementById()

53. What is the correct syntax for referring to an external JavaScript file?

- a) <script href="script.js">
- b) <script src="script.js">
- c) <script name="script.js">
- d) <script file="script.js">

Answer: b) <script src="script.js">

54. Which event occurs when a user clicks on an HTML element?

- a) onchange
- b) onclick
- c) onmouseover

d) onload

Answer: b) onclick

55. **What is the output of `typeof null` in JavaScript?**

a) "object"

b) "null"

c) "undefined"

d) "string"

Answer: a) "object"

56. **Which method is used to add a new element to the DOM?**

a) `document.createElement()`

b) `document.append()`

c) `document.addElement()`

d) `document.newElement()`

Answer: a) `document.createElement()`

57. **What is the purpose of the `addEventListener()` method?**

a) To add a new element to the DOM

b) To attach an event handler to an element

c) To remove an event handler from an element

d) To create a new event

Answer: b) To attach an event handler to an element

58. **Which of the following is NOT a JavaScript data type?**

a) String

b) Boolean

c) Number

d) Float

Answer: d) Float

59. **What does the `querySelector()` method return?**

a) The first element that matches a CSS selector

b) All elements that match a CSS selector

c) The last element that matches a CSS selector

d) A list of all elements in the document

Answer: a) The first element that matches a CSS selector

60. **Which method is used to remove an element from the DOM?**

a) `element.remove()`

b) `element.delete()`

c) `element.hide()`

d) `element.detach()`

Answer: a) `element.remove()`

61. **What is the output of `5 + "5"` in JavaScript?**

a) 10

b) "55"

c) "10"

d) Error

Answer: b) "55"

62. **Which property is used to change the content of an HTML element?**

a) `innerHTML`

b) `outerHTML`

c) `textContent`

d) `innerText`

Answer: a) `innerHTML`

63. **What is the purpose of the `setAttribute()` method?**

a) To get the value of an attribute

b) To set the value of an attribute

c) To remove an attribute

d) To check if an attribute exists

Answer: b) To set the value of an attribute

64. **Which of the following is a valid way to declare a JavaScript variable?**

a) `var x = 10;`

b) `let x = 10;`

c) `const x = 10;`

d) All of the above

Answer: d) All of the above

65. **What is the purpose of the `appendChild()` method?**

a) To add a new child element to an existing element

b) To remove a child element from an existing element

c) To replace a child element in an existing element

d) To clone a child element

Answer: a) To add a new child element to an existing element

66. **What is the output of `console.log(typeof NaN)`?**

a) "number"

b) "NaN"

c) "undefined"

d) "string"

Answer: a) "number"

67. **Which method is used to find all elements that match a CSS selector?**

a) `document.querySelector()`

b) `document.querySelectorAll()`

c) `document.getElementsByClassName()`

d) `document.getElementsByTagName()`

Answer: b) `document.querySelectorAll()`

68. **What is the purpose of the `classList` property in JavaScript?**

a) To add or remove CSS classes from an element

b) To change the ID of an element

c) To modify the inner HTML of an element

d) To change the tag name of an element

Answer: a) To add or remove CSS classes from an element

69. **What is the output of `console.log(0 == false)`?**

a) true

b) false

c) undefined

d) Error

Answer: a) true

70. **Which method is used to prevent the default behavior of an event?**

a) `event.preventDefault()`

- b) event.stopPropagation()
- c) event.cancelDefault()
- d) event.stopDefault()

Answer: a) event.preventDefault()

71. **What is the purpose of the localStorage object in JavaScript?**

- a) To store data temporarily in the browser
- b) To store data permanently in the browser
- c) To store data on the server
- d) To store data in cookies

Answer: b) To store data permanently in the browser

72. **What is the output of console.log([] + [])?**

- a) "[]"
- b) ""
- c) "undefined"
- d) Error

Answer: b) ""

73. **Which method is used to replace a child element in the DOM?**

- a) replaceChild()
- b) replace()
- c) swapChild()
- d) replaceElement()

Answer: a) replaceChild()

74. **What is the purpose of the fetch() API in JavaScript?**

- a) To make HTTP requests
- b) To manipulate the DOM
- c) To create animations
- d) To handle events

Answer: a) To make HTTP requests

75. **What is the output of console.log(1 + "2" + "2")?**

- a) "122"
- b) "32"
- c) 5
- d) Error

Answer: a) "122"

76. **Which class is used to create a fixed-width container in Bootstrap?**

- a) .fixed-container
- b) .container
- c) .fixed-container
- d) .responsive-container

Answer: b) .container

77. **What is the default grid system in Bootstrap based on?**

- a) 10 columns
- b) 12 columns
- c) 16 columns
- d) 8 columns

Answer: b) 12 columns

78. **Which class is used to create a full-width container in Bootstrap?**

- a) .container
- b) .container-fluid
- c) .full-width
- d) .responsive-container

Answer: b) .container-fluid

79. **Which Bootstrap class is used to create a button?**

- a) .btn
- b) .button
- c) .btn-primary
- d) .btn-link

Answer: a) .btn

80. **What is the purpose of the .row class in Bootstrap?**

- a) To create a horizontal group of columns
- b) To create a vertical group of columns
- c) To create a table row
- d) To create a responsive image

Answer: a) To create a horizontal group of columns

81. **Which class is used to create a navigation bar in Bootstrap?**

- a) .navbar
- b) .nav
- c) .navigation
- d) .nav-bar

Answer: a) .navbar

82. **Which Bootstrap class is used to align text to the center?**

- a) .text-center
- b) .align-center
- c) .center-text
- d) .text-middle

Answer: a) .text-center

83. **What is the purpose of the .col class in Bootstrap?**

- a) To define a column in the grid system
- b) To define a row in the grid system
- c) To define a container in the grid system
- d) To define a responsive image

Answer: a) To define a column in the grid system

84. **Which class is used to create a card in Bootstrap?**

- a) .card
- b) .panel
- c) .box
- d) .container

Answer: a) .card

85. **Which Bootstrap class is used to create a dropdown menu?**

- a) .dropdown
- b) .menu
- c) .dropdown-menu

d) .select

Answer: a) .dropdown

86. **What is the purpose of the .img-fluid class in Bootstrap?**

- a) To make images responsive
- b) To add a border to images
- c) To align images to the center
- d) To add a shadow to images

Answer: a) To make images responsive

87. **Which class is used to create a Bootstrap alert?**

- a) .alert
- b) .message
- c) .notification
- d) .warning

Answer: a) .alert

88. **What is the purpose of the .mt-3 class in Bootstrap?**

- a) To add margin-top of 3 units
- b) To add margin-bottom of 3 units
- c) To add padding-top of 3 units
- d) To add padding-bottom of 3 units

Answer: a) To add margin-top of 3 units

89. **Which class is used to create a Bootstrap modal?**

- a) .modal
- b) .popup
- c) .dialog
- d) .window

Answer: a) .modal

90. **What is React primarily used for?**

- a) Backend development
- b) Building user interfaces
- c) Database management
- d) Server-side scripting

Answer: b) Building user interfaces

91. **What is the correct command to create a new React app using Create React App?**

- a) npm create-react-app my-app
- b) npx create-react-app my-app
- c) npm install create-react-app
- d) npx install create-react-app

Answer: b) npx create-react-app my-app

92. **What is a React component?**

- a) A reusable piece of code that returns a React element
- b) A function that handles server requests
- c) A database query
- d) A CSS file

Answer: a) A reusable piece of code that returns a React element

93. **Which of the following is used to pass data from a parent component to a child component in React?**

- a) state

- b) props
- c) context
- d) refs

Answer: b) props

94. **What is the purpose of the useState hook in React?**

- a) To manage state in functional components
- b) To create a new component
- c) To handle side effects
- d) To fetch data from an API

Answer: a) To manage state in functional components

95. **Which method is used to convert a string to a number in JavaScript?**

- a) parseInt()
- b) toString()
- c) toNumber()
- d) convertToNumber()

Answer: a) parseInt()

96. **Which class is used to create a responsive fixed-width container in Bootstrap?**

- a) .container-fluid
- b) .container
- c) .fixed-container
- d) .responsive-container

Answer: b) .container

97. **What is the output of console.log(typeof [])?**

- a) "array"
- b) "object"
- c) "undefined"
- d) "null"

Answer: b) "object"

98. **Which method is used to add an element to the end of an array?**

- a) push()
- b) pop()
- c) shift()
- d) unshift()

Answer: a) push()

99. **What is the purpose of the this keyword in JavaScript?**

- a) To refer to the current function
- b) To refer to the current object
- c) To refer to the parent object
- d) To refer to the global object

Answer: b) To refer to the current object

100. **What is the output of console.log(0 == "0")?**

- a) true
- b) false
- c) undefined
- d) Error

Answer: a) true