Lab 04.1: A Puppet Module for NTP IN719 Systems Administration

Introduction

Virtual machines may be the best thing since sliced bread. Just like sliced bread, however, they are very bad at keeping time accurately. This leads to some difficult problems when two or more machines need to coordinate the delivery of a service and they disagree on what time it is. Fortunately, this problem is easily solved by running *Network Time Protocol* (NTP) services. NTP uses a hierarchical client-server architecture. Top tier servers get their time from GPS or other satellites. Lower tier servers get their time from higher tier servers. Clients get their time from various NTP servers.

In this lab we will set up an ntp server on our respective mgmt servers and clients on the other servers. We only want to write one Puppet module, so we will use *conditionals* and *templates* in our module to accomplish this.

1 Module setup

Create a standard module structure in the /etc/puppet/code/modules directory on mgmt.

```
ntp_service
ntp_service/manifests
ntp_service/files
ntp_service/templates
```

Create an init.pp file in your manifests subdirectory.

2 Module manifest

Put the following code in your init.pp file. Adjust the mgmt-x hostname to match your own.

```
class ntp_service {
    include install, config, service
}
class install {
   package { "ntp":
        ensure => present,
}
class config {
    if $hostname == "mgmt-x" {
        $restrict = "restrict 10.25.0.0 mask 255.255.0.0 nomodify notrap"
        $server = "server 127.127.1.0"
        $fudge = "127.127.1.0 stratum 10"
    } else {
        $restrict = ""
        $server = "server mgmt-x.foo.org.nz prefer"
        $fudge = ""
    }
```

```
file { "/etc/ntp.conf":
        ensure => present,
        owner => "root",
        group => "root",
        mode => "0444",
        content => template("ntp_service/ntp.conf.erb"),
    }
}
class service {
    service { "ntp":
        ensure => running,
        enable => true,
    }
}
```

There are a few new things happening in this manifest.

- We're using variables, such as \$hostname. We can define and use our own variables, but many variables are populated for us by a utility called Facter. You can see a list of the core facts produced by Facter at https://puppet.com/docs/puppet/5.5/lang_facts_and_builtin_vars.html.
- We are using an if/else structure to conditionally populate variables based in the hostname of the agent.
- Instead of copying over static files, we are using *templates*. The template files are to be placed in the templates subdirectory of the module.

3 Template files

Retrieve the ntp.conf.erb file from the week 4 subdirectory of the class GitHub repository and copy it into the templates subdirectory of the ntp module. Examine the contents of the file and look for these lines:

```
<%= @restrict %>
<%= @server %>
<%= @fudge %>
```

Each of these lines will be replaced by the values of the variables we set up in our manifest above. This template is actually just an erb template, the same kind that is typically used with Ruby on Rails. More documentation on using templates with Puppet is available at https://puppet.com/docs/puppet/5.5/lang_template_erb.html¹.

4 Applying the module

This module is set up so that we may apply it to any of our server nodes and it will do the right thing. In each of the node definitions you have placed in /etc/puppet/code/manifests/site.pp we just need to add a line that says

```
include ntp_service
```

and the run the Puppet agent on each machine as we did earlier this week:

```
sudo puppet agent --server=mgmt-x.foo.org.nz --no-daemonize --verbose --onetime
```

Wow, that's a long command. It seems like it would be easier to alias it.

 $^{^{1}\}mathrm{This}$ version is different than the one we are using, but it's close enough.

5 Epilogue

With NTP services running on our VMs, their clocks will be more accurate *eventually*. Abruptly changing the time on a server can cause Bad Things to happen, so NTP adjusts clocks gradually until they are sufficiently accurate. In our case it may take a couple of days.