

Smart Hydroponics ML Training Dataset

Project: Smart Hydroponics Monitoring and Anomaly Detection System

Genera

Label distribution:

norma

Train/test split used in Colab: 75% training (900), 25% testing (300)

Model:

Note: This dataset uses hydroponic operating thresholds aligned with the

Smart H

Smart Hydro - ML Training Dataset

Full training records

ID	pH	Temp C	Water %	EC	Label
1	6.47	25.86	80.95	1.56	normal
2	5.84	26.93	81.04	2.11	normal
3	6.48	26.66	67.43	1.58	normal
4	6.01	24.20	75.12	1.69	normal
5	5.90	22.34	72.82	1.86	normal
6	6.71	18.89	43.24	1.03	warning
7	5.37	31.77	21.64	0.56	anomaly
8	5.82	27.27	69.06	2.06	normal
9	6.16	24.37	66.47	2.37	normal
10	6.86	29.05	43.72	1.02	warning
11	6.07	22.17	89.01	1.76	normal
12	6.18	21.13	88.08	1.47	normal
13	7.01	31.68	30.60	0.88	anomaly
14	6.05	20.93	90.21	2.02	normal
15	5.84	22.49	71.38	2.13	normal
16	6.42	23.78	64.19	2.11	normal
17	5.62	30.16	40.48	1.04	warning
18	6.25	22.51	77.80	2.31	normal
19	6.09	26.04	68.01	1.48	normal
20	5.91	27.44	88.28	2.03	normal
21	6.58	19.68	57.03	1.12	warning
22	5.96	23.42	88.63	2.26	normal
23	6.16	23.34	67.77	1.52	normal
24	6.46	22.59	78.16	2.10	normal
25	6.48	27.70	68.81	1.90	normal
26	6.00	20.30	81.33	1.90	normal
27	6.00	27.27	68.38	1.54	normal
28	6.49	21.94	83.52	2.16	normal
29	6.31	22.94	82.13	2.03	normal
30	5.86	26.68	71.23	1.59	normal
31	6.21	25.42	60.58	1.91	normal
32	6.25	21.39	84.18	1.79	normal
33	4.88	32.67	16.00	0.82	anomaly
34	6.72	19.89	57.11	1.25	warning
35	6.04	25.81	91.40	2.29	normal
36	6.54	30.04	40.17	1.04	warning
37	5.80	21.29	79.21	2.09	normal
38	5.96	25.70	68.30	1.73	normal
39	5.65	18.59	46.99	1.10	warning
40	6.48	23.14	91.22	2.03	normal

Smart Hydro - ML Training Dataset

ID	pH	Temp C	Water %	EC	Label
41	6.73	28.77	45.33	1.01	warning
42	5.92	27.52	93.39	2.31	normal
43	5.81	27.43	74.99	2.37	normal
44	5.30	15.55	13.25	0.77	anomaly
45	7.19	15.61	12.34	0.75	anomaly
46	5.69	29.70	55.38	1.32	warning
47	5.76	28.66	53.34	1.31	warning
48	6.66	18.83	48.85	1.21	warning
49	6.21	20.24	61.31	2.22	normal
50	5.89	24.18	86.95	1.62	normal
51	5.86	20.41	78.60	1.94	normal
52	6.31	27.81	78.07	1.72	normal
53	5.51	28.63	55.88	1.27	warning
54	5.92	21.25	68.76	1.95	normal
55	6.62	18.98	51.62	1.16	warning
56	6.05	26.06	60.50	1.52	normal
57	5.83	26.84	84.63	1.87	normal
58	6.14	23.79	66.06	1.83	normal
59	6.23	25.08	61.59	1.77	normal
60	6.15	26.85	83.05	1.56	normal
61	6.25	20.21	80.50	2.34	normal
62	6.07	25.15	76.04	1.95	normal
63	7.38	31.89	11.12	0.51	anomaly
64	6.28	20.57	71.16	2.24	normal
65	6.37	22.25	64.14	2.10	normal
66	6.41	25.88	88.12	1.68	normal
67	6.33	26.45	94.67	1.81	normal
68	6.34	22.73	92.58	2.26	normal
69	6.33	26.04	63.61	2.30	normal
70	6.38	22.56	91.34	1.79	normal
71	6.43	20.73	71.18	2.35	normal
72	5.14	32.85	28.85	0.87	anomaly
73	6.55	30.99	48.39	1.35	warning
74	5.88	21.14	86.65	2.02	normal
75	5.86	25.61	62.55	2.22	normal
76	5.43	30.60	55.44	1.37	warning
77	5.24	16.40	21.15	0.94	anomaly
78	6.14	20.09	76.40	1.46	normal
79	5.88	25.19	86.11	1.98	normal
80	7.05	32.37	8.38	0.98	anomaly
81	6.42	24.22	94.75	1.47	normal

Smart Hydro - ML Training Dataset

ID	pH	Temp C	Water %	EC	Label
82	6.48	24.18	82.03	2.10	normal
83	6.24	24.67	91.54	1.45	normal
84	6.47	27.12	75.95	2.02	normal
85	5.93	23.71	72.37	1.98	normal
86	6.48	27.89	84.44	1.94	normal
87	6.37	25.48	65.69	2.31	normal
88	5.77	28.34	56.46	1.02	warning
89	6.06	26.48	94.55	1.55	normal
90	6.07	27.76	89.47	2.24	normal
91	6.09	22.19	61.97	2.26	normal
92	5.79	30.21	56.14	1.10	warning
93	5.89	27.63	81.22	1.63	normal
94	6.23	22.87	63.97	2.07	normal
95	6.34	24.16	89.83	1.95	normal
96	6.41	23.23	64.69	1.43	normal
97	5.64	29.89	46.66	1.23	warning
98	6.11	27.23	72.19	1.91	normal
99	5.55	30.41	57.61	1.19	warning
100	6.12	27.84	77.24	1.73	normal
101	5.97	20.61	64.51	1.53	normal
102	5.90	25.13	66.37	1.75	normal
103	6.77	19.14	43.21	1.11	warning
104	5.86	20.97	76.13	1.61	normal
105	6.15	25.52	61.38	2.20	normal
106	5.86	26.99	92.23	1.46	normal
107	6.36	25.99	66.46	1.61	normal
108	6.14	24.95	72.91	1.86	normal
109	5.41	19.31	50.11	1.04	warning
110	6.17	21.94	69.42	1.78	normal
111	6.03	21.69	71.46	1.52	normal
112	5.63	29.49	50.21	1.23	warning
113	5.57	30.71	50.84	1.14	warning
114	7.03	32.16	12.98	0.59	anomaly
115	5.92	27.17	62.81	1.92	normal
116	6.49	20.90	73.92	2.37	normal
117	6.61	30.48	50.58	1.22	warning
118	6.34	21.50	71.33	1.83	normal
119	5.97	20.92	81.37	1.69	normal
120	5.91	23.85	78.64	1.45	normal
121	5.89	20.51	94.65	1.72	normal
122	5.50	29.47	47.82	1.14	warning

Smart Hydro - ML Training Dataset

ID	pH	Temp C	Water %	EC	Label
123	7.38	33.97	13.62	0.53	anomaly
124	6.84	30.28	43.11	1.06	warning
125	6.71	29.81	55.52	1.17	warning
126	6.12	22.41	86.17	1.90	normal
127	6.43	23.07	79.02	2.31	normal
128	5.88	27.52	81.97	1.73	normal
129	6.36	24.96	78.67	2.29	normal
130	5.46	28.52	50.83	1.30	warning
131	5.53	29.43	47.55	1.31	warning
132	5.96	25.78	85.20	2.04	normal
133	6.18	22.01	72.10	1.58	normal
134	5.14	32.88	26.17	0.75	anomaly
135	5.81	26.98	92.62	1.97	normal
136	6.45	25.66	65.34	1.98	normal
137	6.10	25.89	92.70	2.33	normal
138	5.88	27.88	89.36	1.52	normal
139	7.16	16.76	18.39	0.89	anomaly
140	6.03	23.19	78.81	2.32	normal
141	6.04	25.90	75.83	1.62	normal
142	5.90	21.41	77.44	1.82	normal
143	7.19	15.64	13.52	0.97	anomaly
144	6.09	20.68	94.89	1.90	normal
145	5.85	26.00	67.35	2.30	normal
146	5.93	20.29	76.52	1.96	normal
147	6.34	23.63	78.35	1.84	normal
148	6.19	21.24	66.37	2.26	normal
149	7.04	16.53	12.84	0.85	anomaly
150	5.82	21.78	68.09	2.07	normal
151	5.87	26.40	66.25	2.05	normal
152	5.87	21.95	85.28	2.26	normal
153	5.55	29.04	40.25	1.03	warning
154	5.82	21.45	80.41	1.82	normal
155	6.64	19.57	45.09	1.24	warning
156	6.19	23.49	70.31	2.35	normal
157	6.85	29.47	48.08	1.01	warning
158	6.18	25.07	69.03	1.54	normal
159	5.78	30.08	57.37	1.05	warning
160	5.99	24.43	82.80	2.23	normal
161	5.81	21.10	91.50	2.27	normal
162	6.22	25.32	66.14	2.31	normal
163	6.07	24.15	61.64	1.57	normal

Smart Hydro - ML Training Dataset

ID	pH	Temp C	Water %	EC	Label
164	6.75	18.13	46.76	1.28	warning
165	6.20	23.81	83.23	2.34	normal
166	6.52	18.31	49.43	1.23	warning
167	6.34	20.85	62.63	2.13	normal
168	6.28	23.48	68.62	2.22	normal
169	6.62	18.20	57.43	1.05	warning
170	7.00	17.78	33.00	0.82	anomaly
171	6.39	22.00	77.13	1.62	normal
172	6.93	34.00	25.61	0.95	anomaly
173	6.29	22.38	92.35	2.37	normal
174	5.08	16.32	9.15	0.79	anomaly
175	5.88	20.62	84.37	1.74	normal
176	5.43	19.02	51.89	1.35	warning
177	5.96	20.20	90.45	1.42	normal
178	5.61	18.13	54.58	1.16	warning
179	6.24	26.99	94.44	2.17	normal
180	6.09	25.90	68.36	1.51	normal
181	6.00	22.37	68.18	1.44	normal
182	6.49	23.42	73.45	2.08	normal
183	6.46	26.29	63.13	1.82	normal
184	5.77	30.26	44.40	1.37	warning
185	6.23	24.10	68.07	1.58	normal
186	5.93	26.24	72.25	1.46	normal
187	7.36	16.52	31.51	0.84	anomaly
188	6.37	21.80	67.83	1.94	normal
189	6.21	20.73	90.71	1.67	normal
190	6.42	27.65	90.17	2.21	normal
191	6.19	20.70	74.30	1.77	normal
192	6.31	23.97	62.84	1.62	normal
193	5.85	26.81	77.33	1.88	normal
194	6.38	22.78	83.73	1.97	normal
195	6.42	26.38	83.05	2.25	normal
196	5.68	19.77	54.30	1.06	warning
197	5.74	18.01	54.13	1.06	warning
198	5.72	18.37	58.64	1.25	warning
199	6.24	24.32	87.29	1.51	normal
200	5.61	18.75	41.95	1.37	warning
201	5.85	22.41	84.79	1.47	normal
202	6.04	24.97	61.60	2.27	normal
203	5.37	16.72	8.69	0.66	anomaly
204	6.34	25.47	75.61	1.67	normal

Smart Hydro - ML Training Dataset

ID	pH	Temp C	Water %	EC	Label
205	5.05	16.53	14.84	0.54	anomaly
206	6.26	22.19	93.28	1.55	normal
207	6.46	23.36	82.35	1.80	normal
208	6.49	23.27	91.29	1.63	normal
209	5.82	25.21	72.90	2.26	normal
210	6.48	21.48	90.40	2.18	normal
211	5.73	28.95	57.50	1.24	warning
212	5.59	19.15	43.81	1.19	warning
213	6.21	22.15	87.91	1.71	normal
214	5.81	20.58	73.74	1.88	normal
215	6.00	25.56	90.10	2.18	normal
216	6.14	20.84	68.47	2.39	normal
217	6.15	24.95	84.59	1.96	normal
218	6.03	24.14	63.08	1.75	normal
219	5.86	23.18	64.65	1.97	normal
220	6.36	21.60	65.86	1.50	normal
221	6.29	20.25	92.77	1.45	normal
222	6.30	26.97	84.99	2.20	normal
223	6.37	20.64	91.32	1.95	normal
224	5.58	29.37	41.15	1.10	warning
225	6.41	21.75	94.16	1.74	normal
226	6.35	25.27	77.44	1.96	normal
227	5.49	18.94	52.92	1.03	warning
228	5.98	23.70	90.39	2.13	normal
229	6.64	29.56	56.47	1.23	warning
230	6.31	23.89	90.57	2.30	normal
231	5.99	24.74	91.93	1.61	normal
232	6.24	25.86	64.60	2.12	normal
233	7.03	32.30	23.26	0.62	anomaly
234	5.57	19.26	47.43	1.38	warning
235	6.26	22.60	87.07	1.53	normal
236	5.07	16.28	18.45	0.91	anomaly
237	5.97	24.94	84.74	1.57	normal
238	5.83	25.89	83.23	1.87	normal
239	5.71	29.67	45.13	1.02	warning
240	6.46	20.31	64.27	1.85	normal
241	7.16	32.25	37.92	0.50	anomaly
242	5.18	15.74	28.67	0.57	anomaly
243	6.02	25.64	67.06	2.07	normal
244	7.24	15.68	29.47	0.91	anomaly
245	5.20	17.41	8.94	0.96	anomaly

Smart Hydro - ML Training Dataset

ID	pH	Temp C	Water %	EC	Label
246	6.27	21.73	83.06	1.79	normal
247	5.87	25.26	94.98	1.45	normal
248	5.04	15.26	35.23	0.70	anomaly
249	6.27	26.46	86.68	2.20	normal
250	6.37	20.96	79.06	1.41	normal
251	6.06	23.17	84.34	1.79	normal
252	5.97	22.99	67.95	1.47	normal
253	6.27	24.96	76.22	1.78	normal
254	5.60	19.55	47.58	1.23	warning
255	6.23	26.12	88.45	2.12	normal
256	4.81	17.60	15.55	0.95	anomaly
257	6.45	22.81	63.55	1.89	normal
258	6.00	22.46	88.11	1.94	normal
259	6.23	25.73	69.54	1.81	normal
260	5.93	25.45	66.35	1.93	normal
261	6.73	29.33	55.31	1.21	warning
262	6.24	27.61	81.06	2.22	normal
263	6.59	29.15	57.10	1.14	warning
264	6.35	22.20	88.79	1.82	normal
265	5.87	24.99	75.81	1.99	normal
266	6.32	26.90	67.59	1.50	normal
267	6.25	24.86	79.13	1.63	normal
268	6.22	23.97	94.57	1.54	normal
269	6.08	23.43	85.12	2.09	normal
270	6.96	15.98	10.46	0.54	anomaly
271	5.47	18.65	49.86	1.03	warning
272	6.72	30.07	46.16	1.13	warning
273	6.50	25.29	79.52	2.13	normal
274	5.84	24.50	93.52	1.58	normal
275	5.94	24.29	63.38	1.85	normal
276	6.77	18.90	47.59	1.06	warning
277	5.35	31.37	10.76	0.87	anomaly
278	6.38	26.26	84.81	1.44	normal
279	5.98	22.88	63.07	2.34	normal
280	6.01	23.18	75.65	2.00	normal
281	6.44	23.98	94.73	2.25	normal
282	6.45	20.93	88.61	1.78	normal
283	6.82	18.40	47.66	1.07	warning
284	6.04	27.80	82.43	2.22	normal
285	6.40	27.38	77.05	2.01	normal
286	5.47	30.03	41.30	1.01	warning

Smart Hydro - ML Training Dataset

ID	pH	Temp C	Water %	EC	Label
287	6.47	24.40	93.80	1.83	normal
288	6.15	23.52	63.70	2.04	normal
289	6.23	25.20	65.32	1.46	normal
290	5.58	19.43	58.69	1.09	warning
291	5.88	22.43	63.54	2.09	normal
292	6.16	27.97	88.49	2.02	normal
293	6.24	24.22	74.91	1.53	normal
294	5.58	19.00	53.94	1.30	warning
295	6.09	23.85	60.67	1.66	normal
296	5.45	18.61	58.54	1.31	warning
297	6.96	32.55	11.04	0.74	anomaly
298	6.03	25.90	76.66	1.78	normal
299	6.12	26.28	91.22	2.36	normal
300	6.78	28.91	40.73	1.35	warning
301	6.25	25.27	91.33	2.04	normal
302	5.85	24.15	65.26	2.14	normal
303	6.28	20.33	62.97	2.12	normal
304	5.85	20.10	93.48	2.14	normal
305	6.01	22.80	87.11	2.06	normal
306	5.92	20.79	83.11	2.16	normal
307	5.81	20.66	93.88	1.70	normal
308	6.66	28.84	54.72	1.25	warning
309	5.83	27.75	87.95	1.69	normal
310	5.16	32.89	11.97	0.67	anomaly
311	4.93	32.23	37.24	0.62	anomaly
312	5.94	27.10	82.60	1.69	normal
313	5.74	29.94	48.75	1.33	warning
314	5.70	18.61	57.81	1.02	warning
315	5.89	25.81	88.62	1.61	normal
316	6.39	25.86	78.98	1.99	normal
317	6.01	24.52	84.11	2.27	normal
318	6.33	21.28	76.15	1.41	normal
319	6.31	27.93	63.47	1.80	normal
320	6.73	29.88	46.75	1.31	warning
321	5.80	26.09	61.24	2.15	normal
322	6.47	22.94	71.44	1.55	normal
323	6.41	27.97	72.89	1.85	normal
324	5.75	19.26	40.06	1.24	warning
325	6.36	20.74	80.59	1.88	normal
326	5.85	24.64	79.65	1.96	normal
327	6.27	26.44	69.44	2.23	normal

Smart Hydro - ML Training Dataset

ID	pH	Temp C	Water %	EC	Label
328	5.85	20.47	71.70	2.18	normal
329	6.71	18.71	48.25	1.03	warning
330	6.22	25.89	94.94	2.33	normal
331	6.09	25.09	87.50	1.52	normal
332	6.39	23.07	80.02	1.99	normal
333	6.05	22.68	60.92	1.42	normal
334	5.51	19.49	48.16	1.34	warning
335	6.82	30.15	41.53	1.28	warning
336	6.11	25.84	86.79	1.56	normal
337	5.89	26.01	82.99	2.36	normal
338	5.84	22.26	69.16	1.65	normal
339	7.04	33.55	10.03	0.74	anomaly
340	5.84	27.25	64.87	1.93	normal
341	6.04	27.20	60.76	2.06	normal
342	7.37	33.38	30.66	0.98	anomaly
343	6.26	21.58	79.79	1.86	normal
344	5.16	15.06	15.78	0.92	anomaly
345	6.17	20.92	90.10	2.12	normal
346	6.30	24.35	62.86	1.86	normal
347	5.92	27.57	89.75	2.07	normal
348	6.09	25.21	79.09	1.46	normal
349	6.36	23.67	61.82	2.19	normal
350	5.98	21.32	71.56	2.16	normal
351	5.94	27.02	90.79	2.27	normal
352	6.12	27.88	87.02	1.43	normal
353	6.12	27.27	78.85	1.90	normal
354	6.26	26.58	73.31	2.18	normal
355	7.17	16.03	27.67	0.89	anomaly
356	6.44	24.26	65.53	2.10	normal
357	5.52	28.59	42.67	1.08	warning
358	6.43	25.23	65.32	1.84	normal
359	5.86	27.06	88.13	1.91	normal
360	5.05	32.04	35.34	0.71	anomaly
361	5.81	24.48	78.46	2.12	normal
362	5.43	28.96	50.28	1.28	warning
363	6.13	26.57	76.07	1.76	normal
364	6.38	22.68	66.08	2.11	normal
365	6.60	30.25	54.23	1.25	warning
366	6.05	26.73	76.50	2.38	normal
367	5.89	25.41	71.38	2.09	normal
368	5.92	26.85	67.95	2.24	normal

Smart Hydro - ML Training Dataset

ID	pH	Temp C	Water %	EC	Label
369	6.25	25.55	77.94	1.71	normal
370	5.82	22.43	82.86	2.34	normal
371	5.70	29.99	52.74	1.22	warning
372	6.11	23.68	90.26	1.95	normal
373	6.48	20.89	74.79	1.44	normal
374	6.62	19.34	54.33	1.31	warning
375	6.47	25.81	70.67	2.23	normal
376	6.41	20.90	84.63	1.94	normal
377	5.97	20.10	76.41	1.70	normal
378	6.01	22.40	86.01	1.45	normal
379	7.24	15.99	10.45	0.62	anomaly
380	6.74	19.50	41.21	1.32	warning
381	5.88	20.75	91.84	2.07	normal
382	5.74	28.34	48.26	1.30	warning
383	6.42	23.55	81.25	2.03	normal
384	6.29	21.90	77.93	1.50	normal
385	6.14	25.22	93.27	2.00	normal
386	6.76	19.69	48.98	1.02	warning
387	5.99	27.77	71.60	1.88	normal
388	6.23	22.25	67.24	1.92	normal
389	5.81	21.75	61.29	1.51	normal
390	6.36	24.58	77.94	1.69	normal
391	5.03	17.37	23.73	0.93	anomaly
392	6.29	27.94	64.60	1.67	normal
393	6.10	23.29	91.77	2.11	normal
394	6.02	26.59	93.43	2.22	normal
395	6.25	20.41	69.02	1.46	normal
396	6.28	20.92	73.43	1.86	normal
397	5.88	23.35	86.29	1.47	normal
398	6.05	27.53	83.40	2.08	normal
399	6.22	20.08	82.26	2.31	normal
400	6.41	25.79	64.22	2.30	normal
401	6.17	21.14	60.41	1.82	normal
402	6.14	24.62	61.53	1.52	normal
403	6.04	25.83	82.83	2.25	normal
404	6.10	25.38	69.64	1.71	normal
405	5.57	18.86	48.19	1.12	warning
406	6.06	24.81	84.70	2.09	normal
407	5.92	23.44	64.99	2.29	normal
408	5.91	20.20	82.60	2.04	normal
409	5.85	23.28	70.89	2.08	normal

Smart Hydro - ML Training Dataset

ID	pH	Temp C	Water %	EC	Label
410	6.06	21.74	94.58	1.85	normal
411	5.90	23.88	60.96	1.91	normal
412	6.93	17.68	8.72	0.87	anomaly
413	6.00	27.20	64.06	2.36	normal
414	6.42	24.82	88.93	2.38	normal
415	6.47	23.12	73.49	1.74	normal
416	5.91	24.43	78.96	2.16	normal
417	6.63	19.35	46.51	1.11	warning
418	7.08	16.69	27.41	0.74	anomaly
419	6.50	27.04	81.82	1.97	normal
420	5.94	23.16	61.38	1.88	normal
421	5.96	27.71	91.83	2.12	normal
422	6.41	21.05	87.67	1.52	normal
423	6.85	30.85	58.64	1.19	warning
424	6.66	18.99	47.34	1.20	warning
425	6.20	26.92	94.33	1.81	normal
426	5.70	30.99	56.23	1.17	warning
427	6.53	18.49	51.91	1.36	warning
428	6.13	25.50	85.29	2.09	normal
429	6.01	22.87	88.16	1.68	normal
430	6.47	20.07	94.92	2.08	normal
431	5.51	18.65	42.71	1.29	warning
432	6.81	19.33	49.26	1.03	warning
433	6.08	20.53	72.21	1.51	normal
434	5.77	30.62	41.46	1.20	warning
435	6.53	19.35	44.42	1.11	warning
436	5.76	18.04	44.29	1.25	warning
437	5.16	17.20	23.60	0.72	anomaly
438	6.24	20.57	83.89	1.64	normal
439	6.82	19.07	54.73	1.11	warning
440	6.00	21.07	82.03	1.45	normal
441	6.51	30.17	53.43	1.02	warning
442	5.40	18.16	46.84	1.11	warning
443	5.52	29.32	47.17	1.38	warning
444	6.28	23.95	73.57	2.03	normal
445	5.40	28.63	54.46	1.37	warning
446	5.52	19.21	46.84	1.37	warning
447	6.10	23.66	67.31	1.77	normal
448	5.84	26.14	74.58	2.22	normal
449	5.48	29.98	52.88	1.24	warning
450	5.90	25.21	85.85	1.72	normal

Smart Hydro - ML Training Dataset

ID	pH	Temp C	Water %	EC	Label
451	6.08	25.71	66.97	2.29	normal
452	6.06	20.46	63.90	1.92	normal
453	6.38	20.12	73.27	1.74	normal
454	5.89	23.31	77.25	1.80	normal
455	6.22	20.08	76.24	2.36	normal
456	6.27	22.49	87.09	2.17	normal
457	6.48	21.00	60.59	2.17	normal
458	6.61	18.63	49.84	1.14	warning
459	5.80	22.40	82.63	2.37	normal
460	5.41	19.15	47.56	1.12	warning
461	5.96	21.97	76.94	2.15	normal
462	5.84	27.66	93.00	2.19	normal
463	7.38	31.69	14.07	0.57	anomaly
464	6.35	24.63	65.14	2.21	normal
465	6.07	25.39	69.10	1.75	normal
466	4.97	33.10	12.57	0.50	anomaly
467	6.11	21.07	93.53	1.93	normal
468	6.15	25.44	62.67	1.67	normal
469	5.58	29.73	48.47	1.08	warning
470	6.39	27.85	87.76	2.25	normal
471	6.47	21.58	93.30	2.39	normal
472	5.78	18.87	41.39	1.24	warning
473	4.91	16.03	24.17	0.98	anomaly
474	6.70	18.59	52.67	1.06	warning
475	6.34	23.99	60.42	1.41	normal
476	6.45	21.83	82.20	1.62	normal
477	6.39	25.83	63.34	1.83	normal
478	6.14	25.30	64.15	1.69	normal
479	6.44	27.95	61.57	2.16	normal
480	6.07	26.03	92.14	2.35	normal
481	6.05	26.30	68.79	1.96	normal
482	6.26	21.92	66.71	2.32	normal
483	6.15	21.77	61.36	1.44	normal
484	6.41	22.26	93.27	1.98	normal
485	6.21	24.13	86.56	1.68	normal
486	6.43	27.57	91.24	1.82	normal
487	6.70	28.84	46.30	1.33	warning
488	5.85	20.55	92.93	1.91	normal
489	6.37	26.69	71.63	2.09	normal
490	5.66	28.23	48.08	1.01	warning
491	6.34	20.00	74.58	1.92	normal

Smart Hydro - ML Training Dataset

ID	pH	Temp C	Water %	EC	Label
492	6.48	21.81	70.65	1.70	normal
493	5.80	25.83	93.84	1.62	normal
494	6.32	26.79	74.79	1.70	normal
495	6.30	26.53	66.36	1.77	normal
496	7.39	32.67	28.49	0.54	anomaly
497	6.30	21.34	87.32	1.98	normal
498	7.04	17.75	31.53	0.55	anomaly
499	6.16	22.95	92.65	2.23	normal
500	6.30	23.69	92.23	2.09	normal
501	5.74	28.51	46.38	1.38	warning
502	5.67	18.83	47.23	1.06	warning
503	5.69	28.46	53.37	1.38	warning
504	5.96	25.64	88.60	1.95	normal
505	4.83	31.44	32.80	0.77	anomaly
506	5.89	26.92	65.50	1.71	normal
507	6.41	25.38	87.88	1.65	normal
508	6.20	26.66	91.71	1.41	normal
509	5.84	24.39	70.07	1.71	normal
510	6.23	22.67	85.64	1.80	normal
511	6.35	22.29	75.15	2.09	normal
512	5.84	22.99	93.06	2.04	normal
513	6.24	21.59	74.64	2.15	normal
514	5.99	22.21	75.12	2.38	normal
515	6.16	21.43	93.97	1.51	normal
516	6.32	25.64	74.80	1.75	normal
517	5.98	21.64	76.91	1.67	normal
518	6.26	27.75	81.13	1.48	normal
519	6.47	22.38	63.22	2.00	normal
520	6.25	22.14	60.53	2.37	normal
521	6.27	25.65	81.35	1.71	normal
522	6.22	26.93	93.14	1.51	normal
523	6.46	25.89	90.90	1.60	normal
524	6.29	25.44	74.29	1.42	normal
525	5.98	23.60	93.52	1.80	normal
526	6.77	19.26	48.24	1.04	warning
527	5.76	19.55	40.17	1.23	warning
528	6.25	21.94	84.99	1.49	normal
529	6.41	25.91	60.48	1.65	normal
530	5.99	21.98	62.19	1.86	normal
531	6.77	29.07	55.30	1.32	warning
532	7.01	16.49	24.16	0.53	anomaly

Smart Hydro - ML Training Dataset

ID	pH	Temp C	Water %	EC	Label
533	6.44	24.68	78.84	1.67	normal
534	6.43	25.33	87.56	1.85	normal
535	5.97	25.64	74.97	1.84	normal
536	6.46	20.51	88.87	1.69	normal
537	5.82	22.41	77.59	1.46	normal
538	6.45	20.84	86.76	1.81	normal
539	5.98	21.28	65.62	1.47	normal
540	6.26	27.05	88.49	2.09	normal
541	6.00	22.48	68.75	1.92	normal
542	6.05	22.83	89.00	2.19	normal
543	6.44	27.62	71.44	1.75	normal
544	6.46	27.01	63.59	1.79	normal
545	6.15	21.55	90.06	2.08	normal
546	5.73	18.03	52.80	1.07	warning
547	5.96	20.94	65.78	1.40	normal
548	6.71	29.10	43.15	1.35	warning
549	6.05	20.84	67.78	1.92	normal
550	5.97	20.46	73.69	1.63	normal
551	6.47	24.93	79.49	1.82	normal
552	6.18	25.57	84.58	1.57	normal
553	6.09	26.96	82.10	1.93	normal
554	6.22	20.94	71.80	1.54	normal
555	5.94	23.13	91.35	1.60	normal
556	6.09	20.14	87.75	1.47	normal
557	6.19	25.03	84.10	1.65	normal
558	6.31	24.29	89.26	2.22	normal
559	5.59	19.01	56.24	1.34	warning
560	5.85	23.10	88.12	2.30	normal
561	5.85	27.02	73.63	1.94	normal
562	4.84	32.59	21.44	0.99	anomaly
563	6.02	21.76	72.27	1.77	normal
564	6.06	23.71	85.30	2.06	normal
565	6.59	19.60	55.29	1.30	warning
566	5.85	26.13	80.43	2.18	normal
567	5.71	28.70	54.10	1.07	warning
568	6.42	26.00	91.79	2.16	normal
569	6.26	27.11	80.26	2.03	normal
570	6.13	25.73	69.48	1.60	normal
571	5.97	21.72	74.87	2.31	normal
572	5.93	20.62	84.37	1.78	normal
573	6.82	19.04	57.84	1.25	warning

Smart Hydro - ML Training Dataset

ID	pH	Temp C	Water %	EC	Label
574	5.99	21.53	84.31	1.62	normal
575	5.99	25.30	88.52	2.18	normal
576	5.47	28.54	40.59	1.10	warning
577	6.42	21.95	79.51	1.44	normal
578	6.03	27.18	91.08	1.73	normal
579	7.31	17.17	10.08	0.55	anomaly
580	7.28	16.96	15.49	0.52	anomaly
581	5.89	20.18	72.61	2.18	normal
582	6.02	25.23	68.12	1.41	normal
583	6.81	29.58	50.70	1.24	warning
584	5.63	30.23	53.44	1.15	warning
585	6.22	27.43	92.52	1.74	normal
586	5.95	27.97	94.34	2.05	normal
587	5.68	19.80	52.87	1.15	warning
588	4.90	33.93	16.53	0.58	anomaly
589	6.22	21.43	84.68	1.86	normal
590	6.39	21.36	60.67	2.18	normal
591	6.29	26.71	88.10	2.36	normal
592	6.14	23.22	65.38	1.97	normal
593	6.44	24.67	80.75	1.75	normal
594	5.82	23.39	62.96	2.01	normal
595	5.74	30.93	43.74	1.29	warning
596	6.36	27.98	61.05	2.30	normal
597	6.48	23.72	89.66	1.46	normal
598	5.85	27.80	88.59	2.25	normal
599	7.10	16.21	22.54	0.63	anomaly
600	5.92	21.18	94.06	2.16	normal
601	7.05	15.60	15.21	0.56	anomaly
602	6.05	25.39	62.19	1.61	normal
603	5.46	28.89	49.21	1.12	warning
604	6.36	21.10	80.32	1.91	normal
605	6.24	22.19	77.07	1.48	normal
606	6.01	26.58	61.99	1.82	normal
607	6.31	24.59	83.35	2.18	normal
608	5.52	30.32	47.06	1.08	warning
609	6.32	23.94	76.91	2.24	normal
610	6.40	23.25	71.49	1.85	normal
611	5.45	19.55	51.01	1.19	warning
612	5.96	24.42	73.03	2.06	normal
613	6.20	21.48	69.75	1.62	normal
614	6.38	22.29	92.45	2.37	normal

Smart Hydro - ML Training Dataset

ID	pH	Temp C	Water %	EC	Label
615	5.90	23.00	87.92	1.77	normal
616	6.19	26.76	87.86	1.58	normal
617	5.95	21.75	90.59	1.65	normal
618	5.80	26.97	87.74	2.03	normal
619	5.46	28.95	57.49	1.02	warning
620	5.95	21.91	91.80	1.87	normal
621	6.33	21.24	77.05	1.83	normal
622	6.50	26.16	73.93	2.23	normal
623	5.82	21.64	71.91	1.91	normal
624	6.44	24.08	77.54	1.45	normal
625	6.19	23.51	89.37	1.56	normal
626	6.11	21.90	61.74	2.12	normal
627	6.23	22.25	66.07	1.78	normal
628	5.55	28.71	52.87	1.22	warning
629	5.03	32.35	32.03	0.61	anomaly
630	5.82	27.69	83.38	2.33	normal
631	6.23	25.43	71.11	2.25	normal
632	7.27	17.65	8.32	0.85	anomaly
633	6.90	28.51	48.41	1.10	warning
634	6.38	27.48	66.50	1.77	normal
635	6.96	17.06	38.01	0.72	anomaly
636	5.97	23.77	83.17	2.15	normal
637	5.63	18.22	40.13	1.08	warning
638	6.09	23.22	90.96	2.30	normal
639	4.99	16.28	18.61	0.71	anomaly
640	5.45	30.08	45.70	1.23	warning
641	5.92	20.93	79.13	2.30	normal
642	6.31	25.27	92.60	2.22	normal
643	6.26	27.19	73.98	1.73	normal
644	6.38	26.41	63.66	1.98	normal
645	5.88	27.84	67.51	1.47	normal
646	6.32	20.26	83.06	1.93	normal
647	5.92	24.54	70.37	2.34	normal
648	5.78	28.80	40.96	1.02	warning
649	6.12	21.81	81.49	1.65	normal
650	6.05	26.59	88.72	1.88	normal
651	6.05	26.45	71.49	1.61	normal
652	6.13	23.86	89.43	1.62	normal
653	6.37	26.59	73.46	1.86	normal
654	6.45	20.95	92.68	2.08	normal
655	5.82	23.80	74.27	1.56	normal

Smart Hydro - ML Training Dataset

ID	pH	Temp C	Water %	EC	Label
656	6.48	24.50	85.02	1.47	normal
657	5.88	24.90	92.85	2.06	normal
658	6.05	24.41	74.11	2.23	normal
659	5.64	29.39	47.85	1.26	warning
660	5.85	23.16	66.36	1.56	normal
661	6.67	18.98	44.40	1.20	warning
662	6.60	18.10	52.07	1.25	warning
663	6.33	24.25	83.71	1.83	normal
664	5.72	18.02	48.19	1.15	warning
665	7.32	31.90	25.76	0.66	anomaly
666	5.99	20.05	94.24	2.37	normal
667	6.31	22.77	83.49	2.21	normal
668	5.04	16.32	26.71	0.82	anomaly
669	5.88	27.51	66.34	2.02	normal
670	6.02	24.37	74.60	1.56	normal
671	6.09	26.06	91.43	1.48	normal
672	5.87	20.13	83.16	2.00	normal
673	5.96	20.19	89.22	2.37	normal
674	5.96	26.95	92.43	1.82	normal
675	5.83	24.59	73.75	1.43	normal
676	5.81	26.30	70.73	1.44	normal
677	6.08	27.79	79.05	1.68	normal
678	5.51	28.66	48.10	1.32	warning
679	5.49	28.36	48.55	1.13	warning
680	6.59	19.26	48.40	1.13	warning
681	6.17	21.29	80.02	2.21	normal
682	6.57	29.28	52.91	1.02	warning
683	6.07	25.58	66.77	2.04	normal
684	6.42	27.17	70.41	1.63	normal
685	5.97	25.38	88.91	2.07	normal
686	6.57	28.34	45.14	1.03	warning
687	4.89	15.49	25.91	0.92	anomaly
688	6.13	24.96	74.39	1.83	normal
689	6.19	26.80	67.05	2.33	normal
690	6.38	24.45	87.28	1.42	normal
691	6.86	18.37	54.54	1.10	warning
692	6.56	18.18	46.16	1.26	warning
693	6.22	25.46	80.14	1.83	normal
694	6.34	21.81	84.23	1.63	normal
695	6.32	21.75	62.10	1.53	normal
696	6.39	20.36	85.70	1.74	normal

Smart Hydro - ML Training Dataset

ID	pH	Temp C	Water %	EC	Label
697	6.45	22.66	76.29	1.41	normal
698	5.98	20.22	82.10	1.83	normal
699	5.92	22.37	83.23	2.37	normal
700	6.42	24.62	79.74	1.90	normal
701	5.86	24.81	71.93	2.32	normal
702	5.90	25.72	70.27	1.93	normal
703	6.43	26.34	83.67	2.08	normal
704	4.97	15.24	27.65	0.79	anomaly
705	6.31	22.59	83.28	1.96	normal
706	5.89	20.76	89.10	2.32	normal
707	5.87	23.22	85.51	2.18	normal
708	5.80	25.70	72.48	1.65	normal
709	6.18	26.81	93.52	1.97	normal
710	5.86	24.39	73.30	2.01	normal
711	5.97	20.76	71.02	1.50	normal
712	6.49	23.55	78.62	2.27	normal
713	7.31	32.02	28.85	0.83	anomaly
714	5.89	25.06	64.49	1.98	normal
715	6.29	26.03	90.55	1.90	normal
716	6.58	19.46	51.73	1.33	warning
717	5.89	27.71	63.78	1.88	normal
718	6.18	20.69	62.00	1.51	normal
719	6.18	21.87	82.32	2.22	normal
720	6.15	25.51	68.83	1.71	normal
721	6.43	26.48	80.41	2.13	normal
722	6.25	23.73	66.65	2.10	normal
723	6.05	27.29	60.73	1.72	normal
724	6.34	25.62	71.60	2.08	normal
725	6.33	23.63	74.43	2.33	normal
726	5.88	24.68	93.93	1.78	normal
727	6.04	24.05	65.67	2.06	normal
728	5.07	17.53	20.86	0.69	anomaly
729	6.11	25.19	62.15	2.21	normal
730	5.18	31.86	26.03	0.70	anomaly
731	5.89	23.13	65.69	2.13	normal
732	5.84	24.42	80.83	2.27	normal
733	6.04	26.42	78.91	1.48	normal
734	6.44	23.17	70.37	1.54	normal
735	6.10	24.77	62.82	2.34	normal
736	6.83	30.40	55.74	1.31	warning
737	6.46	20.99	90.63	2.37	normal

Smart Hydro - ML Training Dataset

ID	pH	Temp C	Water %	EC	Label
738	6.31	20.32	74.19	1.92	normal
739	6.46	25.38	76.84	2.21	normal
740	4.81	15.04	12.10	0.72	anomaly
741	6.07	20.44	80.98	2.30	normal
742	5.95	23.54	61.69	2.22	normal
743	5.63	18.13	52.00	1.31	warning
744	6.09	27.66	78.94	2.01	normal
745	6.24	24.57	66.47	1.46	normal
746	6.33	24.19	67.94	2.07	normal
747	6.11	21.31	66.46	1.60	normal
748	5.84	23.18	77.91	1.88	normal
749	6.39	21.16	77.70	1.46	normal
750	6.20	24.53	90.73	1.96	normal
751	6.96	17.38	28.01	0.52	anomaly
752	5.30	33.95	11.82	0.75	anomaly
753	6.05	27.92	83.95	2.35	normal
754	6.07	24.44	62.69	1.40	normal
755	6.25	23.29	77.14	1.82	normal
756	6.03	21.42	63.44	2.36	normal
757	6.31	22.52	73.76	1.64	normal
758	5.93	26.38	83.71	1.95	normal
759	6.45	20.58	69.82	1.75	normal
760	6.60	30.22	47.59	1.16	warning
761	7.30	31.89	25.93	0.91	anomaly
762	6.53	29.99	50.42	1.16	warning
763	6.50	21.08	83.64	1.80	normal
764	5.91	27.59	90.79	2.31	normal
765	7.08	33.13	19.09	0.79	anomaly
766	5.91	23.77	79.37	1.97	normal
767	6.32	20.20	72.42	2.18	normal
768	5.98	25.56	79.86	2.20	normal
769	5.64	30.74	51.39	1.20	warning
770	5.80	23.97	70.00	2.13	normal
771	6.21	27.53	66.10	1.87	normal
772	6.24	24.40	74.26	1.92	normal
773	6.52	29.81	51.34	1.32	warning
774	6.32	27.30	80.02	1.58	normal
775	5.94	21.97	70.72	1.96	normal
776	6.10	24.92	62.86	1.49	normal
777	6.16	21.71	69.91	1.80	normal
778	5.41	18.59	40.38	1.06	warning

Smart Hydro - ML Training Dataset

ID	pH	Temp C	Water %	EC	Label
779	6.73	30.47	58.94	1.28	warning
780	6.42	20.39	68.09	2.30	normal
781	5.95	21.11	90.07	1.90	normal
782	5.97	26.06	86.60	1.71	normal
783	5.95	27.81	82.60	2.33	normal
784	6.35	26.13	84.21	2.37	normal
785	5.89	25.37	85.53	1.98	normal
786	6.15	22.50	74.96	2.05	normal
787	5.49	30.77	57.28	1.14	warning
788	5.75	29.96	46.45	1.02	warning
789	5.88	21.99	71.09	2.21	normal
790	5.52	28.89	53.12	1.37	warning
791	6.03	24.00	82.60	1.91	normal
792	6.02	26.42	90.15	1.54	normal
793	7.23	33.63	17.70	0.92	anomaly
794	6.29	25.94	83.72	1.65	normal
795	5.47	19.82	47.28	1.07	warning
796	6.58	19.10	48.76	1.32	warning
797	6.55	18.89	46.90	1.34	warning
798	6.67	18.62	52.90	1.25	warning
799	5.97	27.54	70.44	2.18	normal
800	5.90	20.09	79.05	2.38	normal
801	6.05	22.75	78.22	1.84	normal
802	6.71	29.25	41.39	1.26	warning
803	6.09	23.38	87.48	1.60	normal
804	5.65	28.23	49.74	1.13	warning
805	6.50	23.48	92.22	1.75	normal
806	5.94	23.35	67.69	1.40	normal
807	5.30	17.18	30.44	0.96	anomaly
808	5.88	24.10	72.21	1.77	normal
809	6.30	20.88	61.25	2.39	normal
810	5.84	21.52	61.36	1.79	normal
811	5.53	30.64	56.45	1.00	warning
812	6.90	29.73	44.72	1.21	warning
813	5.31	16.55	20.51	0.62	anomaly
814	6.83	19.88	44.44	1.03	warning
815	6.19	22.33	74.61	1.78	normal
816	5.75	30.54	41.14	1.12	warning
817	6.02	21.31	87.41	1.52	normal
818	5.89	20.56	91.83	1.59	normal
819	5.61	30.24	43.21	1.33	warning

Smart Hydro - ML Training Dataset

ID	pH	Temp C	Water %	EC	Label
820	6.16	26.16	92.72	2.31	normal
821	5.75	18.96	47.47	1.21	warning
822	6.28	21.34	70.86	1.90	normal
823	6.76	18.22	47.17	1.16	warning
824	5.99	27.65	93.38	1.75	normal
825	5.93	23.14	93.17	1.54	normal
826	5.44	18.91	51.93	1.07	warning
827	6.46	27.34	91.06	2.03	normal
828	6.64	30.79	42.82	1.23	warning
829	6.56	19.84	52.21	1.23	warning
830	6.05	26.59	67.14	1.87	normal
831	5.47	28.68	40.48	1.27	warning
832	5.84	24.88	68.43	1.79	normal
833	5.90	22.38	63.14	2.31	normal
834	6.14	20.99	70.77	2.33	normal
835	6.48	21.65	85.95	1.95	normal
836	6.72	19.38	46.23	1.15	warning
837	6.88	29.78	40.94	1.10	warning
838	5.96	25.95	92.17	1.82	normal
839	6.47	23.56	77.12	1.75	normal
840	5.14	15.91	34.30	0.68	anomaly
841	6.75	28.22	47.51	1.02	warning
842	6.27	23.60	86.21	1.76	normal
843	5.93	25.99	79.10	1.60	normal
844	6.32	23.86	67.56	2.37	normal
845	6.68	18.57	53.44	1.10	warning
846	5.89	21.65	60.03	1.44	normal
847	7.24	33.24	30.57	0.79	anomaly
848	6.89	30.82	41.30	1.35	warning
849	6.03	26.53	80.91	1.79	normal
850	6.40	22.72	90.44	1.49	normal
851	6.58	19.57	50.17	1.25	warning
852	5.95	20.33	71.27	1.96	normal
853	6.68	30.12	50.02	1.10	warning
854	6.31	20.97	70.60	1.93	normal
855	6.22	21.33	73.29	2.02	normal
856	5.23	17.09	28.67	0.81	anomaly
857	6.14	24.23	71.71	1.92	normal
858	6.36	21.49	62.97	1.84	normal
859	6.11	22.21	79.54	1.75	normal
860	5.34	17.10	22.72	0.66	anomaly

Smart Hydro - ML Training Dataset

ID	pH	Temp C	Water %	EC	Label
861	7.18	32.04	38.15	0.75	anomaly
862	5.97	23.87	75.02	1.47	normal
863	6.39	21.92	66.82	1.90	normal
864	5.42	29.27	55.85	1.05	warning
865	6.11	26.75	69.18	1.82	normal
866	6.11	24.62	79.98	1.73	normal
867	5.87	22.93	63.48	2.17	normal
868	5.37	32.60	27.55	0.72	anomaly
869	6.33	22.26	71.13	2.32	normal
870	6.14	27.30	81.36	1.95	normal
871	6.04	26.82	79.57	1.91	normal
872	5.81	27.71	73.19	2.00	normal
873	6.28	27.46	80.15	1.53	normal
874	6.34	23.25	90.79	2.05	normal
875	6.56	19.61	54.45	1.26	warning
876	5.93	26.05	76.60	1.63	normal
877	5.83	22.61	76.40	1.55	normal
878	6.97	33.96	25.53	0.51	anomaly
879	6.11	26.53	90.98	1.49	normal
880	6.44	23.10	89.03	1.53	normal
881	7.37	31.39	16.54	0.66	anomaly
882	6.87	18.06	41.21	1.15	warning
883	6.01	27.86	82.50	2.12	normal
884	5.02	16.86	37.38	0.61	anomaly
885	6.33	23.15	81.29	1.84	normal
886	5.49	29.17	46.74	1.16	warning
887	6.21	27.07	65.31	2.00	normal
888	6.09	25.61	74.38	1.90	normal
889	6.28	25.29	61.34	1.77	normal
890	7.16	16.35	32.73	0.92	anomaly
891	6.13	23.09	93.83	2.10	normal
892	6.40	23.84	62.41	1.95	normal
893	6.41	21.63	88.93	1.96	normal
894	6.48	24.10	70.18	1.87	normal
895	6.59	18.98	48.96	1.09	warning
896	6.03	27.52	72.01	2.39	normal
897	5.93	27.13	76.11	2.11	normal
898	6.96	32.94	9.22	0.51	anomaly
899	5.45	19.78	54.89	1.00	warning
900	5.75	19.87	56.86	1.35	warning
901	6.23	27.42	93.67	1.91	normal

Smart Hydro - ML Training Dataset

ID	pH	Temp C	Water %	EC	Label
902	6.00	27.67	65.00	1.98	normal
903	6.00	23.24	94.96	1.45	normal
904	5.86	21.24	75.38	1.91	normal
905	6.02	20.70	70.61	2.37	normal
906	5.00	17.30	37.40	0.54	anomaly
907	6.47	24.30	60.50	1.66	normal
908	6.29	25.87	94.84	1.69	normal
909	6.17	23.25	65.92	2.38	normal
910	5.59	18.52	49.79	1.39	warning
911	6.06	26.18	65.97	1.78	normal
912	6.10	26.25	76.95	2.19	normal
913	6.04	26.48	68.34	1.62	normal
914	5.98	20.07	82.69	1.91	normal
915	6.48	24.57	90.22	1.54	normal
916	6.41	24.66	85.13	1.77	normal
917	6.12	23.16	90.35	1.64	normal
918	7.03	33.53	21.75	0.66	anomaly
919	6.28	22.19	85.78	1.45	normal
920	6.07	22.83	71.05	1.89	normal
921	5.93	22.48	94.12	1.81	normal
922	6.20	27.87	68.46	2.08	normal
923	5.64	18.01	54.05	1.08	warning
924	6.84	30.82	58.11	1.03	warning
925	6.04	24.96	79.07	1.53	normal
926	5.97	21.71	74.39	2.10	normal
927	6.06	23.13	94.18	2.35	normal
928	6.54	18.68	54.78	1.33	warning
929	6.78	29.94	40.19	1.16	warning
930	6.29	26.13	70.64	2.21	normal
931	6.11	25.82	84.25	2.39	normal
932	6.26	24.88	92.03	1.56	normal
933	5.62	29.60	56.89	1.22	warning
934	6.16	20.41	68.15	1.89	normal
935	5.93	24.03	71.30	1.66	normal
936	5.89	27.42	90.37	2.11	normal
937	6.34	26.46	86.87	1.51	normal
938	6.38	24.62	82.62	1.86	normal
939	5.82	25.11	62.85	1.84	normal
940	6.18	21.07	84.21	2.20	normal
941	5.87	21.16	90.70	1.93	normal
942	5.87	25.20	90.38	2.23	normal

Smart Hydro - ML Training Dataset

ID	pH	Temp C	Water %	EC	Label
943	5.85	20.90	61.73	1.66	normal
944	5.98	23.08	93.00	2.01	normal
945	5.68	30.59	46.48	1.39	warning
946	6.00	27.45	60.86	2.10	normal
947	6.89	18.04	52.28	1.25	warning
948	6.26	27.86	91.91	1.84	normal
949	6.05	26.61	84.55	1.86	normal
950	6.10	23.75	92.50	2.04	normal
951	6.17	20.53	94.04	1.76	normal
952	6.05	25.46	83.18	2.12	normal
953	6.02	21.00	82.94	1.44	normal
954	6.41	27.13	75.72	1.86	normal
955	6.27	26.57	68.56	1.82	normal
956	5.74	29.07	57.31	1.32	warning
957	5.42	19.20	41.74	1.30	warning
958	5.93	21.51	66.45	1.46	normal
959	6.39	20.14	61.72	1.97	normal
960	5.53	19.89	53.97	1.24	warning
961	6.32	25.40	67.21	1.75	normal
962	5.89	25.41	90.05	2.36	normal
963	5.93	20.85	88.45	1.98	normal
964	6.35	25.63	89.21	1.46	normal
965	5.73	18.04	40.64	1.23	warning
966	6.30	21.41	68.24	1.89	normal
967	4.92	31.74	12.55	0.82	anomaly
968	5.91	25.47	80.78	2.15	normal
969	6.11	23.24	94.44	1.69	normal
970	6.05	24.52	68.83	2.32	normal
971	6.43	20.83	82.98	2.31	normal
972	6.48	23.62	93.10	2.08	normal
973	5.93	22.43	63.26	1.54	normal
974	6.10	26.36	64.95	1.53	normal
975	5.94	20.78	65.84	2.32	normal
976	6.77	28.73	51.95	1.10	warning
977	6.12	27.13	79.93	2.23	normal
978	7.25	33.09	29.29	0.62	anomaly
979	5.44	19.55	48.17	1.17	warning
980	6.33	27.49	92.93	1.57	normal
981	6.61	19.66	52.03	1.28	warning
982	6.30	20.22	73.14	2.03	normal
983	6.38	21.88	82.83	1.81	normal

Smart Hydro - ML Training Dataset

ID	pH	Temp C	Water %	EC	Label
984	5.88	20.14	91.83	1.67	normal
985	6.59	30.07	57.40	1.20	warning
986	5.45	18.12	41.90	1.11	warning
987	6.54	29.31	47.91	1.06	warning
988	5.28	15.42	26.00	0.96	anomaly
989	6.39	23.57	84.80	2.13	normal
990	6.05	25.10	62.47	1.76	normal
991	6.50	23.80	88.56	1.83	normal
992	5.63	28.82	47.93	1.06	warning
993	5.81	26.99	68.28	1.61	normal
994	5.52	28.66	56.41	1.16	warning
995	6.51	19.20	49.84	1.00	warning
996	6.30	23.54	85.63	1.63	normal
997	5.63	18.84	47.90	1.10	warning
998	5.66	28.26	46.82	1.39	warning
999	6.14	24.53	92.09	2.20	normal
1000	6.30	24.69	77.23	1.59	normal
1001	5.97	27.32	71.74	2.35	normal
1002	6.24	24.34	64.53	1.78	normal
1003	6.24	23.57	87.23	1.62	normal
1004	6.08	27.41	84.86	1.82	normal
1005	5.86	27.88	83.32	1.69	normal
1006	5.88	27.73	66.12	2.05	normal
1007	6.30	26.21	83.57	2.01	normal
1008	5.43	28.74	53.92	1.27	warning
1009	5.97	22.25	74.39	1.63	normal
1010	6.42	27.72	71.95	1.74	normal
1011	6.28	26.60	65.13	1.56	normal
1012	5.64	30.71	54.62	1.32	warning
1013	6.46	23.25	87.01	1.88	normal
1014	6.54	30.46	43.82	1.31	warning
1015	5.51	19.08	50.94	1.25	warning
1016	6.47	20.36	65.01	1.41	normal
1017	6.45	25.33	88.79	1.41	normal
1018	6.12	23.99	62.53	2.08	normal
1019	6.34	23.88	65.23	2.05	normal
1020	6.41	24.90	65.50	2.36	normal
1021	5.85	25.01	68.86	2.20	normal
1022	6.71	30.61	50.39	1.21	warning
1023	6.09	26.83	89.97	1.50	normal
1024	5.98	27.00	64.51	2.12	normal

Smart Hydro - ML Training Dataset

ID	pH	Temp C	Water %	EC	Label
1025	6.24	22.85	87.61	1.63	normal
1026	5.96	25.71	90.58	1.53	normal
1027	6.56	18.86	54.42	1.04	warning
1028	6.37	27.49	77.97	2.35	normal
1029	6.08	26.79	77.25	1.87	normal
1030	6.39	26.66	74.12	1.73	normal
1031	6.20	21.91	87.79	1.89	normal
1032	5.87	21.91	93.22	1.71	normal
1033	6.12	22.46	61.23	1.72	normal
1034	6.19	22.85	75.66	2.37	normal
1035	5.98	21.95	76.02	2.16	normal
1036	6.30	20.17	74.66	2.18	normal
1037	6.19	21.64	85.97	1.45	normal
1038	6.85	19.56	57.21	1.05	warning
1039	6.15	20.66	66.86	2.34	normal
1040	7.36	15.37	28.43	0.98	anomaly
1041	6.27	20.42	63.98	1.40	normal
1042	7.30	17.11	16.82	0.68	anomaly
1043	6.54	29.95	57.73	1.25	warning
1044	5.58	28.44	43.19	1.20	warning
1045	6.24	27.57	80.29	1.94	normal
1046	5.84	21.50	61.14	2.14	normal
1047	6.84	19.75	47.07	1.10	warning
1048	6.09	27.89	61.96	1.54	normal
1049	6.24	20.44	89.28	1.91	normal
1050	6.19	21.37	66.92	1.72	normal
1051	5.95	20.93	93.95	1.42	normal
1052	6.63	28.37	52.21	1.31	warning
1053	5.21	17.67	10.25	0.84	anomaly
1054	6.44	25.20	63.16	2.35	normal
1055	6.04	23.22	61.79	1.90	normal
1056	6.08	22.81	87.05	2.20	normal
1057	6.06	22.99	65.30	2.20	normal
1058	6.65	28.61	58.73	1.30	warning
1059	6.20	27.29	79.39	1.57	normal
1060	6.39	25.15	82.78	2.27	normal
1061	6.55	19.39	51.53	1.07	warning
1062	5.68	19.69	40.34	1.16	warning
1063	6.23	25.31	89.27	1.62	normal
1064	6.40	21.25	94.12	2.24	normal
1065	6.49	20.78	70.61	2.04	normal

Smart Hydro - ML Training Dataset

ID	pH	Temp C	Water %	EC	Label
1066	6.45	20.53	79.23	1.99	normal
1067	5.98	22.92	89.53	1.59	normal
1068	5.62	29.39	56.49	1.17	warning
1069	5.07	33.18	34.91	0.93	anomaly
1070	5.86	25.80	70.90	2.18	normal
1071	6.14	26.22	73.38	1.84	normal
1072	6.06	24.21	88.31	1.76	normal
1073	6.27	22.16	69.71	2.33	normal
1074	6.76	19.30	50.37	1.14	warning
1075	5.94	27.61	74.30	1.87	normal
1076	5.83	25.74	78.83	1.91	normal
1077	6.32	21.35	66.65	1.86	normal
1078	5.97	25.16	82.78	2.22	normal
1079	5.85	22.19	94.30	2.00	normal
1080	6.71	30.35	58.40	1.21	warning
1081	6.46	25.39	62.27	1.87	normal
1082	6.13	23.64	80.38	1.76	normal
1083	6.15	26.64	83.24	1.74	normal
1084	5.34	17.08	38.00	0.94	anomaly
1085	6.17	20.22	68.63	1.86	normal
1086	6.19	25.94	69.79	1.96	normal
1087	6.09	26.00	84.27	2.39	normal
1088	6.15	22.64	75.42	2.26	normal
1089	6.42	21.63	90.57	1.46	normal
1090	5.53	18.57	46.69	1.33	warning
1091	5.94	23.40	73.49	2.32	normal
1092	5.60	29.08	48.29	1.06	warning
1093	7.04	33.23	35.33	0.75	anomaly
1094	5.62	30.64	45.11	1.01	warning
1095	6.74	19.90	41.21	1.22	warning
1096	6.68	29.84	51.69	1.16	warning
1097	6.04	22.12	84.01	2.35	normal
1098	6.37	20.44	78.83	1.47	normal
1099	7.23	16.30	30.13	0.95	anomaly
1100	5.88	24.23	64.44	1.99	normal
1101	6.24	20.08	66.82	1.89	normal
1102	5.03	15.80	20.74	0.61	anomaly
1103	4.88	15.42	14.24	0.54	anomaly
1104	5.81	20.68	88.27	2.17	normal
1105	5.30	33.63	32.77	0.75	anomaly
1106	6.39	25.82	94.33	1.56	normal

Smart Hydro - ML Training Dataset

ID	pH	Temp C	Water %	EC	Label
1107	5.95	26.34	66.54	1.47	normal
1108	7.32	16.04	35.95	0.95	anomaly
1109	5.85	22.00	83.43	2.29	normal
1110	6.22	21.51	88.17	2.37	normal
1111	6.15	20.69	79.57	1.90	normal
1112	6.11	22.67	78.26	1.99	normal
1113	6.33	25.70	72.82	1.45	normal
1114	6.60	29.27	42.94	1.14	warning
1115	6.19	23.09	74.71	1.96	normal
1116	5.85	27.05	62.73	2.11	normal
1117	7.09	33.02	30.93	0.54	anomaly
1118	6.09	23.77	61.72	1.59	normal
1119	5.58	19.17	45.17	1.05	warning
1120	6.44	24.65	78.67	2.00	normal
1121	6.36	24.19	64.09	1.53	normal
1122	6.46	22.47	90.43	2.16	normal
1123	5.83	20.81	85.50	1.60	normal
1124	6.15	25.80	63.96	1.81	normal
1125	6.18	26.55	66.01	2.21	normal
1126	6.19	25.60	74.42	1.54	normal
1127	6.17	25.11	71.83	2.31	normal
1128	5.86	23.60	86.47	2.19	normal
1129	6.43	22.14	74.37	2.30	normal
1130	5.67	18.38	43.39	1.09	warning
1131	5.98	22.56	64.72	1.70	normal
1132	6.11	22.77	86.13	2.29	normal
1133	6.80	28.91	55.35	1.10	warning
1134	5.89	26.87	82.18	1.65	normal
1135	6.17	25.24	68.16	2.26	normal
1136	6.29	20.13	73.04	1.75	normal
1137	5.85	26.32	67.62	2.08	normal
1138	5.62	29.87	45.60	1.22	warning
1139	6.63	30.42	50.36	1.26	warning
1140	7.02	15.63	20.87	0.54	anomaly
1141	5.96	22.33	87.03	1.48	normal
1142	6.74	19.49	58.27	1.31	warning
1143	5.96	27.47	72.06	1.56	normal
1144	6.46	20.03	68.33	2.34	normal
1145	5.88	24.56	90.16	1.88	normal
1146	5.20	33.20	25.29	0.65	anomaly
1147	5.80	23.60	89.29	1.97	normal

Smart Hydro - ML Training Dataset

ID	pH	Temp C	Water %	EC	Label
1148	4.97	31.29	32.58	0.94	anomaly
1149	7.34	32.58	27.72	0.58	anomaly
1150	6.00	25.89	75.87	2.39	normal
1151	6.05	23.86	77.61	1.72	normal
1152	6.88	19.64	55.69	1.12	warning
1153	6.02	23.74	70.00	2.36	normal
1154	5.87	24.21	62.00	1.51	normal
1155	6.13	23.47	87.99	2.14	normal
1156	6.03	22.53	87.09	1.45	normal
1157	6.36	23.82	64.58	1.64	normal
1158	5.31	33.80	37.94	0.61	anomaly
1159	6.59	28.94	41.69	1.20	warning
1160	5.33	15.31	38.01	0.95	anomaly
1161	5.88	20.68	91.83	1.59	normal
1162	6.11	24.79	62.51	1.63	normal
1163	5.34	32.57	16.53	0.95	anomaly
1164	5.85	27.27	93.52	1.48	normal
1165	6.01	23.14	66.29	1.98	normal
1166	5.10	15.98	21.48	0.59	anomaly
1167	6.34	22.12	86.85	1.61	normal
1168	6.13	27.55	92.61	1.61	normal
1169	5.90	24.08	76.12	2.30	normal
1170	7.15	31.43	17.92	0.71	anomaly
1171	5.94	20.30	82.52	1.66	normal
1172	5.96	26.42	89.80	1.88	normal
1173	6.48	21.60	67.54	1.69	normal
1174	6.07	27.29	81.54	1.81	normal
1175	7.01	17.55	20.49	0.82	anomaly
1176	6.25	22.56	63.27	1.83	normal
1177	6.46	23.80	71.10	2.17	normal
1178	6.02	26.50	90.35	2.07	normal
1179	6.20	26.11	64.78	1.63	normal
1180	6.80	19.73	55.57	1.14	warning
1181	6.27	25.62	93.46	1.93	normal
1182	6.47	25.14	70.44	1.53	normal
1183	5.54	28.32	41.15	1.16	warning
1184	6.11	25.99	88.98	2.17	normal
1185	5.94	24.29	92.72	2.23	normal
1186	5.52	19.53	57.99	1.09	warning
1187	5.86	27.43	80.29	2.07	normal
1188	5.00	16.92	31.77	0.67	anomaly

Smart Hydro - ML Training Dataset

ID	pH	Temp C	Water %	EC	Label
1189	6.17	20.00	68.44	1.61	normal
1190	6.36	22.24	66.70	1.90	normal
1191	5.49	28.76	55.52	1.37	warning
1192	5.64	29.89	42.89	1.26	warning
1193	6.21	24.69	75.60	2.24	normal
1194	6.11	24.30	83.23	2.18	normal
1195	6.25	21.20	92.64	1.78	normal
1196	5.41	18.85	57.67	1.19	warning
1197	5.88	26.42	68.64	2.30	normal
1198	7.16	16.27	26.63	0.52	anomaly
1199	5.91	21.46	72.78	1.83	normal
1200	5.85	24.03	66.39	1.97	normal