

Github Usernames

kentonbell

derekleungdev

chonglee30

EsheanA

Plans

Vision and scope

CareRide is a community transportation platform where staff arrange free rides to essential services on behalf of clients. Transportation providers and independent volunteer drivers participate through the same platform.

The intended model is a plug-and-play registration process for new partner organizations and ride providers. It is not restricted to Salvation Army organizations. Potential operational partnerships are not confirmed and must not be relied upon.

MVP For 12pm

**Present an organization's staff book a free ride on a client's behalf,
an organization-approved driver accept it,
and staff track pickup and drop-off through driver completion.**

What we need:

- **Organization registration:** Separate partner organization and transportation provider accounts.
- **Staff and driver login:** Role-based access tied to organizations.
- **Client records:** Name, DOB, and optional contact information and accommodations.
- **Organization address book:** Search locations by name and autofill pickup and destination addresses.

- **Booking form:** Required pickup time, passenger count, accommodations, and one-way or round-trip selection; round trips create two linked one-way bookings.
- **Driver registration and approval:** Vehicle capacity, document upload, and organization-specific admin approval.
- **Driver availability:** Service area, available times, minimum notice, and waiting policy.
- **Available rides and acceptance:** Show eligible rides and let the first driver successfully claim each booking.
- **Ride tracking:** Accepted, picked up, dropped off, cancelled, and no-show states.
- **Staff notifications:** Booking confirmation, driver assignment, and completion.
- **Demo dashboard:** Completed rides and clearly labeled sample time and cost savings.

Screens

Booking screen

- Search for pickup location and destination
 - Ideally autocomplete the address, you want addresses to be formatted a common way - needs Google Autocomplete API? Is there a React library?
- Time is optional field? Could return drivers for different times of the day in case you can't find one for a specific time.

Kenton's edits

- Time is required
- Autocomplete address is autofilled by name in the address schema

MVP for 12pm

Login Screen

Field / element	Input / behavior
Email	Normal string input
Password	Password input box
Log in	Button

Forgot password	Link to password reset
Register organization / driver	Registration links

Organization Registration Screen

Field / element	Input / behavior
Organization name	Normal string input
Organization type	Select partner organization or transportation provider
Address	Normal string input
Contact name	Normal string input
Contact email	Email input
Contact phone	Phone input
Administrator name	Normal string input
Administrator email	Email input
Administrator password	Password input box
Register	Button; creates organization and its first administrator

Staff Dashboard Screen

Field / element	Input / behavior
Book a ride	Button
Register client	Button
Upcoming rides	List showing client, time, route, driver, and status
Rides awaiting a driver	List
Search bookings	Search input
Booking status	Filter dropdown
Notifications	List with unread indicator

Address book	Navigation button
--------------	-------------------

Client Registration / Edit Screen

Field / element	Input / behavior
First name	Normal string input
Last name	Normal string input
DOB	Calendar selection; required for verification
Address / transitional home	Optional location selection or string input
Has smartphone	Checkbox
Phone	Optional phone input
Email	Optional email input
Emergency contact name	Optional string input
Emergency contact phone	Optional phone input
Accommodations / important information	Optional string input; 50-character maximum
Save client	Button

Booking Screen

Field / element	Input / behavior
Primary client	Search and select existing client
Pickup location	Search address book by name
Pickup address	Autofilled from selected location
Destination	Search address book by name
Destination address	Autofilled from selected location
Add location	Opens address-book entry form
Trip type	One-way / round-trip selection

Pickup date	Required calendar selection
Pickup time	Required time selection
Appointment time	Optional time selection
Return pickup date and time	Required when booking a round trip
Passenger count	Number input, including accompanying passengers
Accessibility needs	Checkboxes for wheelchair, mobility aid, escort, and other
Request urgency	Dropdown; values to be defined
Ride notes	Optional text input
Submit request	Button; creates one booking or two linked bookings

Booking Details / Tracking Screen

Field / element	Input / behavior
Client / primary booker	Display
Pickup and destination	Display saved booking addresses
Pickup and appointment times	Display
Passenger count and accommodations	Display
Booking status	Status indicator
Assigned driver	Name, vehicle, plate, and contact information
Driver waiting policy	Display
Linked return / outbound ride	Link when part of a round trip
Ride progress	Timeline showing acceptance, pickup, and drop-off
Edit booking	Staff action; accepted-booking edit rules still need definition
Cancel booking	Button with cancellation reason

Address Book Screen

Field / element	Input / behavior
Search locations	Search by name or address
Location type	Hospital / shelter / service filter
Location list	Name, type, address, and active state
Add location	Button
Edit location	Button
Activate / deactivate	Organization-authorized action

Add / Edit Location Screen

Field / element	Input / behavior
Location name	Normal string input
Location type	Hospital / shelter / service dropdown
Address	Normal string input
Map position	Pin selection or confirmed coordinates
Active	Checkbox
Save location	Button

Driver Registration Screen

Field / element	Input / behavior
Name	Normal string input
DOB	Calendar selection
Email	Email input
Phone	Phone input
Password	Password input box

Affiliation	Independent driver / transportation provider selection
Transportation provider	Organization selection when affiliated
Vehicle make	Normal string input
Vehicle model	Normal string input
License plate	String input; 8-character maximum
Passenger seats	Number input; excludes driver
Wheelchair accessible	Checkbox
List of locations	Add/remove location chips, stored as a string array
Register	Button; opens verification setup

Driver Verification Submission Screen

Field / element	Input / behavior
Approving organization	Organization selection
Check type	Dropdown of required verification checks
Document	File upload
Issue date	Calendar selection when applicable
Expiry date	Calendar selection when applicable
Submit for approval	Button
Approval records	Organization-specific pending / approved / rejected / expired indicators

Driver Availability Screen

Field / element	Input / behavior
Saved availability	List with edit and delete actions

Available / paused	Toggle for each availability rule
Service-area center	Map pin selection
Service-area radius	Number input with explicit distance unit
Schedule type	One-time / weekly / monthly dropdown
Start and end times	Time selections
Timezone	Default America/Vancouver
Date	Calendar selection for one-time availability
Weekdays	Multiple selection for weekly availability
Days of month	Multiple selection for monthly availability
Recurrence start / end	Optional calendar selections
Minimum booking notice	Duration input
Maximum waiting time	Duration input
Notes	Optional text input
Save availability	Button

Driver Dashboard / Available Rides Screen

Field / element	Input / behavior
Organization approvals	Display approval for each organization
Availability settings	Navigation button
Eligible ride requests	List matching approval, availability, area, and capacity
Ride summary	Pickup, destination, time, passenger count, and accommodations
View ride	Opens request details
Accept ride	Button; atomic first-come-first-served claim

Already assigned message	Display if another driver claims it first
My upcoming rides	List of accepted bookings

Driver Active Ride Screen

Field / element	Input / behavior
Pickup and destination	Display addresses
Scheduled pickup time	Display
Passenger information	Pickup identification and relevant accommodations
Booking staff contact	Contact action
Navigation	Link to map directions
Waiting deadline	Display based on agreed waiting policy
Picked up	Button; marks ride in progress
Dropped off	Button; marks ride completed
Client no-show	Button; records no-show
Withdraw from ride	Action with reason; reassignment rules still need definition

Organization Admin Dashboard Screen

Field / element	Input / behavior
Organization information	Display and edit action
Staff members	List with roles and active state
Invite staff	Email input and role selection
Activate / deactivate staff	Admin action
Pending driver approvals	List
Review driver	Opens verification review

Organization bookings	List with status filters
Destinations and routes	Management link
Demo impact summary	Completed rides and clearly labeled sample savings

Admin Driver Verification Review Screen

Field / element	Input / behavior
Driver information	Name, contact information, and vehicle details
Requested organization approval	Display
Submitted checks	List
Verification document	Restricted document viewer
Issue and expiry dates	Display
Approve	Button; records organization and reviewing admin
Reject	Button with reason
Review history	Reviewer, decision, and review time

Notifications Screen

Field / element	Input / behavior
Notification list	Booking confirmations, assignments, cancellations, and completion updates
Unread filter	Toggle
Notification details	Message, timestamp, and related booking
View booking	Link
Mark as read	Action
Booking alerts	Provider-facing alerts for eligible new requests

Future

Staff Account Setup Screen

Existing organization administrators invite staff into their organization.

Field / element	Input / behavior
Organization	Display from invitation
Name	Normal string input
Email	Prefilled from invitation
Phone	Optional phone input
Password	Password input box
Role	Display role assigned by administrator
Create account	Button

Client List Screen

Field / element	Input / behavior
Search clients	Search by name
Client list	Name and identifying information visible to authorized staff
Register client	Button
View client	Opens client details
Book a ride	Button for selected client

Client Details Screen

Field / element	Input / behavior
Client information	Display saved registration fields
Edit client	Button
Book a ride	Button; preselects client

Upcoming rides	List
Ride history	List with statuses

Password Reset Screen

Field / element	Input / behavior
Email	Email input
Send reset link	Button
New password	Password input after opening reset link
Confirm password	Password input
Save password	Button

Decisions

- Before installing any NEW npm dependencies not already vetted in the lock file, to lower the risk from supply chain attacks, good to set in your npm global config a min-release-age like 10-21 days, and ignore-scripts true and ignore-git true
- I thought I pressed send on that message before going to bed but Discord seems to have lied to me
- Suggest Tanstack Router for SPA routing if you haven't already chosen something.
- A sibling folder to frontend and backend called api-contracts using zod for response schema validation can be helpful for keeping backend and frontend aligned and more decoupled
-
- Staff book and act on behalf of clients for now. Client self-service will be integrated later; clients have no portal in the initial version.
- Driver approval is per organization. Verification records are the source of truth, and document access is restricted.
- Each organization account has exactly one role: partner organization or transportation provider. An organization that needs both roles uses two accounts.
- Round trips consist of two one-way bookings. Acceptance of one leg does not imply acceptance of the other.
- Drivers choose their waiting policy. If a client does not appear on time, the driver may leave. The requested product policy is "no liability"; this document records the requirement, not a legal determination.

- Carpooling has one primary booker. Booking two passengers together is allowed; separate-pickup pooling has not been specified.
- Ride acceptance is first come, first served through one shared database. Only one driver may successfully claim a given booking.
- Pickup time is required.
- Address-book selection by name autofills the stored address.
- Client DOB is required for verification. Client phone, email, emergency contact details, and notes are optional.
- Organization-specific verification_status
- verification records remain authoritative. The original `license\_verified` field remains in the working schema, but must not independently authorize rides.
- Use one authentication identity with role memberships. Staff and driver profiles link to it; a person may have multiple roles or organization memberships. This does not change the separate-account rule for an organization acting in both organization roles.
- Store pickup and destination snapshots on bookings so changes to the address book do not rewrite existing ride details.
- Availability rows have their own IDs and use `America/Vancouver` as the default timezone. Overnight schedules and exception dates need explicit rules if supported.
- Notifications store an explicit recipient reference and delivery destination. Staff receive communications on behalf of clients initially.

. . Demo measurement values will be made up and must be visibly identified as sample data.

Notes From Last Night with Alvin

Organizations

- Partner organizations: Salvation Army, Transportation provider
- Transportation organization
 - Should be able to register as either
 - Anyone can be a transportation provider himself without an organization, applied to
- Need to have multiple Salvation Army organizations based on location
- Partner organizations Alvin says:
 - Belkin Emergency Shelter & Transitional House
 - Grace Mansion Transitional House
 - Richmond House Emergency Shelter
- Partner organization is not confirmed and shouldn't be relied on
 - Schema already accounts for non-organization drivers
- Hope Mission is currently offering free rides

The vision for the model: plug and play process

- Register for partner organization: Catholic Charity, UGM, Hope Mission
 - Where are some places you would like to have
 - Belkin House
 - Ex. City Reach, food pantry, church
- Register for ride provider: Hope Mission
 - I would like to receive notification when there is a booking
- Non other rider share drivers need to be able to volunteer as a driver

Drivers

- Organization verifies driver identity per organization, because someone needs to verify
 - Ideally, he would like the drivers to already be verified not by the organization, but still wants security
- Asking drivers at the start:
 - I need at least one day's notice or whatever they want
 - Check mark for when picked up and dropped off
- Criteria for driver: how many they can drive
- Drivers decide how long they wait

Destinations and address book

- Very closed: specific point A and B, ex. Belkin House & St Pauls
- But the staff can choose any location and add to the address book
- He will post, per the partner organizations, the specific list of destinations to prefill the address book
- In addition to taking requests they're giving better directions to the better place, the app should do that

Booking rules

- Add carpooling: booking two people at once is allowed
- Add severity of ask to the request, but for emergencies they will still use 911
- Questions for staff:
 - Now given two choices: is this a round trip booking or one way, so that way the driver has an informed decision on which, but they accept as one way when requesting round trip

Client data

- Trying to avoid entering client information

DB Name: careride

Schema

Types of user

- Organization
- Staff: Salvation Army Desk who communicates with Client
- Client (no portal)
- Drivers
- Donors (later)

Types of schema

- Organization
- Staff
- Client
- Ride Request / booking
- Driver
- Driver Schedule Availability
- Driver Verification (because it needs to be per organization)
- Address (for address book)
- Dispatch
- Notification/confirmation?

Organization Schema

- id, name, type (check in 'partner_org', 'transport_provider'), contact_name, email, phone, address, status ('pending', 'active', 'suspended'), created_at
- Belkin Communities of Hope would be the first partner_org row
- Salvation Army staff need organization-level control to set destinations and routes

Staff Schema

- id, organization_id (FK), name, email, phone, password_hash (or auth provider id), role (check in 'staff', 'admin', 'dispatcher', 'driver'), is_active
- The proposal describes a staff-facing app, so staff who book on behalf of clients need logins
- Alvin and Olive would be test accounts

Client Schema

- id primary key
- First Name
- Last Name
- DOB (need for verification)

- Address or transition home location (optional)
- Has_smartphone: boolean (staff can book and receive confirmations for them)
- Phone optional
- Email optional
- emergency_contact_name and emergency_contact_phone optional
- Notes/Accommodations/Important information optional
- created_at

Ride request / booking

- id, client_id (FK), requested_by_user_id (FK, staff or client), organization_id (FK)
- pickup_address, pickup_lat, pickup_lng
- destination_id (FK to destination), or a free-text address if allowed
- requested_pickup_at (timestampz), appointment_at (optional)
- passenger_count, accessibility_needs, notes
- status (check in 'requested', 'approved', 'dispatched', 'accepted', 'in_progress', 'completed', 'cancelled', 'no_show', 'declined')
- driver_id (FK, nullable until assigned)
- approved_by_user_id (FK) and approved_at
- ride_option (check in 'free', 'paid_external'), for showing the free option first
- created_at, updated_at, completed_at, cancelled_reason
- Is_client_picked_up, is_client_dropped_off (only if accepted)

Driver Schema

- id primary key
- Name
- DOB
- Email
- Phone Number
- Organization_id (FK to a transport_provider org, nullable for independent drivers)
- license_verified: boolean, default false (verification comes later)
- Vehicle details, in a vehicle table or on the driver:
- make, model, plate, seats, wheelchair_accessible
- Schedule Availability Schema

Schedule Availability Schema

- Driver_id (for relationship!)
- Pin drop of circle centre (store as store as a PostGIS geography)
- Radius out from circle centre (determines the area where they receive ride requests)
- Is_active boolean (so driver can pause driver for a time and save it)
- kind: text, not null, check in ('one_time', 'weekly', 'monthly')

- start_time: time, not null (e.g. 14:00)
- end_time: time, not null, check end_time > start_time (e.g. 16:00)
- timezone (default pacific)
- on_date: date, nullable (used for one_time, e.g. 2026-10-14)
- weekdays: smallint[], nullable (used for weekly, 0-6 with 0 = Sunday, e.g. {2,4} for Tue/Thu)
- month_days: smallint[], nullable (used for monthly, 1-31, e.g. {14})
- starts_on: date, nullable (when a recurring rule begins)
- ends_on: date, nullable (when it stops, null = forever)
- note: text, nullable

check constraint so the right column is filled for each kind: one_time requires on_date, weekly requires weekdays, monthly requires month_days. Add a check that weekdays are 0-6 and month_days are 1-31

Driver Verification

- driver_id, approved_by_org_id, approved_by_user_id, check_type, document_ref, issued_on, expires_on, status ('pending', 'approved', 'rejected', 'expired'), reviewed_at
- A driver can give rides **only** when a named organization has approved them. The platform becomes the record-keeper and each org is the accountable approver.
- For the demo: Show a driver signing up, uploading a document, an admin approving with one tap, and the driver then seeing rides.
- Later we can use a background check service with an API (Certn is a Canadian one)

Address

- destination: id, organization_id, name, address,

Notifications and confirmations (later)

- id, ride_request_id, recipient (client or staff), channel ('sms', 'email', 'phone_call'), type ('confirmation', 'reminder', 'driver_assigned', 'cancelled'), sent_at, status

Backend

Postgre SQL local hosting! Later, adding PostGIS for the planned geographical service areas. The model is relational and requires foreign keys, constraints, transactions, and joins between organizations, users, clients, bookings, and drivers.

First-come-first-served acceptance requires a single atomic claim conditioned on the booking still being unassigned and eligible, or equivalent transactional locking. A separate read followed by an unconditional write is unsafe even with one database. Eligibility includes organization approval and applicable booking rules. The first successful claim wins; competing attempts receive an already-assigned result. This does not automatically prevent one driver from accepting overlapping different rides.

Decisions still needed before implementation

- Whether multiple physical sites are separate organizations or locations under an organization.
- Which organization's approval makes a driver eligible for a particular ride, and which checks are required.
- Who performs each transition in the booking status workflow, and whether approval/dispatch are required before first-come-first-served acceptance.
- What happens when a driver withdraws after accepting: reassignment, staff notification, and booking status.
- What happens when staff edit an accepted booking: which changes require renewed driver acceptance.
- How to prevent overlapping accepted rides for one driver, if required.
- Waiting policy units, notice requirements, and how the agreed waiting deadline is displayed and recorded for a no-show.
- Whether service-area matching covers pickup only or both endpoints.
- Whether addresses outside the configured routes are allowed and how approved routes are modeled.
- Required return time and linking behavior for round-trip legs.
- Multi-passenger details beyond the primary client and primary booker.
- Urgency values and their effect on matching or presentation.
- Authentication provider, first-admin registration, and final role membership schema.
- Final accommodations text limit, currently recorded as 50 characters in the original screen notes.
- Web-only versus React Native/Expo scope.
- Actual SMS/email integrations versus simulated demo notifications.

Don't edit the below. This is given to us

Belkin Communities of Hope Proposal #HACKVAN2026

Name of Organization: Belkin Communities of Hope, Salvation Army

Innovators:

- Alvin Chong
 - Title: Director of Community Development
 - Email: Alvin.Chong@salvationarmy.ca
 - Phone: (778) 246-3663
- Olive Wu
 - Title: Community Engagement Coordinator
 - Email: olive.wu@salvationarmy.ca
 - Phone: 604 802 6510

The Vision

The Idea (1 sentence):

To provide Belkin Communities of Hope clients with reliable transportation to essential services by creating a staff-facing web application that coordinates free ride requests with transportation service partners.

The Problem (5-7 sentences)

Many Salvation Army clients frequently need to travel to vital destinations such as hospitals or shelters or essential services, but lack the smartphones or digital literacy required to use standard ride-sharing apps independently. Without safe and reliable transportation, they can easily miss critical medical appointments or essential care. However, there is currently no centralized system to request, track, or share these rides between organizations. This fragmented manual process creates major administrative bottlenecks for staff and leaves clients without a reliable way to reach their destination.

The Potential (3-4 sentences)

We can solve this by developing a dedicated web-based, community ride-sharing platform where Salvation Army staff or clients can request rides. Partner organizations/drivers that supply the rides can use this same platform to review, approve, and dispatch drivers efficiently. Although the exact operational partnerships are still being finalized, this system has the potential to streamline transportation logistics and ensure vulnerable individuals can always reach their destinations safely.

The benefit of this learning needs to be better quantified for this to be considered as a project. Potentially time savings, or cost options and savings.

App Requirements (4-6 sentences)

- CareRide.com is a non-Salvation Army affiliated Web-based portal for any organization to access
- Organizations can register as a user-partner org or a transportation operator or provider
 - Drivers can sign up to join the platform
 - Other social services organizations can sign up to join the platform
- Simple UX design, taking in mind those who have minimal digital literacy. Another example, mobile device-friendly
- Clients can book their rides, identifying pick up and destination points, manage their bookings and receive confirmations
- Shows the clients what is the free option. (As a future configuration/option, it can also show links to other paid options, e.g., including Uber.)
- Drivers can sign up to join the platform
- Other social services organizations can sign up to join this 3rd party managed platform
- Salvation Army can set destinations with specific routes for clients to order a ride (Not another Uber service)

Details *(to be filled out later if this becomes a selected project)*

Is the app assisting an existing project or program?

n/a

What is your (the project owners) availability during the event (aka hackathon)?

NAME:

- **Pitch Night** - Friday, October 2nd (5:30 pm to 8:30 pm): Alvin
- **User Testing** - Saturday, October 3rd (1 pm to 3 pm): Alvin
- **Presentation** - Sunday, October 4th (3:00/3:30 to 4:30 pm): Olive
- Phone Number:

Who will be available to test the app during the User Testing Session (Saturday, October 3rd, 1 pm to 3 pm)?

Alvin will be the test client requesting a ride and Olive will be the test driver offering a ride
Belkin Communities of Hope will be the organization to sign up as a member

Other Notes:

Address: 228 W. 5th Ave, Vancouver. Street parking only.

Google Map Link: <https://maps.app.goo.gl/9wZbzg6FFeFkaCrv8>