

Experiment-5

Ques: EMPLOYEES (Employee_Id, First_Name, Last_Name, Email, Phone_Number, Hire_Date, Job_Id, Salary, Commission_Act, Manager_Id, Department_Id)

Code:

```
Query 1 x
1 CREATE DATABASE company_db;
2 USE company_db;
```

```
1 CREATE TABLE EMPLOYEES (
2 Employee_Id INT PRIMARY KEY,
3 First_Name VARCHAR(50),
4 Last_Name VARCHAR(50),
5 Email VARCHAR(100),
6 Phone_Number VARCHAR(20),
7 Hire_Date DATE,
8 Job_Id VARCHAR(20),
9 Salary DECIMAL(10,2),
10 Commission_Act DECIMAL(5,2),
11 Manager_Id INT,
12 Department_Id INT
13 );
```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output				
Action Output				
#	Time	Action	Message	Duration / Fetch
8	16:24:40	USE your_database_name	Error Code: 1049. Unknown database 'your_database_name'	0.000 sec
9	16:24:53	COMMIT	0 row(s) affected	0.000 sec
10	16:24:54	CREATE DATABASE company_db	1 row(s) affected	0.016 sec
11	16:24:54	USE company_db	0 row(s) affected	0.000 sec
12	16:25:32	COMMIT	0 row(s) affected	0.000 sec
13	16:25:33	CREATE TABLE EMPLOYEES (Employee_Id INT PRIMARY KEY, First_Name VARCHAR(50), La...	0 row(s) affected	0.047 sec

```
1 INSERT INTO EMPLOYEES VALUES
2 (1, 'Ankit', 'Yadav', 'ankit@example.com', '9876543210', '2019-03-15', 'HR_REP', 4800, NULL, 100, 60),
3 (102, 'Utsav', 'sabarwal', 'mike@example.com', '1112223333', '2021-06-20', 'SA_REP', 6000, 500, 101, 80),
4 (103, 'Amit', 'Kumar', 'anna@example.com', '4445556666', '2018-07-25', 'IT_PROG', 4500, NULL, 100, 60);
5
```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output				
Action Output				
#	Time	Action	Message	Duration / Fetch
10	16:24:54	CREATE DATABASE company_db	1 row(s) affected	0.016 sec
11	16:24:54	USE company_db	0 row(s) affected	0.000 sec
12	16:25:32	COMMIT	0 row(s) affected	0.000 sec
13	16:25:33	CREATE TABLE EMPLOYEES (Employee_Id INT PRIMARY KEY, First_Name VARCHAR(50), La...	0 row(s) affected	0.047 sec
14	16:28:02	COMMIT	0 row(s) affected	0.000 sec
15	16:28:04	INSERT INTO EMPLOYEES VALUES (101, 'Faiz', 'Khan', 'Faizkhan@example.com', '1234567890', '2020-01-10...	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.000 sec

a) Find out the employee id, names, salaries of all the employees

Limit to 1000 rows

```
1 • SELECT Employee_Id, First_Name, Last_Name, Salary
2 FROM EMPLOYEES;
```

Result Grid

	Employee_Id	First_Name	Last_Name	Salary
▶	101	Faiz	Khan	5000.00
	102	Ankit	Yadav	4800.00
	103	Utsav	sabarwal	6000.00
	104	Amit	Kumar	4500.00
*	NULL	NULL	NULL	NULL

Result Grid
Form Editor
Field Types

b) List out the employees who works under manager 100

Limit to 1000 rows

```
1 • SELECT *
2 FROM EMPLOYEES
3 WHERE Manager_Id = 100;
```

Result Grid

	Employee_Id	First_Name	Last_Name	Email	Phone_Number	Hire_Date	Job_Id
▶	101	Faiz	Khan	Faizkhan@example.com	1234567890	2020-01-10	IT_PROG
	102	Ankit	Yadav	ankit@example.com	9876543210	2019-03-15	HR_REP
	104	Amit	Kumar	anna@example.com	4445556666	2018-07-25	IT_PROG
*	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Result Grid
Form Editor
Field Types

e) Employees working in departments 60, 70, and 80

```
1 • SELECT First_Name, Last_Name
2 FROM EMPLOYEES
3 WHERE Department_Id IN (60, 70, 80);
```

Result Grid		Filter Rows:	Export:	Wrap Cell Content:
First_Name	Last_Name			
▶ Faiz	Khan			
Ankit	Yadav			
Utsav	sabarwal			
Amit	Kumar			

f) Display unique Manager_Id values

```
1 • SELECT DISTINCT Manager_Id
2 FROM EMPLOYEES;
```

Result Grid		Filter Rows:	Export:	Wrap Cell Content:
Manager_Id				
▶ 100				
101				