

## DBMS ASSIGNMENT ( SY\_A , Batch : AS1, Roll\_No : 28 )

### MongDB Queries :

```
test> use college
switched to db college
```

```
college> db.createCollection("students")
{ ok: 1 }
```

```
college> db.students.insertOne({
|   name: "Hrushika",
|   age: 18,
|   branch: "CE"
| })
{
  acknowledged: true,
  insertedId: ObjectId('69dfabf9cece99bfbf3682d1')
}
```

```
college> db.students.insertMany([
|   { name: "Gayu", age: 20 },
|   { name: "Mansi", age: 22 }
| ])
{
  acknowledged: true,
  insertedIds: {
    '0': ObjectId('69dfac17cece99bfbf3682d2'),
    '1': ObjectId('69dfac17cece99bfbf3682d3')
  }
}
```

```
college> db.students.find()
[
  {
    _id: ObjectId('69dfabf9cece99bfbf3682d1'),
    name: 'Hrushu',
    age: 18,
    branch: 'CE'
  },
  { _id: ObjectId('69dfac17cece99bfbf3682d2'), name: 'Gayu', age: 20 },
  { _id: ObjectId('69dfac17cece99bfbf3682d3'), name: 'Mansi', age: 22 }
]
```

```
college> db.students.find().pretty()
[
  {
    _id: ObjectId('69dfabf9cece99bfbf3682d1'),
    name: 'Hrushu',
    age: 18,
    branch: 'CE'
  },
  { _id: ObjectId('69dfac17cece99bfbf3682d2'), name: 'Gayu', age: 20 },
  { _id: ObjectId('69dfac17cece99bfbf3682d3'), name: 'Mansi', age: 22 }
]
```

```
college> db.students.find({ age: 20 })
[
  { _id: ObjectId('69dfac17cece99bfbf3682d2'), name: 'Gayu', age: 20 }
]
```

```
college> db.students.findOne({ name: "Hrushu" })
{
  _id: ObjectId('69dfabf9cece99bfbf3682d1'),
  name: 'Hrushu',
  age: 18,
  branch: 'CE'
}
```

```
college> db.students.updateMany(  
|   { branch: "CE" },  
|   { $set: { year: 1 } }  
| )  
{  
  acknowledged: true,  
  insertedId: null,  
  matchedCount: 1,  
  modifiedCount: 1,  
  upsertedCount: 0  
}
```

```
college> db.students.updateOne(  
|   { name: "Hrushika" },  
|   { $set: { age: 19 } }  
| )  
{  
  acknowledged: true,  
  insertedId: null,  
  matchedCount: 1,  
  modifiedCount: 1,  
  upsertedCount: 0  
}
```

```
college> db.students.deleteOne({ name: "A" })  
{ acknowledged: true, deletedCount: 0 }  
college> db.students.deleteMany({ age: 22 })  
{ acknowledged: true, deletedCount: 1 }  
college> db.students.drop()  
true  
college> db.dropDatabase()  
{ ok: 1, dropped: 'college' }  
college> show collections
```