

DBMS ASSIGNMENT (SY_A , Batch : AS1, Roll_No : 28)

Cursors :

```
mysql> create table student1 (  
->     rollno int,  
->     name varchar(20),  
->     class varchar(10)  
-> );  
Query OK, 0 rows affected (0.07 sec)
```

```
mysql> create table student2 (  
->     rollno int,  
->     name varchar(20),  
->     class varchar(10)  
-> );  
Query OK, 0 rows affected (0.03 sec)
```

```
mysql> insert into student1 values (1,'rahul','fy');  
Query OK, 1 row affected (0.03 sec)
```

```
mysql> insert into student1 values (2,'amit','fy');  
Query OK, 1 row affected (0.01 sec)
```

```
mysql> insert into student1 values (3,'neha','sy');  
Query OK, 1 row affected (0.01 sec)
```

```
mysql> insert into student1 values (4,'pooja','ty');  
Query OK, 1 row affected (0.01 sec)
```

```
mysql> insert into student1 values (5,'karan','sy');  
Query OK, 1 row affected (0.01 sec)
```

```

mysql> delimiter //
mysql>
mysql> create procedure proc_copy()
-> begin
->
-> declare vfinished int default 0;
->
-> declare r int;
-> declare n varchar(20);
-> declare c varchar(10);
->
-> declare std_cursor cursor for
-> select * from student1;
->
-> declare continue handler for not found
-> set vfinished = 1;
->
-> open std_cursor;
->
-> getdata: loop
->
-> fetch std_cursor into r,n,c;
->
-> if vfinished = 1 then
-> leave getdata;
-> end if;
->
-> insert into student2 values (r,n,c);
->
-> end loop getdata;
->
-> close std_cursor;
->
-> end //
Query OK, 0 rows affected (0.05 sec)

```

```

mysql> delimiter ;
mysql> call proc_copy();
Query OK, 0 rows affected (0.03 sec)

```

```

mysql> select * from student2;

```

rollno	name	class
1	rahul	fy
2	amit	fy
3	neha	sy
4	pooja	ty
5	karan	sy

```

5 rows in set (0.00 sec)

```