

Program 1 : Simple Runnable Thread

```
class MyThread implements Runnable {  
    public void run() {  
        System.out.println("Thread is running");  
    }  
}
```

```
public class RunnableDemo1 {  
    public static void main(String args[]) {  
        MyThread obj = new MyThread();  
        Thread t1 = new Thread(obj);  
        t1.start();  
    }  
}
```

Output :

Thread is running

Program 2 : Multiple Threads using Runnable

```
class MyThread implements Runnable {  
    public void run() {  
        System.out.println("Thread executed");  
    }  
}
```

```
public class RunnableDemo2 {  
    public static void main(String args[]) {  
        MyThread obj = new MyThread();  
  
        Thread t1 = new Thread(obj);
```

```

        Thread t2 = new Thread(obj);

        t1.start();
        t2.start();
    }
}

```

Output :

Thread executed
Thread executed

Program 3 : Runnable thread printing numbers

```

class NumberThread implements Runnable {
    public void run() {
        for (int i = 1; i <= 5; i++) {
            System.out.println(i);
        }
    }
}

public class RunnableDemo3 {
    public static void main(String args[]) {
        NumberThread obj = new NumberThread();
        Thread t1 = new Thread(obj);

        t1.start();
    }
}

```

Output :

1
2
3
4
5

Program 4 : Runnable Thread with sleep() method

```
class SleepThread implements Runnable {  
    public void run() {  
        for (int i = 1; i <= 5; i++) {  
            System.out.println(i);  
  
            try {  
                Thread.sleep(500);  
            } catch (Exception e) {  
                System.out.println(e);  
            }  
        }  
    }  
}  
  
public class RunnableDemo4 {  
    public static void main(String args[]) {  
        SleepThread obj = new SleepThread();  
        Thread t1 = new Thread(obj);  
        t1.start();  
    }  
}
```

Output :

1
2
3
4
5

Program 5 : Runnable Thread with Name

```
class MyThread implements Runnable {  
    public void run() {  
        System.out.println("Running thread: " +  
Thread.currentThread().getName());  
    }  
}
```

```
public class RunnableDemo5 {  
    public static void main(String args[]) {  
        MyThread obj = new MyThread();  
  
        Thread t1 = new Thread(obj);  
        Thread t2 = new Thread(obj);  
  
        t1.setName("Thread 1");  
        t2.setName("Thread 2");  
  
        t1.start();  
        t2.start();  
    }  
}
```

Output :

Running thread: Thread 2

Running thread: Thread 1
