

TOPFLYER PILOT TRAINING ACADEMY PVT. LTD.

Prepared by Capt. Ashi

Question 1

What is the maximum penalty for unauthorized use of radio communication equipment, as per the Indian Telegraph Act, 1885?

- A) Fine up to \$1,000
- B) Imprisonment for up to 6 months or fine, or both.
- C) Imprisonment for up to 3 years or fine, or both.
- D) Suspension of the pilot's license only.

Correct Answer: C) Imprisonment for up to 3 years or fine, or both.

Question 2

What is the full pronunciation for the number 5 when transmitting a series of digits in aeronautical mobile service communications?

- A) FIVE
- B) FIFE
- C) FIV
- D) FIVVE

Correct Answer: B) FIFE

Question 3

The time transmitted in the aeronautical mobile service should be given to the nearest:

- A) Hour
- B) 10 minutes
- C) Minute
- D) Second

Question 4

The call sign of the ground station should normally appear at which point in a routine communication initiated by the aircraft?

- A) It is stated only at the end of the transmission.

TOPFLYER PILOT TRAINING ACADEMY PVT. LTD.

- B) It is stated immediately following the aircraft's own call sign.
- C) It is stated first, before the aircraft's own call sign.
- D) It is stated only if the ground station is requested to respond. Correct Answer: C) It is stated first, before the aircraft's own call sign.

Question 5

Which of the following is the standard phraseology for saying 'Yes' or 'That is correct'?

- A) ROGER
- B) CONFIRM
- C) AFFIRM
- D) ACKNOWLEDGE

Correct Answer: C) AFFIRM

Question 6

The distress signal 'MAYDAY' must be preceded by which alerting call?

- A) PAN-PAN (three times)
- B) MAYDAY RELAY (three times)
- C) SECURITÉ (three times)
- D) MAYDAY (three times) Correct Answer: D) MAYDAY (three times)

Question 7

What is the ICAO standard pronunciation for the digit 9?

- A) NINE
- B) NINER
- C) NINAH
- D) NIGHT

Correct Answer: B) NINER

Question 8

A clearance given by an ATC unit should normally be read back in full by the pilot, except for which type

TOPFLYER PILOT TRAINING ACADEMY PVT. LTD.

of clearance?

- A) Frequency change instructions.
- B) Taxi instructions.
- C) Standard instrument departure (SID) name.
- D) Altitude and flight level instructions are always mandatory readback items.

Correct Answer: D) Altitude and flight level instructions are always mandatory readback items.

Question 9

Which Q-code is used by the ground station to ask the aircraft: 'What is my true bearing from you?'

- A) QDM
- B) QTE
- C) QDR
- D) QUJ

Correct Answer: B) QTE

Question 10

What is the primary action required by a pilot who hears an urgency call (PAN-PAN) on the frequency?

- A) Immediately change frequency to clear the channel.
- B) Continue routine transmission, as it is only an urgency call.
- C) Acknowledge the call immediately.
- D) Cease any transmission likely to interfere with the urgency communication.

Correct Answer: D) Cease any transmission likely to interfere with the urgency communication.

Question 11

In the event of a total communication failure (radio failure) on an IFR flight, the pilot should first set the transponder to which emergency code?

- A) 7500
- B) 7600
- C) 7700
- D) 2000

Correct Answer: B) 7600

TOPFLYER PILOT TRAINING ACADEMY PVT. LTD.

Question 12

What is the recommended range of speech rate (words per minute) for routine radio communication?

- A) 50 to 80 words per minute
- B) 80 to 120 words per minute
- C) 120 to 150 words per minute
- D) As fast as possible to minimize channel occupancy.

Correct Answer: B) 80 to 120 words per minute

Question 13

What is the correct way to express the time 0930 Coordinated Universal Time (UTC) to a ground station?

- A) ZERO NINER THREE ZERO ZULU
- B) ZERO NINER THREE ZERO HOURS
- C) TIME ZERO NINER THREE ZERO
- D) NINER THIRTY ZULU

Correct Answer: C) TIME ZERO NINER THREE ZERO

Question 14

Which frequency band is primarily used for long-distance, high-frequency (HF) aeronautical communications?

- A) VHF (Very High Frequency)
- B) UHF (Ultra High Frequency)
- C) HF (High Frequency)
- D) MF (Medium Frequency) Correct Answer: C) HF (High Frequency)

Question 15

What is the correct phraseology for requesting the magnetic heading to be flown to reach the station?

- A) REQUEST QDR
- B) REQUEST QDM

TOPFLYER PILOT TRAINING ACADEMY PVT. LTD.

- C) REQUEST QNH
- D) REQUEST HEADING

Correct Answer: B) REQUEST QDM

Question 16

When an aircraft's assigned altitude or flight level is not to be read back, what phraseology should the controller use?

- A) ROGER
- B) READBACK NOT REQUIRED
- C) CONFIRM RECEIPT ONLY
- D) Altitude and flight level instructions are always mandatory readback items.

Correct Answer: D) Altitude and flight level instructions are always mandatory readback items.

Question 17

The transmission of the distress message (MAYDAY message) should contain which three mandatory pieces of information, immediately after the distress signal?

- A) Aircraft color, number of people on board, and destination.
- B) Position, nature of distress, and pilot's name.
- C) Aircraft call sign, position, and nature of distress.
- D) Fuel remaining, intentions, and nearest airport.

Correct Answer: C) Aircraft call sign, position, and nature of distress.

Question 18

What is the standard ICAO phonetic word for the letter 'X'?

- A) Xavier
- B) X-ray
- C) Xylophone
- D) Extra Correct Answer: B) X-ray

Question 19

TOPFLYER PILOT TRAINING ACADEMY PVT. LTD.

The procedural word (proword) used by an ATC unit to indicate a mistake has been made in the transmission and that the corrected version will follow immediately is:

- A) NEGAT
- B) CORRECTION
- C) ERROR
- D) DISREGARD

Correct Answer: B) CORRECTION

Question 20

What is the maximum effective communication range of standard VHF (Very High Frequency) air-ground communication, which is essentially line-of-sight?

- A) 50 nautical miles (NM)
- B) Approximately 200 nautical miles (NM) at high altitudes.
- C) 2,000 nautical miles (NM)
- D) Limited to 5 nautical miles regardless of altitude.

Correct Answer: B) Approximately 200 nautical miles (NM) at high altitudes.

Question 21

Which procedural word is used to request permission for the intended action?

- A) REQUEST
- B) CLEARED
- C) PERMIT
- D) PROCEED

Correct Answer: D) PROCEED

Question 22

The proword 'I SAY AGAIN' should be used when:

- A) The message being sent is extremely important.
- B) The sender is repeating a specific part of the message for clarity.

TOPFLYER PILOT TRAINING ACADEMY PVT. LTD.

- C) The receiving station requested a repeat using 'SAY AGAIN'.
- D) The aircraft is changing from VFR to IFR.

Correct Answer: B) The sender is repeating a specific part of the message for clarity.

Question 23

What is the standard phraseology for expressing visibility of 10 kilometers or more?

- A) VISIBILITY ONE ZERO KILOMETRES
- B) VISIBILITY ONE ZERO PLUS
- C) VISIBILITY ONE ZERO
- D) VISIBILITY TEN KILOMETRES OR MORE or VISIBILITY MORE THAN NINE KILOMETRES

Correct Answer: D) VISIBILITY TEN KILOMETRES OR MORE or VISIBILITY MORE THAN NINE KILOMETRES

Question 24

Which of the following is the correct radiotelephony procedure for establishing initial contact with an ATC unit?

- A) Aircraft call sign, followed by the ground station call sign and current altitude.
- B) Ground station call sign, followed by the aircraft call sign, then position, time, and level/altitude.
- C) Aircraft call sign only, followed by 'CHECKING IN'.
- D) Ground station call sign, followed by the aircraft's type and a request for service.

Correct Answer: B) Ground station call sign, followed by the aircraft call sign, then position, time, and level/altitude.

Question 25

The Q-code QFE is used for setting the altimeter to read:

- A) Altitude above Mean Sea Level (MSL).
- B) Pressure altitude (standard pressure 1013.2 hPa).
- C) Height above the aerodrome elevation (Zero on the ground at the field reference point).
- D) True air speed.

Correct Answer: C) Height above the aerodrome elevation (Zero on the ground at the field reference point).

TOPFLYER PILOT TRAINING ACADEMY PVT. LTD.

Question 26

If an ATC unit transmits 'PASS YOUR MESSAGE', what does this request imply?

- A) The aircraft should now change frequency.
- B) The controller is ready to receive the full content of the previous transmission.
- C) The aircraft should stand by and wait for instructions.
- D) The aircraft should pass a message to another aircraft.

Correct Answer: B) The controller is ready to receive the full content of the previous transmission.

Question 27

The safety signal SECURITÉ (spoken three times) has priority over which other class of message?

- A) Distress messages (MAYDAY)
- B) Urgency messages (PAN-PAN)
- C) All other communications except distress and urgency.
- D) All other transmissions on the channel.

Correct Answer: C) All other communications except distress and urgency.

Question 28

What is the standard ICAO phonetic word for the number 3?

- A) THREE
- B) TREE
- C) THREE-E
- D) TREE

Correct Answer: D) TREE

Question 29

If a pilot has been instructed to 'REPORT PASSING [FIX]', what is the primary purpose of this instruction?

- A) To notify the controller that the aircraft is performing a holding procedure.
- B) To request permission to proceed to the next waypoint.
- C) To allow the controller to confirm the aircraft's position and verify the navigation performance.

TOPFLYER PILOT TRAINING ACADEMY PVT. LTD.

- D) To request a change in the flight path.

Correct Answer: C) To allow the controller to confirm the aircraft's position and verify the navigation performance.

Question 30

Which procedural word (proword) is used by a ground station to indicate that the aircraft is authorized to proceed under the conditions specified?

- A) STANDBY
- B) PROCEED
- C) ROGER
- D) AFFIRM

Correct Answer: B) PROCEED

Question 1

What is the correct phraseology a pilot should use to request to change frequency from the current controlling agency to another?

- A) CHANGE TO NEW FREQUENCY
- B) REQUEST CONTACT
- C) SWITCH TO [FREQUENCY]
- D) CONTACT [CONTROL UNIT] [FREQUENCY]

Correct Answer: D) CONTACT [CONTROL UNIT] [FREQUENCY]

Question 2

The phonetic spelling for the letter 'V' in the ICAO phonetic alphabet is:

- A) Vessel
- B) Volta
- C) Very
- D) Victor Correct Answer: D) Victor

Question 3

What is the proper phraseology for transmitting the number '10,000' feet in a standard radio communication?

TOPFLYER PILOT TRAINING ACADEMY PVT. LTD.

- A) TEN THOUSAND
- B) ONE ZERO ZERO ZERO ZERO FEET
- C) ONE ZERO THOUSAND FEET
- D) ONE ZERO THOUSAND

Correct Answer: D) ONE ZERO THOUSAND

Question 4

When a radiotelephone operator is told to 'STANDBY', what is the expected action?

- A) Immediately change frequency as instructed.
- B) End the transmission with 'OUT' and await further instructions.
- C) Wait for a short but unspecified period for a reply.
- D) Repeat the last transmission for confirmation. Correct Answer: C) Wait for a short but unspecified period for a reply.

Question 5

What is the minimum required signal strength (readability) for a successful two-way radiotelephone communication in the aeronautical mobile service?

- A) Readability 1 (Unreadable)
- B) Readability 2 (Readable now and then)
- C) Readability 3 (Readable, but with difficulty)
- D) Readability 5 (Perfectly readable)

Correct Answer: C) Readability 3 (Readable, but with difficulty)

Question 6

What Q-code is used to request the magnetic bearing from the station to the aircraft?

- A) QDM
- B) QDR
- C) QTE
- D) QFU

Correct Answer: B) QDR

TOPFLYER PILOT TRAINING ACADEMY PVT. LTD.

Question 7

In a situation involving a fire onboard the aircraft that is NOT immediately life-threatening but requires urgent action, which signal should the pilot transmit before the message?

- A) MAYDAY
- B) EMERGENCY
- C) PAN-PAN
- D) SECURITÉ

Correct Answer: C) PAN-PAN

Question 8

How are flight levels (FLs) above the Transition Altitude normally transmitted by radio?

- A) In feet above mean sea level (MSL).
- B) As the full number followed by 'THOUSAND FEET'.
- C) In metres above mean sea level (MSL).
- D) As the number of hundreds of feet, spoken as individual digits, followed by the word 'FLIGHT LEVEL'.

Correct Answer: D) As the number of hundreds of feet, spoken as individual digits, followed by the word 'FLIGHT LEVEL'.

Question 9

If a ground station sends a message and receives no reply, what is the maximum number of times it may repeat the call sign of the station called, before giving the message 'TO ALL STATIONS'?

- A) Once
 - B) Twice
 - C) Three times
 - D) Four times
- Correct Answer: C) Three times

Question 10

When an Air Traffic Control (ATC) unit needs to cancel a previously issued clearance, which proword should they use to introduce the cancellation?

TOPFLYER PILOT TRAINING ACADEMY PVT. LTD.

- A) DISREGARD
- B) CANCEL
- C) NEGATIVE
- D) CORRECTION

Correct Answer: B) CANCEL

Question 1

What is the correct phraseology to indicate that the entire last message has been received and understood, and the instruction contained therein will be executed.

- A) ROGER
- B) AFFIRM
- C) WILCO
- D) OUT

Correct Answer: C) WILCO

Question 2

The distress signal MAYDAY, when spoken three times, indicates what level of urgency for the aircraft and its occupants?

- A) An urgent situation concerning the safety of an aircraft or other vehicle, or of some person on board or in sight.
- B) The aircraft is experiencing a minor technical fault that requires attention but is not immediately life-threatening.
- C) The aircraft is threatened by grave and imminent danger and requires immediate assistance.
- D) An aircraft is initiating a practice emergency procedure for training purposes.

Correct Answer: C) The aircraft is threatened by grave and imminent danger and requires immediate assistance.

Question 3

What is the correct meaning of the Q-code QNH?

- A) The atmospheric pressure at aerodrome elevation.

TOPFLYER PILOT TRAINING ACADEMY PVT. LTD.

- B) The atmospheric pressure at mean sea level (MSL) used for setting the altimeter to indicate elevation above MSL.
- C) The magnetic bearing from the station to the aircraft.
- D) The true bearing from the aircraft to the station.

Correct Answer: B) The atmospheric pressure at mean sea level (MSL) used for setting the altimeter to indicate elevation above MSL.

Question 4

According to the standard readability scale used in aeronautical radio communication, which rating signifies 'Readability poor'?

- A) Readability 1
 - B) Readability 2
 - C) Readability 3
 - D) Readability 4
- Correct Answer: C) Readability 3

Question 5

What time standard is mandatory for use in all aeronautical mobile service communications?

- A) Local Time, specified by the controlling station.
- B) Coordinated Universal Time (UTC), often referred to as 'Zulu' time.
- C) Greenwich Mean Time (GMT).
- D) Daylight Saving Time (DST) of the departure aerodrome.

Correct Answer: B) Coordinated Universal Time (UTC), often referred to as 'Zulu' time.

Question 6

Which procedural word (proword) is used by a radiotelephone operator to indicate that a separation is made between portions of a message?

- A) OVER
- B) BREAK
- C) STANDBY
- D) SAY AGAIN

Correct Answer: B) BREAK

TOPFLYER PILOT TRAINING ACADEMY PVT. LTD.

Question 7

What is the highest precedence category for a message transmitted in the aeronautical mobile service?

- A) Urgency messages, such as those concerning serious technical difficulties.
- B) Safety messages, such as those relating to important flight conditions.
- C) Distress messages, indicated by MAYDAY.
- D) Flight safety messages, such as Air Traffic Control clearances.

Correct Answer: C) Distress messages, indicated by MAYDAY.

Question 8

If an ATC unit transmits 'SAY AGAIN', what is the pilot being requested to do?

- A) Change the transmitting frequency.
- B) Repeat all or part of the message.
- C) Speak slower and more clearly.
- D) Wait for a short period before transmitting again.

Correct Answer: B) Repeat all or part of the message.

Question 9

What is the primary characteristic of the spoken word 'ALL STATIONS' when preceding a transmission from an Air Traffic Control (ATC) unit?

- A) The message is of a confidential nature and only authorized personnel should listen.
- B) The message is directed to all aircraft stations within the receiving range of the transmitting station.
- C) It is a request for a radio check from every aircraft on the frequency.
- D) It signals the end of the ATC unit's operational duty for the period.

Correct Answer: B) The message is directed to all aircraft stations within the receiving range of the transmitting station.

Question 10

What is the standard phraseology used by a mobile station to request the atmospheric pressure setting that will cause the altimeter to indicate elevation above the aerodrome reference point?

TOPFLYER PILOT TRAINING ACADEMY PVT. LTD.

- A) REQUEST QNH
- B) REQUEST QFE
- C) REQUEST ELEVATION
- D) REQUEST ALTIMETER SETTING

Correct Answer: B) REQUEST QFE

