

INTELLECT WELL ENGINEERING

**Cloud-native, API and MCP-native software for drilling
& well engineering**

Oman first | GCC and MENA expansion | Global API channel

September 2026



Transient Thermal Engine

Wellbore temperature and APB



Casing and Tubing

Load cases, triaxial, API TR 5C3



Trajectory and AC

Planning, ISCWSA, separation factor

One API and MCP layer

Well design software has not kept pace with automation

1

Desktop-bound incumbents

Core engineering tools remain licence-server, desktop installs. Collaboration happens through exported files and email.

2

Closed calculation engines

No clean programmatic access. Integration with operator data platforms and digital twins is custom, fragile and expensive.

3

Not callable by AI agents

Agentic workflows need deterministic, auditable physics they can invoke directly. Current tools were never designed for this.

4

Rigid commercial models

Perpetual per-module licences with high maintenance fees penalise smaller operators and variable activity levels.

Connected is not enough: engines must be callable

Three levels of integration. Most well engineering tools stop at the first two.

1

Read

Pull inputs from operator systems

Surveys, casing schemes, fluids and temperature data come in from the data platform, not from re-keyed spreadsheets.

2

Write

Publish results back

Load cases, APB results and separation factors go out in standard formats to digital twins and reporting.

3

Run

Compute on command


"Design this well." "Run 100 trajectories from slot to target." "Recheck APB for this shut-in." The engine executes and hands off to the next system.

The step that turns a tool into a workflow

Data sync is table stakes. Being callable on demand is what lets an AI agent or an automated design loop use the engines without a human in the middle.

AI does not raise the value of well data. It raises the cost of keeping it locked inside closed tools.

Three engines, one API and MCP layer



One engine set, three ways in

Every engine is exposed through the same versioned REST API. MCP is live; the SDK and CLI are on the roadmap.

MCP

Model Context Protocol

Agents discover the engines as tools and call them directly. Works with any MCP-capable model, with no glue code per model.

Best for: Autonomous agents and engineering copilots

SDK

ROADMAP

Python client library

Typed functions over the API. Handles auth, retries and the common well data model, so teams script design workflows in code.

Best for: Operator data teams and digital-twin builders

CLI

ROADMAP


Command-line interface

Run any engine from a shell. Batch studies and shell-based agents call it the same way an engineer would.

Best for: Batch sensitivity runs and quick automation

Same auth, tenancy, audit trail and deterministic run record behind every access path

AI orchestrates, validated physics decides



Feedback loop: every rejected candidate goes back to the agent, so the search gets smarter while the engineering stays grounded.

Precedent: algorithms Google DeepMind AlphaEvolve, 2025

An LLM proposes code and an automated evaluator verifies it. It found a 48-multiplication method for complex-valued 4x4 matrices, one better than Strassen's 49 from 1969.

Precedent: safety-critical hardware DeepMind and EPFL, Nature, 2022

A controller trained inside a validated plasma simulator then ran the real TCV tokamak, driving its 19 magnetic coils. Simulator first, hardware second.

The AI never invents the engineering. It runs validated engines, faster. Every action is permissioned, checked and logged, like any engineer's work.

Differentiation: agentic, coupled, local

Capability	Intellect Well Engineering	Halliburton Landmark	SLB Delfi
Cloud-native delivery	Yes	Partial	Partial
Open REST API to engines	Yes	Partial	Partial
MCP / AI-agent native	Yes	No	Partial
Transient thermal coupled to tubular loads	Yes	Yes	No
In-country Oman entity and ICV	Yes	Partial	Partial
Modular, usage-based pricing	Yes	No	Partial

Competitor positions are indicative, based on public information; verify before external use.


Verdict

"Cloud" alone is not a moat.

Differentiators

- Agentic workflows via MCP
- Thermal-to-tubular coupling depth
- Omani ICV and in-country hosting
- Price and modularity

Market sizing: a focused, defensible niche



TAM

\$450-650M

Global: ~25-30k design seats x \$15-20k ACV, plus API layer

SAM

\$50-75M

GCC and MENA: ~2.5-3k seats x \$15-20k, plus API layer

Oman

\$4.5-6.5M

PDO, OQEP, Oxy, Daleel, ARA, BP and others: ~250-330 seats, plus API layer

SOM (Y5)

\$3.5-6.5M

~7-9% of SAM, including API/MCP usage

Scope: thermal, tubulars and trajectory/AC only. Excludes the broader well construction software market.

Why Oman first

Oman SAM

\$4.5-6.5M

Small enough to win, large enough to prove the model. PDO alone at \$0.5-0.8M ACV is roughly 10-15% of addressable Oman spend.

1

PDO anchor

Largest oil operator in Oman. A PDO reference carries directly into GCC NOC procurement.

2

ICV advantage

In-Country Value carries weight in Omani tenders. An Oman-based entity and team is a structural edge over foreign incumbents.

3

Data residency

In-country hosting removes the most common blocker to cloud adoption by NOCs and majors.

4


GCC launchpad

Same regulatory culture, operator mix and well types as KOC, ADNOC and Aramco. Oman is the proving ground.

Go-to-market roadmap



PDO entry plan: casing plus thermal wedge



Why casing plus thermal first

- Coupled thermal-to-tubular loads is the clearest technical differentiator
- Trajectory/AC displaces entrenched COMPASS workflows; follow on in phase 3
- High-value HPHT and APB cases give measurable outcomes

Pilot-to-licence conversion triggers

- Results within agreed tolerance of incumbent on all benchmark wells
- Design cycle time reduction measured on pilot wells
- Security, residency and audit-trail acceptance by PDO IT

Pricing model

Seat subscription

\$18-28k

per named seat per year, list

- Module bundles: thermal, tubulars, trajectory/AC
- Blended \$15-20k after discounts
- Annual contracts, seat expansion drives NRR

API / MCP usage

Tiered Levels

per run / compute unit

- Developer tier for integration and pilots
- Volume tiers for service companies
- Agent-platform and digital-twin usage


GCC NOC enterprise licence

\$0.5-1.5M

per year, enterprise

- Unlimited seats within scope
- In-country hosting and SLA
- Validation support and training included

ARR projection: PDO landed end of year 2



Base case Y5

\$5.0M

PDO \$0.5-0.8M ACV, NRR 120-130%, one GCC NOC by Y4

API/MCP upside (not in base)

Indicative separate line: ~\$0.2M Y3, ~\$0.6M Y4, ~\$1.2M Y5. Uncapped by seat count; shown separately to keep the base case clean.

Unit economics and break-even

~80%

Gross margin

120-130%

Net revenue retention

12-18 mo

CAC payback, enterprise

12-24 mo

NOC sales cycle



Lean team

5-6 FTE

Break-even ~\$2.5M ARR

Reached in Y4 (base case); seed covers Y1-Y3



Scaled team

12-15 FTE

Break-even ~\$3.5-4M ARR

Reached Y4-Y5; needs Series A in Y3

Funding ask and use of funds

Seed round


\$1.4-2.6M

30-36 month runway, lean team, Oman-based for ICV

Target investor pool

- Oman Future Fund
- Oman Technology Fund
- Operator ICV programmes
- Hub71 / Wa'ed for GCC phase


Use of funds (%)



Risk register

Risk	Likelihood	Impact	Mitigation
IP not assigned to Omani entity	High	High	IP assignment agreement at incorporation; pre-condition for investment
Surviving post-employment clauses	Med	High	Legal review of non-solicit and confidentiality terms before operator outreach
PDO procurement slips to Y3	Med	High	Small-operator reference first; lean burn; funded pilot
Liability for design outputs	Low	High	Validation dossier, engineer-of-record sign-off, disclaimers, PI insurance
Incumbent bundle discounting	High	Med	Compete on API/MCP and coupling, not price; modular entry
Key-person dependency	Med	High	Early senior validation hire; documented methods and test suites

Next 90 days



Amber bars are gating items: complete before any operator or investor engagement.