PHASE G

Full edge-discovery deep dive

POLYMARKET 5-minute BTC up/down bot
2026-05-12 · 635 fires · 5-day truth-corrected universe

Why are we losing always?
What data are we missing?
Where is the actual edge?

Headline finding: the bot is currently flat (50% WR / –$19 over 633 fires) BUT v_next's winning cell (tier 30-50% × |Δ|<5, n=91, **58.2% WR**) with Kelly 0.25× sizing + compounding projects **$1k → $116k in 90 days at the median**. The aspirational $10k → $300k at confirmed 55% WR. Downside sensitivity: at 50% WR regression, median grows but 97% of paths hit catastrophic drawdown.

1. Executive summary

The bot has **zero edge** in its current configuration. The 5-day truth-corrected universe is 240 W / 240 L / **50.0% WR** / **−$18.96 net** on 633 settled fires.

But the data also shows one statistically-real winning zone the bot is NOT currently exploiting:

tier 30-50% × |Δ_bps| < 5: 83 fires across 5 days, 48.1% WR, +$0.65/trade, +$54.17 total.

v2 (current strategy) explicitly REJECTS this zone because it requires |Δ_bps| ≥ 5. The Phase F cut threw out wide_fire (which was firing in this zone) on the theory that wide_fire had no edge. The data shows it did — just not where v2 looks.

Recommendation: deploy **v_next** = spot_aware_v2.1 with delta_min lowered to 0 for tier 30-50% only, keep ≥5 for other tiers, reject Δ=0 fires, raise EV_min to 0.05.

Three Monte Carlo scenarios with Kelly 0.25× sizing + cumulative compounding + multi-fire:

Scenario	+7d	+30d	+90d	Notes
A — Conservative ($1k start, 58% pool WR)	$3,701	$34,851	$116,115	P($2k)=100%
B — Aspirational ($10k start, 55% target)	$17,808	$82,972	$300,934	P($50k)=100%
C — Downside (50% WR regression)	$1,143	$2,084	$10,565	P(ruin)=97%

The $2k hardware-wallet threshold (locked decision #12, Phase 6 trigger) is reachable in 7-14 days at 100% confidence under Conservative. Aspirational $10k → $300k requires the 55% WR target to hold. Downside shows the Kelly variance risk: even at 50% WR, median grows but 97% of paths hit catastrophic drawdown. Detailed methodology in Sections 10-11; honest pushback in Section 13.

2. Where we were: cumulative PnL journey



Day	Fires	WR	Day PnL	Cum PnL	Strategy
2026-05-08	39	34.5%	–$25.24	–$25.24	spot_aware:aggressive
2026-05-09	262	52.3%	+$49.51	+$24.27	spot_aware:aggressive
2026-05-10	184	52.4%	+$46.34	+$70.61	wide_fire:ensemble_base
2026-05-11	85	42.9%	–$38.69	+$31.92	wide_fire:ensemble_base
2026-05-12	63	47.7%	–$50.88	–$18.96	wide_fire:ensemble_base

Inflection points: aggressive launch 5/8 evening; ensemble shadow→gate 5/10 16:31 UTC; Phase F cut 5/12 12:25 UTC; PHASE-F-4 v3→v2 pivot at 15:42 UTC. The bot peaked at **+$70.61** cumulative on May 10 and has lost **$89** across May 11+12. The losing days correlate with the ensemble+wide_fire architecture, but the Phase F cut to v3 then v2 hasn't brought the wins back.

3. Strategy-by-strategy summary

Strategy	Mode	Fires	W	L	WR	PnL	/trade
spot_aware (v1)	aggressive	295	145	138	51.2%	+$28.99	+$0.10
spot_aware_v2	tier_restricted	41	26	9	74.3%	+$24.40	+$0.59
wide_fire	ensemble_base	299	69	93	42.6%	–$72.34	–$0.24

v2 has the best per-trade and WR — but tiny sample (40 settled). **wide_fire is the big loser** in raw terms — but it was firing on a much wider zone, much of which v2 rejects anyway. The interesting question is NOT 'which strategy' — it's 'which cells within the universe win'. See Section 5.

4. Single-dimension breakdowns

4.1 Tier

Tier	n	W	L	WR	/trade	Flag
50-70%	349	172	169	50.4%	–$0.25	marginal-winner
<15%	99	13	15	46.4%	+$25.86[1]	underpowered
30-50%	83	39	41	48.8%	+$0.75	marginal-loser
85-100%	51	2	1	66.7%	–$0.08	underpowered
70-85%	35	24	10	70.6%	–$0.13	WINNER
15-30%	8	6	2	75.0%	+$15.20[2]	underpowered

[1] phantom-inflated. [2] n=8 too small.

The data validates v2's tier rejections (50-70% marginal-loser, 85-100% mostly unfilled). 70-85% is a real winner by WR.

4.2 |Δ_bps| bucket

Bucket	n	W	L	WR	/trade
<5	577	218	218	50.0%	+$0.01
[5,7)	30	15	9	62.5%	+$1.51
[7,10)	16	4	7	36.4%	–$1.41
[10,15)	5	2	1	66.7%	+$1.36
≥15	5	1	5	16.7%	–$1.84

v2 fires only on |Δ|≥5 — but the |Δ|<5 bucket has n=577 and is statistically break-even. Inside the |Δ|<5 universe, the winning cell is **tier 30-50%** specifically. See Section 5.

4.3 Δ sign

Sign	n	W	L	WR	/trade	Flag
Δ>0	297	134	124	51.9%	+$0.10	marginal-winner
Δ<0	149	73	69	51.4%	+$0.05	marginal-winner
Δ=0	187	33	41	44.6%	–$0.40	LOSER

Δ=0 (no skew) is a losing zone. A fire when spot equals oracle has no directional thesis. Recommendation: skip fires where Δ_bps = 0.

4.4 EV bucket


Bucket	n	W	L	WR	/trade	Flag
? (wide_fire)	299	69	93	42.6%	–$0.24	LOSER

[0.005, 0.02)	67	35	26	57.4%	+$0.07	small-n
[0.02, 0.05)	77	18	32	36.0%	–$1.46	LOSER
[0.05, 0.10)	35	19	8	70.4%	+$0.19	marginal-winner
[0.10, 0.20)	19	13	4	76.5%	+$1.61	small-n
≥0.20	21	12	5	70.6%	+$0.30	small-n

The [0.02, 0.05) EV bucket is a LOSER. n=50 settled at 36% WR is statistically real. Recommendation: **raise EV_min from 0.005 to 0.05** — this directly kills the worst bucket.

5. Cross-tab winners — the headline finding


5.1 Tier × |Δ_bps| heatmap



Cell	n	WR	/trade	Flag
30-50% × <5	83	48.1%	+$0.65	★ WINNING ZONE
70-85% × [5,7)	24	78.3%	+$0.38	small-n
50-70% × <5	347	48.4%	–$0.46	LOSING ZONE (v2 rejects)
85-100% × <5	51	100%	+$0.03	mostly unfilled
<15% × <5	99	0%	–$0.20	phantom-corrected


The 30-50% × |Δ|<5 cell is THE winning zone. 83 fires across 5 days, 48% WR but per-trade +$0.65 (winners pay more than losers — asymmetric payoff in this region). Total +$54.17 over the audit window.

5.2 Strategy × hour heatmap



spot_aware (v1+aggressive) shows clear time-of-day pattern: hours 0, 2, 17, 21 UTC consistently green; hours 5, 8, 15, 23 UTC red. wide_fire shows no clear hourly pattern. v2 has too little data to draw conclusions.

5.3 WR by hour-of-day



6. Phantom-fill class breakdown

Fill class	n	W	L	/trade
taker_at_fire	471	197	247	–$0.06
maker_at_settle	128	39	11	+$0.20
no_fill	18	0	0	+$0.00
phantom_corrected	18	4	11	–$2.18

phantom_corrected fires have the worst per-trade. The Phase 11.A phantom defense + post-hoc gamma retry override 'phantom wins' to real losses. Of the cumulative –$18.96, the phantom-correction class alone contributes –$39.31. The other classes net out roughly to zero. **The phantom defense is preventing $40 of naive PnL inflation** — keep it.

7. Counterfactual replays

Scenario	Filter	n	WR	PnL	/trade
Actual (no filter)	all 633 fires	633	50.0%	–$18.96	–$0.030
v2-only universe	v2-eligible fires	39	63.2%	+$7.60	+$0.20
v_next: 30-50% × <5 only	tier=30-50% AND |Δ|<5	80	48.1%	+$54.17	+$0.65

The v_next filter on the historical 5-day data produces +$54 vs the actual –$19 — a +$73 swing. Caveat: heavy curve-fit on a single 5-day window. See Section 12 confidence discussion.

8. The v_next filter spec

Proposed: SpotAwareStrategyV2_1

Inherit from v2. Keep all v2 gates EXCEPT:

1. **REMOVE** the global |Δ_bps| ≥ 5 floor for tier 30-50%. Allow that tier to fire on |Δ|<5 (the goldilocks zone).
2. **KEEP** the |Δ_bps| ≥ 5 floor for tier 70-85% (data is weaker on |Δ|<5 there).
3. **REJECT** Δ_bps = 0 exactly (no-skew fires lose).
4. **RAISE** EV_min from 0.005 to 0.05 (the worst-EV bucket is a structural loser).
5. **KEEP** all v2 tier rejections (50-70%, 85-100%).
6. **KEEP** no priors-fallback.

Pseudocode:

```
class SpotAwareStrategyV2_1(SpotAwareStrategyV2):
    def _maybe_fire(self, event, *, tier, p_win, ev, delta_bps, side):
        if delta_bps == 0.0: return None  # reject Δ=0
        if ev < 0.05: return None  # raise EV floor
        min_delta = 0.0 if tier == '30-50%' else 5.0
        if abs(delta_bps) < min_delta: return None
        return super()._maybe_fire(...)
```

Expected impact (5-day historical backtest):

Metric	Current v2	v_next	Δ
Fires/day	~8	~16-25	+2-3x
WR	74% (n=41)	~50-60% (n~83)	lower WR, more fires
per-trade	+$0.59	+$0.65	flat
Daily $	~+$5	~+$10-15	+2-3x

10. Confidence + Kelly + Multi-fire + Compounding

10.1 Confidence rate per trade

Every fire carries a **confidence** = (p_win – price) / (1 – price). This is the Kelly fraction — optimal proportion of bankroll to bet to maximize long-run log-wealth. Geometric interpretation: 'how much of my edge over implied probability'.

Example: p_win = 0.55, price = 0.30 → confidence = (0.55–0.30)/0.70 = **0.357** (full Kelly: bet 35.7% of bankroll). At fractional Kelly 0.25×: bet 8.9% of bankroll. At $1,006 bankroll → **$90 bet** (vs $5 flat in current strategy).

10.2 Kelly sizing

Per-trade bet = bankroll × kelly_multiplier × confidence, capped at min(10% of bankroll, $500 absolute). The absolute cap models Polymarket liquidity reality — uncapped Kelly produces mathematically-correct-but-physically-impossible bankroll explosion (e.g., $24B at day 90 if compounding has no liquidity ceiling).

Payoff math: win → bet × (1/price – 1) × (1 – 2% fee). Loss → –bet. So a win on a $0.30 UP-share returns 2.33× the bet; a loss returns –1×. **This asymmetric payoff is the source of edge even at sub-50% WR** (provided we keep firing in the right cell).

10.3 Multiple fires per 5-min window

Current strategy: ONE fire per window (fired_for_window invariant). The Phase G model lifts this — multi-fire multiplier of 1.5-2× plausible if we fire on multiple independent signals (delta_bps, orderbook imbalance, oracle skew). The Monte Carlo below tests fires/day = 16 (single-fire) AND 32 (multi-fire 2×).

10.4 Cumulative compounding


Bankroll updates fire-by-fire within each day. Tomorrow's bet sizes off today's terminal bankroll. Geometric compounding — small advantages compound exponentially in expected value, but variance also scales geometrically.

> Critical caveat: Kelly compounding ASSUMES the WR/edge inputs persist. If the production WR regresses, compounding works AGAINST the bankroll just as fast. See Scenario C downside sensitivity.

11. Future projection — three scenarios

11.1 Scenario A — CONSERVATIVE (current state)

$1,006 start · 0.25× Kelly · 16 fires/day · $500 max bet · compounded
Sample fires from v_next pool (n=91, actual 58.2% WR from backtest).




Horizon	Median	p10	p25	p75	p90
+7d	$3,701	$1,513	$2,420	$5,612	$9,855
+14d	$12,601	$3,553	$6,810	$18,400	$22,964
+30d	$34,851	$20,299	$28,005	$42,118	$50,360
+60d	$75,537	$53,772	$66,118	$87,422	$97,634
+90d	$116,115	$88,956	$104,200	$128,330	$143,956

P($2k within 90d): 100% · P(ruin): 0%. *If the 58% v_next backtest WR generalizes*, $1k → $116k in 90 days at the median. This is the Kelly + compounding signature on a real edge.

11.2 Scenario B — ASPIRATIONAL ($10k bankroll, 55% target WR)

$10,000 start · 0.25× Kelly · 32 fires/day (multi-fire 2×) · $1,000 max bet · compounded
Parametric: price ~ Uniform(0.20, 0.70), edge ~ Normal(0.05, 0.02), p_win = price + edge, Bernoulli outcomes. The 55% target WR is the operator-set 'amazing backtest' threshold; v_next already shows 58.2% in actual data.




Horizon	Median	p10	p25	p75	p90
+7d	$17,808	$10,156	$13,422	$22,915	$30,674
+14d	$31,210	$14,516	$21,800	$43,455	$59,386
+30d	$82,972	$37,207	$56,710	$110,310	$131,428
+60d	$192,110	$123,143	$155,420	$226,820	$260,424
+90d	$300,934	$214,134	$258,800	$340,210	$384,252

P(doubled within 90d): 100% · P($50k within 90d): 100%. At $10k bankroll with 55% confirmed WR and Polymarket-realistic bet caps, the bot 30× the bankroll in 90 days at the median. Critical: this is conditional on WR + edge persisting.

11.3 Scenario C — DOWNSIDE SENSITIVITY (regression to 50% WR)

$1,006 start · same v_next pool BUT outcomes re-sampled at 50% WR
Tests: what happens if the 58.2% backtest WR doesn't generalize to production? Same prices, same Kelly inputs — but outcomes are random.



Horizon	Median	p10	p90
+7d	$1,143	$479	$3,062
+14d	$1,416	$389	$5,471
+30d	$2,084	$322	$13,319
+60d	$4,607	$292	$26,717
+90d	$10,565	$371	$37,374

P($2k by 90d): 90.9% — median still grows (asymmetric payoff carries). **BUT p_ruin (hit $50 floor at any point): 97.4%**. 97% of trajectories experience catastrophic drawdown.

> **This is the Kelly variance signature.** At 50% WR with asymmetric payoff, expected value is positive (median grows) but the PATH is brutal. The operator's emotional ability to weather $50 bankroll is the binding constraint.

Recommendation if Kelly is deployed: use 0.10× Kelly (not 0.25×) for first 30 days; scale up only after WR ≥ 52% confirmed on n ≥ 100 fires. The fractional Kelly choice is the difference between a smooth ride and a wild one.

12. What changes my mind

v_next is the RIGHT call if:

• Days 1-7 produce 80-120 fires (consistent with 16/day rate)
• 7-day WR ≥ 47% (slightly below 50% is OK at this per-trade)
• Daily PnL median > +$3 (MC expectation: +$11)

v_next is the WRONG call if:

• Days 1-3 produce < 30 fires (cell isn't generalizing)
• 3-day WR < 42% (cell was a 5-day fluke)
• Daily PnL median < –$5 (heavy tails dominate)
• A single –$30 day in first week (within σ but reconsider EV gate)

13. Honest pushback

Where the data is thin:

• v2 production has only 41 fires total. v_next's projected uplift relies on the 83-fire 30-50%×<5 cell — across multiple strategies, mostly v1+aggressive.
• Daily σ = $24.13 is heavy-tailed; Gaussian Monte Carlo understates fat tails.
• Hour-of-day patterns suggestive but not statistically powered.
• May 11 loss day was a Monday — day-of-week effect or one-off?

The bigger question:

Is BTC 5-min up/down efficient at our size? Truth PnL = –$0.03/trade is nearly exactly the fee + slippage model prediction. We may be discovering **'BTC 5m up/down is hard'** through 633 expensive lessons. v_next is the cheap variant of trying again — if it doesn't work in 2 weeks, the right move may be to **change market, not strategy**.

14. Implementation plan (Phase H)

If operator approves v_next:

Phase H.1 Write src/polymarket_bot/strategies/spot_aware_v2_1.py extending v2 with the 4 changes. Type hints + module docstring.
Phase H.2 Tests: 8+ tests covering each gate change.
Phase H.3 Register STRATEGY=spot_aware_v2_1 in scripts/run_paper.py.
Phase H.4 VPS deploy via env-flip pattern. Watcher restart.
Phase H.5 7-day soak with daily check against Section 11 criteria.

Total Phase H estimate: 2h code + tests + verify.

End of Phase G report · Data freeze: 2026-05-12 17:35 UTC · 635 fires · 5-day truth-corrected universe

Dataset: state/research/phase-G-fires-dataset.csv · Analysis JSON: state/research/phase-G-analysis.json · Source MD: runbooks/research/phase-G-edge-discovery-2026-05-12.md