### **Curl Outputs:**

}

### **POST for Menu:**

```
curl --header "Content-Type:application/json" \
     --request POST \
     --data '{
        "menu id": "123",
        "store_name": "Pizza Hut",
        "selection": [
          "Cheese",
          "Pepperoni"
        "size": [
          "Slide", "Small", "Medium", "Large", "X-Large"
        "price": [
          "3.50", "7.00", "10.00", "15.00", "20.00"
        "store hours": {
          "Mon": "10am-10pm",
          "Tue": "10am-10pm",
          "Wed": "10am-10pm",
          "Thu": "10am-10pm",
          "Fri": "10am-10pm",
          "Sat": "11am-12pm",
          "Sun": "11am-12pm"
  https://3qq6hnwmif.execute-api.us-west-
2.amazonaws.com/myApp/menu
Response:
  "status": 200
```

# **DELETE for Menu:**

## **PUT for Menu:**

#### **GET for Menu:**

```
curl --header "Content-Type:application/json" \
      --request GET \
      https://3qq6hnwmif.execute-api.us-west-
2.amazonaws.com/myApp/menu/123
Response:
  "menu id": "123",
  "selection": ["Cheese", "Pepperoni", "Vegetable"], "price": ["3.50", "7.00", "10.00", "15.00", "20.00"],
  "store hours": {
    "Wed": "10am-10pm",
    "Sun": "11am-12pm",
"Fri": "10am-10pm",
    "Tue": "10am-10pm",
    "Mon": "10am-10pm",
    "Thu": "10am-10pm",
    "Sat": "11am-12pm"
  },
  "store_name": "Pizza Hut",
  "size": ["Slide", "Small", "Medium", "Large", "X-Large"]
}
```

### **POST for Order:**

## **PUT for Order:**

## **PUT for Order:**

### **GET for Order:**

```
curl --header "Content-Type:application/json" \
    --request GET \
    https://3qq6hnwmif.execute-api.us-west-2.amazonaws.com/myApp/order/1234

Response:
{
```

```
{
  "status": 200,
  "menu_id": "123",
  "customer_email": "foobar@gmail.com",
  "order_id": "1234",
  "order_status": "processing",
  "order": {
        "selection": "Pepperoni",
        "costs": "20.00",
        "order_time": "20.00",
        "size": "X-Large"
  },
  "customer_name": "John Smith"
}
```