MSSubClass: Identifies the type of dwelling involved in the sale.

- 20 1-STORY 1946 & NEWER ALL STYLES
- 30 1-STORY 1945 & OLDER
- 40 1-STORY W/FINISHED ATTIC ALL AGES
- 45 1-1/2 STORY UNFINISHED ALL AGES
- 50 1-1/2 STORY FINISHED ALL AGES
- 60 2-STORY 1946 & NEWER
- 70 2-STORY 1945 & OLDER
- 75 2-1/2 STORY ALL AGES
- 80 SPLIT OR MULTI-LEVEL
- 85 SPLIT FOYER
- 90 DUPLEX ALL STYLES AND AGES
- 120 1-STORY PUD (Planned Unit Development) 1946 & NEWER
- 150 1-1/2 STORY PUD ALL AGES
- 160 2-STORY PUD 1946 & NEWER
- 180 PUD MULTILEVEL INCL SPLIT LEV/FOYER
- 190 2 FAMILY CONVERSION ALL STYLES AND AGES

MSZoning: Identifies the general zoning classification of the sale.

- A Agriculture
- C Commercial
- FV Floating Village Residential
- I Industrial
- RH Residential High Density
- RL Residential Low Density
- RP Residential Low Density Park
- RM Residential Medium Density

LotFrontage: Linear feet of street connected to property

LotArea: Lot size in square feet

Street: Type of road access to property

Grvl Gravel Pave Paved

Alley: Type of alley access to property

Grvl Gravel Pave Paved

NA No alley access

LotShape: General shape of property

Reg Regular

IR1 Slightly irregular
IR2 Moderately Irregular

IR3 Irregular

LandContour: Flatness of the property

Lvl Near Flat/Level
Bnk Banked - Quick and significant rise from street grade to bu

ilding

Hillside - Significant slope from side to side HLS

Low Depression

Utilities: Type of utilities available

AllPub All public Utilities (E,G,W,&S)

NoSewr Electricity, Gas, and Water (Septic Tank)

NoSeWa Electricity and Gas Only

ELO Electricity only

LotConfig: Lot configuration

Inside Inside lot Corner Corner lot CulDSac Cul-de-sac

FR2 Frontage on 2 sides of property FR3 Frontage on 3 sides of property

LandSlope: Slope of property

Gtl Gentle slope Mod Moderate Slope Severe Slope Sev

Neighborhood: Physical locations within Ames city limits

Blmngtn Bloomington Heights

Blueste Bluestem BrDale Briardale BrkSide Brookside ClearCr Clear Creek CollgCr College Creek

Crawfor Crawford Edwards Edwards Gilbert Gilbert

IDOTRR Iowa DOT and Rail Road

Meadow Village

Mitchel Mitchell Names North Ames NoRidge Northridge NPkVill Northpark Villa NridgHt Northridge Heights NWAmes Northwest Ames

OldTown Old Town

SWISU South & West of Iowa State University

Sawyer Sawyer SawyerW Sawyer West Somerst Somerset StoneBr Stone Brook Timber Timberland Veenker Veenker

Condition1: Proximity to various conditions Artery Adjacent to arterial street Feedr Adjacent to feeder street Norm Normal Within 200' of North-South Railroad RRNn RRAn Adjacent to North-South Railroad PosN Near positive off-site feature--park, greenbelt, etc. PosA Adjacent to postive off-site feature RRNe Within 200' of East-West Railroad RRAe Adjacent to East-West Railroad Condition2: Proximity to various conditions (if more than one is present) Artery Adjacent to arterial street Feedr Adjacent to feeder street Norm Normal Within 200' of North-South Railroad RRNn RRAn Adjacent to North-South Railroad PosN Near positive off-site feature--park, greenbelt, etc. PosA Adjacent to postive off-site feature RRNe Within 200' of East-West Railroad RRAe Adjacent to East-West Railroad Single-family Detached 1Fam

BldgType: Type of dwelling

2FmCon Two-family Conversion; originally built as one-family dwell ing Duplx Duplex TwnhsE Townhouse End Unit TwnhsI Townhouse Inside Unit

HouseStyle: Style of dwelling

1Story One story 1.5Fin One and one-half story: 2nd level finished 1.5Unf One and one-half story: 2nd level unfinished 2Story Two story 2.5Fin Two and one-half story: 2nd level finished 2.5Unf Two and one-half story: 2nd level unfinished SFoyer Split Foyer Split Level SLvl

OverallQual: Rates the overall material and finish of the house

Very Excellent 10 9 Excellent 8 Very Good 7 Good Above Average 6 5 Average Below Average

```
3 Fair
```

- 2 Poor
- 1 Very Poor

OverallCond: Rates the overall condition of the house

- 10 Very Excellent
- 9 Excellent
- 8 Very Good
- 7 Good
- 6 Above Average
- 5 Average
- 4 Below Average
- 3 Fair
- 2 Poor
- 1 Very Poor

YearBuilt: Original construction date

YearRemodAdd: Remodel date (same as construction date if no remodeling or

additions)

RoofStyle: Type of roof

Flat Flat

Gable Gable

Gambrel Gabrel (Barn)

Hip Hip Mansard Mansard

Shed Shed

RoofMatl: Roof material

ClyTile Clay or Tile

CompShg Standard (Composite) Shingle

Membran Membrane

Metal Metal

Roll Roll

Tar&Grv Gravel & Tar

WdShake Wood Shakes

WdShngl Wood Shingles

Exterior1st: Exterior covering on house

AsbShng Asbestos Shingles

AsphShn Asphalt Shingles

BrkComm Brick Common

BrkFace Brick Face

CBlock Cinder Block

CemntBd Cement Board

HdBoard Hard Board

ImStucc Imitation Stucco

MetalSd Metal Siding

Other Other

Plywood Plywood
PreCast PreCast
Stone Stone
Stucco Stucco
VinylSd Vinyl Siding
Wd Sdng Wood Siding
WdShing Wood Shingles

Exterior2nd: Exterior covering on house (if more than one material)

AsbShng Asbestos Shingles AsphShn Asphalt Shingles BrkComm Brick Common BrkFace Brick Face CBlock Cinder Block CemntBd Cement Board HdBoard Hard Board ImStucc Imitation Stucco MetalSd Metal Siding Other Other Plywood Plywood PreCast PreCast Stone Stone Stucco Stucco VinylSd Vinyl Siding Wd Sdng Wood Siding WdShing Wood Shingles

MasVnrType: Masonry veneer type

BrkCmn Brick Common BrkFace Brick Face CBlock Cinder Block

None None Stone Stone

MasVnrArea: Masonry veneer area in square feet

ExterQual: Evaluates the quality of the material on the exterior

Ex Excellent

Gd Good

TA Average/Typical

Fa Fair Po Poor

ExterCond: Evaluates the present condition of the material on the exterior

Ex Excellent

Gd Good

TA Average/Typical

Fa Fair Po Poor

```
Foundation: Type of foundation
       BrkTil Brick & Tile
       CBlock Cinder Block
       PConc Poured Contrete
       Slab
              Slab
       Stone Stone
       Wood Wood
BsmtQual: Evaluates the height of the basement
       Εx
              Excellent (100+ inches)
              Good (90-99 inches)
       Gd
       ΤA
              Typical (80-89 inches)
              Fair (70-79 \text{ inches})
       Fa
       Ро
              Poor (<70 inches
              No Basement
      NA
BsmtCond: Evaluates the general condition of the basement
              Excellent
       Εx
       Gd
              Good
       TA
              Typical - slight dampness allowed
              Fair - dampness or some cracking or settling
       Fa
              Poor - Severe cracking, settling, or wetness
       Ро
       NA
              No Basement
BsmtExposure: Refers to walkout or garden level walls
       Gd
              Good Exposure
      Αv
              Average Exposure (split levels or foyers typically score av
erage or above)
             Mimimum Exposure
      Mn
      No
              No Exposure
      NA
             No Basement
BsmtFinType1: Rating of basement finished area
              Good Living Quarters
       GLQ
             Average Living Quarters
       ALQ
       BLQ
             Below Average Living Quarters
       Rec
             Average Rec Room
      LwQ
             Low Quality
              Unfinshed
       Unf
              No Basement
      NA
BsmtFinSF1: Type 1 finished square feet
BsmtFinType2: Rating of basement finished area (if multiple types)
              Good Living Quarters
       GLQ
       ALQ
              Average Living Quarters
       BLQ
              Below Average Living Quarters
       Rec
              Average Rec Room
```

LwQ Low Quality Unf Unfinshed NA No Basement

BsmtFinSF2: Type 2 finished square feet

BsmtUnfSF: Unfinished square feet of basement area

TotalBsmtSF: Total square feet of basement area

Heating: Type of heating

Floor Floor Furnace

GasA Gas forced warm air furnace GasW Gas hot water or steam heat

Grav Gravity furnace

OthW Hot water or steam heat other than gas

Wall Wall furnace

HeatingQC: Heating quality and condition

Ex Excellent

Gd Good

TA Average/Typical

Fa Fair Po Poor

CentralAir: Central air conditioning

N No Y Yes

Electrical: Electrical system

SBrkr Standard Circuit Breakers & Romex

FuseA Fuse Box over 60 AMP and all Romex wiring (Average)

FuseF 60 AMP Fuse Box and mostly Romex wiring (Fair)

FuseP 60 AMP Fuse Box and mostly knob & tube wiring (poor)

Mix Mixed

1stFlrSF: First Floor square feet

2ndFlrSF: Second floor square feet

LowQualFinSF: Low quality finished square feet (all floors)

GrLivArea: Above grade (ground) living area square feet

BsmtFullBath: Basement full bathrooms

BsmtHalfBath: Basement half bathrooms

FullBath: Full bathrooms above grade

HalfBath: Half baths above grade

Bedroom: Bedrooms above grade (does NOT include basement bedrooms)

Kitchen: Kitchens above grade

KitchenQual: Kitchen quality

Ex Excellent

Gd Good

TA Typical/Average

Fa Fair Po Poor

TotRmsAbvGrd: Total rooms above grade (does not include bathrooms)

Functional: Home functionality (Assume typical unless deductions are warranted)

Typ Typical Functionality
Min1 Minor Deductions 1
Min2 Minor Deductions 2
Mod Moderate Deductions
Maj1 Major Deductions 1
Maj2 Major Deductions 2
Sev Severely Damaged
Sal Salvage only

Fireplaces: Number of fireplaces

FireplaceQu: Fireplace quality

Ex Excellent - Exceptional Masonry Fireplace Gd Good - Masonry Fireplace in main level

TA Average - Prefabricated Fireplace in main living area or Ma sonry Fireplace in basement

Fa Fair - Prefabricated Fireplace in basement

Po Poor - Ben Franklin Stove

NA No Fireplace

GarageType: Garage location

2Types More than one type of garage

Attchd Attached to home Basment Basement Garage

BuiltIn Built-In (Garage part of house - typically has room above g arage)

CarPort Car Port

Detchd Detached from home

NA No Garage

GarageYrBlt: Year garage was built

GarageFinish: Interior finish of the garage

Fin Finished

RFn Rough Finished Unf Unfinished

NA No Garage

GarageCars: Size of garage in car capacity

GarageArea: Size of garage in square feet

GarageQual: Garage quality

Ex Excellent

Gd Good

TA Typical/Average

Fa Fair Po Poor

NA No Garage

GarageCond: Garage condition

Ex Excellent

Gd Good

TA Typical/Average

Fa Fair Po Poor

NA No Garage

PavedDrive: Paved driveway

Y Paved

P Partial Pavement

N Dirt/Gravel

WoodDeckSF: Wood deck area in square feet

OpenPorchSF: Open porch area in square feet

EnclosedPorch: Enclosed porch area in square feet

3SsnPorch: Three season porch area in square feet

ScreenPorch: Screen porch area in square feet

PoolArea: Pool area in square feet

PoolQC: Pool quality

Ex Excellent

Gd Good

TA Average/Typical

Fa Fair NA No Pool Fence: Fence quality

GdPrv Good Privacy MnPrv Minimum Privacy

GdWo Good Wood

MnWw Minimum Wood/Wire

NA No Fence

MiscFeature: Miscellaneous feature not covered in other categories

Elev Elevator

Gar2 2nd Garage (if not described in garage section)

Othr Other

Shed Shed (over 100 SF)

TenC Tennis Court

NA None

MiscVal: \$Value of miscellaneous feature

MoSold: Month Sold (MM)

YrSold: Year Sold (YYYY)

SaleType: Type of sale

WD Warranty Deed - Conventional

CWD Warranty Deed - Cash VWD Warranty Deed - VA Loan

New Home just constructed and sold

COD Court Officer Deed/Estate

Con Contract 15% Down payment regular terms
ConLw Contract Low Down payment and low interest

ConLI Contract Low Interest ConLD Contract Low Down

Oth Other

SaleCondition: Condition of sale

Normal Normal Sale

Abnorml Abnormal Sale - trade, foreclosure, short sale

AdjLand Adjoining Land Purchase

Alloca Allocation - two linked properties with separate deeds, typ ically condo with a garage unit

Family Sale between family members

Partial Home was not completed when last assessed (associated with New Homes)