

COMP110: Principles of Computing

11: Session title here



Learning outcomes

- ► Outcome 1
- ► Outcome 2
- ► Outcome 3







► Primary school maths!

- Primary school maths!
- Dividing one whole number by another gives a quotient and a remainder

- Primary school maths!
- Dividing one whole number by another gives a quotient and a remainder
- ► E.g. dividing 20 by 3 gives quotient 6, remainder 2

- Primary school maths!
- Dividing one whole number by another gives a quotient and a remainder
- ► E.g. dividing 20 by 3 gives quotient 6, remainder 2
- ▶ This is because $20 = 6 \times 3 + 2$

► Two numbers a and b are congruent modulo n if dividing by n leaves the same remainder

- ► Two numbers a and b are congruent modulo n if dividing by n leaves the same remainder
- ▶ We write

 $a \equiv b \mod n$

- ► Two numbers a and b are congruent modulo n if dividing by n leaves the same remainder
- ▶ We write

$$a \equiv b \mod n$$

► E.g. 20 ÷ 3 leaves a remainder of 2, and so does 14 ÷ 3, so

$$20 \equiv 14 \mod 3$$

- ► Two numbers a and b are congruent modulo n if dividing by n leaves the same remainder
- ▶ We write

$$a \equiv b \mod n$$

► E.g. 20 ÷ 3 leaves a remainder of 2, and so does 14 ÷ 3, so

$$20 \equiv 14 \mod 3$$

► E.g. 20 ÷ 5 leaves a remainder of 0, but 14 ÷ 5 leaves a remainder of 4, so

$$20 \not\equiv 14 \mod 5$$





Representing numbers

$$10^6=1\underbrace{000000}_{6\text{ zeroes}}$$

$$10^6 = 1 \underbrace{000000}_{6 \text{ zeroes}}$$
 $10^1 = 10$

$$10^6 = 1 \underbrace{000000}_{6 \text{ zeroes}}$$

$$10^1 = 10$$

$$10^0 = 1$$

$$10^6 = 1 \underbrace{000000}_{6 \text{ zeroes}}$$

$$10^1 = 10$$

$$10^0 = 1$$

$$10^{-1} = 0.1$$

$$10^{6} = 1 \underbrace{000000}_{6 \text{ zeroes}}$$

$$10^{1} = 10$$

$$10^{0} = 1$$

$$10^{-1} = 0.1$$

$$10^{-6} = 0. \underbrace{00000}_{5 \text{ zeroes}} 1$$

A way of writing very large and very small numbers

- A way of writing very large and very small numbers
- $a \times 10^b$, where

- A way of writing very large and very small numbers
- $a \times 10^b$, where
 - a (1 \leq |a| < 10) is the mantissa

- A way of writing very large and very small numbers
- $\triangleright a \times 10^b$, where
 - a (1 \leq |a| < 10) is the mantissa
 - (a is a positive or negative number with a single non-zero digit before the decimal point)

- A way of writing very large and very small numbers
- $\triangleright a \times 10^b$, where
 - a (1 \leq |a| < 10) is the mantissa
 - (a is a positive or negative number with a single non-zero digit before the decimal point)
 - ▶ b (an integer) is the **exponent**

- A way of writing very large and very small numbers
- $a \times 10^b$, where
 - a (1 \leq |a| < 10) is the mantissa
 - (a is a positive or negative number with a single non-zero digit before the decimal point)
 - b (an integer) is the exponent
- ► E.g. 1 light year = 9.461×10^{15} metres

- A way of writing very large and very small numbers
- $a \times 10^b$, where
 - a (1 \leq |a| < 10) is the mantissa
 - (a is a positive or negative number with a single non-zero digit before the decimal point)
 - b (an integer) is the exponent
- ► E.g. 1 light year = 9.461×10^{15} metres
- ► E.g. Planck's constant = 6.626×10^{-34} joules

- A way of writing very large and very small numbers
- $\rightarrow a \times 10^b$, where
 - a (1 \leq |a| < 10) is the mantissa
 - (a is a positive or negative number with a single non-zero digit before the decimal point)
 - b (an integer) is the exponent
- ► E.g. 1 light year = 9.461×10^{15} metres
- ► E.g. Planck's constant = 6.626×10^{-34} joules
- ► Socrative FALCOMPED

Instead of writing $\times 10$, write e

Instead of writing $\times 10$, write e

```
double lightYear = 9.461e15;
double plancksConstant = 6.626e-34;
```

Instead of writing \times 10, write $_{\rm e}$

```
double lightYear = 9.461e15;
double plancksConstant = 6.626e-34;
```

This also works in Python and many other programming languages