

COMP110: Principles of Computing 1: Computing Foundations

Learning outcomes

By the end of today's session, you will be able to:

- ▶ **Recall** the historical context of computing and gaming technology
- ▶ **Explain** the basic architecture of a computer
- ▶ **Distinguish** the most common programming languages and paradigms in use today

Today's agenda

- ▶ COMP110 course outline
- ▶ History of computing
- ▶ Computer architecture
- ▶ Programming languages and paradigms

Course introduction



From the module guide

This module is designed to introduce you to the basic principles of computing and programming in the context of digital games. It is designed to complement the other modules through providing a broad foundation on the different methods and techniques which will help you to be able to construct computer programs and able to use relevant scholarly sources. You will gain an understanding of software development and the various roles, pipelines, and terminology used within game development.

Topic schedule

On LearningSpace...

Timetable

<http://mytimetable.falmouth.ac.uk>

- ▶ Odd numbered weeks:
Monday **13:30**
P/PL/Seminar 08 (here)
- ▶ Even numbered weeks:
Monday **09:00**
P/PL/Games Teaching Space

Worksheet A

- ▶ SpaceChem!
- ▶ Due in class on **Monday 26th September** (next week)

Reading

C. Horsman, S. Stepney, R.C. Wagner and V. Kendon, 2014.
When does a physical system compute? *Proceedings of
the Royal Society A*, 470:20140182.

Available online:

[http://rspa.royalsocietypublishing.org/
content/royprsa/470/2169/20140182.full.pdf](http://rspa.royalsocietypublishing.org/content/royprsa/470/2169/20140182.full.pdf)

What was the first computer?




Antikythera Mechanism (~150 BC)

First mechanical computer?




Jacquard Loom (1804)

Programmable loom using punch cards




Babbage's Difference and Analytical Engines (1837)

First mechanical computer in modern age




Colossus (1943)

First programmable electronic computer




ENIAC (1946)

First general-purpose computer




Manchester Small-Scale Experimental Machine (1948)

First stored program computer




EDSAC (1949)

Many firsts in mathematics and science



PDP-1 (1959)

Influenced “hacker culture”



Datapoint 2200 (1970)

First microcomputer



Commodore VIC 20 (1980)

First computer to sell 1 million units



Precursor to the modern PC

What was the first computer game?



Cathode Ray Tube Amusement Device (1948)

First interactive electronic game



Chess AI on the Ferranti Mark I (1951)

First chess program




Bertie the Brain (1950)

First computer game with a visual display



OXO (1951)

First game with visuals on a general-purpose computer



Tennis for Two (1959)

First to be created purely for entertainment



SpaceWar! (1962)

First widely available game, inspired first arcade games



Pong (1972)

First commercially successful game



What was the first games console?



The Brown Box (1967)

First prototype console



Magnavox Odyssey (1972)

First commercial console



Game console timeline

[http://www.onlineeducation.net/videogame_
timeline/video-game-timeline.jpg](http://www.onlineeducation.net/videogame_timeline/video-game-timeline.jpg)
(A little out of date!)


Basic computer architecture




What is a computer?

- ▶ In **groups of 2-3**
- ▶ Discuss for **10 minutes**
- ▶ Go to `www.socrative.com` (or open the Socrative app) and enter room code `FALCOMPED`
- ▶ **Individually**, suggest a **one sentence** definition for a computer

The Von Neumann model



Modern PC architecture



Central processing unit (CPU)

Central processing unit (CPU)

Carries out

Central processing unit (CPU)

Carries out

- ▶ Arithmetic operations

Central processing unit (CPU)

Carries out

- ▶ Arithmetic operations
- ▶ Logic operations

Central processing unit (CPU)

Carries out

- ▶ Arithmetic operations
- ▶ Logic operations
- ▶ Control operations

Storage

Storage

- ▶ Primary storage

Storage

- ▶ Primary storage
 - ▶ Directly accessible by the CPU

Storage

- ▶ Primary storage
 - ▶ Directly accessible by the CPU
 - ▶ Random access memory (RAM)

Storage

- ▶ Primary storage
 - ▶ Directly accessible by the CPU
 - ▶ Random access memory (RAM)
 - ▶ Volatile — loses its contents when switched off

Storage

- ▶ Primary storage
 - ▶ Directly accessible by the CPU
 - ▶ Random access memory (RAM)
 - ▶ Volatile — loses its contents when switched off
- ▶ Secondary storage

Storage

- ▶ Primary storage
 - ▶ Directly accessible by the CPU
 - ▶ Random access memory (RAM)
 - ▶ Volatile — loses its contents when switched off
- ▶ Secondary storage
 - ▶ E.g. hard disk, SSD, USB flash drive, DVD

Storage

- ▶ Primary storage
 - ▶ Directly accessible by the CPU
 - ▶ Random access memory (RAM)
 - ▶ Volatile — loses its contents when switched off
- ▶ Secondary storage
 - ▶ E.g. hard disk, SSD, USB flash drive, DVD
 - ▶ Non-volatile — keeps its contents when switched off

Graphics processing unit (GPU)

Graphics processing unit (GPU)

- ▶ Responsible for displaying images on screen

Graphics processing unit (GPU)

- ▶ Responsible for displaying images on screen
- ▶ Traditionally, one of many input/output devices

Graphics processing unit (GPU)

- ▶ Responsible for displaying images on screen
- ▶ Traditionally, one of many input/output devices
- ▶ Nowadays, essentially a highly specialised CPU with its own primary storage

The stored program architecture

The stored program architecture

- ▶ A **computer program** is a sequence of instructions for the CPU

The stored program architecture

- ▶ A **computer program** is a sequence of instructions for the CPU
 - ▶ (Note: it's spelled "program", not "programme")

The stored program architecture

- ▶ A **computer program** is a sequence of instructions for the CPU
 - ▶ (Note: it's spelled "program", not "programme")
- ▶ The **programmable computer** — can carry out different tasks depending on what program it is given

The stored program architecture

- ▶ A **computer program** is a sequence of instructions for the CPU
 - ▶ (Note: it's spelled "program", not "programme")
- ▶ The **programmable computer** — can carry out different tasks depending on what program it is given
- ▶ Most modern computers use the **same** memory to store the program and the data it uses

Programming languages and paradigms



What is a programming language?

What is a programming language?

- ▶ A **program** is a sequence of instructions for a computer to perform a specific task

What is a programming language?

- ▶ A **program** is a sequence of instructions for a computer to perform a specific task
- ▶ A **programming language** is a formal language for communicating these sequences of instructions

Which is the best programming language?

Which is the best programming language?

- ▶ There is no “best” programming language

Which is the best programming language?

- ▶ There is no “best” programming language
- ▶ There are hundreds of programming languages, each better suited to some tasks than others

Which is the best programming language?

- ▶ There is no “best” programming language
- ▶ There are hundreds of programming languages, each better suited to some tasks than others
- ▶ Sometimes your choice is dictated by your choice of platform, framework, game engine etc.

Which is the best programming language?

- ▶ There is no “best” programming language
- ▶ There are hundreds of programming languages, each better suited to some tasks than others
- ▶ Sometimes your choice is dictated by your choice of platform, framework, game engine etc.
- ▶ To become a better programmer (and maximise your employability) you should learn several languages (but one at a time!)

Low vs high level

Low vs high level

- ▶ **Low level languages** give the programmer direct control over the hardware

Low vs high level

- ▶ **Low level languages** give the programmer direct control over the hardware
- ▶ **High level languages** give the programmer **abstraction**, hiding the details of the hardware

Low vs high level

- ▶ **Low level languages** give the programmer direct control over the hardware
- ▶ **High level languages** give the programmer **abstraction**, hiding the details of the hardware
- ▶ High level languages trade efficiency for ease of programming

Low vs high level

- ▶ **Low level languages** give the programmer direct control over the hardware
- ▶ **High level languages** give the programmer **abstraction**, hiding the details of the hardware
- ▶ High level languages trade efficiency for ease of programming
- ▶ Lower level languages were once the choice of game programmers, but advances in hardware mean that higher level languages are often a better choice

Programming paradigms

Programming paradigms

- ▶ **Imperative**: program is a simple sequence of instructions, with **goto** instructions for program flow

Programming paradigms

- ▶ **Imperative**: program is a simple sequence of instructions, with **goto** instructions for program flow
- ▶ **Structured**: like imperative, but with **control structures** (loops, conditionals etc.)

Programming paradigms

- ▶ **Imperative**: program is a simple sequence of instructions, with **goto** instructions for program flow
- ▶ **Structured**: like imperative, but with **control structures** (loops, conditionals etc.)
- ▶ **Procedural**: structured program is broken down into **procedures**

Programming paradigms

- ▶ **Imperative**: program is a simple sequence of instructions, with **goto** instructions for program flow
- ▶ **Structured**: like imperative, but with **control structures** (loops, conditionals etc.)
- ▶ **Procedural**: structured program is broken down into **procedures**
- ▶ **Object-oriented**: related procedures and data are grouped into **objects**

Programming paradigms

- ▶ **Imperative**: program is a simple sequence of instructions, with **goto** instructions for program flow
- ▶ **Structured**: like imperative, but with **control structures** (loops, conditionals etc.)
- ▶ **Procedural**: structured program is broken down into **procedures**
- ▶ **Object-oriented**: related procedures and data are grouped into **objects**
- ▶ **Functional**: procedures are treated as mathematical objects that can be passed around and manipulated

Programming paradigms

- ▶ **Imperative**: program is a simple sequence of instructions, with **goto** instructions for program flow
- ▶ **Structured**: like imperative, but with **control structures** (loops, conditionals etc.)
- ▶ **Procedural**: structured program is broken down into **procedures**
- ▶ **Object-oriented**: related procedures and data are grouped into **objects**
- ▶ **Functional**: procedures are treated as mathematical objects that can be passed around and manipulated
- ▶ **Declarative**: does not define the control flow of a program, but rather defines logical relations

Which paradigm?

Which paradigm?

- ▶ **Imperative** and **structured** languages are mainly of historical interest

Which paradigm?

- ▶ **Imperative** and **structured** languages are mainly of historical interest
- ▶ Most commonly used languages today are a mixture of **procedural** and **object-oriented** paradigms, with many also incorporating ideas from **functional** programming

Which paradigm?

- ▶ **Imperative** and **structured** languages are mainly of historical interest
- ▶ Most commonly used languages today are a mixture of **procedural** and **object-oriented** paradigms, with many also incorporating ideas from **functional** programming
- ▶ Purely **functional** languages are mainly used in academia, but favoured by some programmers

Which paradigm?

- ▶ **Imperative** and **structured** languages are mainly of historical interest
- ▶ Most commonly used languages today are a mixture of **procedural** and **object-oriented** paradigms, with many also incorporating ideas from **functional** programming
- ▶ Purely **functional** languages are mainly used in academia, but favoured by some programmers
- ▶ Purely **declarative** languages have uses in academia and some special-purpose languages

Machine code

Machine code

- ▶ Programs are represented as sequences of **numbers** specifying **machine instructions**

Machine code

- ▶ Programs are represented as sequences of **numbers** specifying **machine instructions**
- ▶ More on this later in the module

Machine code

- ▶ Programs are represented as sequences of **numbers** specifying **machine instructions**
- ▶ More on this later in the module
- ▶ Nobody has actually written programs in machine code since the 1960s...

Assembly (or assembler) language

Assembly (or assembler) language

- ▶ Each line of assembly code translates **directly** to an instruction of machine code

Assembly (or assembler) language

- ▶ Each line of assembly code translates **directly** to an instruction of machine code
- ▶ Commonly used for games in the 70s/80s/90s, but hardly ever used now

Assembly (or assembler) language

- ▶ Each line of assembly code translates **directly** to an instruction of machine code
- ▶ Commonly used for games in the 70s/80s/90s, but hardly ever used now
- ▶ Allows very fine control over the hardware...

Assembly (or assembler) language

- ▶ Each line of assembly code translates **directly** to an instruction of machine code
- ▶ Commonly used for games in the 70s/80s/90s, but hardly ever used now
- ▶ Allows very fine control over the hardware...
- ▶ ... but difficult to use as there is no **abstraction**

Assembly (or assembler) language

- ▶ Each line of assembly code translates **directly** to an instruction of machine code
- ▶ Commonly used for games in the 70s/80s/90s, but hardly ever used now
- ▶ Allows very fine control over the hardware...
- ▶ ... but difficult to use as there is no **abstraction**
- ▶ Each CPU architecture has its own assembly language, e.g. an assembly language program for Intel-compatible processors cannot be used on ARM processors

C++

C++

- ▶ Initially an object-oriented extension for the procedural language C

C++

- ▶ Initially an object-oriented extension for the procedural language C
- ▶ Low level (though higher level than assembly)

C++

- ▶ Initially an object-oriented extension for the procedural language C
- ▶ Low level (though higher level than assembly)
- ▶ Used by developers of game engines, and games using many popular “AAA” engines (Unreal, Source, CryEngine, ...)

C++

- ▶ Initially an object-oriented extension for the procedural language C
- ▶ Low level (though higher level than assembly)
- ▶ Used by developers of game engines, and games using many popular “AAA” engines (Unreal, Source, CryEngine, ...)
- ▶ Also used by developers of operating systems and embedded systems, but falling out of favour with other software developers

High level languages

High level languages

Often favoured by smaller indie teams for rapid development

High level languages

Often favoured by smaller indie teams for rapid development

- ▶ C# (XNA, Unity)

High level languages

Often favoured by smaller indie teams for rapid development

- ▶ C# (XNA, Unity)
- ▶ Python (EVE Online, Pygame, Ren'py)

High level languages

Often favoured by smaller indie teams for rapid development

- ▶ C# (XNA, Unity)
- ▶ Python (EVE Online, Pygame, Ren'py)
- ▶ JavaScript (HTML5 browser games)

High level languages

Often favoured by smaller indie teams for rapid development

- ▶ C# (XNA, Unity)
- ▶ Python (EVE Online, Pygame, Ren'py)
- ▶ JavaScript (HTML5 browser games)
- ▶ ActionScript (Flash games)

High level languages

Often favoured by smaller indie teams for rapid development

- ▶ C# (XNA, Unity)
- ▶ Python (EVE Online, Pygame, Ren'py)
- ▶ JavaScript (HTML5 browser games)
- ▶ ActionScript (Flash games)
- ▶ Objective-C, Swift (iOS games)

High level languages

Often favoured by smaller indie teams for rapid development

- ▶ C# (XNA, Unity)
- ▶ Python (EVE Online, Pygame, Ren'py)
- ▶ JavaScript (HTML5 browser games)
- ▶ ActionScript (Flash games)
- ▶ Objective-C, Swift (iOS games)
- ▶ Java (Minecraft, Android games)

High level languages

Often favoured by smaller indie teams for rapid development

- ▶ C# (XNA, Unity)
- ▶ Python (EVE Online, Pygame, Ren'py)
- ▶ JavaScript (HTML5 browser games)
- ▶ ActionScript (Flash games)
- ▶ Objective-C, Swift (iOS games)
- ▶ Java (Minecraft, Android games)

There are many others, but these are the most commonly used in game development

Scripting languages

Scripting languages

Many games use scripting languages in addition to their main development language

Scripting languages

Many games use scripting languages in addition to their main development language

- ▶ Lua (many AAA games)

Scripting languages

Many games use scripting languages in addition to their main development language

- ▶ Lua (many AAA games)
- ▶ Bespoke languages (many AAA games)

Scripting languages

Many games use scripting languages in addition to their main development language

- ▶ Lua (many AAA games)
- ▶ Bespoke languages (many AAA games)

Some game engines have their own scripting language

Scripting languages

Many games use scripting languages in addition to their main development language

- ▶ Lua (many AAA games)
- ▶ Bespoke languages (many AAA games)

Some game engines have their own scripting language

- ▶ UnrealScript, Blueprint (Unreal Engine)

Scripting languages

Many games use scripting languages in addition to their main development language

- ▶ Lua (many AAA games)
- ▶ Bespoke languages (many AAA games)

Some game engines have their own scripting language

- ▶ UnrealScript, Blueprint (Unreal Engine)
- ▶ GML (GameMaker)

Visual programming languages

Visual programming languages

Based on connecting graphical blocks rather than writing code as text

Visual programming languages

Based on connecting graphical blocks rather than writing code as text

- ▶ Scratch (used for teaching in school)

Visual programming languages

Based on connecting graphical blocks rather than writing code as text

- ▶ Scratch (used for teaching in school)
- ▶ Lego Mindstorms

Visual programming languages

Based on connecting graphical blocks rather than writing code as text

- ▶ Scratch (used for teaching in school)
- ▶ Lego Mindstorms
- ▶ Blueprint (Unreal)

Visual programming languages

Based on connecting graphical blocks rather than writing code as text

- ▶ Scratch (used for teaching in school)
- ▶ Lego Mindstorms
- ▶ Blueprint (Unreal)

Note: despite the name, Microsoft Visual Studio is **not** a visual programming environment!

Special purpose languages

Special purpose languages

- ▶ SQL (database queries)

Special purpose languages

- ▶ SQL (database queries)
- ▶ GLSL, HLSL (GPU shader programs)

Special purpose languages

- ▶ SQL (database queries)
- ▶ GLSL, HLSL (GPU shader programs)
- ▶ LEX, YACC (script interpreters)

Markup languages

Markup languages

Not to be confused with programming languages...

Markup languages

Not to be confused with programming languages...

- ▶ HTML, CSS (web pages)

Markup languages

Not to be confused with programming languages...

- ▶ HTML, CSS (web pages)
- ▶ LaTeX, Markdown (documentation)

Markup languages

Not to be confused with programming languages...

- ▶ HTML, CSS (web pages)
- ▶ LaTeX, Markdown (documentation)
- ▶ XML, JSON (data storage)

Which programming language is most popular?

`http://github.info`

“Family tree” of programming languages

<https://www.levenez.com/lang/lang.pdf>

Debrief

Debrief

You should now be able to:

- ▶ **Recall** the historical context of computing and gaming technology
- ▶ **Explain** the basic architecture of a computer
- ▶ **Distinguish** the most common programming languages and paradigms in use today

Debrief

You should now be able to:

- ▶ **Recall** the historical context of computing and gaming technology
- ▶ **Explain** the basic architecture of a computer
- ▶ **Distinguish** the most common programming languages and paradigms in use today

Remember: Worksheet A is due at **9am next Monday!**