



## COMP250: Artificial Intelligence

# 2: Designing AI behaviours

# Reminder

AI component proposal due **next week!**


# AI architectures




# Rule-based AI

Generally implemented as `if` statements or event-based triggers


# Finite state machines



# Behaviour trees



# Game tree search




# Multi-agent approaches (e.g. flocking)





# Machine learning



# AI architectures

# AI architectures

- ▶ Can roughly be divided into **hand-authored...**

# AI architectures

- ▶ Can roughly be divided into **hand-authored...**
  - ▶ Rule-based, FSM, behaviour trees

# AI architectures

- ▶ Can roughly be divided into **hand-authored...**
  - ▶ Rule-based, FSM, behaviour trees
- ▶ ... and **computational intelligence**

# AI architectures

- ▶ Can roughly be divided into **hand-authored...**
  - ▶ Rule-based, FSM, behaviour trees
- ▶ ... and **computational intelligence**
  - ▶ Search, multi-agent, machine learning

# AI architectures

- ▶ Can roughly be divided into **hand-authored...**
  - ▶ Rule-based, FSM, behaviour trees
- ▶ ... and **computational intelligence**
  - ▶ Search, multi-agent, machine learning
- ▶ Do you want to **design** the AI behaviours yourself, or do you want them to **emerge** from the system?

# AI architectures

- ▶ Can roughly be divided into **hand-authored...**
  - ▶ Rule-based, FSM, behaviour trees
- ▶ ... and **computational intelligence**
  - ▶ Search, multi-agent, machine learning
- ▶ Do you want to **design** the AI behaviours yourself, or do you want them to **emerge** from the system?
- ▶ Predictability and authorial control versus unpredictability and novelty



# Logic



# Logical operations

Python	C family	Mathematics	Behaviour tree
<code>not a</code>	<code>!a</code>	$\neg A$ or $\overline{A}$	Inverter
<code>a and b</code>	<code>a &amp;&amp; b</code>	$A \wedge B$	Sequence
<code>a or b</code>	<code>a    b</code>	$A \vee B$	Selector

# The laws of thought

# The laws of thought

- ▶ Let  $A$  be a **proposition** (a statement about the world)

# The laws of thought

- ▶ Let  $A$  be a **proposition** (a statement about the world)
- ▶  $A$  is a **boolean** value, either **true** or **false**

# The laws of thought

- ▶ Let  $A$  be a **proposition** (a statement about the world)
- ▶  $A$  is a **boolean** value, either **true** or **false**
- ▶ The law of **identity**:  $A == A$  is always true

# The laws of thought

- ▶ Let  $A$  be a **proposition** (a statement about the world)
- ▶  $A$  is a **boolean** value, either **true** or **false**
- ▶ The law of **identity**:  $A == A$  is always true
- ▶ The law of **non-contradiction**:  $A \ \&\& \ !A$  is always false

# The laws of thought

- ▶ Let  $A$  be a **proposition** (a statement about the world)
- ▶  $A$  is a **boolean** value, either **true** or **false**
- ▶ The law of **identity**:  $A == A$  is always true
- ▶ The law of **non-contradiction**:  $A \ \&\& \ !A$  is always false
  - ▶ I.e.  $A$  cannot be both true and false



# The laws of thought

- ▶ Let  $A$  be a **proposition** (a statement about the world)
- ▶  $A$  is a **boolean** value, either **true** or **false**
- ▶ The law of **identity**:  $A == A$  is always true
- ▶ The law of **non-contradiction**:  $A \ \&\& \ !A$  is always false
  - ▶ I.e.  $A$  cannot be both true and false
- ▶ The law of the **excluded middle**:  $A \ || \ !A$  is always true;

# The laws of thought

- ▶ Let  $A$  be a **proposition** (a statement about the world)
- ▶  $A$  is a **boolean** value, either **true** or **false**
- ▶ The law of **identity**:  $A == A$  is always true
- ▶ The law of **non-contradiction**:  $A \ \&\& \ !A$  is always false
  - ▶ I.e.  $A$  cannot be both true and false
- ▶ The law of the **excluded middle**:  $A \ || \ !A$  is always true;
  - ▶ I.e.  $A$  must be either true or false

# Predicates

# Predicates

- **Predicates** are propositions with **parameters**

# Predicates

- ▶ **Predicates** are propositions with **parameters**
- ▶ In programming terms, a predicate is a function that returns a boolean

# Predicates

- ▶ **Predicates** are propositions with **parameters**
- ▶ In programming terms, a predicate is a function that returns a boolean
- ▶ E.g. `LivesIn(Bob, Falmouth)` could be a predicate for “Bob lives in Falmouth”

# Quantifiers

# Quantifiers

- ▶  $P(x)$  is a predicate



# Quantifiers

- ▶  $P(x)$  is a predicate
- ▶  $\forall x : P(x)$  means that  $P(x)$  is true **for all** values of  $x$

# Quantifiers

- ▶  $P(x)$  is a predicate
- ▶  $\forall x : P(x)$  means that  $P(x)$  is true **for all** values of  $x$
- ▶  $\exists x : P(x)$  means that **there exists** at least one value of  $x$  such that  $P(x)$  is true

# Implication

# Implication

- ▶ “ $A$  implies  $B$ ” means “if  $A$  is true then  $B$  is true”

# Implication

- ▶ “ $A$  implies  $B$ ” means “if  $A$  is true then  $B$  is true”
- ▶ Written as  $A \implies B$

# Implication

- ▶ “ $A$  implies  $B$ ” means “if  $A$  is true then  $B$  is true”
- ▶ Written as  $A \implies B$
- ▶ E.g. if someone lives in Falmouth then they live in Cornwall

# Implication

- ▶ “ $A$  implies  $B$ ” means “if  $A$  is true then  $B$  is true”
- ▶ Written as  $A \implies B$
- ▶ E.g. if someone lives in Falmouth then they live in Cornwall
- ▶  $\forall x : \text{LivesIn}(x, \text{Falmouth}) \implies \text{LivesIn}(x, \text{Cornwall})$

# Contrapositive



# Contrapositive

►  $A \implies B$  is equivalent to  $\neg B \implies \neg A$

# Contrapositive

- ▶  $A \implies B$  is equivalent to  $\neg B \implies \neg A$
- ▶ E.g. if someone does not live in Cornwall then we know they don't live in Falmouth

# Contrapositive

- ▶  $A \implies B$  is equivalent to  $\neg B \implies \neg A$
- ▶ E.g. if someone does not live in Cornwall then we know they don't live in Falmouth
- ▶  $\forall x : \neg \text{LivesIn}(x, \text{Cornwall}) \implies \neg \text{LivesIn}(x, \text{Falmouth})$

# Equivalence

# Equivalence

- ▶ If  $A \implies B$  and  $B \implies A$  then  $A$  and  $B$  are **logically equivalent**

# Equivalence

- ▶ If  $A \implies B$  and  $B \implies A$  then  $A$  and  $B$  are **logically equivalent**
- ▶  $A$  is true **if and only if**  $B$  is true

# Equivalence

- ▶ If  $A \implies B$  and  $B \implies A$  then  $A$  and  $B$  are **logically equivalent**
- ▶  $A$  is true **if and only if**  $B$  is true
- ▶ Written as  $A \iff B$

# Equivalence

- ▶ If  $A \implies B$  and  $B \implies A$  then  $A$  and  $B$  are **logically equivalent**
- ▶  $A$  is true **if and only if**  $B$  is true
- ▶ Written as  $A \iff B$
- ▶ E.g. “Alice lives in a city in Cornwall” if and only if “Alice lives in Truro”



# Equivalence

- ▶ If  $A \implies B$  and  $B \implies A$  then  $A$  and  $B$  are **logically equivalent**
- ▶  $A$  is true **if and only if**  $B$  is true
- ▶ Written as  $A \iff B$
- ▶ E.g. “Alice lives in a city in Cornwall” if and only if “Alice lives in Truro”
- ▶ This relies on an extra piece of domain knowledge: Truro is the only city in Cornwall

# Equivalence

- ▶ If  $A \implies B$  and  $B \implies A$  then  $A$  and  $B$  are **logically equivalent**
- ▶  $A$  is true **if and only if**  $B$  is true
- ▶ Written as  $A \iff B$
- ▶ E.g. “Alice lives in a city in Cornwall” if and only if “Alice lives in Truro”
- ▶ This relies on an extra piece of domain knowledge: Truro is the only city in Cornwall
  - ▶  $\forall x : \text{InCornwall}(x) \wedge \text{IsCity}(x) \implies x = \text{Truro}$

# Implication is transitive

# Implication is transitive

- ▶ If  $A \implies B$  and  $B \implies C$  then  $A \implies C$

# Implication is transitive

- ▶ If  $A \implies B$  and  $B \implies C$  then  $A \implies C$
- ▶ E.g. if someone lives in Falmouth then they live in Cornwall

# Implication is transitive

- ▶ If  $A \implies B$  and  $B \implies C$  then  $A \implies C$
- ▶ E.g. if someone lives in Falmouth then they live in Cornwall
- ▶ And if someone lives in Cornwall then they live in England

# Implication is transitive

- ▶ If  $A \implies B$  and  $B \implies C$  then  $A \implies C$
- ▶ E.g. if someone lives in Falmouth then they live in Cornwall
- ▶ And if someone lives in Cornwall then they live in England
- ▶ Therefore if someone lives in Falmouth then they live in England

# Inverting quantifiers



# Inverting quantifiers

- ▶ “Everyone who lives in Cornwall likes cider”

# Inverting quantifiers

- ▶ “Everyone who lives in Cornwall likes cider”
- ▶  $\forall x : \text{LivesIn}(x, \text{Cornwall}) \implies \text{Likes}(x, \text{Cider})$

# Inverting quantifiers

- ▶ “Everyone who lives in Cornwall likes cider”
- ▶  $\forall x : \text{LivesIn}(x, \text{Cornwall}) \implies \text{Likes}(x, \text{Cider})$
- ▶ What is the **opposite** of this statement?

# Inverting quantifiers

- ▶ “Everyone who lives in Cornwall likes cider”
- ▶  $\forall x : \text{LivesIn}(x, \text{Cornwall}) \implies \text{Likes}(x, \text{Cider})$
- ▶ What is the **opposite** of this statement?
- ▶  $\neg(\forall x : \text{LivesIn}(x, \text{Cornwall}) \implies \text{Likes}(x, \text{Cider}))$

# Inverting quantifiers

- ▶ “Everyone who lives in Cornwall likes cider”
- ▶  $\forall x : \text{LivesIn}(x, \text{Cornwall}) \implies \text{Likes}(x, \text{Cider})$
- ▶ What is the **opposite** of this statement?
- ▶  $\neg(\forall x : \text{LivesIn}(x, \text{Cornwall}) \implies \text{Likes}(x, \text{Cider}))$
- ▶ In logical terms, the opposite is **not** “nobody who lives in Cornwall likes cider”

# Inverting quantifiers

- ▶ “Everyone who lives in Cornwall likes cider”
- ▶  $\forall x : \text{LivesIn}(x, \text{Cornwall}) \implies \text{Likes}(x, \text{Cider})$
- ▶ What is the **opposite** of this statement?
- ▶  $\neg(\forall x : \text{LivesIn}(x, \text{Cornwall}) \implies \text{Likes}(x, \text{Cider}))$
- ▶ In logical terms, the opposite is **not** “nobody who lives in Cornwall likes cider”
- ▶ It’s “Not everyone who lives in Cornwall likes cider”

# Inverting quantifiers

- ▶ “Everyone who lives in Cornwall likes cider”
- ▶  $\forall x : \text{LivesIn}(x, \text{Cornwall}) \implies \text{Likes}(x, \text{Cider})$
- ▶ What is the **opposite** of this statement?
- ▶  $\neg(\forall x : \text{LivesIn}(x, \text{Cornwall}) \implies \text{Likes}(x, \text{Cider}))$
- ▶ In logical terms, the opposite is **not** “nobody who lives in Cornwall likes cider”
- ▶ It’s “Not everyone who lives in Cornwall likes cider”
- ▶ I.e. “There is at least one person living in Cornwall who does not like cider”

# Inverting quantifiers

- ▶ “Everyone who lives in Cornwall likes cider”
- ▶  $\forall x : \text{LivesIn}(x, \text{Cornwall}) \implies \text{Likes}(x, \text{Cider})$
- ▶ What is the **opposite** of this statement?
- ▶  $\neg(\forall x : \text{LivesIn}(x, \text{Cornwall}) \implies \text{Likes}(x, \text{Cider}))$
- ▶ In logical terms, the opposite is **not** “nobody who lives in Cornwall likes cider”
- ▶ It’s “Not everyone who lives in Cornwall likes cider”
- ▶ I.e. “There is at least one person living in Cornwall who does not like cider”
- ▶  $\exists x : \text{LivesIn}(x, \text{Cornwall}) \wedge \neg \text{Likes}(x, \text{Cider})$



# Game theory



# Game theory

# Game theory

- ▶ A branch of mathematics studying **decision making**

# Game theory

- ▶ A branch of mathematics studying **decision making**
- ▶ A **game** is a system where one or more **players** choose **actions**; the combination of these choices lead to each agent receiving a **payoff**

# Game theory

- ▶ A branch of mathematics studying **decision making**
- ▶ A **game** is a system where one or more **players** choose **actions**; the combination of these choices lead to each agent receiving a **payoff**
- ▶ Important applications in economics, ecology and social sciences as well as AI

# The Prisoner's Student's Dilemma

# The Prisoner's Student's Dilemma

- ▶ Two students, **Alice** and **Bob**, are suspected of copying from each other

# The Prisoner's Student's Dilemma

- ▶ Two students, **Alice** and **Bob**, are suspected of copying from each other
- ▶ Each is offered a deal in exchange for information



# The Prisoner's Student's Dilemma

- ▶ Two students, **Alice** and **Bob**, are suspected of copying from each other
- ▶ Each is offered a deal in exchange for information
- ▶ Each can choose to **betray** the other or stay **silent** — but they **cannot communicate** before deciding what to do

# The Prisoner's Student's Dilemma

- ▶ Two students, **Alice** and **Bob**, are suspected of copying from each other
- ▶ Each is offered a deal in exchange for information
- ▶ Each can choose to **betray** the other or stay **silent** — but they **cannot communicate** before deciding what to do
- ▶ If **both stay silent**, both receive a C grade

# The Prisoner's Student's Dilemma

- ▶ Two students, **Alice** and **Bob**, are suspected of copying from each other
- ▶ Each is offered a deal in exchange for information
- ▶ Each can choose to **betray** the other or stay **silent** — but they **cannot communicate** before deciding what to do
- ▶ If **both stay silent**, both receive a C grade
- ▶ If **Alice betrays Bob**, she receives an A whilst he gets expelled

# The Prisoner's Student's Dilemma

- ▶ Two students, **Alice** and **Bob**, are suspected of copying from each other
- ▶ Each is offered a deal in exchange for information
- ▶ Each can choose to **betray** the other or stay **silent** — but they **cannot communicate** before deciding what to do
- ▶ If **both stay silent**, both receive a C grade
- ▶ If **Alice betrays Bob**, she receives an A whilst he gets expelled
- ▶ If **Bob betrays Alice**, he receives an A whilst she gets expelled

# The Prisoner's Student's Dilemma

- ▶ Two students, **Alice** and **Bob**, are suspected of copying from each other
- ▶ Each is offered a deal in exchange for information
- ▶ Each can choose to **betray** the other or stay **silent** — but they **cannot communicate** before deciding what to do
- ▶ If **both stay silent**, both receive a C grade
- ▶ If **Alice betrays Bob**, she receives an A whilst he gets expelled
- ▶ If **Bob betrays Alice**, he receives an A whilst she gets expelled
- ▶ If **both betray each other**, both get an F

# Payoff matrix

# Payoff matrix

	A silent	A betray
B silent	A: 50 B: 50	A: 70 B: -100
B betray	A: -100 B: 70	A: 0 B: 0

# Payoff matrix

	A silent	A betray
B silent	A: 50 B: 50	A: 70 B: -100
B betray	A: -100 B: 70	A: 0 B: 0

Socratic FALCOMPED: what would you do?



# Alice's thought process

# Alice's thought process

- ▶ The best outcome overall is for both of us to stay silent

# Alice's thought process

- ▶ The best outcome overall is for both of us to stay silent
- ▶ However if Bob stays silent, I can get a better mark by betraying him

# Alice's thought process

- ▶ The best outcome overall is for both of us to stay silent
- ▶ However if Bob stays silent, I can get a better mark by betraying him
- ▶ And if Bob betrays me, I should betray him to avoid getting expelled

# Alice's thought process

- ▶ The best outcome overall is for both of us to stay silent
- ▶ However if Bob stays silent, I can get a better mark by betraying him
- ▶ And if Bob betrays me, I should betray him to avoid getting expelled
- ▶ Therefore the rational choice is to betray

# Alice's thought process

- ▶ The best outcome overall is for both of us to stay silent
- ▶ However if Bob stays silent, I can get a better mark by betraying him
- ▶ And if Bob betrays me, I should betray him to avoid getting expelled
- ▶ Therefore the rational choice is to betray

... and Bob's thought process is the same!

# Nash equilibrium

# Nash equilibrium

- ▶ Consider the situation where both have chosen to betray



# Nash equilibrium

- ▶ Consider the situation where both have chosen to betray
- ▶ Neither person has anything to gain by switching to silence, assuming the other person doesn't also switch

# Nash equilibrium

- ▶ Consider the situation where both have chosen to betray
- ▶ Neither person has anything to gain by switching to silence, assuming the other person doesn't also switch
- ▶ Such a situation is called a **Nash equilibrium**

# Nash equilibrium

- ▶ Consider the situation where both have chosen to betray
- ▶ Neither person has anything to gain by switching to silence, assuming the other person doesn't also switch
- ▶ Such a situation is called a **Nash equilibrium**
- ▶ If all players are **rational** (in the sense of wanting to maximising payoff), they should converge upon a Nash equilibrium

# Does every game have a Nash equilibrium?

# Does every game have a Nash equilibrium?

	A rock	A paper	A scissors
B rock	A: 0 B: 0	A: +1 B: -1	A: -1 B: +1
B paper	A: -1 B: +1	A: 0 B: 0	A: +1 B: -1
B scissors	A: +1 B: -1	A: -1 B: +1	A: 0 B: 0

# Does every game have a Nash equilibrium?

	A rock	A paper	A scissors
B rock	A: 0 B: 0	A: +1 B: -1	A: -1 B: +1
B paper	A: -1 B: +1	A: 0 B: 0	A: +1 B: -1
B scissors	A: +1 B: -1	A: -1 B: +1	A: 0 B: 0

Socratic FALCOMPED: what would you do?

# Nash equilibrium for Rock-Paper-Scissors

# Nash equilibrium for Rock-Paper-Scissors

- ▶ Committing to any choice of action can be **exploited**



# Nash equilibrium for Rock-Paper-Scissors

- ▶ Committing to any choice of action can be **exploited**
- ▶ E.g. if you always choose paper, I choose scissors

# Nash equilibrium for Rock-Paper-Scissors

- ▶ Committing to any choice of action can be **exploited**
- ▶ E.g. if you always choose paper, I choose scissors
- ▶ If we try to reason naïvely, we get stuck in a loop

# Nash equilibrium for Rock-Paper-Scissors

- ▶ Committing to any choice of action can be **exploited**
- ▶ E.g. if you always choose paper, I choose scissors
- ▶ If we try to reason naïvely, we get stuck in a loop
  - ▶ If I choose paper, you'll choose scissors, so I should choose rock, but then you'll choose paper, so I'll choose scissors, so you'll choose rock, so I choose paper...

# Nash equilibrium for Rock-Paper-Scissors

- ▶ Committing to any choice of action can be **exploited**
- ▶ E.g. if you always choose paper, I choose scissors
- ▶ If we try to reason naïvely, we get stuck in a loop
  - ▶ If I choose paper, you'll choose scissors, so I should choose rock, but then you'll choose paper, so I'll choose scissors, so you'll choose rock, so I choose paper...
- ▶ The optimum strategy is to be **unpredictable**

# Nash equilibrium for Rock-Paper-Scissors

- ▶ Committing to any choice of action can be **exploited**
- ▶ E.g. if you always choose paper, I choose scissors
- ▶ If we try to reason naïvely, we get stuck in a loop
  - ▶ If I choose paper, you'll choose scissors, so I should choose rock, but then you'll choose paper, so I'll choose scissors, so you'll choose rock, so I choose paper...
- ▶ The optimum strategy is to be **unpredictable**
- ▶ Choose rock with probability  $\frac{1}{3}$ , paper with probability  $\frac{1}{3}$ , scissors with probability  $\frac{1}{3}$

# Mixed strategies

# Mixed strategies

- ▶ A **mixed strategy** assigns probabilities to actions and chooses one at random

# Mixed strategies

- ▶ A **mixed strategy** assigns probabilities to actions and chooses one at random
- ▶ In contrast to a **pure** or **deterministic strategy**, which always chooses the same action



# Mixed strategies

- ▶ A **mixed strategy** assigns probabilities to actions and chooses one at random
- ▶ In contrast to a **pure** or **deterministic strategy**, which always chooses the same action
- ▶ If we allow mixed strategies, **every game has at least one Nash equilibrium**

Guess  $\frac{2}{3}$  of the average

# Guess $\frac{2}{3}$ of the average

- ▶ Everyone guesses a real number (decimals are allowed) between 0 and 100 inclusive

# Guess $\frac{2}{3}$ of the average

- ▶ Everyone guesses a real number (decimals are allowed) between 0 and 100 inclusive
- ▶ The winner is the person who guesses closest to  $\frac{2}{3}$  of the mean of all guesses

# Guess $\frac{2}{3}$ of the average

- ▶ Everyone guesses a real number (decimals are allowed) between 0 and 100 inclusive
- ▶ The winner is the person who guesses closest to  $\frac{2}{3}$  of the mean of all guesses
- ▶ Example:

# Guess $\frac{2}{3}$ of the average

- ▶ Everyone guesses a real number (decimals are allowed) between 0 and 100 inclusive
- ▶ The winner is the person who guesses closest to  $\frac{2}{3}$  of the mean of all guesses
- ▶ Example:
  - ▶ If the guesses are 30, 40 and 80...

# Guess $\frac{2}{3}$ of the average

- ▶ Everyone guesses a real number (decimals are allowed) between 0 and 100 inclusive
- ▶ The winner is the person who guesses closest to  $\frac{2}{3}$  of the mean of all guesses
- ▶ Example:
  - ▶ If the guesses are 30, 40 and 80...
  - ▶ ... then the mean is  $\frac{30+40+80}{3} = 50...$

# Guess $\frac{2}{3}$ of the average

- ▶ Everyone guesses a real number (decimals are allowed) between 0 and 100 inclusive
- ▶ The winner is the person who guesses closest to  $\frac{2}{3}$  of the mean of all guesses
- ▶ Example:
  - ▶ If the guesses are 30, 40 and 80...
  - ▶ ... then the mean is  $\frac{30+40+80}{3} = 50...$
  - ▶ ... so the winning guess is 30, as this is closest to  $\frac{2}{3} \times 50 = 3.333$



# Guess $\frac{2}{3}$ of the average

- ▶ Everyone guesses a real number (decimals are allowed) between 0 and 100 inclusive
- ▶ The winner is the person who guesses closest to  $\frac{2}{3}$  of the mean of all guesses
- ▶ Example:
  - ▶ If the guesses are 30, 40 and 80...
  - ▶ ... then the mean is  $\frac{30+40+80}{3} = 50...$
  - ▶ ... so the winning guess is 30, as this is closest to  $\frac{2}{3} \times 50 = 3.333$
- ▶ Socrative FALCOMPED: make your guesses!

# The rational guess

# The rational guess

- ▶ The average can't possibly be greater than 100

# The rational guess

- ▶ The average can't possibly be greater than 100
- ▶ So no rational player would guess a number greater than 66.666

# The rational guess

- ▶ The average can't possibly be greater than 100
- ▶ So no rational player would guess a number greater than 66.666
- ▶ Which means the average can't possibly be greater than 66.666

# The rational guess

- ▶ The average can't possibly be greater than 100
- ▶ So no rational player would guess a number greater than 66.666
- ▶ Which means the average can't possibly be greater than 66.666
- ▶ So no rational player would guess greater than 44.444

# The rational guess

- ▶ The average can't possibly be greater than 100
- ▶ So no rational player would guess a number greater than 66.666
- ▶ Which means the average can't possibly be greater than 66.666
- ▶ So no rational player would guess greater than 44.444
- ▶ Which means the average can't possibly be greater than 44.444

# The rational guess

- ▶ The average can't possibly be greater than 100
- ▶ So no rational player would guess a number greater than 66.666
- ▶ Which means the average can't possibly be greater than 66.666
- ▶ So no rational player would guess greater than 44.444
- ▶ Which means the average can't possibly be greater than 44.444
- ▶ So no rational player would guess greater than 29.629



# The rational guess

- ▶ The average can't possibly be greater than 100
- ▶ So no rational player would guess a number greater than 66.666
- ▶ Which means the average can't possibly be greater than 66.666
- ▶ So no rational player would guess greater than 44.444
- ▶ Which means the average can't possibly be greater than 44.444
- ▶ So no rational player would guess greater than 29.629
- ▶ ... and so on ad infinitum

# The rational guess

- ▶ The average can't possibly be greater than 100
- ▶ So no rational player would guess a number greater than 66.666
- ▶ Which means the average can't possibly be greater than 66.666
- ▶ So no rational player would guess greater than 44.444
- ▶ Which means the average can't possibly be greater than 44.444
- ▶ So no rational player would guess greater than 29.629
- ▶ ... and so on ad infinitum
- ▶ So the only **rational** guess is 0, as every rational player should guess 0 and  $\frac{2}{3}$  of 0 is 0

# Rationality

# Rationality

- ▶ Rationality is a useful assumption for mathematics and AI programmers

# Rationality

- ▶ Rationality is a useful assumption for mathematics and AI programmers
- ▶ However it's important to remember that **humans aren't always rational**