

COMP360: Research & Development: Dissertation



5: Optimisation and Refactoring





▶ What makes a good test case?

- ► What makes a good test case?
- ► What makes a good bug report?

- ► What makes a good test case?
- ▶ What makes a good bug report?
- ▶ What does a unit test describe?

- What makes a good test case?
- What makes a good bug report?
- ▶ What does a unit test describe?
- ► The answer to these three questions is very similar...

A good test case should include:

Any assumptions, initial conditions, prerequisites

- ► Any assumptions, initial conditions, prerequisites
- ► A set of steps to follow

- ► Any assumptions, initial conditions, prerequisites
- ► A set of steps to follow
- ► The expected result

- Any assumptions, initial conditions, prerequisites
- ► A set of steps to follow
- ► The expected result
- (When the test is carried out) The actual result

A good bug report should include:

► Any assumptions, initial conditions, prerequisites

- ► Any assumptions, initial conditions, prerequisites
- ► A set of steps to follow

- ► Any assumptions, initial conditions, prerequisites
- ► A set of steps to follow
- ► The expected result

- Any assumptions, initial conditions, prerequisites
- A set of steps to follow
- The expected result
- ► The actual result (the bug being that this differs from the expected result)

A good unit test should include:

A good unit test should include:

 Code to set up any assumptions, initial conditions, prerequisites

A good unit test should include:

- Code to set up any assumptions, initial conditions, prerequisites
- A function to execute (a set of steps)

A good unit test should include:

- Code to set up any assumptions, initial conditions, prerequisites
- A function to execute (a set of steps)
- An assertion checking the expected result matches the actual result

 A test case is general — can fit at unit, integration, system or acceptance testing level

- A test case is general can fit at unit, integration, system or acceptance testing level
- ► A unit test is essentially an automated test case

- A test case is general can fit at unit, integration, system or acceptance testing level
- A unit test is essentially an automated test case
- A bug report is suggestive of a new test case that should be added to the test plan





Optimisation is the process of making a program more efficient in terms of speed, memory usage etc.

- Optimisation is the process of making a program more efficient in terms of speed, memory usage etc.
- Optimisation can increase or decrease software quality, depending on what measure of "quality" is being used

"Rules of optimization: Rule 1: Don't do it. Rule 2 (for experts only): Don't do it yet."

- Michael A. Jackson

"Programmers waste enormous amounts of time thinking about, or worrying about, the speed of noncritical parts of their programs, and these attempts at efficiency actually have a strong negative impact when debugging and maintenance are considered. We should forget about small efficiencies, say about 97% of the time: premature optimization is the root of all evil. Yet we should not pass up our opportunities in that critical 3%."

— Donald Knuth

|"Measure twice, cut once."

— Proverb

Levels of Optimisation

Levels of Optimisation

▶ System Level: Utilisation, Balancing and Efficiency

Levels of Optimisation

- System Level: Utilisation, Balancing and Efficiency
- Algorithmic Level: Focus on removing work

Levels of Optimisation

- System Level: Utilisation, Balancing and Efficiency
- Algorithmic Level: Focus on removing work
- Micro-Level: Line by line optimising (data structures is a good example here)

► Assumptions: Always measure!

- Assumptions: Always measure!
- Premature Optimisation: Don't optimise with data, or too early in the development process

- Assumptions: Always measure!
- Premature Optimisation: Don't optimise with data, or too early in the development process
- Optimisation on Only One Machine: Test on the worst case system

- Assumptions: Always measure!
- Premature Optimisation: Don't optimise with data, or too early in the development process
- Optimisation on Only One Machine: Test on the worst case system
- Optimising Debug Builds

- Assumptions: Always measure!
- Premature Optimisation: Don't optimise with data, or too early in the development process
- Optimisation on Only One Machine: Test on the worst case system
- Optimising Debug Builds
- Trying to second-guess the compiler: in many cases, the compiler is better at micro-level optimisation than you are!





Profilers

► The Unity Profiler is built into the engine

- ► The Unity Profiler is built into the engine
- ▶ It can be accessed via the Window > Profiler

- ► The Unity Profiler is built into the engine
- ▶ It can be accessed via the Window > Profiler
- This allows you to profile the following

- The Unity Profiler is built into the engine
- ▶ It can be accessed via the Window > Profiler
- This allows you to profile the following
 - ► CPU Usage Scripts, Physics, UI etc


- The Unity Profiler is built into the engine
- ▶ It can be accessed via the Window > Profiler
- ► This allows you to profile the following
 - ► CPU Usage Scripts, Physics, UI etc
 - Rendering Batches, Triangles, Vertices

- The Unity Profiler is built into the engine
- ▶ It can be accessed via the Window > Profiler
- This allows you to profile the following
 - CPU Usage Scripts, Physics, UI etc.
 - Rendering Batches, Triangles, Vertices
 - Memory Total, Texture, Mesh, Garbage Collection

- The Unity Profiler is built into the engine
- ▶ It can be accessed via the Window > Profiler
- This allows you to profile the following
 - CPU Usage Scripts, Physics, UI etc.
 - Rendering Batches, Triangles, Vertices
 - Memory Total, Texture, Mesh, Garbage Collection
 - Audio Number of Sources, Audio Memory

- ► The Unity Profiler is built into the engine
- ▶ It can be accessed via the Window > Profiler
- This allows you to profile the following
 - CPU Usage Scripts, Physics, UI etc.
 - Rendering Batches, Triangles, Vertices
 - Memory Total, Texture, Mesh, Garbage Collection
 - Audio Number of Sources, Audio Memory
 - GPU Deferred Lighting, Transparent, Post Processing





You can remove items from the profiler graph by click on the colour box

- You can remove items from the profiler graph by click on the colour box
- Enabling Deep Profile will add a significant overhead to larger games

- You can remove items from the profiler graph by click on the colour box
- Enabling Deep Profile will add a significant overhead to larger games
 - Surround you code with Profiler.BeginSample & Profiler.EndSample this will appear in the Profiler

- You can remove items from the profiler graph by click on the colour box
- Enabling Deep Profile will add a significant overhead to larger games
 - Surround you code with Profiler.BeginSample & Profiler.EndSample this will appear in the Profiler
- You should consider Profiling a development build as the Editor adds significant overheard




► The Unreal Profiler is built into the engine

- ► The Unreal Profiler is built into the engine
- ► It can accessed via Window > Developer Tools > Session Frontend

- ► The Unreal Profiler is built into the engine
- It can accessed via Window > Developer Tools > Session Frontend
- Allows us to profile all major systems including CPU (code) and GPU





https://www.unrealengine.com/en-US/blog/ how-to-improve-game-thread-cpu-performance

- https://www.unrealengine.com/en-US/blog/ how-to-improve-game-thread-cpu-performance
- ► A few interesting things from this link

- https://www.unrealengine.com/en-US/blog/ how-to-improve-game-thread-cpu-performance
- ► A few interesting things from this link
 - ▶ To identify the bottleneck (GPU or CPU), run stat unit on a non-debug build

- https://www.unrealengine.com/en-US/blog/ how-to-improve-game-thread-cpu-performance
- ► A few interesting things from this link
 - ▶ To identify the bottleneck (GPU or CPU), run stat unit on a non-debug build
 - ► If the Frame Time is very close to GPU Time, then the GPU is the bottleneck

- https://www.unrealengine.com/en-US/blog/ how-to-improve-game-thread-cpu-performance
- A few interesting things from this link
 - ▶ To identify the bottleneck (GPU or CPU), run stat unit on a non-debug build
 - If the Frame Time is very close to GPU Time, then the GPU is the bottleneck
 - ► If the Frame Time is very close to Game Time, then your code is the bottleneck

Unreal Profiler: Hints & Tips

- https://www.unrealengine.com/en-US/blog/ how-to-improve-game-thread-cpu-performance
- A few interesting things from this link
 - To identify the bottleneck (GPU or CPU), run stat unit on a non-debug build
 - If the Frame Time is very close to GPU Time, then the GPU is the bottleneck
 - ► If the **Frame Time** is very close to **Game Time**, then your code is the bottleneck
 - In the profiler GameThread entry, find the FTickFunctionTask - this shows every actor and component that is ticking

Unreal Profiler: Hints & Tips

- https://www.unrealengine.com/en-US/blog/ how-to-improve-game-thread-cpu-performance
- A few interesting things from this link
 - To identify the bottleneck (GPU or CPU), run stat unit on a non-debug build
 - If the Frame Time is very close to GPU Time, then the GPU is the bottleneck
 - ► If the **Frame Time** is very close to **Game Time**, then your code is the bottleneck
 - In the profiler GameThread entry, find the FTickFunctionTask - this shows every actor and component that is ticking
 - Another thing to track is Blueprint Time, switch inclusive view and locate it, then switch back to hierarchical view

Unreal Profiler: Hints & Tips

- https://www.unrealengine.com/en-US/blog/ how-to-improve-game-thread-cpu-performance
- ► A few interesting things from this link
 - ▶ To identify the bottleneck (GPU or CPU), run stat unit on a non-debug build
 - If the Frame Time is very close to GPU Time, then the GPU is the bottleneck
 - ▶ If the Frame Time is very close to Game Time, then your code is the bottleneck
 - In the profiler GameThread entry, find the FTickFunctionTask - this shows every actor and component that is ticking
 - Another thing to track is Blueprint Time, switch inclusive view and locate it, then switch back to hierarchical view
 - SkinnedMeshComp Tick & TickWidgets can also be bottleneck

https://docs.microsoft.com/en-us/
visualstudio/profiling/
beginners-guide-to-performance-profiling


- https://docs.microsoft.com/en-us/
 visualstudio/profiling/
 beginners-guide-to-performance-profiling
- Switch your application to a release build

- https://docs.microsoft.com/en-us/
 visualstudio/profiling/
 beginners-guide-to-performance-profiling
- Switch your application to a release build
- ▶ To run the profiler, select Debug >Performance Profiler and then click on Performance Wizard

- https://docs.microsoft.com/en-us/
 visualstudio/profiling/
 beginners-guide-to-performance-profiling
- Switch your application to a release build
- ▶ To run the profiler, select Debug >Performance Profiler and then click on Performance Wizard
- The profiler will run and start collecting data

- https://docs.microsoft.com/en-us/
 visualstudio/profiling/
 beginners-guide-to-performance-profiling
- Switch your application to a release build
- ▶ To run the profiler, select Debug >Performance Profiler and then click on Performance Wizard
- The profiler will run and start collecting data
- Close the application to start analysing the data





Click on Create Detailed Report in the summary view, this will generate a report on your application

- Click on Create Detailed Report in the summary view, this will generate a report on your application
- ► In this report **Show Hot Lines** will show the code paths which do the most work

- Click on Create Detailed Report in the summary view, this will generate a report on your application
- ► In this report **Show Hot Lines** will show the code paths which do the most work
- ➤ You will not be able to do much about the *.dll calls, you should look at your own functions in here





▶ "Code smells" are a useful guideline for refactoring

- "Code smells" are a useful guideline for refactoring
- Warning signs that code needs to be refactored

- "Code smells" are a useful guideline for refactoring
- Warning signs that code needs to be refactored
- ▶ https://blog.codinghorror.com/code-smells/

- "Code smells" are a useful guideline for refactoring
- Warning signs that code needs to be refactored
- ▶ https://blog.codinghorror.com/code-smells/
- ► See also "How to write unmaintainable code" https: //github.com/Droogans/unmaintainable-code