

COMP110: Principles of Computing 1: Computing Foundations

- イロ > イ母 > イき > イき > - き - りゅう

Learning outcomes

By the end of today's session, you will be able to:

- Recall the historical context of computing and gaming technology
- ► Explain the basic architecture of a computer
- Distinguish the most common programming languages and paradigms in use today

Today's agenda

- ► COMP110 course outline
- History of computing
- Computer architecture
- Programming languages and paradigms







From the module guide

This module is designed to introduce you to the basic principles of computing and programming in the context of digital games. It is designed to complement the other modules through providing a broad foundation on the different methods and techniques which will help you to be able to construct computer programs and able to use relevant scholarly sources. You will gain an understanding of software development and the various roles, pipelines, and terminology used within game development.

Topic schedule

On LearningSpace...

Timetable


http://mytimetable.falmouth.ac.uk

- Odd numbered weeks: Monday 13:30P/PL/Seminar 08 (here)
- Even numbered weeks: Monday 09:00P/PL/Games Teaching Space

Worksheet A

- ▶ SpaceChem!
- ► Due in class on **Monday 26th September** (next week)






Antikythera Mechanism (\sim 150 BC)

First mechanical computer?




Babbage's Difference and Analytical Engines (1837)

First mechanical computer in modern age



Colossus (1943)

First programmable electronic computer



ENIAC (1946)

First general-purpose computer



Manchester Small-Scale Experimental Machine (1948)

First stored program computer



EDSAC (1949)

Many firsts in mathematics and science



PDP-1 (1959)

Influenced "hacker culture"





What was the first computer game?




Cathode Ray Tube Amusement Device (1948)

First interactive electronic game



Chess Al on the Ferranti Mark I (1951)

First chess program




Bertie the Brain (1950)

First computer game with a visual display



OXO (1951)

First game with visuals on a general-purpose computer



Tennis for Two (1959)

First to be created purely for entertainment



SpaceWar! (1962)

First widely available game, inspired first arcade games





What was the first games console?

The Brown Box (1967)

First prototype console






Magnavox Odyssey (1972)

First commercial console



Game console timeline







What is a computer?

- ► In groups of 2-3
- ► Discuss for 10 minutes
- ► Go to www.socrative.com (or open the Socrative app) and enter room code FALCOMPED
- Individually, suggest a one sentence definition for a computer

The Von Neumann model



Modern PC architecture



Carries out

Carries out

► Arithmetic operations

Carries out

- Arithmetic operations
- Logic operations

Carries out

- Arithmetic operations
- Logic operations
- ► Control operations

▶ Primary storage

- ▶ Primary storage
 - ► Directly accessible by the CPU

- ► Primary storage
 - Directly accessible by the CPU
 - Random access memory (RAM)

- Primary storage
 - ▶ Directly accessible by the CPU
 - Random access memory (RAM)
 - ▶ Volatile loses its contents when switched off

- Primary storage
 - Directly accessible by the CPU
 - Random access memory (RAM)
 - ▶ Volatile loses its contents when switched off
- Secondary storage

- Primary storage
 - Directly accessible by the CPU
 - Random access memory (RAM)
 - Volatile loses its contents when switched off
- Secondary storage
 - ► E.g. hard disk, SSD, USB flash drive, DVD

- Primary storage
 - Directly accessible by the CPU
 - Random access memory (RAM)
 - Volatile loses its contents when switched off
- Secondary storage
 - ► E.g. hard disk, SSD, USB flash drive, DVD
 - Non-volatile keeps its contents when switched off

Responsible for displaying images on screen

- Responsible for displaying images on screen
- Traditionally, one of many input/output devices

- Responsible for displaying images on screen
- Traditionally, one of many input/output devices
- Nowadays, essentially a highly specialised CPU with its own primary storage

 A computer program is a sequence of instructions for the CPU

- A computer program is a sequence of instructions for the CPU
 - (Note: it's spelled "program", not "programme")

- A computer program is a sequence of instructions for the CPU
 - ► (Note: it's spelled "program", not "programme")
- ► The **programmable computer** can carry out different tasks depending on what program it is given

- A computer program is a sequence of instructions for the CPU
 - ► (Note: it's spelled "program", not "programme")
- ► The **programmable computer** can carry out different tasks depending on what program it is given
- Most modern computers use the same memory to store the program and the data it uses





What is a programming language?

What is a programming language?

 A program is a sequence of instructions for a computer to perform a specific task

What is a programming language?

- A program is a sequence of instructions for a computer to perform a specific task
- A programming language is a formal language for communicating these sequences of instructions

► There is no "best" programming language

- ► There is no "best" programming language
- There are hundreds of programming languages, each better suited to some tasks than others

- ► There is no "best" programming language
- ► There are hundreds of programming languages, each better suited to some tasks than others
- Sometimes your choice is dictated by your choice of platform, framework, game engine etc.

- ► There is no "best" programming language
- There are hundreds of programming languages, each better suited to some tasks than others
- Sometimes your choice is dictated by your choice of platform, framework, game engine etc.
- To become a better programmer (and maximise your employability) you should learn several languages (but one at a time!)

 Low level languages give the programmer direct control over the hardware

- Low level languages give the programmer direct control over the hardware
- High level languages give the programmer abstraction, hiding the details of the hardware

- Low level languages give the programmer direct control over the hardware
- High level languages give the programmer abstraction, hiding the details of the hardware
- High level languages trade efficiency for ease of programming

- Low level languages give the programmer direct control over the hardware
- High level languages give the programmer abstraction, hiding the details of the hardware
- High level languages trade efficiency for ease of programming
- Lower level languages were once the choice of game programmers, but advances in hardware mean that higher level languages are often a better choice

 Imperative: program is a simple sequence of instructions, with goto instructions for program flow

- Imperative: program is a simple sequence of instructions, with goto instructions for program flow
- Structured: like imperative, but with control structures (loops, conditionals etc.)

- Imperative: program is a simple sequence of instructions, with goto instructions for program flow
- Structured: like imperative, but with control structures (loops, conditionals etc.)
- Procedural: structured program is broken down into procedures

- Imperative: program is a simple sequence of instructions, with goto instructions for program flow
- Structured: like imperative, but with control structures (loops, conditionals etc.)
- Procedural: structured program is broken down into procedures
- Object-oriented: related procedures and data are grouped into objects

Programming paradigms

- Imperative: program is a simple sequence of instructions, with goto instructions for program flow
- Structured: like imperative, but with control structures (loops, conditionals etc.)
- Procedural: structured program is broken down into procedures
- Object-oriented: related procedures and data are grouped into objects
- Functional: procedures are treated as mathematical objects that can be passed around and manipulated

Programming paradigms

- Imperative: program is a simple sequence of instructions, with goto instructions for program flow
- Structured: like imperative, but with control structures (loops, conditionals etc.)
- Procedural: structured program is broken down into procedures
- Object-oriented: related procedures and data are grouped into objects
- Functional: procedures are treated as mathematical objects that can be passed around and manipulated
- ▶ Declarative: does not define the control flow of a program, but rather defines logical relations

 Imperative and structured languages are mainly of historical interest

- Imperative and structured languages are mainly of historical interest
- Most commonly used languages today are a mixture of procedural and object-oriented paradigms, with many also incorporating ideas from functional programming

- Imperative and structured languages are mainly of historical interest
- Most commonly used languages today are a mixture of procedural and object-oriented paradigms, with many also incorporating ideas from functional programming
- Purely functional languages are mainly used in academia, but favoured by some programmers

- Imperative and structured languages are mainly of historical interest
- Most commonly used languages today are a mixture of procedural and object-oriented paradigms, with many also incorporating ideas from functional programming
- Purely functional languages are mainly used in academia, but favoured by some programmers
- Purely declarative languages have uses in academia and some special-purpose languages

 Programs are represented as sequences of numbers specifying machine instructions

- Programs are represented as sequences of numbers specifying machine instructions
- More on this later in the module

- Programs are represented as sequences of numbers specifying machine instructions
- ▶ More on this later in the module
- ► Nobody has actually written programs in machine code since the 1960s...

 Each line of assembly code translates directly to an instruction of machine code

- ► Each line of assembly code translates **directly** to an instruction of machine code
- Commonly used for games in the 70s/80s/90s, but hardly ever used now

- Each line of assembly code translates directly to an instruction of machine code
- Commonly used for games in the 70s/80s/90s, but hardly ever used now
- Allows very fine control over the hardware...

- Each line of assembly code translates directly to an instruction of machine code
- Commonly used for games in the 70s/80s/90s, but hardly ever used now
- Allows very fine control over the hardware...
- ... but difficult to use as there is no abstraction

- ► Each line of assembly code translates **directly** to an instruction of machine code
- Commonly used for games in the 70s/80s/90s, but hardly ever used now
- Allows very fine control over the hardware...
- ... but difficult to use as there is no abstraction
- Each CPU architecture has its own assembly language, e.g. an assembly language program for Intel-compatible processors cannot be used on ARM processors



 Initially an object-oriented extension for the procedural language C

- Initially an object-oriented extension for the procedural language C
- Low level (though higher level than assembly)

- Initially an object-oriented extension for the procedural language C
- ► Low level (though higher level than assembly)
- Used by developers of game engines, and games using many popular "AAA" engines (Unreal, Source, CryEngine, ...)

- Initially an object-oriented extension for the procedural language C
- Low level (though higher level than assembly)
- Used by developers of game engines, and games using many popular "AAA" engines (Unreal, Source, CryEngine, ...)
- Also used by developers of operating systems and embedded systems, but falling out of favour with other software developers

Often favoured by smaller indie teams for rapid development

► C# (XNA, Unity)

- ► C# (XNA, Unity)
- Python (EVE Online, Pygame, Ren'py)

- ► C# (XNA, Unity)
- Python (EVE Online, Pygame, Ren'py)
- ▶ JavaScript (HTML5 browser games)

- ► C# (XNA, Unity)
- Python (EVE Online, Pygame, Ren'py)
- JavaScript (HTML5 browser games)
- ActionScript (Flash games)

- ► C# (XNA, Unity)
- Python (EVE Online, Pygame, Ren'py)
- JavaScript (HTML5 browser games)
- ActionScript (Flash games)
- Objective-C, Swift (iOS games)

- ► C# (XNA, Unity)
- Python (EVE Online, Pygame, Ren'py)
- JavaScript (HTML5 browser games)
- ActionScript (Flash games)
- Objective-C, Swift (iOS games)
- Java (Minecraft, Android games)

Often favoured by smaller indie teams for rapid development

- ► C# (XNA, Unity)
- Python (EVE Online, Pygame, Ren'py)
- JavaScript (HTML5 browser games)
- ActionScript (Flash games)
- Objective-C, Swift (iOS games)
- Java (Minecraft, Android games)

There are many others, but these are the most commonly used in game development

Many games use scripting languages in addition to their main development language

Many games use scripting languages in addition to their main development language

▶ Lua (many AAA games)

Many games use scripting languages in addition to their main development language

- Lua (many AAA games)
- Bespoke languages (many AAA games)

Many games use scripting languages in addition to their main development language

- Lua (many AAA games)
- Bespoke languages (many AAA games)

Some game engines have their own scripting language

Scripting languages

Many games use scripting languages in addition to their main development language

- Lua (many AAA games)
- Bespoke languages (many AAA games)

Some game engines have their own scripting language

UnrealScript, Blueprint (Unreal Engine)

Scripting languages

Many games use scripting languages in addition to their main development language

- Lua (many AAA games)
- Bespoke languages (many AAA games)

Some game engines have their own scripting language

- UnrealScript, Blueprint (Unreal Engine)
- GML (GameMaker)

Based on connecting graphical blocks rather than writing code as text

Based on connecting graphical blocks rather than writing code as text

Scratch (used for teaching in school)

Based on connecting graphical blocks rather than writing code as text

- Scratch (used for teaching in school)
- ▶ Lego Mindstorms

Based on connecting graphical blocks rather than writing code as text

- Scratch (used for teaching in school)
- Lego Mindstorms
- ► Blueprint (Unreal)

Based on connecting graphical blocks rather than writing code as text

- Scratch (used for teaching in school)
- ▶ Lego Mindstorms
- ► Blueprint (Unreal)

Note: despite the name, Microsoft Visual Studio is **not** a visual programming environment!

SQL (database queries)

- SQL (database queries)
- ► GLSL, HLSL (GPU shader programs)

- SQL (database queries)
- GLSL, HLSL (GPU shader programs)
- ► LEX, YACC (script interpreters)



Not to be confused with programming languages...

Not to be confused with programming languages...

► HTML, CSS (web pages)

Not to be confused with programming languages...

- ► HTML, CSS (web pages)
- ▶ LaTeX, Markdown (documentation)

Not to be confused with programming languages...

- ► HTML, CSS (web pages)
- LaTeX, Markdown (documentation)
- ► XML, JSON (data storage)

Which programming language is most popular?

http://githut.info

"Family tree" of programming languages

https://www.levenez.com/lang/lang.pdf

Debrief

Debrief

You should now be able to:

- Recall the historical context of computing and gaming technology
- Explain the basic architecture of a computer
- Distinguish the most common programming languages and paradigms in use today

Debrief

You should now be able to:

- Recall the historical context of computing and gaming technology
- Explain the basic architecture of a computer
- Distinguish the most common programming languages and paradigms in use today

Remember: Worksheet A is due at **9am next Monday!**