

COMP120: Creative Computing: Tinkering

# **4: Tinkering Graphics I**

# Learning Outcomes

- ▶ **Explain how** pictures are digitised into raster images by a computer system
- ▶ **Apply** knowledge of colour models to **write** programs that manipulate pixels in a surface
- ▶ **Use** functions, arguments, and basic data structures such as matrices to **write** programs that manipulate raster images

# Python Lists


- ▶ **Explain how** pictures are digitised into raster images by a computer system
- ▶ **Apply** knowledge of colour models to **write** programs that manipulate colour in a raster image
- ▶ **Use** functions and arguments to structure a computer program

# Light Perception

- ▶ Colour is continuous:
  - ▶ Visible light is in the wavelengths between 370nm and 730nm
  - ▶ i.e., 0.00000037 — 0.00000073 meters
- ▶ However, we *perceive* light around three particular peaks:
  - ▶ Blue peaks around 425nm
  - ▶ Green peaks around 550nm
  - ▶ Red peaks around 560nm

# Light Perception

- ▶ Our eyes have three types of colour-sensitive photoreceptor cells called 'cones' that respond to light wavelengths
- ▶ Our perception of colour is based on how much of each kind of sensor is responding
- ▶ An implication of this is perception overlap: we see two kinds of 'orange' — one that's spectral and one that's combinatorial



# Luminance vs Colour


- ▶ Our eyes have another type of photoreceptor cells called 'rods' that respond to light intensity
- ▶ Our perception, however, is actually luminance: a relativistic contrast of *borders* of things (i.e., motion)
  - ▶ Luminance is *not* the amount of light, but our perception of the amount of light
  - ▶ Much of our luminance perception is based on comparison to background, not raw values
- ▶ An implication of this is perception overlap: we see blue as 'darker' than red when the intensity is actually the same





# Resolution

- ▶ We have a limited number of rods and cones in our eyes
- ▶ This means humans perceive vision in a limited resolution — yet, we perceive vision as continuous
- ▶ We take advantage of this human characteristic in computer monitors



# Pixels

- ▶ We digitize pictures into many little dots
- ▶ Enough dots and it looks like a continuous whole to our eye
- ▶ Each element is referred to as a *pixel*

# Pixels

Pixels must have:

- ▶ a color
- ▶ a position

# Pictures and Surfaces

A picture is a *matrix* of pixels

- ▶ It is not a continuous line of elements, that is, an *array*
- ▶ A picture has two dimensions: width and height
- ▶ A two-dimensional array is a matrix

**0**

**1**

**2**

**3**

**15**

**12**

**13**

**10**

	0	1	2	3
0	15	12	13	10
1	9	7	2	1
2	6	3	9	10

# Pictures and Surfaces

- ▶  $(x, y)$  —or— (horizontal, vertical)
- ▶  $(1, 0) = 12$
- ▶  $(0, 2) = 6$











# Encoding Colour

- ▶ Each element in the matrix is a pixel, with the matrix defining its position and the value defining its colour
- ▶ Computer memory stores numbers, so colour must be encoded into a number:
  - ▶ CMYK = cyan, magenta, yellow, black
  - ▶ HSB = hue, saturation, brightness
  - ▶ RGBA = red, green, blue, alpha (transparency)
- ▶ By default, PyGame uses RGBA

# Encoding RGB

- ▶ Each component color (red, green, and blue) is encoded as a single byte
- ▶ Colors go from (0,0,0) to (255,255,255):
  - ▶ If all three components are the same, the colour is in grey-scale
  - ▶ (0,0,0) is black
  - ▶ (255, 255, 255) is white
- ▶ Why 255?

	0	1	2	3
0	 255, 30, 30	 30, 30, 255	 30, 255, 30	 0, 0, 0
1	 255, 150, 150	 150, 150, 255	 150, 255, 150	 200, 200, 200

# Encoding Bits

- ▶ If we have one bit, we can represent two patterns:
  - ▶ 0
  - ▶ 1
- ▶ If we have two bits, we can represent four patterns:
  - ▶ 00
  - ▶ 01
  - ▶ 10
  - ▶ 11
- ▶ As a general rule: In  $n$  bits, we can have  $2^n$  patterns
- ▶ One of these patterns will be 0, so the highest value we can represent is:  $2^8 - 1$ , or 255

# Encoding Bits

- ▶ RGB uses 24-bit color (i.e.,  $3 * 8 = 24$ )
  - ▶ That's 16,777,216 (224) possible colours
  - ▶ Our eyes cannot discern many colours beyond this
  - ▶ The big issue is the monitor: they can't reliably reproduce 16 million colours
- ▶ RGBA uses 32-bit colour
  - ▶ No additional colour, but offers support for transparency

# Encoding Bits

- ▶ Use this information to estimate the size of a bitmap:
  - ▶  $320 \times 240 \times 24 = 230,400$  bytes
  - ▶  $640 \times 480 \times 32 = 1,228,800$  bytes
  - ▶  $1024 \times 768 \times 32 = 3,145,728$  bytes
- ▶ Why do we have smaller numbers here?

# Activity #1

In pairs:

- ▶ Setup a basic project in PyGame
- ▶ Refer to the following documentation
  - ▶ <http://www.pygame.org/docs/ref/surface.html>
  - ▶ <http://www.pygame.org/docs/ref/pixelarray.html>
- ▶ Manipulate the pixels in a surface using PixelArray
- ▶ 10 minutes

# Make a Picture Less Red

```
def decreaseRed(pict):  
    pixelMatrix = getPixels(pict)  
    for pixel in pixelMatrix:  
        value = getRed(pixel)  
        setRedPixel(pixel, value * 0.5)
```

Note: This source code excerpt will not work in PyGame.



# Activity #2

In pairs:

- ▶ Define a function that turns all of the pixels into red in PyGame
- ▶ Define a function that turns all of the pixels more green in PyGame

# Make a Picture Grey-scale

```
def loadGrayscale(file):  
    pixelMatrix = getPixels(makePicture(file))  
    for pixel in pixelMatrix:  
        red = getRed(p)  
        green = getGreen(p)  
        blue = getBlue(p)  
  
        pixelValue = (red+green+blue)/3  
  
        setRedPixel(pixel, pixelValue)  
        setGreenPixel(pixel, pixelValue)  
        setBluePixel(pixel, pixelValue)
```

Note: This source code excerpt will not work in PyGame.

# Activity #3

In pairs:

- ▶ Refer to the following documentation:
  - ▶ <http://www.pygame.org/docs/ref/image.html>
- ▶ Define a function that loads an image and turns it to greyscale

# Make a Picture Negative

```
def loadGrayscale(file):  
    pixelMatrix = getPixels(makePicture(file))  
    for pixel in pixelMatrix:  
        red = getRed(p)  
        green = getGreen(p)  
        blue = getBlue(p)  
  
        setRedPixel(pixel, 255-red)  
        setGreenPixel(pixel, 255-green)  
        setBluePixel(pixel, 255-blue)
```

Note: This source code excerpt will not work in PyGame.

# Activity #4

In pairs:

- ▶ Refer to the following documentation:
  - ▶ <http://www.pygame.org/docs/ref/image.html>
- ▶ Define a function that loads an image and turns it to its negative

# Challenge Activity

In pairs:

- ▶ Refer to the following documentation:
  - ▶ <http://www.pygame.org/docs/ref/time.html>
- ▶ Define a function that loads an image and animates a sunset

# Copying Part of a Picture

```
def copyHalf(picture):  
    pixels = getPixels(picture)  
    for index in range(0, len(pixels)/2):  
        sourcePixel = pixels[index]  
        sourceRGBValue = getColor(sourcePixel)  
        destinationPixel = pixels[index + len(pixels)/2]  
        setColor(destinationPixel, sourceRGBValue)  
    repaint(picture)
```

Note: This source code excerpt will not work in PyGame.

# Activity #6

In pairs:

- ▶ Refer to the following documentation:
  - ▶ `https://docs.python.org/2/tutorial/introduction.html#lists`
- ▶ Define a function that animates copying the top half of a picture to its bottom half