

COMP110: Principles of Computing

11: Numerical Methods



Research Journal

Peer review tomorrow!





Representing numbers

$$10^6=1\underbrace{000000}_{6\text{ zeroes}}$$

$$10^6 = 1 \underbrace{000000}_{6 \text{ zeroes}}$$
 $10^1 = 10$

$$10^6 = 1 \underbrace{000000}_{6 \text{ zeroes}}$$

$$10^1 = 10$$

$$10^0 = 1$$

$$10^6 = 1 \underbrace{000000}_{6 \text{ zeroes}}$$

$$10^1 = 10$$

$$10^0 = 1$$

$$10^{-1} = 0.1$$

$$10^{6} = 1 \underbrace{000000}_{6 \text{ zeroes}}$$

$$10^{1} = 10$$

$$10^{0} = 1$$

$$10^{-1} = 0.1$$

$$10^{-6} = 0. \underbrace{00000}_{5 \text{ zeroes}} 1$$

A way of writing very large and very small numbers

- A way of writing very large and very small numbers
- $a \times 10^b$, where

- A way of writing very large and very small numbers
- $a \times 10^b$, where
 - a (1 \leq |a| < 10) is the mantissa

- A way of writing very large and very small numbers
- $\triangleright a \times 10^b$, where
 - a (1 \leq |a| < 10) is the mantissa
 - (a is a positive or negative number with a single non-zero digit before the decimal point)

- A way of writing very large and very small numbers
- $\triangleright a \times 10^b$, where
 - a (1 \leq |a| < 10) is the mantissa
 - (a is a positive or negative number with a single non-zero digit before the decimal point)
 - ▶ b (an integer) is the **exponent**

- A way of writing very large and very small numbers
- $a \times 10^b$, where
 - a (1 \leq |a| < 10) is the mantissa
 - (a is a positive or negative number with a single non-zero digit before the decimal point)
 - b (an integer) is the exponent
- ► E.g. 1 light year = 9.461×10^{15} metres

- A way of writing very large and very small numbers
- $a \times 10^b$, where
 - a (1 \leq |a| < 10) is the mantissa
 - (a is a positive or negative number with a single non-zero digit before the decimal point)
 - b (an integer) is the exponent
- ► E.g. 1 light year = 9.461×10^{15} metres
- ► E.g. Planck's constant = 6.626×10^{-34} joules

- A way of writing very large and very small numbers
- $\rightarrow a \times 10^b$, where
 - a (1 \leq |a| < 10) is the mantissa
 - (a is a positive or negative number with a single non-zero digit before the decimal point)
 - b (an integer) is the exponent
- ► E.g. 1 light year = 9.461×10^{15} metres
- ► E.g. Planck's constant = 6.626×10^{-34} joules
- ▶ Socrative FALCOMPED

Scientific notation in code

Scientific notation in code

Instead of writing $\times 10$, write \bigcirc (no spaces)

Scientific notation in code

Instead of writing $\times 10$, write \bigcirc (no spaces)

```
lightYear = 9.461e15
plancksConstant = 6.626e-34
```

➤ Similar to scientific notation, but base 2 (binary)

- ► Similar to scientific notation, but **base 2** (binary)
- \blacktriangleright ±mantissa \times 2^{exponent}

- ➤ Similar to scientific notation, but base 2 (binary)
- ightharpoonup ±mantissa × 2^{exponent}
- ▶ Sign is stored as a single bit: 0 = +, 1 = -

- Similar to scientific notation, but base 2 (binary)
- ▶ ±mantissa × 2^{exponent}
- ▶ Sign is stored as a single bit: 0 = +, 1 = -
- Mantissa is a binary number with a 1 before the point; only the digits after the point are stored

- Similar to scientific notation, but base 2 (binary)
- ▶ ±mantissa × 2^{exponent}
- ▶ Sign is stored as a single bit: 0 = +, 1 = -
- Mantissa is a binary number with a 1 before the point; only the digits after the point are stored
- Exponent is a signed integer, stored with a bias

Туре	Sign	Exponent	Mantissa	Total
Single precision	1 bit	8 bits	23 bits	32 bits
Double precision	1 bit	11 bits	52 bits	64 bits

Туре	Sign	Exponent	Mantissa	Total
Single precision	1 bit	8 bits	23 bits	32 bits
Double precision	1 bit	11 bits	52 bits	64 bits

Exponent is stored with a bias:

- ► Single precision: store exponent + 127
- ► Double precision: store exponent + 1023

Туре	Sign	Exponent	Mantissa	Total
Single precision	1 bit	8 bits	23 bits	32 bits
Double precision	1 bit	11 bits	52 bits	64 bits

Exponent is stored with a bias:

- ► Single precision: store exponent + 127
- ► Double precision: store exponent + 1023
- Python uses double precision

Туре	Sign	Exponent	Mantissa	Total
Single precision	1 bit	8 bits	23 bits	32 bits
Double precision	1 bit	11 bits	52 bits	64 bits

Exponent is stored with a bias:

- ► Single precision: store exponent + 127
- Double precision: store exponent + 1023
- Python uses double precision
- ► Other languages have float (single) and double types





0 10000001 10100000000000000000000

► Exponent: 129 – 127 = 2

0 10000001 10100000000000000000000

► Exponent: 129 – 127 = 2

► Mantissa: binary 1.101

0 10000001 10100000000000000000000

- ► Exponent: 129 127 = 2
- ► Mantissa: binary 1.101
- $1 + \frac{1}{2} + \frac{1}{8} = 1.625$



0 10000001 10100000000000000000000

- ► Exponent: 129 127 = 2
- ► Mantissa: binary 1.101
- $1 + \frac{1}{2} + \frac{1}{8} = 1.625$
- ► $1.625 \times 2^2 = 6.5$

0 10000001 101000000000000000000000

- ► Exponent: 129 127 = 2
- ► Mantissa: binary 1.101
- $1 + \frac{1}{2} + \frac{1}{8} = 1.625$
- ► $1.625 \times 2^2 = 6.5$
- ► Alternatively: $1.101 \times 2^2 = 110.1$

0 10000001 10100000000000000000000

- ► Exponent: 129 127 = 2
- ► Mantissa: binary 1.101
- $1 + \frac{1}{2} + \frac{1}{8} = 1.625$
- ► $1.625 \times 2^2 = 6.5$
- Alternatively: $1.101 \times 2^2 = 110.1$
- $ightharpoonup = 4 + 2 + \frac{1}{2} = 6.5$

Socrative FALCOMPED

Socrative FALCOMPED

What is the value of this number expressed in IEEE 754 single precision format?

0 10000010 01011000000000000000000

You have **5 minutes**, and you **may** use a calculator! (Unless your calculator does IEEE 754 conversion...)





0 10000010 01011000000000000000000

► Exponent: 130 - 127 = 3

0 10000010 01011000000000000000000

► Exponent: 130 – 127 = 3

► Mantissa: binary 1.01011

- ► Exponent: 130 127 = 3
- ► Mantissa: binary 1.01011
- $1 + \frac{1}{4} + \frac{1}{16} + \frac{1}{32} = 1.34375$

- ► Exponent: 130 127 = 3
- ► Mantissa: binary 1.01011
- $ightharpoonup 1 + \frac{1}{4} + \frac{1}{16} + \frac{1}{32} = 1.34375$
- ► $1.34375 \times 2^3 = 10.75$

- ► Exponent: 130 127 = 3
- ► Mantissa: binary 1.01011
- ► $1.34375 \times 2^3 = 10.75$
- Alternatively: $1.01011 \times 2^3 = 1010.11$

- ► Exponent: 130 127 = 3
- ► Mantissa: binary 1.01011
- $1 + \frac{1}{4} + \frac{1}{16} + \frac{1}{32} = 1.34375$
- ► $1.34375 \times 2^3 = 10.75$
- ► Alternatively: 1.01011 × 2³ = 1010.11
- $ightharpoonup = 8 + 2 + \frac{1}{2} + \frac{1}{4} = 10.75$

Precision varies by magnitude

- Precision varies by magnitude
- Numbers near 0 can be stored more accurately than numbers further from 0

- ► Precision varies by magnitude
- Numbers near 0 can be stored more accurately than numbers further from 0
- ► Analogy: in scientific notation with 3 decimal places

- ► Precision varies by magnitude
- Numbers near 0 can be stored more accurately than numbers further from 0
- ► Analogy: in scientific notation with 3 decimal places
 - Around 3.142×10^{0} : can represent a difference of 0.001

- ► Precision varies by magnitude
- Numbers near 0 can be stored more accurately than numbers further from 0
- Analogy: in scientific notation with 3 decimal places
 - Around 3.142×10^{0} : can represent a difference of 0.001
 - Around 3.142×10^3 : can represent a difference of 1

- ► Precision varies by magnitude
- Numbers near 0 can be stored more accurately than numbers further from 0
- Analogy: in scientific notation with 3 decimal places
 - Around 3.142 × 10⁰: can represent a difference of 0.001
 - ▶ Around 3.142×10^3 : can represent a difference of 1
 - \blacktriangleright Around 3.142 \times 106: can represent a difference of 1000

Range of floating point numbers

Туре	Smallest value	Largest value
Single precision	$\pm 1.175 \times 10^{-38}$	$\pm 3.403 \times 10^{38}$
Double precision	$\pm 2.225 \times 10^{-308}$	$\pm 1.798 \times 10^{308}$

 Many numbers cannot be represented exactly in IEEE float

- Many numbers cannot be represented exactly in IEEE float
 - Similar to how decimal notation cannot exactly represent $\frac{1}{3} = 0.33333333...$ or $\frac{1}{7} = 0.142857...$

- Many numbers cannot be represented exactly in IEEE float
 - Similar to how decimal notation cannot exactly represent $\frac{1}{3} = 0.33333333...$ or $\frac{1}{7} = 0.142857...$
- ▶ Decimal: can represent $\frac{a}{b}$ exactly iff $b = 2^m 5^n$

- Many numbers cannot be represented exactly in IEEE float
 - Similar to how decimal notation cannot exactly represent $\frac{1}{3} = 0.33333333...$ or $\frac{1}{7} = 0.142857...$
- ▶ Decimal: can represent $\frac{a}{b}$ exactly iff $b = 2^m 5^n$
- ▶ Binary: can represent $\frac{a}{b}$ exactly iff $b = 2^n$

- Many numbers cannot be represented exactly in IEEE float
 - Similar to how decimal notation cannot exactly represent $\frac{1}{3} = 0.33333333...$ or $\frac{1}{7} = 0.142857...$
- ▶ Decimal: can represent $\frac{a}{b}$ exactly iff $b = 2^m 5^n$
- ▶ Binary: can represent $\frac{a}{b}$ exactly iff $b = 2^n$
- ▶ In particular, IEEE float can't represent $\frac{1}{10} = 0.1$ exactly!

- Many numbers cannot be represented exactly in IEEE float
 - Similar to how decimal notation cannot exactly represent $\frac{1}{3} = 0.33333333...$ or $\frac{1}{7} = 0.142857...$
- ▶ Decimal: can represent $\frac{a}{b}$ exactly iff $b = 2^m 5^n$
- ▶ Binary: can represent $\frac{a}{b}$ exactly iff $b = 2^n$
- In particular, IEEE float can't represent ¹/₁₀ = 0.1 exactly!
- This can lead to rounding errors with some calculations

- Many numbers cannot be represented exactly in IEEE float
 - Similar to how decimal notation cannot exactly represent $\frac{1}{3} = 0.3333333...$ or $\frac{1}{7} = 0.142857...$
- ▶ Decimal: can represent $\frac{a}{b}$ exactly iff $b = 2^m 5^n$
- ▶ Binary: can represent $\frac{a}{b}$ exactly iff $b = 2^n$
- ▶ In particular, IEEE float can't represent $\frac{1}{10} = 0.1$ exactly!
- This can lead to rounding errors with some calculations
 - ▶ E.g. according to Python, $0.1 + 0.2 0.3 = 5.551 \times 10^{-17}$



▶ Due to rounding errors, using == or != with floating point numbers is almost always a bad idea

- ▶ Due to rounding errors, using == or != with floating point numbers is almost always a bad idea
- ► E.g. in Python, 0.1 + 0.2 == 0.3 evaluates to False

- Due to rounding errors, using == or != with floating point numbers is almost always a bad idea
- ► E.g. in Python, 0.1 + 0.2 == 0.3 evaluates to False
- Better to check for approximate equality: calculate the difference between the numbers, and check that it's smaller than some threshold

- Due to rounding errors, using == or != with floating point numbers is almost always a bad idea
- ► E.g. in Python, 0.1 + 0.2 == 0.3 evaluates to False
- Better to check for approximate equality: calculate the difference between the numbers, and check that it's smaller than some threshold

```
THRESHOLD = 1e-5
def is_approx_equal(a, b):
    return abs(b - a) < THRESHOLD</pre>
```

▶ Python (and other languages) provide a decimal type

- ▶ Python (and other languages) provide a decimal type
- Uses base 10 rather than base 2, so avoids some of the gotchas with IEEE float

- ▶ Python (and other languages) provide a decimal type
- Uses base 10 rather than base 2, so avoids some of the gotchas with IEEE float
- ... however not natively supported by the CPU, hence much slower