INTRINSEC
Innovative by design

Pivoting on a malspam infrastructure delivering JS malware backed by bulletproof networks

Cyber Threat Intelligence

May 2026

@Intrinsec @Intrinsec Blog Website

2026 Intrinsec, Inc. All rights reserved.

Table of contents

1. Key findings 3
2. Introduction 4
3. Campaigns analysis 6
3.1. Spearphishing emails and victimology 6
3.2. JS backdoor 7
4. Infrastructure analysis 8
4.1. GHOSTYNETWORKS – AS205759 (AnonRDP) 8
4.1.1. Links with OPTIBOUNCE – AS214967 8
4.1.2. Daniel Mishayev 9
4.1.3. Networks attacks 11
4.1.4. Leveraged by TeamPCP 12
4.2. OMEGATECH – AS202412 13
4.3. Previous infrastructure TELCHAK – AS207184 14
5. Conclusion 16
6. Actionable content 17
6.1. Indicators of compromise 17
6.2. Recommendations 18
6.3. Tactics, Techniques and Procedures 18

1. Key findings

- During the month of March 2026, multiple **malspam campaigns** were launched to distribute a **JavaScript coded backdoor**.

- The targets of those campaigns were from **all regions and sectors**, notably **energy** and **finance ministries**, including in the **CIS region**.

- We believe the campaigns to be financially motivated and operated for **email account compromise** (EAC) and/or **business email compromise** (BEC).

- Both the IP used to send the spam, and the C2 of the JavaScript backdoor, were hosted on two distinct bulletproof networks; US based **GHOSTYNETWORKS**, and Seychelles based **OMEGATECH**.

- **GHOSTYNETWORKS** can seemingly be considered with a high level of confidence to be a rebrand of **OPTIBOUNCE** and thus be linked to the unfamous hosting provider **AnonRDP**. It was notably plebiscite by more sophisticated threat actors like **TeamPCP**.

- Based on various open-source intelligence, **OMEGATECH** seems to be yet another network created by hosting provider **Virtualine**, advertised on underground forums.

- Pivots on the threat actor's infrastructure unveiled previous malspam and malware activities from the end of 2025, **also backed by other bulletproof solutions**.

2. Introduction

In March 2026, Intrinsec's CTI team detected a malspam campaign delivering a **JavaScript coded backdoor**. The mails were sent to **all type of sectors and countries**, including members of the CIS region, therefore slightly ruling out the possibility that the threat actor originates from there, as it is common for CIS region threat actors not to attack the member countries.

JavaScript payloads as a primary initial-access

Active and successful initial access brokers such as **SocGholish** (also known as *FakeUpdates*), known to work with threat groups like *Evil Corp,*[1] used JavaScript in this role **since at least 2017,** but it has remained effective and evolved through 2024–2026 with direct-to-JS delivery, stronger obfuscation, and multi-language follow-on stages.
GootLoader, another initial access broker working with Russian based ransom groups (such as BlackCat and Rhysida),[2] uses JavaScript payloads as its initial-access mechanism by abusing search-engine optimization (SEO) to lure victims to compromised or attacker-controlled websites that host trojanized "documentation" or "forum" pages; from these pages, users are socially engineered into downloading a ZIP archive containing a .js file disguised as a legitimate document or legal template.
The JavaScript payload acts as a lightweight loader, performing environment checks, establishing command-and-control, and retrieving follow-on malware such as Cobalt Strike, GootKit, or ransomware loaders, often via PowerShell or additional scripting stages. GootLoader has relied on this JavaScript-centric initial access technique since at least 2020, and it remains effective to this day.
The operators deliberately rely on JavaScript because it executes through trusted, built-in interpreters, avoids exploits, blends into common update workflows, and often bypasses application-control and antivirus rules that focus on binaries rather than scripts.

The mails sender IP and the C2 of the payload were hosted on two distinct abusive networks ***GHOSTYNETWORKS*** (AS205759) and ***OMEGATECH*** (AS202412), that we could in fine link to know bulletproof hosting solutions **AnonRDP** and **Virtualine**.[3] By pivoting on certain elements of the threat actor's infrastructure, we found previous campaigns deploying different malwares sent with IPs also announced by bulletproof networks (such as *TELCHACK-AS*) later rebranded to evade blocklists.

Based on elements described further in this report, we assess with a high level of confidence the campaign to be **financially motivated, and with a medium level of confidence for Email account compromise (EAC) or business email compromise (BEC)** attempts.

[1] *https://www.truesec.com/hub/blog/are-the-notorious-cyber-criminals-evil-corp-actually-russian-spies*

[2] *Intrinsec Tactical Analysis "Vanilla Tempest: Rhysida operator targets users with AI themed Oyster payloads". February 2026.*

[3] *Intrinsec Tactical Analysis "From espionage to psyops: Tracking operations and bulletproof providers of UACs in 2025". March 2025.*

business email compromise (BEC) and Email account compromise (EAC)

A **Business Email Compromise (BEC)** attack is a type of phishing-based fraud where an attacker impersonates a trusted party (such as a CEO, supplier, or partner) via email to trick victims into transferring money or sensitive information, typically exploiting social engineering rather than malware. In contrast, an **Email Account Compromise (EAC)** attack involves the attacker gaining unauthorized access to a legitimate email account (e.g., through credential theft), allowing them to send messages from the real account, monitor conversations, and carry out more convincing fraud. In short, BEC relies on **spoofed identity**, while EAC involves actual **account takeover**.

In April 2026, a threat actor stole **£700,000 (nearly $1 million)** from **UK oil and gas company Zephyr Energy** by fraudulently **redirecting a payment intended for a contractor** into a bank account controlled by the attacker, according to a filing with the London Stock Exchange. The theft impacted one of Zephyr's **U.S.-based subsidiaries**, and while the company has not disclosed the precise intrusion method, the incident bears the hallmarks of a **business email compromise (BEC)** attack, in which attackers gain access to email or accounting systems to alter payment instructions.[4]

The case underscores the continued prevalence of BEC fraud, which the FBI reports accounted for **over $3 billion in losses in 2025**, making it one of the most financially damaging cybercrime categories globally.[5]

According to the Australian Signal Directorate (ASD) in its Annual Cyber Threat Report 2024-2025, email compromises resulting in financial loss made up 15% of the total cybercrime reports and ranks among the **top three of all self-reported cybercrimes** for Australian businesses.[6]

Overall, this report aims at efficiently understand the campaign's techniques and objectives, and through pivots on the malicious infrastructure enabling multiple parts of the kill chain, finding additional indicators and elements to block, and get a fresh overview and intelligence on some currently active cybercrime operated networks enabling various other type of cyber threats.

[4] *https://www.theregister.com/security/2026/04/09/zephyr-energy-loses-700k-to-contractor-payment-fraud/5226395*

[5] *https://www.ic3.gov/AnnualReport/Reports/2025_IC3Report.pdf*

[6] *https://www.cyber.gov.au/about-us/view-all-content/reports-and-statistics/annual-cyber-threat-report-2024-2025*

3. Campaigns analysis

3.1. Spearphishing emails and victimology

As mentioned, the campaigns were operated during March 2026, with phishing emails sent by the domain "**mail.talruit**[.]**com**", hosted on IP **83.142.209**[.]**64** announced by **AS205759**, and "**mpwirerope**[.]**com**", hosted on IP **91.92.243**[.]**79**, announced by **AS202412**.

A first wave of spam was launched of March 3, followed by a second wave launched on March 5, with targets such as the professional address of "*Grand Distribution*'s CIO, a large **Ukrainian FMCG distribution holding** that operates nationwide. Later, on March 17, the same IP sent another wave, with targets like Russian company *Orsknefteorgsintez PAO* (ПАО "Орскнефтеоргсинтез"), one of Russia's major **oil-refining enterprises**, operating the *Orsk Oil Refinery* (Орский НПЗ) located in Orsk, Orenburg Oblast.[7] For this target, the mail posed as an industrial manufacturer based in the United Arab Emirates (*cf. figure 1*). This target in the energy industry particularly matches with the recent case of payment redirection that affected *Zephyr Energy*, mentioned in the introduction of this report.

Another wave was then launched on March 24, with targets notably located in Poland and Germany, like ***BRASS Gruppe***, an **automotive retail group**.

In April 2026, the mails were sent by IP **46.151.182**[.]**109**, also announced by **AS205759**. Amongst the targeted domains was the **Ministry of Finance of the Pridnestrovian Moldavian Republic** (PMR), also known as **Transnistria**, a de-facto independent but internationally unrecognized state located between Moldova and Ukraine.

Again, the victimology matches with a recent case of BEC that affected **Sri Lanka's finance ministry** in April 2026, in which a threat actor hacked into the finance ministry's computer system and email servers. It marked the largest amount ever stolen from a state institution in Sri Lanka.[8] Targeting finance ministries of poor countries like Transnistria and Sri Lanka could be a strategic move from threat actors operating BEC attacks to increase their success rate. Indeed, such countries have less chance to show strong cybersecurity resilience notably due to **limited budgets**, **lack of trained staff**, and less mature **email authentication controls** (SPF, DKIM, DMARC enforcement).

[7] *https://www.ornpz.ru/*

[8] *https://www.abc.net.au/news/2026-04-23/hackers-steal-sri-lanka-s-debt-repayment-to-australia/106600116*



Figure 1. Two phishing emails from the campaigns launched throughout March 2026.

based on the wide **range of targets** and the **massive spam** operated with **low sophistication**, we can assess with a high level of confidence the campaigns to be **financially motivated**.

3.2. JS backdoor

The JS backdoor found in either in a ZIP or RAR archived attached to the mails, was heavily obfuscated. Once executed, It send a POST request on non-standard ports (**2002**, **2004**, **7273**, **3232**, **6565**, **34567**, or **2244**) to its C2, containing system information. The backdoor crafted a unique identifier for the infected machine, following the pattern: "**gATIjh\?ia=^[A-Z0-9]{16}$**":

- *"scan.aryamint[.]com:2244/gATIjh?ia=9BFQT8YZBK2MNDLS&df=0"*

With the following User-Agent:

- *Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 10.0; Win64; x64; Trident/7.0; .NET4.0C; .NET4.0E; .NET CLR 2.0.50727; .NET CLR 3.0.30729; .NET CLR 3.5.30729)*

In some other payloads, it would directly communicate with the IP as a C2:

- *158.94.211[.]76:3232/ceoznp?ia=E4W13CFPV8366E6B&df=0*

4. Infrastructure analysis

4.1. GHOSTYNETWORKS – AS205759 (AnonRDP)

One of the IP used to send the spam is (83.142.209[.]64) is currently announced by *Ghosty Networks LLC* - AS205759, Allocated in January 2026 and based in **Kentucky**, United States.[9] 4 out of the 6 the prefixes announced by the network are currently registered as **abusive** by Spamhaus:

- 83.142.209[.]0/24 ; (SBL692142)
- 46.151.182[.]0/24 ; (SBL692140)
- 43.228.157[.]0/24 ; (SBL692930)
- 36.255.97[.]0/24 ; (SBL693107)

The network is entirely routed by *SMARTNET LIMITED* - AS203446.[10]

According to Spamhaus, it is considered as bulletproof hosting for "*proliferating cybercrime operations*" (*cf. figure 2*).[11]




Figure 2. Spamhaus' description of the network.

4.1.1. Links with OPTIBOUNCE – AS214967

This network can be linked to a now extinct network named **OPTIBOUNCE** (AS214967) also registered in Kentucky at the time, linked with a high level of confidence to **AnonRDP**, a largely documented bulletproof hosting provider. The network was also used to host cybercrime related content,[12] and announced some prefixes now announced by

[9] *https://sosbes.sos.ky.gov/BusSearchNProfile/Profile.aspx?ctr=1504924*

[10] *https://bgp.he.net/AS205759*

[11] *https://check.spamhaus.org/results/?query=SBL692142*

[12] *https://www.esentire.com/blog/unpacking-netsupport-rat-loaders-delivered-via-clickfix*

GHOSTYNETWORKS (*cf. figure 3*). Curiously, a certain prefix was previously announced by *Stark Industries* (AS44477). A hosting company sanctioned for the same reasons.[13]




Figure 3. ASN who announced prefix 83.142.209[.]0/24 between 2022 and 2026.

Some prefix descriptions display the entity's name "*Demenin BV*", associated to a network of the same name allocated under ASN **38946**, also blocked by Spamhaus for abusive content.[14]

4.1.2. Daniel Mishayev

The registered organizer for *OPTIBOUNCE LLC* was a certain **Daniel Mishayev**, that we often encountered in past investigations on abusive networks.[15] All the companies with his name were associated to an ASN, most of the time blocked and deemed abusive by Spamhaus (*cf. figure 4*).[16]

Name	Title	Organization Name	Status	Org. ID
Mishayev, Daniel	Organizer	OPTIBOUNCE, LLC	I-Inactive	1361093
Mishayev, Daniel	Organizer	DN NETWORK LLC	I-Inactive	1367456
Mishayev, Daniel	Organizer	ATLAS HOST LLC	I-Inactive	1367457
Mishayev, Daniel	Organizer	OFFSHORE LC	I-Inactive	1375656
Mishayev, Daniel	Organizer	CYBERKITTENS LC	I-Inactive	1376733
Mishayev, Daniel	Organizer	AMAZING TECHNOLOGY LLC	I-Inactive	1396923
MISHAYEV, DANIEL	Organizer	SECURESHIELD SOLUTIONS LLC	I-Inactive	1399458
MISHAYEV, DANIEL	Organizer	PRIMOX LLC	I-Inactive	1402719
MISHAYEV, DANIEL	Organizer	FEMBOY PROXY SOLUTIONS HOLDINGS LLC	I-Inactive	1402721
Mishayev, Daniel	Organizer	OXIWAVE BROADBAND LLC	I-Inactive	1409928
MISHAYEV, DANIEL	Organizer	PURRFECTHOSTING LLC	I-Inactive	1411230
MISHAYEV, DANIEL	Organizer	GRAVHOSTING LLC	I-Inactive	1411231
MISHAYEV, DANIEL	Organizer	RUSOCIAL LLC	I-Inactive	1411232
Mishayev, Daniel	Organizer	HOMELINE BROADBAND LLC	A-Active	1426649

Figure 4. All the companies registered in Kentucky under the organizer name Mishayev Daniel.

[13] *https://data.europa.eu/apps/eusanctionstracker/subjects/175827*

[14] *https://www.spamhaus.org/drop/asndrop.json*

[15] *Intrinsec Tactical Analysis "From espionage to psyops: Tracking operations and bulletproof providers of UACs in 2025". March 2025.*

[16] *https://sosbes.sos.ky.gov/BusSearchNProfile/ioffsearch.aspx?search=Daniel+Mishayev*

Like *GHOSTYNETWORKS*, one of those networks was routed by *SMARNET LIMITED* at the time. On hosting forum discussions, the upstream provider is often confronted by users highlighting the abusive content found on its downstream networks (*cf. figure 5*).[17]




Figure 5. Discussion between a user and SMARNET admin. Source: Lowendtalk forum.

OPTIBOUNCE notably, who SMARNET denies being directly connected to AnonRDP, but confirming that the company is indeed Mr. Mishayev's (*cf. figure 6*).




Figure 6. Discussion between a user and SMARNET admin on the matter. Source: Lowendtalk forum.

[17] *https://lowendtalk.com/discussion/211377/aurologic-accused-of-being-a-major-actor-in-enabling-cybercrime/p12*

Another user implies that Mr. Mishayev "*only provides the ASN and company registration*", thus only serving as a legal front for the networks, and "*not involved in everyday operations*" (*cf. figure 7*).




Figure 7. User statement on the matter. Source: Lowendtalk forum.

While we cannot confirm those facts, **one must consider a network linked to this persona to represent a high risk of being related to cybercrime.**

Regarding *GHOSTYNETWORKS*, everything seems to match with past legal entities and networks used by AnonRDP. Registered in **Kentucky**, same **malicious content**,[18] and same **previously announced prefix**. We could thus assess with a medium level of confidence *GHOSTYNETWORKS* to be the current network used by AnonRDP for its abusive hosting business.

4.1.3. Networks attacks

Throughout the month of March, our various honeypots recorded a total of 30,244 network hits emitted by IPs announced by *GHOSTYNETWORKS*. The following table lists the 10 IPs that were most active.

Source IP	Count
64.89.160[.]47	5,996
64.89.161[.]182	4,501
83.142.209[.]8	4,264
46.151.182[.]45	4,199
64.89.161[.]53	4,119
64.89.160[.]82	1,645
46.151.182[.]191	317
43.228.157[.]10	288
46.151.182[.]190	283
43.228.157[.]16	278

[18] *https://threatfox.abuse.ch/asn/205759/*

The attacks were a mix of bruteforce and scanning attempts on various ports, evenly spread throughout time (*cf. figure 8*).




Figure 8. Chart of the number of attacks that targeted our honeypots, distributed by destination port and originating from AS205759 in March 2026.

IP **46.151.182**[.]**30** was notably used in **Ivanti EPMM exploitation campaigns** in February 2026.[19]

4.1.4. Leveraged by TeamPCP

TeamPCP, a **financially motivated cybercrime group** that emerged in late 2025 and is best known for **large-scale, cloud-native and supply-chain attacks**,[20] has been using *GHOSTYNETWORKS* for some of its operations in March 2026. As documented by *OpenSourceMalware,* the adversary leveraged the network to host a PUREHVNC RAT C2.[21]

During the same month, they orchestrated supply-chain compromise of the official LiteLLM Python package on PyPI. The group published **trojanized versions (v1.82.7 and v1.82.8)** that embedded a **credential-stealing payload**. The C2 "litellm[.]cloud", was also hosted on a GHOSTYNETWORKS IP.

"Once launched, the malware collects a wide range of sensitive information (environment variables, SSH keys, AWS/GCP/Azure cloud tokens, Kubernetes secrets, configuration files, shell histories, crypto wallets, etc.). It encrypts the data (AES-256 + RSA-4096) and exfiltrates it to models.litellm[.]cloud."

Various other IPs announced by *GHOSTYNETWORKS* appear in reports on TeamPCP's activities:[22]

- 83.142.209[.]203
- 83.142.209[.]11

[19] *https://labs.withsecure.com/publications/ivanti-epmm-exploitation*

[20] *https://thehackernews.com/2026/02/teampcp-worm-exploits-cloud.html*

[21] *https://opensourcemalware.com/blog/teampcp-purehvnc-campaign*

[22] *https://unit42.paloaltonetworks.com/teampcp-supply-chain-attacks/*

4.2. OMEGATECH – AS202412

The C2 of the JS backdoor deployed during the campaigns (**scan.aryamint**[.]**com**) and the other domain used to send the spam (**mpwirerope**[.]**com**), hosted on IPs **158.94.211**[.]**76** and **91.92.243**[.]**79**, are announced by yet another bulletproof hosting network ***OMEGATECH*** – AS202412.

Spamhaus considers it to just be another front of **Virtualine**,[23] a Russia-based bulletproof hosting provider advertised on the usuals Russian-speaking forums such as XSS or Exploit.[24]

- *{"asn":202412,"rir":"ripencc","domain":"virtualine.org","cc":"GB","asname":"OMEGATECH-AS"}*

According to a *Breakglass intelligence* report from April 2026, the Seychelles' based network is currently hosting 67 C2 servers on a single subnet.[25]

Its two upstream providers, *aurologic GmbH* (AS30823), and *Pfcloud UG* (AS51396), are equally known for their tendency to overlook the abusive content of their downstream.[26]

Throughout the month of March, our various honeypots recorded a total of 642,001 network hits emitted by IPs announced by *OMEGATECH-AS*. The following table lists the 10 IPs that were most active.

Source IP	Count
94.154.35[.]215	49,067
130.12.180[.]88	41,904
178.16.54[.]6	38,547
158.94.210[.]203	19,738
178.16.54[.]226	13,694
178.16.54[.]42	8,920
178.16.54[.]172	8,868
178.16.54[.]111	8,853
178.16.54[.]89	8,853
91.92.243[.]24	8,849

[23] *https://www.spamhaus.org/drop/asndrop.json*

[24] *Intrinsec Tactical Analysis "From espionage to psyops: Tracking operations and bulletproof providers of UACs in 2025". March 2025.*

[25] *https://intel.breakglass.tech/post/omegatech-bph-as202412-67-c2-servers-16-malware-families-one-subnet*

[26] *https://www.recordedfuture.com/research/malicious-infrastructure-finds-stability-with-aurologic-gmbh*




Figure 9. Chart of the number of attacks that targeted our honeypots, distributed by destination port and originating from AS202412 in March 2026.

4.3. Previous infrastructure TELCHAK – AS207184

Before being hosted on an IP announced by *OMEGATECH*, the JS backdoor's C2 (aryamint[.]com), was already active back in June 2025. At the time, it was hosted on IP **45.74.16**[.]**85**, announced by *TELCHACK-AS* (AS207184),[27] a bulletproof network that we often encountered in cybercrime related incidents, notably targeting clients of energy solutions through SMS spam.[28] After some time the network was blocked by Spamhaus, and is currently not announcing any prefix.




Figure 10. ASN who historically announced the prefix 45.74.16[.]0/24 between 2024 and 2026.


During that time, the threat actor was using the IP to both send the spam and host the C2 of a Remcos payload in fine delivered by the said spam.[29] Similar to what we observed in the campaigns launched in March 2026. Hitting that this threat actor has been active for quite some time, leveraging pretty much the same techniques and being a recurrent client of bulletproof hosting.

Like *GHOSTYNETWORKS* and *OMEGATECH*, the operator of *TELCHACK-AS* was routed by *SMARTNET LIMITED* and *PfCloud UG* (*cf. figure 11*). Another sign that individuals engaged in bulletproof hosting tend to create peering agreements with well identified compliant upstream providers like these two.

[27] *https://stat.ripe.net/resource/45.74.16.0/24#tab=routing*

[28] *https://urlscan.io/result/0197a9c9-4e60-7218-a233-d3f1f1dbe948/*

[29] *https://threatfox.abuse.ch/ioc/1545385/*



ASN	Name
AS203446	SMARTNET LIMITED
AS51396	Pfcloud UG
AS60223	Netiface Limited

Figure 11. Share of peering agreements between AS207184 and upstream ASN in 2025.

5. Conclusion

Despite their low sophistication, malspam campaigns and JavaScript payloads continue to be **largely employed by threat actors looking for mass compromise**. Such campaigns seem to be motivate with a medium level of confidence for **EAC** or **advance BEC attempts,** the victimology matching with recent case of such successful attacks of this type, and with a lower level of confidence for either **logs reselling** or more **qualified access broking** for further operations like **ransomware deployment**.

As discovered through pivots on the infrastructure, this threat actor was particularly active and **always relied on bulletproof hosting** to back its operations, emphasizing the key role those services play for cybercrime.

One of them was also used by more sophisticated adversaries like **TeamPCP**, recently engaged in vast **supply chain attacks**. **Blocking prefixes announced by BPH autonomous systems at network borders** continues to be the **most efficient way to counter this threat.**

6. Actionable content

6.1. Indicators of compromise

Value	Type	Description
205759	ASN	*GHOSTYNETWORKS*
202412	ASN	*OMEGATECH-AS*
83.142.209[.]64	IPv4	Emits spam
91.92.243[.]79	IPv4	Emits spam and JS backdoor C2
158.94.211[.]76	IPv4	JS backdoor C2
mail.talruit[.]com	Domain	Emits spam
talruit[.]com	Domain	Emits spam
scan.aryamint[.]com	Domain	JS backdoor C2
aryamint[.]com	Domain	JS backdoor C2
mpwirerope[.]com	Domain	Emits spam
ethara[.]org	Domain	Linked to TA's infrastructure
794fab796e48f97e976d99157913ab5beee5ae8ef2731bf2af2222ae5b6a1c65	SHA-256	JS backdoor - "QUOTE_B0426.js"
ac842e4adb445a76aad135828d56116858a1b7d37b4a103f493e175816df9bb2	SHA-256	JS backdoor - "PO 03603.zip"
33713a3650a3c1d64045c3832835dcacef92ad4f09c030fbe674454266880fea	SHA-256	JS backdoor - "PO 26683.js"
7277f4dfb26a53f8ee47cac051a82f6709e07b6603f26ff3987cc64a137e07dc	SHA-256	JS backdoor - "PO8767.rar"
232a179daf4db527c062b609ebb5f19310eea8f5c80afce6f763f5841110aed8	SHA-256	JS backdoor - "PO8767.js"

6.2. Recommendations

- **Deploy targeted filters** at network borders (firewalls, routers, secure web gateways) against:
  - Malicious IPs and domains provided in the indicator of compromise section of this report.
  - Specific ASNs repeatedly linked to BPH abuse.

- Intrinsec offers its own **CTI feed** to enhance your detection and response capabilities:
  - https://www.intrinsec.com/en/cyber-threat-intelligence-feeds/

- **Block .js**, **.jse**, **.mjs** attachments, and **ZIP/ISO/RAR** containers with embedded JS.

- **enforce application control** to block .js execution outside trusted paths and monitor executions of **wscript/cscript**.

- **Regularly train employees** to recognize phishing attempts, especially those involving malicious attachments or suspicious links. Conduct internal phishing tests to assess and improve employee awareness.

- **Use advanced email security gateways** to detect and block phishing emails, particularly those containing malicious attachments or links.

6.3. Tactics, Techniques and Procedures

ID	Tactic
T1566.001	Phishing: Spearphishing Attachment:
T1204.002	User Execution: Malicious File
T1059.007	Command and Scripting Interpreter: JavaScript
T1027	Obfuscated Files or Information
TA0043	Reconnaissance
T1595	Active Scanning
T1110	Brute Force
T1133	External Remote Services

INTRINSEC

Innovative by design

Cyber Threat Intelligence

@Intrinsec @Intrinsec Blog Website

If you have any questions regarding this report, please contact: cti-ir@intrinsec.com