УО «Белорусский государственный университет информатики и радиоэлектроники»

Кафедра ПОИТ

Отчет по лабораторной работе №3 по предмету

Операционные системы и системное программирование Вариант 5

Выполнил:

Гладкий М.Г.

Проверил:

Алексеев И.Г.

Группа:

851005

Задание:

Вариант 5. Написать программу подсчета количества слов в файлах заданного каталога его подкаталогов. Пользователь задаёт имя каталога. Главный процесс открывает каталоги и запускает для каждого файла каталога отдельный процесс подсчёта количества слов. Каждый процесс выводит на экран свой ріd, полный путь к файлу, общее число просмотренных байт и количество слов. Число одновременно работающих процессов не должно превышать N (вводится пользователем). Проверить работу программы для каталога /etc.

Работа с каталогом /etc:

```
falxns@falxns-VirtualBox: ~/HladkiMG
 Файл Правка Вид Поиск Терминал Справка
falxns@falxns-VirtualBox:~/HladkiMG$ ./a.out /etc 10 > output.txt
a.out: Bad file descriptor /etc/sudoers.d/README
a.out: Bad file descriptor /etc/apparmor.d/cache/usr.sbin.cups-browsed
a.out: Bad file descriptor /etc/apparmor.d/cache/usr.bin.man
a.out: Bad file descriptor /etc/apparmor.d/cache/usr.sbin.tcpdump
a.out: Bad file descriptor /etc/apparmor.d/cache/usr.bin.evince
a.out: Bad file descriptor /etc/apparmor.d/cache/sbin.dhclient
a.out: Bad file descriptor /etc/apparmor.d/cache/usr.sbin.cupsd
a.out: Bad file descriptor /etc/apparmor.d/cache/usr.sbin.ippusbxd
a.out: Bad file descriptor /etc/apparmor.d/cache/usr.lib.snapd.snap-confine.real
a.out: Permission denied /etc/polkit-1/localauthority
a.out: Bad file descriptor /etc/sudoers
a.out: Bad file descriptor /etc/shadow
a.out: Bad file descriptor /etc/brlapi.key
a.out: Bad file descriptor /etc/gshadow-
a.out: Bad file descriptor /etc/.pwd.lock
a.out: Permission denied /etc/ssl/private
a.out: Permission denied /etc/ssl
a.out: Bad file descriptor /etc/gshadow
 [1]+ Остановлен ./a.out /etc 10 > output.txt
falxns@falxns-VirtualBox:~/HladkiMG$ ps
[1]+ Остановлен
   PID TTY
                                    TIME CMD
 2002 pts/0
5331 pts/0
6406 pts/0
6410 pts/0
6411 pts/0
6412 pts/0
                            00:00:00 bash
                            00:00:00 a.out
                            00:00:00 a.out
                            00:00:00 a.out
                            00:00:00 a.out
                            00:00:00 a.out
  6414 pts/0
                            00:00:00 a.out
 6415 pts/0
6416 pts/0
6417 pts/0
                            00:00:00 a.out
                            00:00:00 a.out
                            00:00:00 a.out
 6418 pts/0 00:00:00 ps
falxns@falxns-VirtualBox:~/HladkiMG$ fg
 ./a.out /etc 10 > output.txt
a.out: Bad file descriptor /etc/shadow-
a.out: Permission denied /etc/cups/ssl
a.out: Bad file descriptor /etc/cups/subscriptions.conf.0
a.out: Bad file descriptor /etc/cups/subscriptions.conf
a.out: Bad file descriptor /etc/ufw/after6.rulesa.out: Bad file descriptor /etc/ufw/before.init
```

```
falxns@falxns-VirtualBox: ~/HladkiMG
 Файл Правка Вид Поиск Терминал Справка
a.out: Bad file descriptor /etc/apparmor.d/cache/usr.lib.snapd.snap-confine.real
a.out: Permission denied /etc/polkit-1/localauthority
a.out: Bad file descriptor /etc/sudoers
a.out: Bad file descriptor /etc/shadow
a.out: Bad file descriptor /etc/brlapi.key
a.out: Bad file descriptor /etc/gshadow-
a.out: Bad file descriptor /etc/.pwd.lock
a.out: Permission denied /etc/ssl/privatea.out: Permission denied /etc/ssl
a.out: Bad file descriptor /etc/gshadow
[1]+ Остановлен ./a.out /etc 10 > output.txt
falxns@falxns-VirtualBox:~/HladkiMG$ ps
  PID TTY
                                TIME CMD
  2002 pts/0
                         00:00:00 bash
  5331 pts/0
                         00:00:00 a.out
  6406 pts/0
                         00:00:00 a.out
 6410 pts/0
6411 pts/0
                         00:00:00 a.out
                         00:00:00 a.out
 6412 pts/0
6414 pts/0
                         00:00:00 a.out
                         00:00:00 a.out
  6415 pts/0
                         00:00:00 a.out
  6416 pts/0
                         00:00:00 a.out
  6417 pts/0
                         00:00:00 a.out
 6418 pts/0 00:00:00 ps
falxns@falxns-VirtualBox:~/HladkiMG$ fg
./a.out /etc 10 > output.txt
a.out: Bad file descriptor /etc/shadow-
a.out: Permission denied /etc/cups/ssl
a.out: Bad file descriptor /etc/cups/subscriptions.conf.0
a.out: Bad file descriptor /etc/cups/subscriptions.conf
a.out: Bad file descriptor /etc/ufw/after6.rules
a.out: Bad file descriptor /etc/ufw/before.init
a.out: Bad file descriptor /etc/ufw/before.thte
a.out: Bad file descriptor /etc/ufw/before6.rules
a.out: Bad file descriptor /etc/ufw/user.rules
a.out: Bad file descriptor /etc/ufw/after.rules
a.out: Bad file descriptor /etc/ufw/user6.rules
a.out: Bad file descriptor /etc/ufw/before.rulesa.out: Bad file descriptor /etc/security/opasswd
a.out: Bad file descriptor /etc/ppp/pap-secrets
a.out: Bad file descriptor /etc/ppp/chap-secrets
falxns@falxns-VirtualBox:~/HladkiMG$
```

Содержимое файла output.txt:

```
5334 /etc/cron.d/popularity-contest 191 150

5336 /etc/init.d/whoopsie 485 365

5335 /etc/init.d/acpid 2269 1626

5337 /etc/init.d/network-manager 1942 1469

5338 /etc/init.d/udev 5974 4304

5339 /etc/init.d/x11-common 2757 1798

5333 /etc/cron.d/anacron 285 212

5340 /etc/init.d/networking 4597 3378

5332 /etc/cron.d/.placeholder 102 82

5341 /etc/init.d/plymouth-log 752 574

5343 /etc/init.d/dbus 2813 2085
```

- 5344 /etc/init.d/console-setup.sh 1232 689
- 5342 /etc/init.d/avahi-daemon 2401 1584
- 5346 /etc/init.d/apparmor 4335 3308
- 5347 /etc/init.d/keyboard-setup.sh 1479 849
- 5348 /etc/init.d/irqbalance 2444 1751
- 5345 /etc/init.d/procps 1191 911
- 5350 /etc/init.d/rsyslog 2864 2150
- 5351 /etc/init.d/rsync 4355 3078
- 5349 /etc/init.d/hwclock.sh 3809 2678
- 5352 /etc/init.d/kerneloops 3131 2298
- 5355 /etc/init.d/alsa-utils 5336 3859
- 5356 /etc/init.d/spice-vdagent 2484 1712
- 5357 /etc/init.d/apport 2802 2036
- 5354 /etc/init.d/anacron 2014 1383
- 5353 /etc/init.d/gdm3 3033 2126
- 5359 /etc/init.d/dns-clean 1172 861
- 5360 /etc/init.d/plymouth 1366 946
- 5361 /etc/init.d/grub-common 985 711
- 5358 /etc/init.d/speech-dispatcher 2117 1612
- 5363 /etc/init.d/kmod 2044 1433
- 5364 /etc/init.d/cron 3049 2135
- 5365 /etc/init.d/uuidd 1306 951
- 5362 /etc/init.d/bluetooth 2968 2300
- 5366 /etc/init.d/cups 2804 2146
- 5367 /etc/init.d/saned 2333 1590
- 5368 /etc/init.d/cups-browsed 1961 1484
- 5369 /etc/init.d/unattended-upgrades 1391 1071
- 5370 /etc/init.d/ufw 2083 1334
- 5371 /etc/init.d/pppd-dns 612 445
- 5372 /etc/shells 73 54
- 5373 /etc/pulse/daemon.conf 2366 1877
- 5374 /etc/pulse/system.pa 2046 1709
- 5376 /etc/pulse/client.conf 1201 956

- 5375 /etc/pulse/default.pa 5091 4344
- 5377 /etc/networks 91 75
- 5378 /etc/dpkg/dpkg.cfg 446 356
- 5384 /etc/netplan/01-network-manager-all.yaml 104 86
- 5385 /etc/zsh command not found 477 379
- 5383 /etc/python2.7/sitecustomize.py 155 126
- 5382 /etc/whoopsie 30 28
- 5381 /etc/libblockdev/conf.d/00-default.cfg 885 720
- 5387 /etc/subuid- 0 0
- 5388 /etc/bash completion 45 38
- 5380 /etc/dpkg/origins/debian 82 67
- 5389 /etc/pki/fwupd-metadata/GPG-KEY-Linux-Foundation-Metadata 2169 2093
- 5390 /etc/pki/fwupd-metadata/LVFS-CA.pem 1679 1633
- 5391 /etc/pki/fwupd-metadata/GPG-KEY-Linux-Vendor-Firmware-Service 959 920
- 5379 /etc/dpkg/origins/ubuntu 114 95
- 5392 /etc/pki/fwupd/GPG-KEY-Linux-Foundation-Firmware 2169 2098
- 5393 /etc/pki/fwupd/LVFS-CA.pem 1679 1633
- 5394 /etc/pki/fwupd/GPG-KEY-Linux-Vendor-Firmware-Service 959 920
- 5395 /etc/pki/fwupd/GPG-KEY-Hughski-Limited 1702 1637
- 5396 /etc/adduser.conf 3028 2449
- 5397 /etc/avahi/avahi-autoipd.action 2561 1667
- 5398 /etc/avahi/avahi-daemon.conf 1753 1526
- 5399 /etc/avahi/hosts 1121 886
- 5400 /etc/udev/rules.d/70-snap.core.rules 58549 49779
- 5401 /etc/udev/rules.d/60-vboxadd.rules 134 104
- 5402 / etc/udev/udev.conf 153 121
- 5403 /etc/apparmor.d/usr.bin.firefox 8477 6212
- 5404 /etc/apparmor.d/usr.sbin.cups-browsed 540 419
- 5406 /etc/apparmor.d/usr.sbin.tcpdump 1353 975
- 5405 /etc/apparmor.d/usr.bin.man 2857 2114
- 5407 /etc/apparmor.d/usr.bin.evince 10625 7868
- 5408 /etc/apparmor.d/local/usr.bin.firefox 122 98
- 5409 /etc/apparmor.d/local/usr.sbin.cups-browsed 0 0

```
5410 /etc/apparmor.d/local/usr.bin.man 0 0
```

- 5411 /etc/apparmor.d/local/usr.sbin.tcpdump 0 0
- 5412 /etc/apparmor.d/local/usr.bin.evince 0 0
- 5413 /etc/apparmor.d/local/README 1111 892
- 5415 /etc/apparmor.d/local/usr.sbin.cupsd 0 0
- 5414 /etc/apparmor.d/local/sbin.dhclient 0 0
- 5416 /etc/apparmor.d/local/usr.sbin.ippusbxd 124 100
- 5417 /etc/apparmor.d/local/usr.sbin.rsyslogd 0 0
- 5418 /etc/apparmor.d/local/usr.lib.snapd.snap-confine.real 0 0
- 5419 /etc/apparmor.d/sbin.dhclient 3194 2454
- 5421 /etc/apparmor.d/abstractions/apparmor api/examine 476 384
- 5422 /etc/apparmor.d/abstractions/apparmor api/find mountpoint 502 408
- 5420 /etc/apparmor.d/abstractions/orbit2 93 71
- 5427 /etc/apparmor.d/abstractions/user-mail 837 611
- 5423 /etc/apparmor.d/abstractions/apparmor api/is enabled 625 515
- 5424 /etc/apparmor.d/abstractions/apparmor api/introspect 475 383
- 5428 /etc/apparmor.d/abstractions/ubuntu-bittorrent-clients 698 567
- 5429 /etc/apparmor.d/abstractions/nvidia 519 393
- 5425 /etc/apparmor.d/abstractions/apparmor api/change profile 393 321
- 5430 /etc/apparmor.d/abstractions/php 974 727
- 5426 /etc/apparmor.d/abstractions/likewise 489 399
- 5431 /etc/apparmor.d/abstractions/kerberosclient 1103 791
- 5432 /etc/apparmor.d/abstractions/ubuntu-browsers 1657 1314
- 5433 /etc/apparmor.d/abstractions/xad 883 662
- 5434 /etc/apparmor.d/abstractions/ubuntu-unity7-messaging 192 139
- 5435 /etc/apparmor.d/abstractions/ubuntu-unity7-launcher 191 139
- 5436 /etc/apparmor.d/abstractions/ubuntu-unity7-base 2445 1772
- 5437 /etc/apparmor.d/abstractions/audio 1765 1278
- 5438 /etc/apparmor.d/abstractions/mdns 436 353
- 5439 /etc/apparmor.d/abstractions/mir 593 478
- 5440 /etc/apparmor.d/abstractions/private-files-strict 1006 779
- 5441 /etc/apparmor.d/abstractions/mysql 641 516
- 5442 /etc/apparmor.d/abstractions/p11-kit 899 694

```
5443 /etc/apparmor.d/abstractions/dbus 593 493
```

- $5444 \ / etc/apparmor.d/abstractions/ubuntu-browsers.d/ubuntu-integration \ 1430$
- 1131
- 5445 /etc/apparmor.d/abstractions/ubuntu-browsers.d/java 3879 2808
- 5446 /etc/apparmor.d/abstractions/ubuntu-browsers.d/mailto 324 269
- 5447 /etc/apparmor.d/abstractions/ubuntu-browsers.d/user-files 862 624
- 5448 /etc/apparmor.d/abstractions/ubuntu-browsers.d/plugins-common 334 235
- 5449 /etc/apparmor.d/abstractions/ubuntu-browsers.d/kde 248 208
- 5450 /etc/apparmor.d/abstractions/ubuntu-browsers.d/multimedia 1773 1365
- 5451 /etc/apparmor.d/abstractions/ubuntu-browsers.d/text-editors 654 528
- 5452 /etc/apparmor.d/abstractions/ubuntu-browsers.d/ubuntu-integration-xul 168 135
- 5453 /etc/apparmor.d/abstractions/ubuntu-browsers.d/firefox 638 561
- 5454 /etc/apparmor.d/abstractions/ubuntu-browsers.d/productivity 993 778
- 5455 /etc/apparmor.d/abstractions/wayland 580 479
- 5457 /etc/apparmor.d/abstractions/ubuntu-konsole 343 254
- 5456 /etc/apparmor.d/abstractions/launchpad-integration 824 593
- 5458 /etc/apparmor.d/abstractions/xdg-desktop 673 529
- 5459 /etc/apparmor.d/abstractions/X 1904 1245
- 5460 /etc/apparmor.d/abstractions/fcitx 456 381
- 5461 /etc/apparmor.d/abstractions/bash 1512 874
- 5462 /etc/apparmor.d/abstractions/gnome 3381 2241
- 5463 /etc/apparmor.d/abstractions/openssl 470 380
- 5464 /etc/apparmor.d/abstractions/dbus-session-strict 919 715
- 5465 /etc/apparmor.d/abstractions/ubuntu-helpers 3428 2649
- 5466 /etc/apparmor.d/abstractions/smbpass 476 394
- 5467 /etc/apparmor.d/abstractions/ssl_certs 924 685
- 5468 /etc/apparmor.d/abstractions/cups-client 714 575
- 5469 /etc/apparmor.d/abstractions/user-manpages 889 599
- 5470 /etc/apparmor.d/abstractions/wutmp 585 460
- 5471 /etc/apparmor.d/abstractions/samba 834 622
- 5472 /etc/apparmor.d/abstractions/php5 105 90
- 5473 /etc/apparmor.d/abstractions/kde 2061 1614
- 5474 /etc/apparmor.d/abstractions/dbus-strict 677 544

```
5475 /etc/apparmor.d/abstractions/ubuntu-media-players 2234 1727
```

- 5476 /etc/apparmor.d/abstractions/aspell 308 221
- 5477 /etc/apparmor.d/abstractions/dconf 246 190
- 5478 /etc/apparmor.d/abstractions/user-download 876 691
- 5479 /etc/apparmor.d/abstractions/user-tmp 654 477
- 5480 /etc/apparmor.d/abstractions/freedesktop.org 2430 1743
- 5481 /etc/apparmor.d/abstractions/ssl keys 650 504
- 5482 /etc/apparmor.d/abstractions/ubuntu-console-email 601 487
- 5483 /etc/apparmor.d/abstractions/evince 4106 2965
- 5484 /etc/apparmor.d/abstractions/svn-repositories 1646 1126
- 5485 /etc/apparmor.d/abstractions/ubuntu-console-browsers 611 495
- 5486 /etc/apparmor.d/abstractions/user-write 864 631
- 5487 /etc/apparmor.d/abstractions/postfix-common 1106 784
- 5488 /etc/apparmor.d/abstractions/ubuntu-feed-readers 339 282
- 5489 /etc/apparmor.d/abstractions/ldapclient 686 499
- 5490 /etc/apparmor.d/abstractions/base 6355 4474
- 5491 /etc/apparmor.d/abstractions/ubuntu-xterm 237 170
- 5492 /etc/apparmor.d/abstractions/ubuntu-gnome-terminal 182 140
- 5493 /etc/apparmor.d/abstractions/winbind 739 562
- 5494 /etc/apparmor.d/abstractions/dovecot-common 572 460
- 5495 /etc/apparmor.d/abstractions/fonts 1979 1210
- 5496 /etc/apparmor.d/abstractions/private-files 1519 1128
- 5497 /etc/apparmor.d/abstractions/dbus-accessibility 630 530
- 5498 /etc/apparmor.d/abstractions/gnupg 356 270
- 5499 /etc/apparmor.d/abstractions/perl 872 593
- 5500 /etc/apparmor.d/abstractions/mozc 471 390
- 5501 /etc/apparmor.d/abstractions/nis 524 417
- 5502 /etc/apparmor.d/abstractions/apache2-common 869 625
- 5503 /etc/apparmor.d/abstractions/python 1541 1130
- 5504 /etc/apparmor.d/abstractions/video 123 94
- 5505 /etc/apparmor.d/abstractions/consoles 798 611
- 5506 /etc/apparmor.d/abstractions/fcitx-strict 712 577
- 5507 /etc/apparmor.d/abstractions/dbus-accessibility-strict 637 515

```
5508 /etc/apparmor.d/abstractions/ubuntu-email 902 716
```

- 5509 /etc/apparmor.d/abstractions/authentication 1586 1105
- 5510 /etc/apparmor.d/abstractions/nameservice 3838 2778
- 5512 /etc/apparmor.d/abstractions/ibus 640 504
- 5511 /etc/apparmor.d/abstractions/ruby 906 692
- 5513 /etc/apparmor.d/abstractions/libpam-systemd 659 549
- 5514 /etc/apparmor.d/abstractions/enchant 2007 1085
- 5515 /etc/apparmor.d/abstractions/dbus-session 638 530
- 5516 /etc/apparmor.d/abstractions/web-data 705 533
- 5517 /etc/apparmor.d/usr.sbin.cupsd 5552 4030
- 5518 /etc/apparmor.d/tunables/xdg-user-dirs 868 740
- 5519 /etc/apparmor.d/tunables/kernelvars 828 697
- 5520 /etc/apparmor.d/tunables/sys 368 295
- 5521 /etc/apparmor.d/tunables/global 694 586
- 5522 /etc/apparmor.d/tunables/multiarch.d/site.local 645 537
- 5523 /etc/apparmor.d/tunables/apparmorfs 376 309
- 5524 /etc/apparmor.d/tunables/securityfs 430 352
- 5525 /etc/apparmor.d/tunables/home 983 806
- 5526 /etc/apparmor.d/tunables/alias 624 497
- 5527 /etc/apparmor.d/tunables/dovecot 804 664
- 5528 /etc/apparmor.d/tunables/home.d/ubuntu 337 274
- 5529 /etc/apparmor.d/tunables/home.d/site.local 634 519
- 5530 /etc/apparmor.d/tunables/multiarch 631 529
- 5531 /etc/apparmor.d/tunables/xdg-user-dirs.d/site.local 730 617
- 5532 /etc/apparmor.d/tunables/proc 440 365
- 5538 /etc/apparmor.d/cache/.features 1913 1602
- 5542 /etc/apparmor.d/usr.sbin.ippusbxd 643 468
- 5543 /etc/apparmor.d/usr.sbin.rsyslogd 1550 1057
- 5545 /etc/passwd- 2407 2090
- 5546 /etc/sysctl.d/10-ptrace.conf 1292 1019
- 5544 /etc/apparmor.d/usr.lib.snapd.snap-confine.real 23936 17203
- 5547 /etc/sysctl.d/10-network-security.conf 509 413
- 5548 /etc/sysctl.d/10-kernel-hardening.conf 726 573

- 5549 /etc/sysctl.d/README 519 416
- 5550 /etc/sysctl.d/10-zeropage.conf 506 407
- 5551 /etc/sysctl.d/10-link-restrictions.conf 257 220
- 5552 /etc/sysctl.d/10-console-messages.conf 77 61
- 5553 /etc/sysctl.d/10-magic-sysrq.conf 1184 890
- 5554 /etc/sysctl.d/10-ipv6-privacy.conf 490 392
- 5556 /etc/sensors.d/.placeholder 0 0
- 5557 /etc/polkit-1/localauthority.conf.d/51-ubuntu-admin.conf 65 62
- 5558 /etc/polkit-1/localauthority.conf.d/50-localauthority.conf 267 222
- 5559 /etc/polkit-1/nullbackend.conf.d/50-nullbackend.conf 455 367
- 5560 /etc/python3/debian config 94 81
- 5561 /etc/lintianrc 1417 1150
- 5563 /etc/thermald/thermal-cpu-cdev-order.xml 508 442
- 5564 /etc/thermald/thermal-conf.xml 4605 3495
- 5562 /etc/gai.conf 2584 1940
- 5565 /etc/wpa supplicant/action wpa.sh 937 708
- 5566 /etc/wpa supplicant/ifupdown.sh 4696 3551
- 5567 /etc/wpa supplicant/functions.sh 25569 19912
- 5568 /etc/lsb-release 105 94
- 5569 /etc/rsyslog.conf 1358 1136
- 5570 /etc/locale.gen 9391 7677
- 5571 /etc/ld.so.conf 34 24
- 5573 /etc/calendar/default 612 465
- 5574 /etc/mtools.conf 624 480
- 5575 /etc/subgid- 0 0
- 5576 /etc/protocols 2932 2392
- 5577 /etc/ldap/ldap.conf 332 270
- 5579 /etc/bash completion.d/grub 11144 7577
- 5578 /etc/manpath.config 5174 4170
- 5580 /etc/bash completion.d/apport completion 6636 4136
- 5581 /etc/ltrace.conf 14867 12220
- 5582 /etc/logrotate.d/cups-daemon 181 142
- 5583 /etc/logrotate.d/dpkg 112 87

```
5584 /etc/logrotate.d/rsyslog 501 384
```

- 5585 /etc/logrotate.d/apport 126 69
- 5586 /etc/logrotate.d/speech-dispatcher 533 429
- 5587 /etc/logrotate.d/alternatives 120 95
- 5588 /etc/logrotate.d/unattended-upgrades 235 198
- 5589 /etc/logrotate.d/ufw 178 138
- 5590 /etc/logrotate.d/ppp 94 74
- 5591 /etc/logrotate.d/apt 173 123
- 5593 /etc/bash.bashrc 2319 1691
- 5594 /etc/resolvconf/update-libc.d/avahi-daemon 249 197
- 5595 /etc/ld.so.cache 72472 66152
- 5597 /etc/ghostscript/cidfmap.d/90gs-cjk-resource-japan1.conf 546 458
- 5596 /etc/ghostscript/cidfmap.d/90gs-cjk-resource-japan2.conf 387 323
- 5598 /etc/ghostscript/cidfmap.d/90gs-cjk-resource-gb1.conf 504 408
- 5599 /etc/ghostscript/cidfmap.d/90gs-cjk-resource-koreal.conf 786 648
- 5600 /etc/ghostscript/cidfmap.d/90gs-cjk-resource-cns1.conf 475 379
- 5601 /etc/ghostscript/fontmap.d/10gsfonts.conf 3996 3342
- 5602 /etc/hostname 18 17
- 5603 /etc/cron.hourly/.placeholder 102 82
- 5604 /etc/vim/vimrc.tiny 662 507
- 5605 /etc/vim/vimrc 2469 1914
- 5606 /etc/legal 267 217
- 5607 /etc/xdg/menus/gnome-applications.menu 19384 14394
- 5608 /etc/xdg/user-dirs.defaults 418 370
- 5609 /etc/xdg/autostart/at-spi-dbus-bus.desktop 202 187
- 5610 /etc/xdg/autostart/org.gnome.SettingsDaemon.MediaKeys.desktop 304 283
- 5611 /etc/xdg/autostart/org.gnome.SettingsDaemon.Color.desktop 294 273
- 5612 /etc/xdg/autostart/org.gnome.SettingsDaemon.XSettings.desktop 302 281
- 5613 /etc/xdg/autostart/gnome-keyring-ssh.desktop 449 418
- 5614 /etc/xdg/autostart/org.gnome.SettingsDaemon.Sharing.desktop 298 277
- 5615 /etc/xdg/autostart/gnome-keyring-secrets.desktop 482 450
- 5616 /etc/xdg/autostart/vboxclient.desktop 371 339

```
5617 /etc/xdg/autostart/org.gnome.SettingsDaemon.ScreensaverProxy.desktop 318 297
```

- 5618 /etc/xdg/autostart/org.gnome.SettingsDaemon.AllySettings.desktop 310 289
- 5619 /etc/xdg/autostart/org.gnome.SettingsDaemon.Housekeeping.desktop 308 287
- 5620 /etc/xdg/autostart/gnome-keyring-pkcs11.desktop 489 456
- 5621 /etc/xdg/autostart/org.gnome.SettingsDaemon.Power.desktop 294 273
- 5622 /etc/xdg/autostart/spice-vdagent.desktop 192 175
- 5623 /etc/xdg/autostart/org.gnome.SettingsDaemon.PrintNotifications.desktop 322 301
- 5624 /etc/xdg/autostart/org.gnome.SettingsDaemon.Smartcard.desktop 302 281
- 5625 /etc/xdg/autostart/pulseaudio.desktop 4988 4643
- 5626 /etc/xdg/autostart/nm-applet.desktop 350 330
- 5627 /etc/xdg/autostart/gnome-welcome-tour.desktop 222 207
- 5628 /etc/xdg/autostart/snap-userd-autostart.desktop 228 200
- 5629 /etc/xdg/autostart/org.gnome.SettingsDaemon.Sound.desktop 294 273
- 5630 /etc/xdg/autostart/org.gnome.SettingsDaemon.Datetime.desktop 300 279
- 5631 /etc/xdg/autostart/nautilus-autostart.desktop 215 199
- 5632 /etc/xdg/autostart/org.gnome.SettingsDaemon.DiskUtilityNotify.desktop 261 241
- 5633 /etc/xdg/autostart/org.gnome.SettingsDaemon.Wacom.desktop 294 273
- 5634 /etc/xdg/autostart/org.gnome.SettingsDaemon.Keyboard.desktop 300 279
- 5635 /etc/xdg/autostart/gnome-initial-setup-copy-worker.desktop 341 320
- 5636 /etc/xdg/autostart/update-notifier.desktop 9344 8773
- 5637 /etc/xdg/autostart/org.gnome.SettingsDaemon.Clipboard.desktop 302 281
- 5638 /etc/xdg/autostart/org.gnome.SettingsDaemon.Mouse.desktop 294 273
- 5639 /etc/xdg/autostart/gnome-initial-setup-first-login.desktop 495 466
- 5640 /etc/xdg/autostart/user-dirs-update-gtk.desktop 303 279
- 5641 /etc/xdg/autostart/xdg-user-dirs.desktop 250 236
- 5643 /etc/xdg/autostart/orca-autostart.desktop 301 278
- 5642 /etc/xdg/autostart/gnome-software-service.desktop 210 194
- 5644 /etc/xdg/autostart/print-applet.desktop 369 338
- 5645 /etc/xdg/autostart/org.gnome.SettingsDaemon.Rfkill.desktop 296 275
- 5647 /etc/brltty/Contraction/nl.ctb 1234 1017
- 5646 /etc/xdg/user-dirs.conf 414 338

- 5648 /etc/brltty/Contraction/en-ueb-g2.ctb 7257 6078
- 5649 /etc/brltty/Contraction/ja.ctb 8444 6897
- 5650 /etc/brltty/Contraction/zh-tw-ucb.ctb 400497 329081
- 5655 /etc/brltty/Contraction/ipa.ctb 16583 10407
- 5651 /etc/brltty/Contraction/letters-latin.cti 2933 2356
- 5652 /etc/brltty/Contraction/zu.ctb 1227 1011
- 5656 /etc/brltty/Contraction/de-vollschrift.ctb 3444 2917
- 5657 /etc/brltty/Contraction/si.ctb 3686 3019
- 5653 /etc/brltty/Contraction/fr-abrege.ctb 49280 42738
- 5658 /etc/brltty/Contraction/ko-gl.ctb 1170 966
- 5654 /etc/brltty/Contraction/de-kurzschrift.ctb 54889 48203
- 5659 /etc/brltty/Contraction/pt.ctb 10261 8688
- 5660 /etc/brltty/Contraction/id.ctb 1445 1181
- 5662 /etc/brltty/Contraction/ha.ctb 1354 1107
- 5663 /etc/brltty/Contraction/es.ctb 7613 6411
- 5664 /etc/brltty/Contraction/am.ctb 12712 10400
- 5666 /etc/brltty/Contraction/countries.cti 6520 5260
- 5661 /etc/brltty/Contraction/ko.ctb 273309 238382
- 5667 /etc/brltty/Contraction/mg.ctb 1245 1027
- 5668 /etc/brltty/Contraction/sw.ctb 1448 1187
- 5670 /etc/brltty/Contraction/af.ctb 1827 1478
- 5671 /etc/brltty/Contraction/th.ctb 4506 3527
- 5669 /etc/brltty/Contraction/de-basis.ctb 6198 4783
- 5672 /etc/brltty/Contraction/ko-g2.ctb 1049 875
- 5673 /etc/brltty/Contraction/en-us-g2.ctb 42042 36038
- 5677 /etc/brltty/Contraction/nabcc.cti 2185 1727
- 5678 /etc/brltty/Contraction/ny.ctb 1263 1042
- 5679 /etc/brltty/Keyboard/sun_type6.ktb 1499 1287
- 5680 /etc/brltty/Keyboard/kp say.kti 1423 1202
- 5674 /etc/brltty/Contraction/latex-access.ctb 6230 4747
- 5675 /etc/brltty/Contraction/mun.ctb 1270 1046
- 5676 /etc/brltty/Contraction/fr-integral.ctb 3837 3077
- 5681 /etc/brltty/Keyboard/laptop.ktb 3685 3247

- 5682 /etc/brltty/Keyboard/braille.kti 1441 1188
- 5683 /etc/brltty/Keyboard/desktop.kti 2117 1852
- 5684 /etc/brltty/Keyboard/kp speak.kti 1628 1394
- 5685 /etc/brltty/Keyboard/desktop.ktb 836 694
- 5686 /etc/brltty/Keyboard/braille.ktb 1686 1437
- 5687 /etc/brltty/Keyboard/keypad.ktb 3268 2835
- 5688 /etc/brltty/Attributes/upper lower.atb 1010 834
- 5689 /etc/brltty/Attributes/left_right.atb 1009 833
- 5690 /etc/brltty/Attributes/invleft right.atb 1017 840
- 5691 /etc/brltty/Text/common.tti 1138 941
- 5692 /etc/brltty/Text/gd.ttb 3414 2655
- 5693 /etc/brltty/Text/nwc.ttb 904 750
- 5694 /etc/brltty/Text/qu.ttb 878 728
- 5695 /etc/brltty/Text/dra.ttb 876 726
- 5696 /etc/brltty/Text/sv.ttb 832 689
- 5665 /etc/brltty/Contraction/zh-tw.ctb 716121 597084
- 5697 /etc/brltty/Text/mun.ttb 874 724
- 5698 /etc/brltty/Text/ta.ttb 872 722
- 5699 /etc/brltty/Text/ltr-cyrillic.tti 5331 4019
- 5700 /etc/brltty/Text/en US.ttb 11129 8086
- 5701 /etc/brltty/Text/et.ttb 1998 1599
- 5702 /etc/brltty/Text/es.ttb 12623 9060
- 5703 /etc/brltty/Text/fr FR.ttb 11258 8171
- 5704 /etc/brltty/Text/mwr.ttb 879 729
- 5705 /etc/brltty/Text/gon.ttb 896 743
- 5706 /etc/brltty/Text/kannada.tti 5172 3793
- 5708 /etc/brltty/Text/sw.ttb 1241 1025
- 5707 /etc/brltty/Text/ml.ttb 880 730
- 5709 /etc/brltty/Text/blocks.tti 1163 941
- 5710 /etc/brltty/Text/brf.ttb 2842 2034
- 5711 /etc/brltty/Text/spaces.tti 1389 1101
- 5712 /etc/brltty/Text/vi.ttb 13857 9980
- 5713 /etc/brltty/Text/nl.ttb 828 685

- 5714 /etc/brltty/Text/kok.ttb 879 729
- 5715 /etc/brltty/Text/gujarati.tti 5273 3886
- 5716 /etc/brltty/Text/kha.ttb 874 724
- 5717 /etc/brltty/Text/bn.ttb 876 726
- 5718 /etc/brltty/Text/bo.ttb 953 793
- 5719 /etc/brltty/Text/tamil.tti 4350 3165
- 5720 /etc/brltty/Text/eo.ttb 2340 1859
- 5721 /etc/brltty/Text/ga.ttb 2114 1687
- 5722 /etc/brltty/Text/pa.ttb 877 727
- 5723 /etc/brltty/Text/da-lt.ttb 11337 8233
- 5724 /etc/brltty/Text/nl BE.ttb 10409 7342
- 5725 /etc/brltty/Text/tr.ttb 2854 2211
- 5726 /etc/brltty/Text/num-alias.tti 5099 4186
- 5727 /etc/brltty/Text/da.ttb 11328 8225
- 5728 /etc/brltty/Text/ltr-dot8.tti 3787 2825
- 5729 /etc/brltty/Text/sv-1996.ttb 9141 6705
- 5730 /etc/brltty/Text/no.ttb 833 690
- 5731 /etc/brltty/Text/pi.ttb 876 726
- 5732 /etc/brltty/Text/hi.ttb 877 727
- 5733 /etc/brltty/Text/punc-tibetan.tti 1070 882
- 5734 /etc/brltty/Text/sv-1989.ttb 11125 7775
- 5735 /etc/brltty/Text/hu.ttb 4462 3322
- 5736 /etc/brltty/Text/fi.ttb 9385 6855
- 5737 /etc/brltty/Text/boxes.tti 11538 9157
- 5738 /etc/brltty/Text/ro.ttb 2192 1742
- 5739 /etc/brltty/Text/awa.ttb 878 728
- 5740 /etc/brltty/Text/or.ttb 872 722
- 5741 /etc/brltty/Text/it.ttb 11149 8050
- 5742 /etc/brltty/Text/en-na-ascii.tti 2718 2012
- 5743 /etc/brltty/Text/malayalam.tti 5316 3941
- 5744 /etc/brltty/Text/bg.ttb 1346 1115
- 5745 /etc/brltty/Text/mt.ttb 2182 1722
- 5746 /etc/brltty/Text/num-dot8.tti 1487 1155

- 5747 /etc/brltty/Text/new.ttb 898 745
- 5748 /etc/brltty/Text/punc-alternate.tti 2342 1733
- 5749 /etc/brltty/Text/no-generic.ttb 11339 8240
- 5750 /etc/brltty/Text/oriya.tti 4820 3497
- 5751 /etc/brltty/Text/ru.ttb 2986 2360
- 5752 /etc/brltty/Text/telugu.tti 5102 3723
- 5753 /etc/brltty/Text/lv.ttb 13630 9649
- 5754 /etc/brltty/Text/fr-2007.ttb 12463 9072
- 5755 /etc/brltty/Text/num-dot6.tti 1464 1136
- 5756 /etc/brltty/Text/no-oup.ttb 11293 8204
- 5757 /etc/brltty/Text/el.ttb 3826 2786
- 5758 /etc/brltty/Text/devanagari.tti 5898 4391
- 5759 /etc/brltty/Text/cy.ttb 5573 4077
- 5760 /etc/brltty/Text/mni.ttb 877 727
- 5761 /etc/brltty/Text/fr.ttb 831 688
- 5762 /etc/brltty/Text/fr-vs.ttb 12974 9077
- 5763 /etc/brltty/Text/ctl-latin.tti 2201 1656
- 5764 /etc/brltty/Text/ltr-tibetan.tti 4845 3647
- 5765 /etc/brltty/Text/ne.ttb 878 728
- 5766 /etc/brltty/Text/ar.ttb 9301 6532
- 5767 /etc/brltty/Text/da-1252.ttb 12603 9186
- 5768 /etc/brltty/Text/ascii-basic.tti 1004 833
- 5769 /etc/brltty/Text/nl NL.ttb 9879 6972
- 5770 /etc/brltty/Text/en-chess.tti 1651 1300
- 5771 /etc/brltty/Text/punc-basic.tti 1426 1086
- 5772 /etc/brltty/Text/bh.ttb 878 728
- 5773 /etc/brltty/Text/sat.ttb 917 761
- 5774 /etc/brltty/Text/te.ttb 874 724
- 5775 /etc/brltty/Text/ltr-alias.tti 58730 47833
- 5776 /etc/brltty/Text/he.ttb 5121 3712
- 5777 /etc/brltty/Text/en_GB.ttb 11456 8273
- 5778 /etc/brltty/Text/mr.ttb 879 729
- 5779 /etc/brltty/Text/sa.ttb 880 730

- 5780 /etc/brltty/Text/mg.ttb 1242 1026
- 5781 /etc/brltty/Text/hy.ttb 6122 4626
- 5782 /etc/brltty/Text/de-chess.tti 1650 1291
- 5783 /etc/brltty/Text/is.ttb 9384 6902
- 5784 /etc/brltty/Text/en-nabcc.ttb 20723 14441
- 5785 /etc/brltty/Text/en CA.ttb 6699 5055
- 5786 /etc/brltty/Text/sl.ttb 9815 7282
- 5787 /etc/brltty/Text/kn.ttb 876 726
- 5788 /etc/brltty/Text/sd.ttb 878 728
- 5789 /etc/brltty/Text/fr CA.ttb 11011 7998
- 5790 /etc/brltty/Text/greek.tti 22976 17575
- 5791 /etc/brltty/Text/gurmukhi.tti 4914 3620
- 5792 /etc/brltty/Text/num-french.tti 1467 1140
- 5793 /etc/brltty/Text/num-nemd8.tti 1532 1191
- 5794 /etc/brltty/Text/kru.ttb 878 728
- 5795 /etc/brltty/Text/as.ttb 877 727
- 5796 /etc/brltty/Text/fr-cbifs.ttb 11198 8181
- 5797 /etc/brltty/Text/de.ttb 11714 8522
- 5798 /etc/brltty/Text/bra.ttb 876 726
- 5799 /etc/brltty/Text/pl.ttb 11507 8359
- 5800 /etc/brltty/Text/num-nemeth.tti 1503 1160
- 5801 /etc/brltty/Text/lt.ttb 1719 1392
- 5802 /etc/brltty/Text/mi.ttb 1239 1023
- 5803 /etc/brltty/Text/pt.ttb 11112 8051
- 5804 /etc/brltty/Text/hr.ttb 11614 8463
- 5805 /etc/brltty/Text/sk.ttb 5462 4047
- 5806 /etc/brltty/Text/cs.ttb 9520 6819
- 5807 /etc/brltty/Text/en.ttb 833 690
- 5808 /etc/brltty/Text/ltr-latin.tti 3728 2724
- 5809 /etc/brltty/Text/bengali.tti 4851 3556
- 5810 /etc/brltty/Input/hm/fnkey.kti 1952 1662
- 5811 /etc/brltty/Input/hm/f14.kti 1151 968
- 5812 /etc/brltty/Input/hm/letters.kti 2375 2112

- 5813 /etc/brltty/Input/hm/pan.ktb 899 745
- 5814 /etc/brltty/Input/hm/f18.kti 1152 961
- 5815 /etc/brltty/Input/hm/scroll.ktb 903 749
- 5816 /etc/brltty/Input/hm/common.kti 803 667
- 5817 /etc/brltty/Input/hm/braille.kti 1074 887
- 5818 /etc/brltty/Input/hm/pan.kti 1161 976
- 5819 /etc/brltty/Input/hm/qwerty.kti 4079 3628
- 5820 /etc/brltty/Input/hm/left.kti 1153 986
- 5821 /etc/brltty/Input/hm/edge.ktb 1164 972
- 5822 /etc/brltty/Input/hm/scroll.kti 2124 1877
- 5823 /etc/brltty/Input/hm/right.kti 1170 1003
- 5824 /etc/brltty/Input/hm/sync.ktb 908 757
- 5825 /etc/brltty/Input/hm/contexts.kti 1186 1003
- 5826 /etc/brltty/Input/hm/beetle.ktb 877 727
- 5827 /etc/brltty/Input/hm/qwerty.ktb 885 735
- 5828 /etc/brltty/Input/bm/orbit.ktb 1508 1225
- 5829 /etc/brltty/Input/bm/display6.kti 1039 850
- 5830 /etc/brltty/Input/bm/sv.ktb 863 716
- 5831 /etc/brltty/Input/bm/routing6.kti 1499 1293
- 5832 /etc/brltty/Input/bm/inka.ktb 1187 986
- 5833 /etc/brltty/Input/bm/vertical.kti 998 839
- 5834 /etc/brltty/Input/bm/v80.ktb 884 734
- 5835 /etc/brltty/Input/bm/ultra.ktb 864 718
- 5836 /etc/brltty/Input/bm/dm80p.ktb 846 701
- 5837 /etc/brltty/Input/bm/status.kti 1281 1065
- 5838 /etc/brltty/Input/bm/wheels.kti 1282 1075
- 5839 /etc/brltty/Input/bm/default.ktb 863 717
- 5840 /etc/brltty/Input/bm/pv.ktb 865 719
- 5842 /etc/brltty/Input/bm/pro.ktb 883 733
- 5843 /etc/brltty/Input/bm/front10.kti 1847 1516
- 5841 /etc/brltty/Input/bm/v40.ktb 844 700
- 5844 /etc/brltty/Input/bm/conny.ktb 862 716
- 5845 /etc/brltty/Input/bm/connect.ktb 887 737

- 5846 /etc/brltty/Input/bm/routing7.kti 1363 1167
- 5847 /etc/brltty/Input/bm/keyboard.kti 3382 2894
- 5848 /etc/brltty/Input/bm/b9b11b10.kti 1352 1112
- 5849 /etc/brltty/Input/bm/b9b10.kti 949 786
- 5850 /etc/brltty/Input/bm/d6.kti 2625 2326
- 5851 /etc/brltty/Input/bm/front6.kti 1184 956
- 5852 /etc/brltty/Input/bm/pronto.ktb 861 715
- 5853 /etc/brltty/Input/bm/vk.ktb 1337 1144
- 5854 /etc/brltty/Input/bm/display7.kti 2209 1883
- 5855 /etc/brltty/Input/bm/rb.ktb 1247 1022
- 5856 /etc/brltty/Input/bm/horizontal.kti 1437 1245
- 5857 /etc/brltty/Input/bm/command.kti 1302 1087
- 5858 /etc/brltty/Input/tn/all.txt 1485 1140
- 5859 /etc/brltty/Input/ce/novem.ktb 970 801
- 5860 /etc/brltty/Input/ce/all.ktb 3607 3200
- 5861 /etc/brltty/Input/pg/all.ktb 2387 2055
- 5862 /etc/brltty/Input/cb/all.ktb 2435 2086
- 5863 /etc/brltty/Input/ht/input.kti 1150 953
- 5864 /etc/brltty/Input/ht/dots.kti 1662 1391
- 5865 /etc/brltty/Input/ht/mc88.ktb 851 706
- 5866 /etc/brltty/Input/ht/as40.ktb 860 714
- 5867 /etc/brltty/Input/ht/rockers.kti 2626 2350
- 5868 /etc/brltty/Input/ht/joystick.kti 946 789
- 5869 /etc/brltty/Input/ht/ab40.ktb 863 717
- 5870 /etc/brltty/Input/ht/brln.ktb 823 683
- 5871 /etc/brltty/Input/ht/me.kti 1277 1070
- 5872 /etc/brltty/Input/ht/bkwm.ktb 1746 1505
- 5873 /etc/brltty/Input/ht/wave.ktb 1158 971
- 5874 /etc/brltty/Input/ht/easy.ktb 1212 1015
- 5875 /etc/brltty/Input/ht/bs80.ktb 848 703
- 5876 /etc/brltty/Input/ht/me88.ktb 853 708
- 5877 /etc/brltty/Input/ht/cb40.ktb 832 690
- 5878 /etc/brltty/Input/ht/bs40.ktb 829 687

- 5879 /etc/brltty/Input/ht/bb.ktb 866 714
- 5880 /etc/brltty/Input/ht/alo.ktb 875 728
- 5882 /etc/brltty/Input/ht/keypad.kti 3001 2548
- 5883 /etc/brltty/Input/ht/bs.kti 1458 1240
- 5884 /etc/brltty/Input/ht/me64.ktb 834 692
- 5885 /etc/brltty/Input/bd/all.txt 302 241
- 5886 /etc/brltty/Input/menu.kti 1001 837
- 5887 /etc/brltty/Input/ir/all.kti 1422 1192
- 5881 /etc/brltty/Input/ht/mdlr.ktb 1304 1093
- 5888 /etc/brltty/Input/ir/pc.ktb 1607 1310
- 5889 /etc/brltty/Input/ir/brl.ktb 3225 2781
- 5890 /etc/brltty/Input/ec/all.txt 863 584
- 5891 /etc/brltty/Input/ec/spanish.txt 938 673
- 5892 /etc/brltty/Input/bl/40 m20 m40.txt 3557 2821
- 5893 /etc/brltty/Input/bl/18.txt 2728 2172
- 5894 /etc/brltty/Input/bn/input.kti 935 769
- 5895 /etc/brltty/Input/bn/all.ktb 6347 5554
- 5896 /etc/brltty/Input/hw/mb2.ktb 867 720
- 5897 /etc/brltty/Input/hw/kbd.kti 1183 993
- 5898 /etc/brltty/Input/hw/mb1.ktb 845 701
- 5899 /etc/brltty/Input/hw/nav.kti 1668 1423
- 5900 /etc/brltty/Input/sk/ntk.ktb 4434 3971
- 5901 /etc/brltty/Input/sk/bdp.ktb 2889 2427
- 5902 /etc/brltty/Input/at/all.ktb 2095 1773
- 5903 /etc/brltty/Input/tt/all.txt 706 568
- 5904 /etc/brltty/Input/bg/all.ktb 3274 2702
- 5905 /etc/brltty/Input/mt/bd1 3.kti 1568 1331
- 5906 /etc/brltty/Input/mt/bd1 6s.ktb 865 715
- 5907 /etc/brltty/Input/mt/bdl 3s.ktb 865 715
- 5908 /etc/brltty/Input/mt/status.kti 806 669
- 5909 /etc/brltty/Input/mt/bd1 3.ktb 829 685
- 5910 /etc/brltty/Input/mt/bd1 6.ktb 829 685
- 5911 /etc/brltty/Input/mt/bd2.ktb 800 662

- 5912 /etc/brltty/Input/mt/bd1_6.kti 1604 1373
- 5913 /etc/brltty/Input/vo/all.kti 2670 2283
- 5914 /etc/brltty/Input/vo/bp.ktb 825 680
- 5915 /etc/brltty/Input/vo/all.ktb 812 673
- 5916 /etc/brltty/Input/mm/common.kti 2323 1985
- 5917 /etc/brltty/Input/mm/pocket.ktb 2577 2113
- 5918 /etc/brltty/Input/mm/smart.ktb 2653 2171
- 5919 /etc/brltty/Input/np/all.ktb 1181 980
- 5920 /etc/brltty/Input/mn/all.txt 2071 1721
- 5921 /etc/brltty/Input/lb/all.txt 63 52
- 5922 /etc/brltty/Input/mb/all.txt 1605 962
- 5923 /etc/brltty/Input/pm/status13.kti 1510 1240
- 5924 /etc/brltty/Input/pm/c_486.ktb 859 714
- 5925 /etc/brltty/Input/pm/keys.kti 3662 3102
- 5926 /etc/brltty/Input/pm/bar.kti 2653 2218
- 5927 /etc/brltty/Input/pm/status20.kti 1912 1573
- 5928 /etc/brltty/Input/pm/el40s.ktb 850 706
- 5929 /etc/brltty/Input/pm/c.ktb 860 715
- 5930 /etc/brltty/Input/pm/el60c.ktb 874 728
- 5931 /etc/brltty/Input/pm/el80c.ktb 874 728
- 5932 /etc/brltty/Input/pm/2d 1.ktb 863 717
- 5933 /etc/brltty/Input/pm/el 80.ktb 871 723
- 5934 /etc/brltty/Input/pm/el80 ii.ktb 852 708
- 5935 /etc/brltty/Input/pm/el80s.ktb 850 706
- 5936 /etc/brltty/Input/pm/trio.ktb 870 723
- 5938 /etc/brltty/Input/pm/el_2d_40.ktb 875 727
- 5937 /etc/brltty/Input/pm/front9.kti 1743 1485
- 5939 /etc/brltty/Input/pm/el66s.ktb 850 706
- 5940 /etc/brltty/Input/pm/switches.kti 4881 4225
- 5941 /etc/brltty/Input/pm/el 2d 66.ktb 875 727
- 5942 /etc/brltty/Input/pm/el40c.ktb 874 728
- 5943 /etc/brltty/Input/pm/front13.kti 3624 3061
- 5944 /etc/brltty/Input/pm/el70s.ktb 850 706

```
5945 /etc/brltty/Input/pm/elb_tr_32.ktb 859 713
```

- 5946 /etc/brltty/Input/pm/status2.kti 967 796
- 5947 /etc/brltty/Input/pm/status0.kti 856 708
- 5948 /etc/brltty/Input/pm/keyboard.kti 1230 1009
- 5949 /etc/brltty/Input/pm/routing.kti 1083 893
- 5950 /etc/brltty/Input/pm/status4.kti 1018 839
- 5951 /etc/brltty/Input/pm/el 40 p.ktb 891 740
- 5952 /etc/brltty/Input/pm/elba 20.ktb 893 743
- 5953 /etc/brltty/Input/pm/el 2d 80.ktb 875 727
- 5954 /etc/brltty/Input/pm/live.ktb 894 745
- 5955 /etc/brltty/Input/pm/2d s.ktb 864 718
- 5956 /etc/brltty/Input/pm/elb tr 20.ktb 859 713
- 5957 /etc/brltty/Input/pm/elba 32.ktb 893 743
- 5958 /etc/brltty/Input/pm/el2d 80s.ktb 854 710
- 5959 /etc/brltty/Input/pm/ib 80.ktb 861 714
- 5960 /etc/brltty/Input/pm/status22.kti 2026 1669
- 5961 /etc/brltty/Input/lt/all.txt 865 690
- 5962 /etc/brltty/Input/toggle.kti 921 771
- 5963 /etc/brltty/Input/md/fk.ktb 855 709
- 5964 /etc/brltty/Input/md/fk s.ktb 891 739
- 5965 /etc/brltty/Input/md/status.kti 824 685
- 5966 /etc/brltty/Input/md/default.ktb 907 754
- 5967 /etc/brltty/Input/md/common.kti 1191 1003
- 5968 /etc/brltty/Input/md/keyboard.kti 953 782
- 5969 /etc/brltty/Input/md/kbd.ktb 855 709
- 5970 /etc/brltty/Input/md/fkeys.kti 1264 1049
- 5971 /etc/brltty/Input/al/bc-thumb.kti 1143 931
- 5972 /etc/brltty/Input/al/abt small.ktb 867 719
- 5973 /etc/brltty/Input/al/sat basic.kti 3522 3026
- 5974 /etc/brltty/Input/al/bc.kti 3289 2896
- 5975 /etc/brltty/Input/al/bc-smartpad.kti 2807 2411
- 5977 /etc/brltty/Input/al/sat extra.kti 1058 878
- 5976 /etc/brltty/Input/al/abt basic.kti 2509 2130

- 5978 /etc/brltty/Input/al/bc-etouch.kti 1113 907
- 5979 /etc/brltty/Input/al/el.ktb 836 690
- 5980 /etc/brltty/Input/al/bc640.ktb 1056 861
- 5981 /etc/brltty/Input/al/bc680.ktb 1170 950
- 5982 /etc/brltty/Input/al/abt large.ktb 906 752
- 5983 /etc/brltty/Input/al/sat small.ktb 856 711
- 5984 /etc/brltty/Input/al/sat large.ktb 895 744
- 5986 /etc/brltty/Input/al/voyager.ktb 837 692
- 5987 /etc/brltty/Input/ba/all.txt 58 47
- 5988 /etc/brltty/Input/eu/clio.ktb 1979 1644
- 5989 /etc/brltty/Input/eu/joysticks.kti 2013 1749
- 5985 /etc/brltty/Input/al/abt_extra.kti 935 768
- 5990 /etc/brltty/Input/eu/sw12.kti 1336 1139
- 5991 /etc/brltty/Input/eu/esys small.ktb 869 721
- 5992 /etc/brltty/Input/eu/common.kti 821 682
- 5993 /etc/brltty/Input/eu/braille.kti 2295 1970
- 5994 /etc/brltty/Input/eu/esys medium.ktb 886 735
- 5995 /etc/brltty/Input/eu/all.txt 1253 987
- 5996 /etc/brltty/Input/eu/esys large.ktb 900 747
- 5997 /etc/brltty/Input/eu/routing.kti 1082 897
- 5998 /etc/brltty/Input/eu/sw56.kti 872 722
- 5999 /etc/brltty/Input/eu/iris.ktb 1960 1625
- 6000 /etc/brltty/Input/eu/sw34.kti 861 711
- 6001 /etc/brltty/Input/eu/esytime.ktb 4993 4385
- 6002 /etc/brltty/Input/ts/pb large.kti 1061 862
- 6003 /etc/brltty/Input/ts/pb65.ktb 898 748
- 6004 /etc/brltty/Input/ts/nav20.ktb 823 683
- 6005 /etc/brltty/Input/ts/pb.kti 3025 2642
- 6006 /etc/brltty/Input/ts/nav80.ktb 895 746
- 6007 /etc/brltty/Input/ts/routing.kti 1664 1428
- 6008 /etc/brltty/Input/ts/nav_small.kti 1426 1191
- 6009 /etc/brltty/Input/ts/pb80.ktb 898 748
- 6010 /etc/brltty/Input/ts/nav.kti 4308 3724

- 6011 /etc/brltty/Input/ts/nav large.kti 1450 1212
- 6012 /etc/brltty/Input/ts/pb40.ktb 898 748
- 6013 /etc/brltty/Input/ts/nav40.ktb 823 683
- 6014 /etc/brltty/Input/ts/pb small.kti 1368 1140
- 6015 /etc/brltty/Input/vs/all.txt 374 306
- 6016 /etc/brltty/Input/fs/rockers.kti 975 816
- 6017 /etc/brltty/Input/fs/common.kti 2216 1940
- 6018 /etc/brltty/Input/fs/bumpers.kti 1128 955
- 6019 /etc/brltty/Input/fs/focus large.ktb 882 733
- 6020 /etc/brltty/Input/fs/focus small.ktb 861 717
- 6021 /etc/brltty/Input/fs/focus basic.kti 1882 1548
- 6022 /etc/brltty/Input/fs/focus_basic.ktb 853 708
- 6023 /etc/brltty/Input/fs/pacmate.ktb 1671 1394
- 6024 /etc/brltty/Input/vr/all.txt 66 54
- 6025 /etc/brltty/Input/bp/all.kti 6934 6225
- 6026 /etc/brltty/Input/vd/all.txt 745 546
- 6027 /etc/brltty/Input/hd/pfl.ktb 2579 2124
- 6028 /etc/brltty/Input/hd/mbl.ktb 2432 2007
- 6029 /etc/brltty/Input/chords.kti 3221 2791
- 6030 /etc/modprobe.d/blacklist-ath pci.conf 325 261
- 6031 /etc/modprobe.d/amd64-microcode-blacklist.conf 154 123
- 6032 /etc/modprobe.d/blacklist-framebuffer.conf 697 607
- 6033 /etc/modprobe.d/blacklist-rare-network.conf 583 480
- 6034 /etc/modprobe.d/blacklist-modem.conf 156 136
- 6035 /etc/modprobe.d/intel-microcode-blacklist.conf 154 123
- 6036 /etc/modprobe.d/blacklist.conf 1667 1371
- 6037 /etc/modprobe.d/alsa-base.conf 2507 2146
- 6038 /etc/modprobe.d/iwlwifi.conf 347 274
- 6039 /etc/modprobe.d/blacklist-firewire.conf 210 182
- 6040 /etc/sensors3.conf 10368 6442
- 6041 /etc/update-motd.d/00-header 1220 932
- 6042 /etc/update-motd.d/80-esm 604 481
- 6043 /etc/update-motd.d/10-help-text 1157 868

```
6044 /etc/update-motd.d/91-release-upgrade 299 230
```

- 6045 /etc/update-motd.d/98-fsck-at-reboot 142 117
- 6046 /etc/update-motd.d/98-reboot-required 144 119
- 6047 /etc/update-motd.d/92-unattended-upgrades 165 139
- 6048 /etc/update-motd.d/90-updates-available 97 71
- 6050 /etc/update-motd.d/80-livepatch 3017 1917
- 6051 /etc/update-motd.d/95-hwe-eol 129 103
- 6049 /etc/update-motd.d/50-motd-news 4646 3423
- 6052 /etc/iproute2/rt tables.d/README 144 117
- 6053 /etc/iproute2/rt realms 112 87
- 6054 /etc/iproute2/ematch map 75 57
- 6055 /etc/iproute2/nl protos 262 183
- 6056 /etc/iproute2/rt protos 326 249
- 6057 /etc/iproute2/rt tables 87 67
- 6058 /etc/iproute2/group 31 25
- 6059 /etc/iproute2/bpf pinning 85 67
- 6060 /etc/iproute2/rt scopes 92 73
- 6061 /etc/iproute2/rt_protos.d/README 144 117
- 6062 /etc/iproute2/rt dsfield 331 266
- 6063 /etc/libnl-3/pktloc 1532 1115
- 6064 /etc/libnl-3/classid 1130 889
- 6065 /etc/anacrontab 401 327
- 6067 /etc/ssh/ssh config 1580 1246
- 6068 /etc/gtk-3.0/settings.ini 144 130
- 6069 /etc/gtk-3.0/im-multipress.conf 890 651
- 6070 /etc/login.defs 10550 8179
- 6071 /etc/profile 581 354
- 6072 /etc/emacs/site-start.d/00debian-vars.el 1824 1447
- 6073 /etc/emacs/site-start.d/50dictionaries-common.el 1799 1374
- 6074 /etc/emacs/site-start.el 412 321
- 6075 /etc/cupshelpers/preferreddrivers.xml 10135 7663
- 6076 /etc/hosts.allow 411 305
- 6077 /etc/locale.alias 2995 2336

```
6078 /etc/NetworkManager/conf.d/default-wifi-powersave-on.conf 32 27
```

- 6079 /etc/NetworkManager/dispatcher.d/01-ifupdown 2293 1547
- 6080 /etc/NetworkManager/NetworkManager.conf 98 88
- 6081 /etc/pam.d/newusers 92 75
- 6082 /etc/pam.d/sudo 239 204
- 6083 /etc/pam.d/polkit-1 270 227
- 6084 /etc/pam.d/gdm-fingerprint 1182 940
- 6085 /etc/pam.d/chpasswd 92 75
- 6066 /etc/ssh/moduli 553122 550111
- 6086 /etc/pam.d/su 2257 1758
- 6087 /etc/pam.d/common-account 1208 979
- 6088 /etc/pam.d/gdm-launch-environment 383 295
- 6089 /etc/pam.d/chfn 384 314
- 6090 /etc/pam.d/login 4945 3966
- 6091 /etc/pam.d/gdm-autologin 1192 954
- 6092 /etc/pam.d/runuser-1 138 115
- 6093 /etc/pam.d/common-session 1470 1190
- 6094 /etc/pam.d/runuser 143 120
- 6095 /etc/pam.d/common-password 1480 1195
- 6096 /etc/pam.d/chsh 581 465
- 6097 /etc/pam.d/cron 606 481
- 6098 /etc/pam.d/cups 69 63
- 6099 /etc/pam.d/gdm-password 1160 928
- 6100 /etc/pam.d/ppp 168 143
- 6101 /etc/pam.d/common-session-noninteractive 1435 1164
- 6102 /etc/pam.d/systemd-user 317 268
- 6103 /etc/pam.d/common-auth 1249 1007
- 6104 /etc/pam.d/passwd 92 75
- 6105 /etc/pam.d/other 520 419
- 6106 /etc/modules 195 150
- 6107 /etc/timezone 13 11
- 6108 /etc/modules-load.d/cups-filters.conf 119 97
- 6109 /etc/init/anacron.conf 278 228

- 6110 /etc/init/whoopsie.conf 453 371
- 6111 /etc/initramfs-tools/update-initramfs.conf 378 299
- 6112 /etc/initramfs-tools/modules 246 191
- 6113 /etc/initramfs-tools/initramfs.conf 1646 1240
- 6114 /etc/gnome/menus.blacklist 4630 4008
- 6115 /etc/gnome/defaults.list 11865 10724
- 6116 /etc/rpc 887 732
- 6117 /etc/apparmor/parser.conf 1475 1213
- 6118 /etc/apparmor/subdomain.conf 1962 1529
- 6119 /etc/subgid 20 19
- 6120 /etc/skel/.bash_logout 220 167
- 6121 /etc/skel/.profile 807 596
- 6122 /etc/skel/.bashrc 3771 2896
- 6123 /etc/libaudit.conf 191 155
- 6124 /etc/debian version 11 9
- 6125 /etc/ld.so.conf.d/x86 64-linux-gnu.conf 100 85
- 6126 /etc/ld.so.conf.d/libc.conf 44 36
- 6127 /etc/securetty 4141 3338
- 6129 /etc/geoclue/geoclue.conf 2309 1888
- 6130 /etc/default/intel-microcode 1029 840
- 6131 /etc/default/acpid 346 275
- 6132 /etc/default/grub 1209 998
- 6133 /etc/default/networking 306 254
- 6134 /etc/default/crda 549 447
- 6135 /etc/default/avahi-daemon 219 177
- 6136 /etc/default/im-config 1205 950
- 6137 /etc/default/dbus 297 234
- 6138 /etc/default/keyboard 168 137
- 6139 /etc/default/useradd 1118 890
- 6140 /etc/default/bsdmainutils 222 177
- 6141 /etc/default/networkd-dispatcher 152 129
- 6142 /etc/default/nss 1756 1406
- 6143 /etc/default/irgbalance 931 732

- 6144 /etc/default/locale 285 239
- 6145 /etc/default/rsyslog 124 103
- 6146 /etc/default/rsync 2062 1582
- 6147 /etc/default/kerneloops 84 65
- 6148 /etc/default/console-setup 285 229
- 6149 /etc/default/anacron 290 227
- 6150 /etc/default/motd-news 682 546
- 6151 /etc/default/apport 149 120
- 6152 /etc/default/speech-dispatcher 132 111
- 6153 /etc/default/acpi-support 4922 3980
- 6154 /etc/default/cron 150 121
- 6155 /etc/default/alsa 638 473
- 6156 /etc/default/saned 209 169
- 6157 /etc/default/ufw 1788 1453
- 6158 /etc/default/amd64-microcode 328 264
- 6159 /etc/apg.conf 433 338
- 6160 /etc/UPower/UPower.conf 2836 2294
- 6161 /etc/mailcap 20096 16357
- 6162 /etc/magic.mime 111 88
- 6163 /etc/insserv.conf.d/gdm3 24 22
- 6164 /etc/magic 111 88
- 6165 /etc/bindresvport.blacklist 367 286
- 6166 /etc/kernel-img.conf 110 93
- 6167 /etc/pnm2ppa.conf 7649 6020
- 6168 /etc/popularity-contest.conf 350 278
- 6169 /etc/profile.d/xdg_dirs_desktop_session.sh 954 749
- 6170 /etc/profile.d/input-method-config.sh 652 486
- 6171 /etc/profile.d/apps-bin-path.sh 825 675
- 6172 /etc/profile.d/01-locale-fix.sh 96 77
- 6173 /etc/profile.d/bash completion.sh 664 469
- 6174 /etc/profile.d/cedilla-portuguese.sh 1003 811
- 6175 /etc/profile.d/vte-2.91.sh 1941 1450
- 6177 /etc/rsyslog.d/20-ufw.conf 314 250

- 6178 /etc/gdm3/Prime/Default 97 75
- 6179 /etc/gdm3/Xsession 6463 4648
- 6180 /etc/gdm3/custom.conf 545 447
- 6176 /etc/rsyslog.d/50-default.conf 1124 821
- 6181 /etc/qdm3/PrimeOff/Default 93 71
- 6182 /etc/gdm3/PostSession/Default 18 12
- 6183 /etc/gdm3/Init/Default 2619 1777
- 6184 /etc/gdm3/config-error-dialog.sh 996 799
- 6185 /etc/gdm3/PostLogin/Default.sample 441 340
- 6186 /etc/gdm3/PreSession/Default 258 203
- 6187 /etc/gdm3/greeter.dconf-defaults 1092 901
- 6188 /etc/fstab 550 364
- 6189 /etc/PackageKit/Vendor.conf 1718 1370
- 6190 /etc/PackageKit/PackageKit.conf 706 568
- 6191 /etc/dconf/profile/ibus 28 26
- 6192 /etc/dconf/db/ibus.d/00-upstream-settings 1435 1214
- 6193 /etc/dconf/db/ibus 2730 2629
- 6195 /etc/systemd/timesyncd.conf 604 489
- 6196 /etc/systemd/journald.conf 1027 889
- 6197 /etc/systemd/resolved.conf 601 486
- 6198 /etc/systemd/user.conf 1130 1001
- 6199 /etc/systemd/system.conf 1658 1495
- 6200 /etc/systemd/logind.conf 1022 891
- 6201 /etc/systemd/system/snap-gnome\x2d3\x2d28\x2d1804-116.mount 273 240
- 6202 /etc/systemd/system/snap-core-9066.mount 243 210
- 6203 /etc/systemd/system/snap-gnome\x2dcalculator-730.mount 276 243
- 6204 /etc/systemd/system/snap-gtk\x2dcommon\x2dthemes-1474.mount 282 249
- 6205 /etc/systemd/system/snap-gnome\x2dsystem\x2dmonitor-135.mount 288 255
- 6206 /etc/systemd/system/snap-core18-1705.mount 249 216
- 6207 /etc/systemd/system/snap-gtk\x2dcommon\x2dthemes-1506.mount 282 249
- $6208 / etc/systemd/system/snap-gnome \\ \times 2dcharacters-495.mount 276 243$
- 6209 /etc/systemd/system/snap-gnome\x2dcalculator-748.mount 276 243
- 6210 /etc/systemd/system/snap-core18-1754.mount 249 216

- 6211 /etc/systemd/system/snap-gnome\x2dcharacters-539.mount 276 243
- 6212 /etc/systemd/system/snap-core-8935.mount 243 210
- 6213 /etc/systemd/system/snap-gnome\x2dlogs-100.mount 258 225
- 6214 /etc/systemd/system/snap-gnome\x2d3\x2d34\x2d1804-27.mount 270 237
- 6215 /etc/systemd/system/snap-gnome\x2dlogs-93.mount 255 222
- 6216 /etc/systemd/system/snap-gnome\x2d3\x2d34\x2d1804-33.mount 270 237
- 6217 /etc/systemd/system/snap-gnome\x2dsystem\x2dmonitor-145.mount 288 255
- 6218 /etc/ssl/openssl.cnf 10998 8975
- 6219 /etc/ssl/certs/ssl-cert-snakeoil.pem 1038 1007
- 6220 /etc/ssl/certs/ca-certificates.crt 207436 201629
- 6221 /etc/grub.d/41 custom 216 165
- 6222 /etc/grub.d/00 header 10046 7442
- 6223 /etc/grub.d/40 custom 214 163
- 6224 /etc/grub.d/README 483 384
- 6225 /etc/grub.d/10 linux 12693 9398
- 6226 /etc/grub.d/05 debian theme 6258 4832
- 6227 /etc/grub.d/20 linux xen 11298 8621
- 6228 /etc/grub.d/30 uefi-firmware 1418 1131
- 6229 /etc/grub.d/30 os-prober 12059 8391
- 6230 /etc/grub.d/20 memtest86+ 1992 1574
- 6231 /etc/libao.conf 27 25
- 6232 /etc/console-setup/compose.ISO-8859-13.inc 3737 1863
- 6233 /etc/console-setup/compose.KOI8-R.inc 31 26
- 6234 /etc/console-setup/compose.ISO-8859-8.inc 35 30
- 6235 /etc/console-setup/compose.CP1251.inc 31 26
- 6236 /etc/console-setup/compose.VISCII.inc 31 26
- 6237 /etc/console-setup/compose.ISO-8859-2.inc 2893 1432
- 6238 /etc/console-setup/compose.ISO-8859-16.inc 36 31
- 6239 /etc/console-setup/compose.ISO-8859-10.inc 36 31
- 6240 /etc/console-setup/compose.ISO-8859-5.inc 35 30
- 6241 /etc/console-setup/cached ISO-8859-1.acm.gz 658 590
- 6242 /etc/console-setup/compose.ISO-8859-7.inc 1217 614
- 6243 /etc/console-setup/compose.CP1255.inc 31 26

```
6244 /etc/console-setup/compose.GEORGIAN-PS.inc 36 31
```

- 6245 /etc/console-setup/cached Uni2-Fixed16.psf.gz 4147 3980
- 6246 /etc/console-setup/compose.ISO-8859-3.inc 3387 1711
- 6247 /etc/console-setup/compose.ISO-8859-4.inc 2805 1422
- 6248 /etc/console-setup/compose.ISO-8859-15.inc 3552 1798
- 6249 /etc/console-setup/compose.IBM1133.inc 32 27
- 6250 /etc/console-setup/compose.ISO-8859-11.inc 36 31
- 6251 /etc/console-setup/compose.ISO-8859-1.inc 3596 1820
- 6252 /etc/console-setup/compose.ARMSCII-8.inc 34 29
- 6253 /etc/console-setup/compose.ISIRI-3342.inc 35 30
- 6254 /etc/console-setup/cached setup terminal.sh 73 52
- 6255 /etc/console-setup/Uni2-Fixed16.psf.qz 4147 3980
- 6256 /etc/console-setup/remap.inc 1359 1035
- 6257 /etc/console-setup/compose.GEORGIAN-ACADEMY.inc 41 36
- 6258 /etc/console-setup/vtrgb 158 110
- 6260 /etc/console-setup/cached setup font.sh 457 309
- 6259 /etc/console-setup/compose.KOI8-U.inc 31 26
- 6261 /etc/console-setup/vtrgb.vga 155 107
- 6262 /etc/console-setup/compose.TIS-620.inc 32 27
- 6263 /etc/console-setup/cached ISO-8859-1 del.kmap.gz 3402 3245
- 6264 /etc/console-setup/compose.ISO-8859-6.inc 35 30
- 6265 /etc/console-setup/compose.ISO-8859-14.inc 3020 1518
- 6266 /etc/console-setup/cached UTF-8 del.kmap.gz 4590 4397
- 6267 /etc/console-setup/cached setup keyboard.sh 199 148
- 6268 /etc/console-setup/compose.ISO-8859-9.inc 3617 1831
- 6269 /etc/console-setup/ISO-8859-1.acm 1449 882
- 6270 /etc/console-setup/compose.CP1256.inc 31 26
- 6272 /etc/dbus-1/system.d/com.ubuntu.SoftwareProperties.conf 662 509
- 6273 /etc/dbus-1/system.d/wpa supplicant.conf 1513 1000
- 6274 /etc/dbus-1/system.d/com.ubuntu.WhoopsiePreferences.conf 929 716
- 6275 /etc/dbus-1/system.d/org.freedesktop.GeoClue2.Agent.conf 711 535
- 6279 /etc/dbus-1/system.d/org.freedesktop.ModemManager1.conf 10016 7466
- 6276 /etc/dbus-1/system.d/org.freedesktop.bolt.conf 1010 767

```
6280 /etc/dbus-1/system.d/net.hadess.SensorProxy.conf 2073 1694
```

- 6281 /etc/dbus-1/system.d/com.redhat.PrinterDriversInstaller.conf 1016 814
- 6278 /etc/dbus-1/system.d/org.freedesktop.PackageKit.conf 1331 1025
- 6277 /etc/dbus-1/system.d/org.freedesktop.GeoClue2.conf 1231 907
- 6282 /etc/dbus-1/system.d/org.freedesktop.RealtimeKitl.conf 1075 841
- 6283 /etc/dbus-1/system.d/nm-pptp-service.conf 562 459
- 6284 /etc/dbus-1/system.d/org.freedesktop.fwupd.conf 1043 793
- 6285 /etc/dbus-1/system.d/org.freedesktop.UPower.conf 1555 1187
- 6286 /etc/dbus-1/system.d/com.redhat.NewPrinterNotification.conf 1007 805
- 6287 /etc/dbus-1/system.d/gdm.conf 3883 2945
- 6288 /etc/dbus-1/system.d/org.freedesktop.Accounts.conf 917 705
- 6289 /etc/dbus-1/system.d/org.freedesktop.thermald.conf 1118 773
- 6290 /etc/dbus-1/system.d/avahi-dbus.conf 1144 871
- 6291 /etc/dbus-1/system.d/org.opensuse.CupsPkHelper.Mechanism.conf 545 427
- 6292 /etc/dbus-1/system.d/com.ubuntu.SystemService.conf 726 490
- 6293 /etc/dbus-1/system.d/org.freedesktop.NetworkManager.conf 10309 6797
- 6294 /etc/dbus-1/system.d/org.debian.apt.conf 434 330
- 6295 /etc/dbus-1/system.d/com.ubuntu.USBCreator.conf 766 579
- 6296 /etc/dbus-1/system.d/nm-dispatcher.conf 465 368
- 6297 /etc/dbus-1/system.d/dnsmasq.conf 652 455
- 6298 /etc/dbus-1/system.d/org.freedesktop.PolicyKit1.conf 632 499
- 6299 /etc/dbus-1/system.d/org.freedesktop.ColorManager.conf 1569 1211
- 6300 /etc/dbus-1/system.d/org.freedesktop.UDisks2.conf 525 408
- 6301 /etc/dbus-1/system.d/kerneloops.conf 1016 787
- 6302 /etc/dbus-1/system.d/com.hp.hplip.conf 752 560
- 6303 /etc/dbus-1/system.d/bluetooth.conf 1456 1128
- 6304 /etc/dbus-1/system.d/pulseaudio-system.conf 1084 859
- 6305 /etc/dbus-1/system.d/com.ubuntu.LanguageSelector.conf 733 553
- 6306 /etc/host.conf 92 70
- 6307 /etc/cron.monthly/Oanacron 313 243
- 6308 /etc/cron.monthly/.placeholder 102 82
- 6309 /etc/fuse.conf 280 229
- 6310 /etc/newt/palette.original 0 0

- 6311 /etc/newt/palette.ubuntu 160 143
- 6312 /etc/dictionaries-common/ispell-default 0 0
- 6313 /etc/ImageMagick-6/magic.xml 888 699
- 6314 /etc/ImageMagick-6/colors.xml 1383 1049
- 6315 /etc/ImageMagick-6/coder.xml 842 672
- 6316 /etc/ImageMagick-6/quantization-table.xml 2090 1516
- 6317 /etc/ImageMagick-6/thresholds.xml 11302 7367
- 6318 /etc/ImageMagick-6/delegates.xml 13292 10902
- 6319 /etc/ImageMagick-6/type-apple.xml 29078 18563
- 6320 /etc/ImageMagick-6/mime.xml 134171 107000
- 6321 /etc/ImageMagick-6/type-ghostscript.xml 9727 7945
- 6322 /etc/ImageMagick-6/policy.xml 3419 2635
- 6323 /etc/ImageMagick-6/type.xml 671 577
- 6324 /etc/ImageMagick-6/type-windows.xml 13655 11145
- 6325 /etc/ImageMagick-6/log.xml 956 684
- 6326 /etc/ImageMagick-6/type-dejavu.xml 8554 7190
- 6327 /etc/apport/native-origins.d/firefox 103 100
- 6328 /etc/apport/blacklist.d/README.blacklist 217 169
- 6329 /etc/apport/blacklist.d/apport 24 20
- 6330 /etc/apport/blacklist.d/firefox 59 49
- 6331 /etc/apport/crashdb.conf 1216 810
- 6332 /etc/mke2fs.conf 812 614
- 6333 /etc/updatedb.conf 403 325
- 6334 /etc/speech-dispatcher/modules/epos-generic.conf 3135 2499
- 6335 /etc/speech-dispatcher/modules/espeak-mbrola-generic.conf 6381 4381
- 6336 /etc/speech-dispatcher/modules/llia_phon-generic.conf 2603 2077
- 6337 /etc/speech-dispatcher/modules/dtk-generic.conf 3422 2710
- 6338 /etc/speech-dispatcher/modules/cicero.conf 982 798
- 6339 /etc/speech-dispatcher/modules/espeak-ng.conf 1624 1308
- 6340 /etc/speech-dispatcher/modules/espeak-generic.conf 5022 3600
- 6341 /etc/speech-dispatcher/modules/swift-generic.conf 2913 2347
- 6342 /etc/speech-dispatcher/modules/ibmtts.conf 7931 5549
- 6343 /etc/speech-dispatcher/modules/festival.conf 3087 2475

- 6344 /etc/speech-dispatcher/modules/flite.conf 406 323
- 6345 /etc/speech-dispatcher/modules/espeak.conf 1624 1308
- 6346 /etc/speech-dispatcher/modules/pico-generic.conf 3306 2468
- 6347 /etc/speech-dispatcher/modules/ivona.conf 919 731
- 6348 /etc/speech-dispatcher/clients/emacs.conf 116 90
- 6349 /etc/speech-dispatcher/speechd.conf 10040 7968
- 6350 /etc/udisks2/udisks2.conf 183 150
- 6351 /etc/pcmcia/config.opts 1117 926
- 6352 /etc/sane.d/bh.conf 29 21
- 6353 /etc/sane.d/agfafocus.conf 14 10
- 6354 /etc/sane.d/abaton.conf 25 20
- 6355 /etc/sane.d/magicolor.conf 1254 953
- 6356 /etc/sane.d/kodakaio.conf 2599 1879
- 6357 /etc/sane.d/ibm.conf 38 30
- 6358 /etc/sane.d/xerox mfp.conf 3917 3287
- 6359 /etc/sane.d/nec.conf 13 10
- 6360 /etc/sane.d/qcam.conf 391 299
- 6362 /etc/sane.d/leo.conf 113 82
- 6363 /etc/sane.d/pieusb.conf 554 464
- 6361 /etc/sane.d/kvs1025.conf 39 31
- 6364 /etc/sane.d/pixma.conf 985 787
- 6365 /etc/sane.d/epsonds.conf 271 213
- 6366 /etc/sane.d/mustek.conf 2125 1552
- 6367 /etc/sane.d/hp3900.conf 396 313
- 6368 /etc/sane.d/saned.conf 1052 852
- 6369 /etc/sane.d/sm3840.conf 115 95
- 6370 /etc/sane.d/ricoh.conf 29 23
- 6371 /etc/sane.d/s9036.conf 13 10
- 6372 /etc/sane.d/pie.conf 75 60
- 6373 /etc/sane.d/canon630u.conf 193 160
- 6374 /etc/sane.d/artec_eplus48u.conf 4140 3386
- 6375 /etc/sane.d/gphoto2.conf 1149 908
- 6376 /etc/sane.d/lexmark.conf 119 96

- 6377 /etc/sane.d/umax.conf 3094 2472
- 6378 /etc/sane.d/canon_pp.conf 1160 923
- 6379 /etc/sane.d/hp5400.conf 238 191
- 6380 /etc/sane.d/dc25.conf 704 561
- 6381 /etc/sane.d/coolscan.conf 34 27
- 6382 /etc/sane.d/hp4200.conf 76 61
- 6383 /etc/sane.d/epjitsu.conf 2736 2034
- 6384 /etc/sane.d/plustek pp.conf 943 762
- 6385 /etc/sane.d/sharp.conf 1464 1125
- 6386 /etc/sane.d/dmc.conf 12 9
- 6387 /etc/sane.d/epson.conf 793 638
- 6388 /etc/sane.d/gt68xx.conf 7792 6772
- 6389 /etc/sane.d/hp.conf 497 396
- 6390 /etc/sane.d/teco1.conf 355 264
- 6391 /etc/sane.d/sceptre.conf 48 32
- 6392 /etc/sane.d/dell1600n_net.conf 492 405
- 6393 /etc/sane.d/genesys.conf 2008 1623
- 6394 /etc/sane.d/dll.conf 1088 914
- 6395 /etc/sane.d/hs2p.conf 24 19
- 6396 /etc/sane.d/artec.conf 26 20
- 6397 /etc/sane.d/umax pp.conf 1684 1301
- 6398 /etc/sane.d/test.conf 1807 1466
- 6399 /etc/sane.d/rts8891.conf 183 149
- 6400 /etc/sane.d/tamarack.conf 28 22
- 6401 /etc/sane.d/microtek.conf 268 214
- 6402 /etc/sane.d/umax1220u.conf 386 316
- 6403 /etc/sane.d/net.conf 573 455
- 6405 /etc/sane.d/kodak.conf 367 290
- 6404 /etc/sane.d/teco2.conf 636 480
- 6407 /etc/sane.d/mustek usb.conf 809 665
- 6413 /etc/sane.d/st400.conf 2224 1747
- 6408 /etc/sane.d/coolscan2.conf 754 610
- 6409 /etc/sane.d/canon dr.conf 3961 3263

- 6417 /etc/sane.d/apple.conf 24 19
- 6416 /etc/sane.d/fujitsu.conf 3404 2789
- 6415 /etc/sane.d/u12.conf 1495 1144
- 6414 /etc/sane.d/hpsj5s.conf 22 20
- 6411 /etc/sane.d/matsushita.conf 666 365
- 6406 /etc/sane.d/plustek.conf 4142 3265
- 6410 /etc/sane.d/mustek pp.conf 3824 2498
- 6412 /etc/sane.d/cardscan.conf 552 445
- 6423 /etc/sane.d/dc210.conf 984 786
- 6424 /etc/sane.d/epson2.conf 376 292
- 6425 /etc/sane.d/avision.conf 548 455
- 6426 /etc/sane.d/stv680.conf 178 147
- 6427 /etc/sane.d/coolscan3.conf 754 610
- 6421 /etc/sane.d/dc240.conf 984 786
- 6420 /etc/sane.d/microtek2.conf 279 240
- 6422 /etc/sane.d/ma1509.conf 187 154
- 6419 /etc/sane.d/p5.conf 365 294
- 6428 /etc/sane.d/sp15c.conf 10 8
- 6430 /etc/sane.d/canon.conf 26 21
- 6431 /etc/sane.d/snapscan.conf 2239 1843
- 6432 /etc/sane.d/dll.d/hplip 38 29
- 6429 /etc/sane.d/teco3.conf 217 161
- 6433 /etc/rmt 268 210
- 6434 /etc/group 946 878
- 6435 /etc/hp/hplip.conf 961 845
- 6436 /etc/nsswitch.conf 556 392
- 6437 /etc/usb_modeswitch.conf 1523 1244
- 6439 /etc/gtk-2.0/im-multipress.conf 890 651
- 6440 /etc/terminfo/README 212 172
- 6441 /etc/group- 932 865
- 6442 /etc/sysctl.conf 2683 2241
- 6443 /etc/groff/man.local 1048 661
- 6444 /etc/groff/mdoc.local 1042 655

- 6445 /etc/nanorc 9048 7132
- 6446 /etc/firefox/pref/apturl.js 355 297
- 6447 /etc/firefox/syspref.js 163 125
- 6448 /etc/update-manager/release-upgrades 807 586
- 6450 /etc/services 19183 15013
- 6451 /etc/brltty.conf 25341 21530
- 6449 /etc/update-manager/meta-release 235 204
- 6452 /etc/cron.daily/dpkg 1176 777
- 6453 /etc/cron.daily/update-notifier-common 214 173
- 6454 /etc/cron.daily/mlocate 538 385
- 6455 /etc/cron.daily/apt-compat 1478 1047
- 6456 /etc/cron.daily/ubuntu-advantage-tools 246 187
- 6457 /etc/cron.daily/Oanacron 311 241
- 6458 /etc/cron.daily/bsdmainutils 355 265
- 6459 /etc/cron.daily/cracklib-runtime 384 271
- 6460 /etc/cron.daily/.placeholder 102 82
- 6461 /etc/cron.daily/apport 376 260
- 6462 /etc/cron.daily/logrotate 372 275
- 6463 /etc/cron.daily/popularity-contest 3477 2510
- 6464 /etc/cron.daily/man-db 1065 754
- 6465 /etc/cron.daily/passwd 249 154
- 6466 /etc/appstream.conf 769 634
- 6467 /etc/environment 96 76
- 6468 /etc/alternatives/README 100 85
- 6469 /etc/fwupd/daemon.conf 292 246
- 6470 /etc/fwupd/uefi.conf 118 100
- 6471 /etc/fwupd/remotes.d/fwupd.conf 181 154
- 6472 /etc/fwupd/remotes.d/lvfs.conf 282 241
- 6473 /etc/fwupd/remotes.d/vendor.conf 283 233
- 6474 /etc/fwupd/remotes.d/lvfs-testing.conf 327 282
- 6475 /etc/mailcap.order 449 384
- 6476 /etc/bluetooth/main.conf 3870 3132
- 6477 /etc/bluetooth/input.conf 397 332

- 6478 /etc/bluetooth/network.conf 120 104
- 6479 /etc/logcheck/ignore.d.server/gpg-agent 1305 1107
- 6480 /etc/logcheck/ignore.d.server/rsyslog 804 650
- 6481 /etc/logcheck/ignore.d.server/libsas12-modules 79 67
- 6482 /etc/logcheck/ignore.d.paranoid/cracklib-runtime 182 150
- 6483 /etc/acpi/asus-keyboard-backlight.sh 391 305
- 6484 /etc/acpi/undock.sh 238 175
- 6485 /etc/acpi/ibm-wireless.sh 608 458
- 6486 /etc/acpi/asus-wireless.sh 180 145
- 6487 /etc/acpi/tosh-wireless.sh 455 298
- 6488 /etc/acpi/events/asus-wireless-off 73 62
- 6489 /etc/acpi/events/asus-wireless-on 72 61
- 6490 /etc/acpi/events/asus-keyboard-backlight-down 271 228
- 6491 /etc/acpi/events/asus-keyboard-backlight-up 265 222
- 6492 /etc/acpi/events/thinkpad-cmos 277 227
- 6493 /etc/acpi/events/lenovo-undock 67 57
- 6494 /etc/acpi/events/ibm-wireless 223 182
- 6495 /etc/acpi/events/tosh-wireless 222 183
- 6496 /etc/pm/sleep.d/10 grub-common 210 151
- 6497 /etc/pm/sleep.d/10 unattended-upgrades-hibernate 672 461
- 6498 /etc/fonts/fonts.conf 2582 2041
- 6499 /etc/fonts/conf.d/README 978 793
- 6500 /etc/fonts/conf.d/65-khmer.conf 428 348
- 6501 /etc/fonts/conf.avail/20-unhint-small-dejavu-serif.conf 858 637
- 6502 /etc/fonts/conf.avail/69-language-selector-zh-cn.conf 1737 1294
- 6503 /etc/fonts/conf.avail/10-hinting-medium.conf 463 348
- 6504 /etc/fonts/conf.avail/53-monospace-lcd-filter.conf 611 457
- 6505 /etc/fonts/conf.avail/10-antialias.conf 225 181
- 6506 /etc/fonts/conf.avail/64-language-selector-prefer.conf 847 667
- 6507 /etc/fonts/conf.avail/70-yes-bitmaps.conf 77 63
- 6508 /etc/fonts/conf.avail/67-smc-suruma.conf 424 331
- 6509 /etc/fonts/conf.avail/45-latin.conf 6362 5368
- 6510 /etc/fonts/conf.avail/70-no-bitmaps.conf 263 211

```
6511 /etc/fonts/conf.avail/65-0-smc-rachana.conf 432 336
```

- 6512 /etc/fonts/conf.avail/69-unifont.conf 672 544
- 6513 /etc/fonts/conf.avail/10-no-sub-pixel.conf 491 369
- 6514 /etc/fonts/conf.avail/69-language-selector-zh-sg.conf 1737 1294
- 6515 /etc/fonts/conf.avail/66-lohit-gujarati.conf 643 497
- 6516 /etc/fonts/conf.avail/66-lohit-gurmukhi.conf 640 497
- 6517 /etc/fonts/conf.avail/66-lohit-devanagari.conf 2918 2229
- 6518 /etc/fonts/conf.avail/60-latin.conf 1833 1471
- 6519 /etc/fonts/conf.avail/51-local.conf 189 159
- 6520 /etc/fonts/conf.avail/66-lohit-assamese.conf 642 497
- 6521 /etc/fonts/conf.avail/58-dejavu-lgc-sans-mono.conf 1545 1145
- 6522 /etc/fonts/conf.avail/10-unhinted.conf 481 360
- 6523 /etc/fonts/conf.avail/20-unhint-small-dejavu-lgc-sans-mono.conf 874 651
- 6524 /etc/fonts/conf.avail/69-language-selector-zh-mo.conf 1636 1217
- 6525 /etc/fonts/conf.avail/57-dejavu-serif.conf 1649 1220
- 6526 /etc/fonts/conf.avail/66-lohit-tamil-classical.conf 663 515
- 6527 /etc/fonts/conf.avail/65-nonlatin.conf 7769 6321
- 6528 /etc/fonts/conf.avail/65-droid-sans-fallback.conf 202 164
- 6529 /etc/fonts/conf.avail/67-smc-anjalioldlipi.conf 438 345
- 6530 /etc/fonts/conf.avail/20-unhint-small-dejavu-sans-mono.conf 866 644
- 6531 /etc/fonts/conf.avail/69-language-selector-zh-hk.conf 1551 1147
- 6532 /etc/fonts/conf.avail/67-lohit-malayalam.conf 643 500
- 6535 /etc/fonts/conf.avail/20-unhint-small-dejavu-sans.conf 856 635
- 6536 /etc/fonts/conf.avail/10-hinting-none.conf 461 346
- 6537 /etc/fonts/conf.avail/50-user.conf 673 541
- 6538 /etc/fonts/conf.avail/20-unhint-small-dejavu-lgc-serif.conf 866 644
- 6539 /etc/fonts/conf.avail/65-0-fonts-deva-extra.conf 5035 3833
- 6533 /etc/fonts/conf.avail/10-scale-bitmap-fonts.conf 2010 1476
- 6540 /etc/fonts/conf.avail/67-smc-karumbi.conf 420 327
- 6534 /etc/fonts/conf.avail/58-dejavu-lgc-sans.conf 2063 1516
- 6541 /etc/fonts/conf.avail/58-dejavu-lgc-serif.conf 1689 1251
- 6542 /etc/fonts/conf.avail/67-fonts-smc-manjari.conf 441 346
- 6543 /etc/fonts/conf.avail/66-lohit-odia.conf 631 485

```
6544 /etc/fonts/conf.avail/65-fonts-persian.conf 10118 7954
```

- 6545 /etc/fonts/conf.avail/99-language-selector-zh.conf 1857 1237
- 6546 /etc/fonts/conf.avail/60-generic.conf 1765 1384
- 6547 /etc/fonts/conf.avail/10-sub-pixel-rgb.conf 489 367
- 6548 /etc/fonts/conf.avail/66-lohit-telugu.conf 451 354
- 6549 /etc/fonts/conf.avail/90-synthetic.conf 1691 1281
- 6550 /etc/fonts/conf.avail/57-dejavu-sans.conf 2011 1476
- 6551 /etc/fonts/conf.avail/11-lcdfilter-legacy.conf 524 387
- 6552 /etc/fonts/conf.avail/20-unhint-small-dejavu-lgc-sans.conf 864 642
- 6553 /etc/fonts/conf.avail/25-unhint-nonlatin.conf 3256 2489
- 6555 /etc/fonts/conf.avail/11-lcdfilter-default.conf 526 389
- 6556 /etc/fonts/conf.avail/30-droid-noto-mono.conf 218 166
- 6554 /etc/fonts/conf.avail/65-0-fonts-pagul.conf 648 496
- 6557 /etc/fonts/conf.avail/65-0-fonts-guru-extra.conf 689 530
- 6558 /etc/fonts/conf.avail/69-language-selector-zh-tw.conf 2120 1603
- 6559 /etc/fonts/conf.avail/67-smc-raghumalayalamsans.conf 473 347
- 6561 /etc/fonts/conf.avail/11-lcdfilter-light.conf 522 385
- 6560 /etc/fonts/conf.avail/65-khmer.conf 289 228
- 6562 /etc/fonts/conf.avail/66-lohit-kannada.conf 636 494
- 6563 /etc/fonts/conf.avail/45-generic.conf 3248 2615
- 6564 /etc/fonts/conf.avail/10-hinting-full.conf 461 346
- 6565 /etc/fonts/conf.avail/65-0-smc-meera.conf 438 342
- 6566 /etc/fonts/conf.avail/30-cjk-aliases.conf 16016 10299
- 6567 /etc/fonts/conf.avail/49-sansserif.conf 545 425
- 6568 /etc/fonts/conf.avail/65-0-fonts-orya-extra.conf 678 520
- 6569 /etc/fonts/conf.avail/67-smc-uroob.conf 415 323
- 6570 /etc/fonts/conf.avail/10-sub-pixel-vrgb.conf 490 368
- 6571 /etc/fonts/conf.avail/40-nonlatin.conf 5388 4543
- 6572 /etc/fonts/conf.avail/10-sub-pixel-vbgr.conf 490 368
- 6573 /etc/fonts/conf.avail/65-0-fonts-gubbi.conf 779 503
- 6574 /etc/fonts/conf.avail/80-delicious.conf 422 340
- 6575 /etc/fonts/conf.avail/10-hinting-slight.conf 463 348
- 6576 /etc/fonts/conf.avail/59-lohit-devanagari.conf 488 297

```
6577 /etc/fonts/conf.avail/30-metric-aliases.conf 13013 9713
```

- 6579 /etc/fonts/conf.avail/66-lohit-bengali.conf 639 494
- 6580 /etc/fonts/conf.avail/10-autohint.conf 484 362
- 6578 /etc/fonts/conf.avail/10-sub-pixel-bgr.conf 489 367
- 6581 /etc/fonts/conf.avail/70-force-bitmaps.conf 263 211
- 6582 /etc/fonts/conf.avail/20-unhint-small-vera.conf 1259 974
- 6583 /etc/fonts/conf.avail/67-smc-dyuthi.conf 424 331
- 6584 /etc/fonts/conf.avail/66-lohit-tamil.conf 633 488
- 6585 /etc/fonts/conf.avail/57-dejavu-sans-mono.conf 1509 1117
- 6586 /etc/fonts/conf.avail/67-smc-chilanka.conf 422 329
- 6587 /etc/fonts/conf.avail/65-0-fonts-beng-extra.conf 1064 822
- 6588 /etc/fonts/conf.avail/65-0-fonts-gujr-extra.conf 687 528
- 6589 /etc/fonts/conf.avail/69-language-selector-ja.conf 819 632
- 6590 /etc/fonts/conf.avail/65-0-fonts-telu-extra.conf 684 526
- 6591 /etc/fonts/conf.avail/67-smc-keraleeyam.conf 432 339
- 6592 /etc/pam.conf 552 435
- 6593 /etc/selinux/semanage.conf 2041 1542
- 6594 /etc/network/if-down.d/avahi-autoipd 1015 677
- 6595 /etc/network/interfaces 82 68
- 6597 /etc/network/if-up.d/avahi-daemon 484 369
- 6598 /etc/network/if-pre-up.d/wireless-tools 4178 3240
- 6599 /etc/network/if-post-down.d/wireless-tools 1409 1019
- 6596 /etc/network/if-up.d/avahi-autoipd 923 621
- 6600 /etc/perl/XML/SAX/ParserDetails.ini 383 317
- 6601 /etc/perl/Net/libnet.cfg 611 454
- 6603 /etc/cups/cupsd.conf 6403 5280
- 6604 /etc/cups/raw.convs 240 192
- 6606 /etc/cups/cups-browsed.conf 26954 21792
- 6607 /etc/cups/raw.types 211 168
- 6608 /etc/cups/cups-files.conf 2923 2317
- 6609 /etc/cups/snmp.conf 142 112
- 6610 /etc/subuid 20 19
- 6614 /etc/ufw/ufw.conf 312 235

- 6616 /etc/ufw/applications.d/cups 152 126
- 6617 /etc/ufw/sysctl.conf 1391 1170
- 6622 /etc/debconf.conf 2969 2394
- 6623 /etc/python3.6/sitecustomize.py 155 126
- 6624 /etc/issue 26 16
- 6625 /etc/kernel/postrm.d/zz-update-grub 646 484
- 6626 /etc/kernel/postrm.d/initramfs-tools 821 625
- 6629 /etc/kernel/postinst.d/zz-update-grub 646 484
- 6627 /etc/kernel/prerm.d/vboxadd 172 126
- 6630 /etc/kernel/postinst.d/initramfs-tools 868 664
- 6631 /etc/kernel/postinst.d/vboxadd 164 131
- 6628 /etc/kernel/preinst.d/intel-microcode 529 416
- 6632 /etc/kernel/postinst.d/apt-auto-removal 2903 2240
- 6633 /etc/kernel/postinst.d/unattended-upgrades 185 142
- 6634 /etc/papersize 3 2
- 6635 /etc/kerneloops.conf 1308 1034
- 6636 /etc/hosts 232 196
- 6637 /etc/cracklib/cracklib.conf 1800 1347
- 6638 /etc/issue.net 19 14
- 6639 /etc/crontab 722 538
- 6640 /etc/security/sepermit.conf 419 296
- 6641 /etc/security/pwquality.conf 2151 1690
- 6642 /etc/security/namespace.conf 1440 1136
- 6643 /etc/security/pam env.conf 2972 2369
- 6644 /etc/security/time.conf 2179 1692
- 6645 /etc/security/capability.conf 1793 1422
- 6647 /etc/security/namespace.init 1016 631
- 6648 /etc/security/limits.conf 2150 1332
- 6649 /etc/security/access.conf 4620 3636
- 6650 /etc/security/group.conf 3635 2727
- 6651 /etc/logrotate.conf 703 531
- 6652 /etc/ppp/ip-up.d/0dns-up 4022 2969
- 6653 /etc/ppp/ip-up.d/0000usepeerdns 902 699

```
6655 /etc/ppp/peers/provider 1093 873
```

- 6656 /etc/ppp/ipv6-down 784 608
- 6657 /etc/ppp/ipv6-up 922 706
- 6658 /etc/ppp/ip-down 1754 1250
- 6659 /etc/ppp/options 13209 10571
- 6660 /etc/ppp/ip-up 1892 1345
- 6662 /etc/ppp/options.pptp 2151 1747
- 6663 /etc/ppp/ip-down.d/0000usepeerdns 581 448
- 6664 /etc/ppp/ip-down.d/Odns-down 2200 1598
- 6665 /etc/chatscripts/provider 656 469
- 6666 /etc/chatscripts/pap 653 505
- 6667 /etc/chatscripts/gprs 950 717
- 6668 /etc/gdb/gdbinit 39 33
- 6669 /etc/inputrc 1748 1370
- 6670 /etc/hdparm.conf 4861 3885
- 6672 /etc/apt/trusted.gpg.d/ubuntu-keyring-2012-archive.gpg 2796 2670
- 6673 /etc/apt/trusted.gpg.d/ubuntu-keyring-2012-cdimage.gpg 2794 2649
- 6674 /etc/apt/trusted.gpg.d/ubuntu-keyring-2018-archive.gpg 1733 1642
- 6671 /etc/wgetrc 4942 3901
- 6675 /etc/apt/sources.list 2906 2386
- 6676 /etc/apt/apt.conf.d/15update-stamp 108 89
- 6677 /etc/apt/apt.conf.d/50unattended-upgrades 3728 2966
- 6678 /etc/apt/apt.conf.d/50appstream 2584 1816
- 6679 /etc/apt/apt.conf.d/20auto-upgrades 80 70
- 6680 /etc/apt/apt.conf.d/20snapd.conf 114 83
- 6681 /etc/apt/apt.conf.d/60icons 435 328
- 6682 /etc/apt/apt.conf.d/20archive 85 70
- 6683 /etc/apt/apt.conf.d/00aptitude 49 41
- 6684 /etc/apt/apt.conf.d/20dbus 243 193
- 6685 /etc/apt/apt.conf.d/99update-notifier 305 252
- 6686 /etc/apt/apt.conf.d/00trustcdrom 40 35
- 6687 /etc/apt/apt.conf.d/50command-not-found 625 483
- 6688 /etc/apt/apt.conf.d/01-vendor-ubuntu 42 37

- 6689 /etc/apt/apt.conf.d/70debconf 182 141
- 6690 /etc/apt/apt.conf.d/10periodic 129 114
- 6691 /etc/apt/apt.conf.d/01autoremove 1018 738
- 6692 /etc/apt/apt.conf.d/20packagekit 1040 841
- 6693 /etc/apt/apt.conf.d/01autoremove-kernels 1606 1153
- 6694 /etc/ca-certificates.conf 5898 5401
- 6695 /etc/ucf.conf 1260 1008
- 6696 /etc/mime.types 24301 19844
- 6697 /etc/machine-id 33 32
- 6698 /etc/passwd 2452 2129
- 6699 /etc/cron.weekly/update-notifier-common 211 172
- 6700 /etc/cron.weekly/Oanacron 312 242
- 6701 /etc/cron.weekly/.placeholder 102 82
- 6702 /etc/cron.weekly/man-db 723 503
- 6703 /etc/depmod.d/ubuntu.conf 31 27
- 6704 /etc/apm/scripts.d/alsa 228 164
- 6705 /etc/apm/event.d/20hdparm 2265 1692
- 6706 /etc/apm/event.d/anacron 753 569
- 6707 /etc/deluser.conf 604 482
- 6708 /etc/hosts.deny 711 541
- 6709 /etc/X11/cursors/handhelds.theme 32 29
- 6710 /etc/X11/cursors/whiteglass.theme 33 30
- 6711 /etc/X11/cursors/core.theme 27 24
- 6712 /etc/X11/cursors/redglass.theme 31 28
- 6713 /etc/X11/Xsession 3730 2793
- 6714 /etc/X11/default-display-manager 15 11
- 6715 /etc/X11/xinit/xinputrc 134 115
- 6716 /etc/X11/xinit/xinitrc 164 126
- 6717 /etc/X11/xinit/xserverrc 46 32
- 6718 /etc/X11/Xreset.d/README 205 163
- 6719 /etc/X11/Xwrapper.config 630 524
- 6720 /etc/X11/Xsession.options 265 230
- 6721 /etc/X11/xsm/system.xsm 77 60

- 6722 /etc/X11/XvMCConfig 13 10
- 6723 /etc/X11/Xreset 709 551
- 6724 /etc/X11/Xsession.d/20x11-common process-args 2030 1205
- 6725 /etc/X11/Xsession.d/75dbus dbus-launch 752 609
- 6726 /etc/X11/Xsession.d/50x11-common determine-startup 1568 1141
- 6727 /etc/X11/Xsession.d/90atk-adaptor 511 389
- 6728 /etc/X11/Xsession.d/20dbus xdg-runtime 1062 836
- 6729 /etc/X11/Xsession.d/90x11-common_ssh-agent 629 480
- 6730 /etc/X11/Xsession.d/60x11-common localhost 146 107
- 6731 /etc/X11/Xsession.d/35x11-common_xhost-local 389 301
- 6732 /etc/X11/Xsession.d/70im-config launch 1541 1164
- 6733 /etc/X11/Xsession.d/90gpg-agent 880 707
- 6734 /etc/X11/Xsession.d/99x11-common start 166 135
- 6735 /etc/X11/Xsession.d/30x11-common xresources 878 675
- 6736 /etc/X11/Xsession.d/98vboxadd-xclient 1626 1257
- 6737 /etc/X11/Xsession.d/95dbus update-activation-env 513 395
- 6738 /etc/X11/Xsession.d/90qt-a11y 368 306
- 6739 /etc/X11/Xsession.d/60xbrlapi 71 50
- 6740 /etc/X11/Xsession.d/40x11-common xsessionrc 187 149
- 6741 /etc/X11/Xsession.d/60x11-common xdg path 991 778
- 6742 /etc/X11/Xsession.d/55gnome-session gnomerc 743 552
- 6743 /etc/X11/app-defaults/XMore 1107 689
- 6744 /etc/X11/app-defaults/Xmessage 248 215
- 6745 /etc/X11/app-defaults/XLogo 121 102
- 6746 /etc/X11/app-defaults/Xedit-color 5536 4568
- 6747 /etc/X11/app-defaults/Xgc-color 2353 1895
- 6748 /etc/X11/app-defaults/Xman 6148 5135
- 6749 /etc/X11/app-defaults/Xmessage-color 920 727
- 6750 /etc/X11/app-defaults/Bitmap-color 431 372
- 6751 /etc/X11/app-defaults/Xgc 65 61
- 6752 /etc/X11/app-defaults/XFontSel 4774 3987
- 6753 /etc/X11/app-defaults/XLogo-color 215 176
- 6754 /etc/X11/app-defaults/Editres 9877 7968

```
6755 /etc/X11/app-defaults/XLoad 106 85
6756 /etc/X11/app-defaults/XCalc-color 10325 8380
6757 /etc/X11/app-defaults/XConsole 615 514
6758 /etc/X11/app-defaults/Editres-color 2751 2260
6759 /etc/X11/app-defaults/Xmag 730 615
6760 /etc/X11/app-defaults/Xditview-chrtr 1375 1269
6761 /etc/X11/app-defaults/Bitmap-nocase 6584 5280
6762 /etc/X11/app-defaults/Clock-color 115 102
6763 /etc/X11/app-defaults/XClipboard 4086 3365
6764 /etc/X11/app-defaults/XCalc 19327 17024
6765 /etc/X11/app-defaults/Viewres-color 973 839
6766 /etc/X11/app-defaults/Xedit 15689 13294
6767 /etc/X11/app-defaults/Bitmap 6525 5234
6768 /etc/X11/app-defaults/XClock-color 245 200
6769 /etc/X11/app-defaults/XSm 3871 3273
6770 /etc/X11/app-defaults/Viewres 3184 2769
6771 /etc/X11/app-defaults/XClock 20 17
6772 /etc/X11/app-defaults/Xvidtune 6628 5821
6774 /etc/X11/app-defaults/Xfd 754 630
6773 /etc/X11/app-defaults/Xditview 3128 2623
6775 /etc/X11/Xresources/x11-common 319 270
6776 /etc/X11/fonts/Type1/xfonts-scalable.scale 2654 2506
6777 /etc/X11/fonts/misc/xfonts-base.alias 6270 5802
6780 /etc/dhcp/dhclient-enter-hooks.d/resolved 3502 2178
6781 /etc/dhcp/dhclient-exit-hooks.d/timesyncd 1117 717
6782 /etc/dhcp/dhclient-exit-hooks.d/rfc3442-classless-routes 1756 1057
6779 /etc/dhcp/dhclient-enter-hooks.d/avahi-autoipd 1132 829
6778 /etc/X11/rgb.txt 17394 12538
6784 /etc/dhcp/dhclient.conf 1735 1385
6785 /etc/dhcp/debug 1426 1060
6783 /etc/dhcp/dhclient-exit-hooks.d/zzz avahi-autoipd 1089 797
```

Работа с каталогом /usr:

```
falxns@falxns-VirtualBox: ~/HladkiMG
 Файл Правка Вид Поиск Терминал Справка
                       00:00:00 a.out
 6414 pts/0
 6415 pts/0
                       00:00:00 a.out
 6416 pts/0
                       00:00:00 a.out
 6417 pts/0
6418 pts/0
                       00:00:00 a.out
 6418 pts/0 00:00:00 ps
Falxns@falxns-VirtualBox:~/HladkiMG$ fg
./a.out /etc 10 > output.txt
a.out: Bad file descriptor /etc/shadow-
a.out: Permission denied /etc/cups/ssl
a.out: Bad file descriptor /etc/cups/subscriptions.conf.0
a.out: Bad file descriptor /etc/cups/subscriptions.confa.out: Bad file descriptor /etc/ufw/after6.rules
a.out: Bad file descriptor /etc/ufw/before.init
a.out: Bad file descriptor /etc/ufw/after.init

    a.out: Bad file descriptor /etc/ufw/before6.rules
    a.out: Bad file descriptor /etc/ufw/user.rules
    a.out: Bad file descriptor /etc/ufw/after.rules

a.out: Bad file descriptor /etc/ufw/user6.rulesa.out: Bad file descriptor /etc/ufw/before.rules
a.out: Bad file descriptor /etc/security/opasswda.out: Bad file descriptor /etc/ppp/pap-secrets
a.out: Bad file descriptor /etc/ppp/chap-secrets
falxns@falxns-VirtualBox:~/HladkiMG$ ./a.out /usr 10 > output.txt
[1]+ Остановлен ./a.out /usr 10 > output.txt
falxns@falxns-VirtualBox:~/HladkiMG$ ps
                      TIME CMD
00:00:00 bash
 PID TTY
2002 pts/0
  7006 pts/0
                       00:00:00 a.out
  7322 pts/0
                       00:00:00 a.out
 7323 pts/0
7324 pts/0
7325 pts/0
                       00:00:00 a.out
                       00:00:00 a.out
                       00:00:00 a.out
 7326 pts/0
7327 pts/0
                       00:00:00 a.out
                       00:00:00 a.out
  7328 pts/0
                       00:00:00 a.out
  7329 pts/0
                       00:00:00 a.out
  7330 pts/0
                       00:00:00 a.out
 7331 pts/0 00:00:00 ps
falxns@falxns-VirtualBox:~/HladkiMG$ fg
 ./a.out /usr 10 > output.txt
a.out: Bad file descriptor /usr/lib/cups/backend/cups-brf
falxns@falxns-VirtualBox:~/HladkiMG$
```

Содержимое файла output.txt:

```
7013 /usr/include/endian.h 3189 2563
7007 /usr/include/obstack.h 21306 14699
7014 /usr/include/mntent.h 3358 2510
7012 /usr/include/sysexits.h 5232 4044
7015 /usr/include/unistd.h 42785 33117
7011 /usr/include/xorg/wacom-properties.h 4388 3416
7010 /usr/include/xorg/Xwacom.h 2918 2223
7016 /usr/include/pwd.h 6029 4596
7017 /usr/include/net/if_packet.h 1261 965
7018 /usr/include/net/ethernet.h 3135 2398
7009 /usr/include/xorg/wacom-util.h 1773 1420
```

- 7019 /usr/include/net/if shaper.h 1624 1260
- 7020 /usr/include/net/ppp-comp.h 28 24
- 7021 /usr/include/net/if_arp.h 7131 5271
- 7022 /usr/include/net/ppp defs.h 162 134
- 7023 /usr/include/net/if ppp.h 6714 5239
- 7024 /usr/include/net/if.h 6981 5303
- 7008 /usr/include/xorg/isdv4.h 6288 4843
- 7026 /usr/include/net/if_slip.h 932 707
- 7029 /usr/include/strings.h 4752 3718
- 7025 /usr/include/net/route.h 4703 3646
- 7027 /usr/include/libintl.h 4579 3579
- 7028 /usr/include/argz.h 6050 4597
- 7030 /usr/include/netdb.h 28051 21510
- 7032 /usr/include/netiucv/iucv.h 1593 1205
- 7031 /usr/include/netrose/rose.h 3183 2567
- 7036 /usr/include/iconv.h 1857 1439
- 7035 /usr/include/netpacket/packet.h 2402 1875
- 7033 /usr/include/tgmath.h 31489 22794
- 7034 /usr/include/thread db.h 16023 12052
- 7043 /usr/include/features.h 15541 12345
- 7037 /usr/include/aliases.h 2031 1556
- 7039 /usr/include/mqueue.h 3759 2933
- 7038 /usr/include/sudo plugin.h 8084 6526
- 7042 /usr/include/fcntl.h 9463 7277
- 7044 /usr/include/time.h 10360 8035
- 7041 /usr/include/error.h 2039 1562
- 7045 /usr/include/resolv.h 12012 9566
- 7049 /usr/include/protocols/rwhod.h 2567 1972
- 7048 /usr/include/protocols/talkd.h 4826 3780
- 7047 /usr/include/protocols/routed.h 3844 2986
- 7046 /usr/include/protocols/timed.h 3881 2996
- 7040 /usr/include/neteconet/ec.h 1667 1274
- 7050 /usr/include/rdma/ib user verbs.h 23714 18891

- 7052 /usr/include/rdma/hns-abi.h 2130 1635
- 7051 /usr/include/rdma/nes-abi.h 3463 2697
- 7056 /usr/include/rdma/rdma user ioctl.h 4611 3693
- 7053 /usr/include/rdma/cxgb4-abi.h 2571 1987
- 7055 /usr/include/rdma/rdma netlink.h 7008 5378
- 7057 /usr/include/rdma/mthca-abi.h 3015 2335
- 7054 /usr/include/rdma/mlx5-abi.h 9401 7494
- 7058 /usr/include/rdma/rdma user rxe.h 3215 2379
- 7061 /usr/include/rdma/ib user cm.h 6609 5059
- 7059 /usr/include/rdma/ib_user_sa.h 2305 1780
- 7060 /usr/include/rdma/vmw pvrdma-abi.h 7484 5856
- 7062 /usr/include/rdma/rdma_user_cm.h 6326 5043
- 7065 /usr/include/rdma/bnxt re-abi.h 2657 2095
- 7064 /usr/include/rdma/hfi/hfi1 ioctl.h 6490 4933
- 7063 /usr/include/rdma/hfi/hfi1 user.h 9077 7088
- 7068 /usr/include/rdma/ib user mad.h 8517 6404
- 7066 /usr/include/rdma/ocrdma-abi.h 4016 3198
- 7067 /usr/include/rdma/cxgb3-abi.h 2374 1835
- 7069 /usr/include/rdma/qedr-abi.h 2699 2064
- 7070 /usr/include/rdma/ib user ioctl verbs.h 2436 1938
- 7071 /usr/include/rdma/mlx4-abi.h 4140 3247
- 7073 /usr/include/termio.h 214 166
- 7072 /usr/include/ttyent.h 2494 1960
- 7074 /usr/include/regex.h 22050 16611
- 7081 /usr/include/signal.h 12243 9587
- 7078 /usr/include/python3.6m/ImagingUtils.h 1569 1211
- 7080 /usr/include/netax25/ax25.h 4809 3781
- 7079 /usr/include/utmpx.h 4099 3192
- 7077 /usr/include/python3.6m/ImPlatform.h 1721 1372
- 7082 /usr/include/err.h 2209 1701
- 7083 /usr/include/printf.h 6800 5145
- 7088 /usr/include/x86 64-linux-gnu/sys/sysmacros.h 4030 3272
- 7076 /usr/include/python3.6m/Imaging.h 22159 16363

```
7087 /usr/include/x86 64-linux-gnu/sys/ptrace.h 5841 4558
7085 /usr/include/x86 64-linux-gnu/sys/unistd.h 20 17
7075 /usr/include/python3.6m/ImDib.h 1178 908
7086 /usr/include/x86 64-linux-gnu/sys/queue.h 19539 14780
7084 /usr/include/x86 64-linux-gnu/sys/statfs.h 2093 1643
7089 /usr/include/x86 64-linux-gnu/sys/debugreg.h 3575 2733
7093 /usr/include/x86 64-linux-gnu/sys/ipc.h 1461 1153
7091 /usr/include/x86 64-linux-gnu/sys/raw.h 1181 898
7092 /usr/include/x86 64-linux-gnu/sys/sysctl.h 2004 1638
7090 /usr/include/x86 64-linux-gnu/sys/auxv.h 1282 984
7099 /usr/include/x86 64-linux-gnu/sys/select.h 4140 3238
7096 /usr/include/x86 64-linux-gnu/sys/gmon out.h 2635 1963
7097 /usr/include/x86 64-linux-qnu/sys/mman.h 5551 4300
7098 /usr/include/x86 64-linux-gnu/sys/reg.h 1826 1381
7095 /usr/include/x86 64-linux-gnu/sys/kd.h 1111 862
7100 /usr/include/x86 64-linux-gnu/sys/file.h 1721 1287
7101 /usr/include/x86 64-linux-gnu/sys/quota.h 5170 4036
7102 /usr/include/x86 64-linux-gnu/sys/fcntl.h 19 16
7103 /usr/include/x86 64-linux-gnu/sys/timeb.h 1376 1029
7094 /usr/include/x86 64-linux-gnu/sys/sendfile.h 1805 1400
7104 /usr/include/x86 64-linux-gnu/sys/soundcard.h 29 25
7107 /usr/include/x86 64-linux-gnu/sys/ttychars.h 2499 1937
7108 /usr/include/x86 64-linux-gnu/sys/un.h 1452 1100
7106 /usr/include/x86 64-linux-gnu/sys/stat.h 16186 12733
7110 /usr/include/x86 64-linux-gnu/sys/utsname.h 2480 1964
7109 /usr/include/x86 64-linux-gnu/sys/msg.h 2365 1812
7105 /usr/include/x86 64-linux-gnu/sys/time.h 6656 4739
7111 /usr/include/x86 64-linux-gnu/sys/ttydefaults.h 3568 2796
7112 /usr/include/x86 64-linux-gnu/sys/signalfd.h 1599 1234
7114 /usr/include/x86 64-linux-gnu/sys/signal.h 20 17
7115 /usr/include/x86 64-linux-gnu/sys/epoll.h 4410 3383
```

- 20736 /usr/sbin/grub-macbless 799576 778275
- 20734 /usr/sbin/grub-probe 812120 789679
- 20762 /usr/sbin/dpkg-reconfigure 4448 3397
- 20761 /usr/sbin/groupmod 69816 67346
- 20760 /usr/sbin/pppdump 18536 17866
- 20759 /usr/sbin/iconvconfig 30976 29859
- 20763 /usr/sbin/setvesablank 14408 14020
- 20747 /usr/sbin/thermald 576008 562565
- 20764 /usr/sbin/groupadd 63408 61006
- 20765 /usr/sbin/lpinfo 14328 13844
- 20768 /usr/sbin/ownership 10448 10072
- 20758 /usr/sbin/grub-mkdevicemap 208504 203713
- 20770 /usr/sbin/nfnl osf 14328 13895
- 20769 /usr/sbin/aspell-autobuildhash 13542 10019
- 20766 /usr/sbin/userdel 84464 81734
- 20767 /usr/sbin/avahi-daemon 133480 129548
- 20771 /usr/sbin/aa-remove-unknown 2923 2242
- 20775 /usr/sbin/grub-set-default 3557 2643
- 20772 /usr/sbin/cppw 57304 55612
- 20773 /usr/sbin/lpadmin 26696 25597
- 20774 /usr/sbin/pppd 378600 365900
- 20777 /usr/sbin/remove-shell 904 636
- 20776 /usr/sbin/rmt-tar 59792 57718
- 20739 /usr/sbin/ModemManager 1436736 1391891
- 20781 /usr/sbin/remove-default-wordlist 2931 2264
- 20782 /usr/sbin/e4defrag 26616 25458
- 20780 /usr/sbin/update-rc.d 16508 10901
- 20778 /usr/sbin/update-grub-gfxpayload 301 214
- 20779 /usr/sbin/grpconv 50872 49223
- 20784 /usr/sbin/addgnupghome 3078 1923
- 20783 /usr/sbin/update-icon-caches 596 354
- 20785 /usr/sbin/update-inetd 6199 4368
- 20788 /usr/sbin/tzconfig 106 85

- 20790 /usr/sbin/vcstime 10232 10044
- 20791 /usr/sbin/popcon-largest-unused 543 390
- 20792 /usr/sbin/tarcat 936 609
- 20789 /usr/sbin/rtcwake 43088 41442
- 20786 /usr/sbin/spice-vdagentd 43112 41002
- 20794 /usr/sbin/chgpasswd 59216 57055
- 20793 /usr/sbin/useradd 126240 122275
- 20796 /usr/sbin/remove-default-ispell 2932 2264
- 20797 /usr/sbin/upgrade-from-grub-legacy 1524 1201
- 20798 /usr/sbin/alsabat-test 4136 3290
- 20799 /usr/sbin/usb modeswitch 60936 56576
- 20800 /usr/sbin/pwunconv 46776 45343
- 20805 /usr/sbin/pptpsetup 6616 4837
- 20801 /usr/sbin/pwconv 46800 45308
- 20795 /usr/sbin/visudo 213816 206528
- 20803 /usr/sbin/irgbalance 64184 61726
- 20806 /usr/sbin/iio-sensor-proxy 60256 56658
- 20807 /usr/sbin/usb_modeswitch_dispatcher 47272 44818
- 20802 /usr/sbin/pppoe-discovery 18432 17748
- 20804 /usr/sbin/dnsmasq 388712 377557
- 20814 /usr/sbin/grub-mkconfig 8196 6187
- 20812 /usr/sbin/grub-reboot 4842 3666
- 20811 /usr/sbin/dmidecode 109168 104722
- 20813 /usr/sbin/chroot 39096 37544
- 20808 /usr/sbin/chat 30728 29662
- 20810 /usr/sbin/cupsfilter 26920 25737
- 20809 /usr/sbin/iucode tool 55480 52339
- 20815 /usr/sbin/ispell-autobuildhash 15757 11921
- 20816 /usr/sbin/update-fonts-dir 4076 2655
- 20820 /usr/sbin/update-fonts-scale 6244 3917
- 20822 /usr/sbin/service 9262 6272
- 20821 /usr/sbin/applygnupgdefaults 2217 1589
- 20818 /usr/sbin/kerneloops 26616 25733

- 20817 /usr/sbin/pwck 50992 49168
- 20823 /usr/sbin/rtkitctl 10304 9913
- 20824 /usr/sbin/pam getenv 2890 2095
- 20826 /usr/sbin/anacron 34832 33176
- 20825 /usr/sbin/usbmuxd 72072 68763
- 20827 /usr/sbin/arpd 55328 53354
- 20829 /usr/sbin/vbox-uninstall-guest-additions 604 500
- 20830 /usr/sbin/update-dictcommon-aspell 1028 834
- 20831 /usr/sbin/aa-status 8610 5920
- 20834 /usr/sbin/iptables-apply 7016 5249
- 20835 /usr/sbin/update-pciids 2905 2167
- 20832 /usr/sbin/adduser 37322 26822
- 20833 /usr/sbin/grpck 55096 53087
- 20836 /usr/sbin/update-mime 9053 6432
- 20837 /usr/sbin/update-grub 64 48
- 20838 /usr/sbin/validlocale 1773 1236
- 20819 /usr/sbin/gdm3 420224 409243
- 20841 /usr/sbin/cupsaccept 10232 9943
- 20840 /usr/sbin/cracklib-check 6208 6035
- 20842 /usr/sbin/update-locale 3063 2177
- 20839 /usr/sbin/mkinitramfs 11044 8313
- 20843 /usr/sbin/pam_timestamp_check 10232 9896
- 20844 /usr/sbin/lpc 10288 9933
- 20846 /usr/sbin/ldattach 30800 29722
- 20847 /usr/sbin/cupsaddsmb 10232 9772
- 20848 /usr/sbin/grpunconv 50872 49249
- 20828 /usr/sbin/rsyslogd 680488 654824
- 20850 /usr/sbin/nologin 6136 5968
- 20849 /usr/sbin/update-default-ispell 9910 7708
- 20851 /usr/sbin/invoke-rc.d 16031 10756
- 20852 /usr/sbin/select-default-wordlist 3284 2508
- 20853 /usr/sbin/cron 47416 45743
- 20854 /usr/sbin/vpddecode 14688 14092

- 20857 /usr/sbin/update-usbids 1076 799
- 20855 /usr/sbin/ippusbxd 59944 56363
- 20858 /usr/sbin/uuidd 34976 33646
- 20859 /usr/sbin/filefrag 14352 13734
- 20856 /usr/sbin/pptp 64488 61579
- 20861 /usr/sbin/dpkg-preconfigure 3663 2796
- 20862 /usr/sbin/saned 51488 49136
- 20860 /usr/sbin/logrotate 75864 72761
- 20863 /usr/sbin/update-initramfs 8235 6100
- 20865 /usr/sbin/cracklib-format 218 143
- 20867 /usr/sbin/getweb 13904 9689
- 20866 /usr/sbin/ippserver 338032 329681
- 20869 /usr/sbin/ufw 4936 3275
- 20864 /usr/sbin/cups-browsed 178592 170020
- 20870 /usr/sbin/vipw 61624 59630
- 20871 /usr/sbin/e4crypt 22600 21664
- 20872 /usr/sbin/readprofile 18544 17719
- 20873 /usr/sbin/pppstats 14328 13764
- 20875 /usr/sbin/select-default-ispell 3303 2524
- 20874 /usr/sbin/groupmems 59256 57173
- 20876 /usr/sbin/cracklib-packer 10304 10048
- 20877 /usr/sbin/add-shell 860 566
- 20878 /usr/sbin/locale-gen 4399 3014
- 20880 /usr/sbin/accessdb 10472 10162
- 20879 /usr/sbin/make-ssl-cert 3875 2850
- 20881 /usr/sbin/popularity-contest 5042 3654
- 20845 /usr/sbin/grub-install 1027592 995729
- 20883 /usr/sbin/update-default-wordlist 7680 5906
- 20886 /usr/sbin/pppoeconf 18590 13400
- 20884 /usr/sbin/rfkill 47184 45573
- 20882 /usr/sbin/alsa-info 27872 20146
- 20885 /usr/sbin/cups-genppdupdate 27911 19282
- 20887 /usr/sbin/paperconfig 4170 2796

```
20787 /usr/sbin/NetworkManager 2659520 2584644
20868 /usr/sbin/tcpdump 1023592 981393
```

Код программы:

```
#include <stdio.h>
#include <sys/types.h>
#include <sys/wait.h>
#include <unistd.h>
#include <dirent.h>
#include <stdlib.h>
#include <string.h>
#include <libgen.h>
#include <errno.h>
#include <fcntl.h>
int counter = 0;
int walk(char module[], char dirName[], int limit)
      DIR *dir = opendir(dirName);
      if (!dir) {
            fprintf(stderr, "%s: %s %s\n", module, strerror(errno),
dirName);
            return -1;
      }
      struct dirent *dirStruct;
      errno = 0;
      while (dirStruct = readdir(dir)) {
            if ((strcmp(dirStruct->d_name, ".") == 0 ) ||
            (strcmp(dirStruct->d_name, "..") == 0) || (dirStruct->d_type ==
DT LNK)) {
                  continue;
            }
            char *newDir = malloc(strlen(dirName) +
strlen(dirStruct->d name) + 2);
```

```
sprintf(newDir, "%s/%s", dirName, dirStruct->d_name);
            if (dirStruct->d type == DT REG) {
                   if (counter >= (limit - 1)) {
                         wait(NULL);
                         counter--;
                   }
                  counter++;
                  pid_t pid;
                  pid = fork();
                  if (pid == 0) {
                         char buff[1024];
                         int bytes = 0;
                         int words = 0;
                         int isSpace = -1;
                         int myFile = open(newDir, O RDONLY);
                         if (!myFile) {
                               fprintf(stderr, "%s: %s %s\n", module,
strerror(errno), newDir);
                               exit(-1);
                         }
                         int counter = 0;
                         while ((counter = read(myFile, &buff, 1024)) != 0) {
                               if (counter == -1) {
                                     fprintf(stderr, "%s: %s %s\n", module,
strerror(errno), newDir);
                                     exit(-1);
                               }
                               for (int i = 0; i < counter; i++) {</pre>
                                     bytes++;
                                      switch (buff[i]) {
                                            case ' ':
                                            case '\t':
                                            case '\n':
                                            case ',':
```

```
case '.':
                                           case ';':
                                           case '\\':
                                           case '|':
                                           case '/':
                                           case '\'':
                                           case '"':
                                                 isSpace = -1;
                                                 break;
                                           default:
                                                 if (isSpace == -1) {
                                                       words++;
                                                  }
                                                 break;
                                     }
                               }
                         }
                        if (close(myFile)) {
                               fprintf(stderr, "%s: %s %s\n", module,
strerror(errno), newDir);
                               exit(-1);
                        printf("%d %s %d %d\n", getpid(), newDir, bytes,
words);
                        exit(0);
                  }
            } else {
                  if (dirStruct->d_type == DT_DIR) {
                        walk(module, newDir, limit);
                  }
            free(newDir);
      if (errno) {
```

```
fprintf(stderr, "%s: %s %s\n", module, strerror(errno),
dirName);
            return -1;
      }
      if (closedir(dir)) {
            fprintf(stderr, "%s: %s %s\n", module, strerror(errno),
dirName);
            return -1;
      }
     return 0;
}
int main(int argc, char *argv[])
{
      if (argc == 3) {
            walk(basename(argv[0]), argv[1], atoi(argv[2]));
            while (counter--) {
                 wait(NULL);
      } else {
           fprintf(stderr, "%s: You should enter arguments like this:
Folder N\n", basename(argv[0]));
           return -1;
      }
     return 0;
}
```