

Matlab Graph Titling, Labels and Legends Examples

back to [Fan's Intro Math for Econ](#), [Matlab Examples](#), or [Dynamic Asset Repositories](#)


Draw A figure Label Title, X and Y Axes with Latex Equations

```
clear all;
close all;
figure();

% draw some lines
xline0 = xline(0);
xline0.HandleVisibility = 'off';
yline0 = yline(0);
yline0.HandleVisibility = 'off';
hline = reffline([1 0]);
hline.Color = 'k';
hline.LineStyle = ':';
hline.HandleVisibility = 'off';

% Titling with multiple lines
title({'Cash-on-Hand given  $w(k+b), k, z$ ' '$\alpha + \beta = \zeta$', 'Interpreter', 'latex');
ylabel({'Cash-on-Hand' 'line 2  $\frac{1}{2}$ ' '$', 'Interpreter', 'latex');
xlabel({'Index of Cash-on-Hand Discrete Point'...
'  $\frac{1}{2} + \alpha + \max + \sum_1^B$ ' '$ Each Segment is a  $w=k+b$ ; within segment in
'For each  $w$  and  $z$ , coh maximizing  $k$  is different'}, 'Interpreter', 'latex');

grid on;
grid minor;
```



Matlab Graph Specify Legends Manually

Specify labels manually, note we can use HandleVisibility to control what part of figure show up in legends.

```
% Generate Random Data
rng(123);
it_x_n = 10;
it_x_groups_n = 3;
mat_y = rand([it_x_n, it_x_groups_n]);
mat_y = mat_y + sqrt(1:it_x_groups_n);
mat_y = mat_y + log(1:it_x_n)';
ar_x = 1:1:it_x_n;

% Start Figure
figure('PaperPosition', [0 0 10 10]);

hold on;

g1 = scatter(ar_x, mat_y(:,1), 30, 'filled');
g2 = scatter(ar_x, mat_y(:,2), 30, 'filled');
g3 = scatter(ar_x, mat_y(:,3), 30, 'filled');

legend([g1, g2, g3], {'near', 'linear', 'spline'}, 'Location', 'best', ...
    'NumColumns', 1, 'FontSize', 12, 'TextColor', 'black');

% Plot this line, but this line will not show up in legend
hline = reline([1 0]);
```


```

hline.Color = 'k';
hline.LineStyle = ':';
% not to show up in legend
hline.HandleVisibility = 'off';
grid on;
grid minor;

title(sprintf('griddedInterpolant comparison, crra utility approximation, interp grid n=%d', it
ylabel('Actual Utility Evaluated at c')
xlabel('Approximated Util based on Interpolation')

```

griddedInterpolant comparison, crra utility approximation, interp grid n=10



```

snapnow;

```

Given Graph, Graph Subset of Lines and Add Extra Line with Legend

Same plot as before, except we plot only 2 of the three lines and add another line with associated legend entry.


```

legendCell = cellstr(num2str(ar_x', 'shock=%3.2f'));
xlinemax = xline(min(mat_y, []), 'all');
xlinemax.Color = 'b';
xlinemax.LineWidth = 1.5;

legendCell[length(legendCell) + 1] = 'max-agg-save';
legend([g1, g3, xlinemax], legendCell([1,3,length(legendCell)]), 'Location', 'best');

```

griddedInterpolant comparison, crra utility approximation, interp grid n=10



snapnow;