FF_VFI_AZ_BISEC_VEC Dynamic Savings Problem Vectorized Continuous Exact

back to Fan's Intro Math for Econ, Matlab Examples, or Dynamic Asset Repositories

This is the example vignette for function: **ff_vfi_az_bisec_vec** from the **MEconTools Package.** This function solves the dynamic programming problem for a (a,z) model. Households can save a, and face AR(1) shock z. The problem is solved over the infinite horizon. This is a vectorized code, it is much faster for larger state-space problems then looped code.

The code uses continuous choices, solved with bi(multi)section. The state-space is on a grid, but choice grids are in terms of percentage of resources available, which is individual specific, to save and solved exactly up to ((1/(2)^16)*100=0.001525878) percentage of cash on hand. THe **ff_vfi_az_vec** from the **MEconTools Package** solves the same problem using vectorized common grid code where the choice set and state space share the same grid.

This is the vectorized code, its speed is much faster than the looped code. The function is designed to have small memory footprint and requires low computing resources, yet is fast.

Links to Four Code:

Four Core Savings/Borrowing Dynamic Programming Solution Functions that are functions in the **MEconTools Package.** :

- Common Choice and States Grid ***Loop***: **ff_vfi_az_loop**, slow should use for testing new models
- Common Choice and States Grid ***Vectorized***: **ff_vfi_az_vec**, fast good for many purposes
- States Grid + Continuous Exact Savings as Share of Cash-on-Hand ***Loop***: **ff_vfi_az_bisec_loop**, high precision even with small grid
- States Grid + Continuous Exact Savings as Share of Cash-on-Hand ***Vectorized***: **ff_vfi_az_bisec_vec**, precision and speed

Test FF_VFI_AZ_BISEC_VEC Defaults

Call the function with defaults. By default, shows the asset policy function summary. Model parameters can be changed by the mp_params.

```
%mp_params
mp_params = containers.Map('KeyType','char', 'ValueType','any');
mp_params('fl_crra') = 1.5;
mp_params('fl_beta') = 0.94;
% call function
ff_vfi_az_bisec_vec(mp_params);
```

```
Elapsed time is 0.668798 seconds.
----------------------------------------
xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
CONTAINER NAME: mp_ffcmd ND Array (Matrix etc)
xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
          i    idx    ndim    numel    rowN    colN     sum      mean      std      coefvari    min      max
          _    ___    ____    _____    ____    ____    _____    ______    ______    ________    ___    ______
```

```
    ap    1     1      2       700     100      7      16866    24.094    14.071    0.58399      0      50.252

xxx TABLE:ap xxxxxxxxxxxxxxxxx
             c1         c2         c3         c4         c5         c6         c7
          _______    _______    _______    _______    _______    _______    _____

    r1          0          0          0          0    0.13188    0.66203    1.9859
    r2    0.25914    0.26426    0.29511    0.39221    0.57697     1.1208    2.4569
    r3    0.65371    0.66543    0.70966    0.82502      1.029      1.582    2.9298
    r4     1.0748     1.0921     1.1447     1.2698     1.5151     2.0481    3.4046
    r5     1.5152     1.5319     1.5903      1.721     2.0011     2.5252    3.8802
    r96    45.561     45.615     45.712     45.887     46.192     46.835    48.252
    r97    46.049     46.104     46.201     46.377     46.681     47.325    48.743
    r98     46.54     46.593      46.69     46.866     47.171     47.815    49.235
    r99    47.029     47.082     47.179     47.356     47.661     48.304    49.734
    r100   47.518     47.572      47.67     47.845      48.15     48.793    50.252
```

Test FF_VFI_AZ_BISEC_VEC Speed Tests

Call the function with defaults. By default, shows the asset policy function summary. Model parameters can be changed by the mp_params.

```
mp_support = containers.Map('KeyType','char', 'ValueType','any');
mp_support('bl_timer') = true;
mp_support('ls_ffcmd') = {};
```

A grid 50, shock grid 5:

```
mp_params = containers.Map('KeyType','char', 'ValueType','any');
mp_params('it_a_n') = 50;
mp_params('it_z_n') = 5;
ff_vfi_az_bisec_vec(mp_params, mp_support);
```

```
Elapsed time is 0.336083 seconds.
```

A grid 750, shock grid 15:

```
mp_params = containers.Map('KeyType','char', 'ValueType','any');
mp_params('it_a_n') = 750;
mp_params('it_z_n') = 15;
ff_vfi_az_bisec_vec(mp_params, mp_support);
```

```
Elapsed time is 23.612756 seconds.
```

A grid 600, shock grid 45:

```
mp_params = containers.Map('KeyType','char', 'ValueType','any');
mp_params('it_a_n') = 600;
mp_params('it_z_n') = 45;
ff_vfi_az_bisec_vec(mp_params, mp_support);
```

```
Elapsed time is 46.281741 seconds.
```

Test FF_VFI_AZ_BISEC_VEC Control Outputs

Run the function first without any outputs;

```
mp_params = containers.Map('KeyType','char', 'ValueType','any');
mp_params('it_a_n') = 50;
mp_params('it_z_n') = 5;
mp_support = containers.Map('KeyType','char', 'ValueType','any');
mp_support('bl_timer') = false;
mp_support('bl_print_params') = false;
mp_support('bl_print_iterinfo') = false;
```

Run the function and show policy function for savings choice. For ls_ffcmd, ls_ffsna, ls_ffgrh, can include these: 'v', 'ap', 'c', 'y', 'coh', 'savefraccoh'. These are value, aprime savings choice, consumption, income, cash on hand, and savings fraction as cash-on-hand.

```
mp_support = containers.Map('KeyType','char', 'ValueType','any');
mp_support('bl_print_params') = false;
mp_support('bl_print_iterinfo') = false;
% ls_ffcmd: summary print which outcomes
mp_support('ls_ffcmd') = {};
% ls_ffsna: detail print which outcomes
mp_support('ls_ffsna') = {'savefraccoh'};
% ls_ffgrh: graphical print which outcomes
mp_support('ls_ffgrh') = {'savefraccoh'};
ff_vfi_az_bisec_vec(mp_params, mp_support);
```

```
Elapsed time is 0.470134 seconds.
xxx  ff_vfi_az_vec, outcome=savefraccoh  xxxxxxxxxxxxxxxxxxxxxxxxxx
```

group	a	mean_z_0_54195	mean_z_0_66401	mean_z_0_88162	mean_z_1_3095	mean_z_2_2745
1	0	0	0	0	0.10165	0.36531
2	1.0204	0.39833	0.38191	0.38826	0.40373	0.51573
3	2.0408	0.56236	0.54875	0.54619	0.54161	0.61104
4	3.0612	0.64616	0.63545	0.6306	0.63591	0.66349
5	4.0816	0.69783	0.6891	0.6837	0.6873	0.70155
6	5.102	0.73323	0.7259	0.72068	0.72184	0.7302
7	6.1224	0.75917	0.75291	0.74803	0.74784	0.75257
8	7.1429	0.77909	0.77363	0.76911	0.76817	0.77058
9	8.1633	0.79493	0.79011	0.78593	0.78452	0.78541
10	9.1837	0.80787	0.80354	0.79969	0.79801	0.79783
11	10.204	0.82343	0.81474	0.81114	0.8093	0.80839
12	11.224	0.83412	0.82591	0.82084	0.81895	0.81748
13	12.245	0.84116	0.83759	0.82917	0.82725	0.82542
14	13.265	0.84733	0.84434	0.83637	0.83448	0.83241
15	14.286	0.85282	0.84998	0.84272	0.84083	0.83857
16	15.306	0.8577	0.85508	0.84947	0.84647	0.84406
17	16.327	0.86213	0.85966	0.85685	0.85151	0.84901
18	17.347	0.86613	0.86378	0.86143	0.856	0.85349
19	18.367	0.86976	0.8675	0.86521	0.86008	0.85755
20	19.388	0.87305	0.87092	0.86869	0.86384	0.86128
21	20.408	0.87608	0.87403	0.8719	0.86726	0.86472
22	21.429	0.87885	0.8769	0.87486	0.8704	0.8679
23	22.449	0.88145	0.87955	0.8776	0.87333	0.87083
24	23.469	0.88383	0.88203	0.88013	0.87601	0.87354
25	24.49	0.88602	0.88432	0.88248	0.87852	0.87608
26	25.51	0.8881	0.88645	0.88468	0.88087	0.87843
27	26.531	0.89002	0.88844	0.88673	0.88361	0.88126
28	27.551	0.89185	0.89033	0.88865	0.88685	0.88444
29	28.571	0.89353	0.89207	0.89045	0.88895	0.88636
30	29.592	0.89515	0.89371	0.89216	0.89063	0.88813
31	30.612	0.89664	0.89527	0.89375	0.89225	0.88978

32	31.633	0.89808	0.89674	0.89524	0.89378	0.89136
33	32.653	0.89942	0.89811	0.89667	0.89521	0.89286
34	33.673	0.90067	0.89942	0.89802	0.89658	0.89429
35	34.694	0.90189	0.90067	0.8993	0.8979	0.89564
36	35.714	0.90305	0.90186	0.90052	0.89915	0.89692
37	36.735	0.90473	0.90299	0.90168	0.90034	0.89814
38	37.755	0.90662	0.90406	0.90278	0.90147	0.89933
39	38.776	0.90763	0.90507	0.90382	0.90256	0.90043
40	39.796	0.90852	0.90668	0.90482	0.90357	0.9015
41	40.816	0.90937	0.90833	0.9058	0.90458	0.90253
42	41.837	0.91019	0.90919	0.90671	0.90552	0.90351
43	42.857	0.91099	0.91001	0.9076	0.90641	0.90446
44	43.878	0.91172	0.91077	0.90842	0.90729	0.90534
45	44.898	0.91245	0.91154	0.90925	0.90812	0.9062
46	45.918	0.91315	0.91224	0.91041	0.90891	0.90702
47	46.939	0.91383	0.91294	0.91181	0.90971	0.90784
48	47.959	0.9145	0.91361	0.91264	0.91044	0.90861
49	48.98	0.91511	0.91425	0.91328	0.91114	0.90934
50	50	0.91572	0.91486	0.91392	0.91181	0.91004





Run the function and show summaries for savings and fraction of coh saved:

```
mp_params('it_a_n') = 100;
mp_params('it_z_n') = 9;
mp_support('ls_ffcmd') = {'ap', 'savefraccoh'};
mp_support('ls_ffsna') = {};
mp_support('ls_ffgrh') = {};
mp_support('bl_vfi_store_all') = true; % store c(a,z), y(a,z)
ff_vfi_az_bisec_vec(mp_params, mp_support);
```

```
Elapsed time is 0.716025 seconds.
----------------------------------------
xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
CONTAINER NAME: mp_ffcmd ND Array (Matrix etc)
xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
```

	i	idx	ndim	numel	rowN	colN	sum	mean	std	coefvari	min	
ap	1	1	2	900	100	9	21835	24.261	14.095	0.58096	0	
savefraccoh	2	2	2	900	100	9	754.27	0.83808	0.1259	0.15023	0	0.

```
xxx TABLE:ap xxxxxxxxxxxxxxxxx
```

	c1	c2	c3	c4	c5	c6	c7	c8	c9
r1	0	0	0	0	0	0.082559	0.50504	1.2988	3.1416
r2	0.26067	0.25936	0.26888	0.30308	0.39296	0.52492	0.96211	1.7672	3.6183
r3	0.65383	0.65589	0.67297	0.71974	0.82473	1.0101	1.4185	2.2377	4.0955
r4	1.0734	1.0789	1.1015	1.1556	1.2679	1.4909	1.8821	2.7095	4.5736
r5	1.5151	1.5159	1.5427	1.6019	1.72	1.9489	2.349	3.1825	5.0521
r96	45.547	45.58	45.636	45.73	45.888	46.134	46.603	47.52	49.54
r97	46.036	46.069	46.126	46.22	46.377	46.622	47.092	48.009	50.057
r98	46.525	46.559	46.615	46.71	46.867	47.112	47.583	48.501	50.575
r99	47.014	47.049	47.104	47.198	47.357	47.601	48.072	48.992	51.092
r100	47.503	47.537	47.593	47.687	47.845	48.091	48.561	49.495	51.61

```
xxx TABLE:savefraccoh xxxxxxxxxxxxxxxxx
```

	c1	c2	c3	c4	c5	c6	c7	c8	c9

r1	0	0	0	0	0	0.056268	0.24587	0.41301	0.58272
r2	0.23098	0.217	0.20843	0.21203	0.23925	0.26445	0.3741	0.48253	0.61235
r3	0.39717	0.38292	0.37227	0.36965	0.38179	0.40361	0.45915	0.53532	0.63728
r4	0.49605	0.48369	0.47368	0.46883	0.47347	0.49364	0.52177	0.57677	0.65861
r5	0.56502	0.55159	0.54262	0.53709	0.53825	0.55086	0.56947	0.61021	0.67704
r96	0.91477	0.91422	0.91361	0.91294	0.91221	0.9109	0.90961	0.90818	0.90781
r97	0.91508	0.91453	0.91395	0.91328	0.91254	0.91123	0.90998	0.90855	0.90867
r98	0.91538	0.91486	0.91425	0.91361	0.91288	0.91157	0.91035	0.90894	0.90952
r99	0.91569	0.91517	0.91456	0.91392	0.91322	0.9119	0.91068	0.90934	0.91035
r100	0.91596	0.91544	0.91486	0.91422	0.91352	0.91224	0.91102	0.90992	0.91117

Test FF_VFI_AZ_BISEC_VEC Change Interest Rate and Discount

Show only save fraction of cash on hand:

```
mp_support = containers.Map('KeyType','char', 'ValueType','any');
mp_support('bl_print_params') = false;
mp_support('bl_print_iterinfo') = false;
mp_support('ls_ffcmd') = {'savefraccoh'};
mp_support('ls_ffsna') = {};
mp_support('ls_ffgrh') = {};
mp_params = containers.Map('KeyType','char', 'ValueType','any');
mp_params('it_a_n') = 750;
mp_params('it_z_n') = 9;
mp_params('fl_a_max') = 50;
mp_params('st_grid_type') = 'grid_powerspace';
```

Solve the model with several different interest rates and discount factor:

```
% Lower Savings Incentives
mp_params('fl_beta') = 0.80;
mp_params('fl_r') = 0.01;
ff_vfi_az_bisec_vec(mp_params, mp_support);
```

```
Elapsed time is 4.541023 seconds.
----------------------------------------
xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
CONTAINER NAME: mp_ffcmd ND Array (Matrix etc)
xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
```

	i	idx	ndim	numel	rowN	colN	sum	mean	std	coefvari	min
savefraccoh	1	1	2	6750	750	9	3318.4	0.49162	0.27766	0.56478	0

```
xxx TABLE:savefraccoh xxxxxxxxxxxxxxxxxx
```

	c1	c2	c3	c4	c5	c6	c7	c8	c9
r1	0	0	0	0	0	0	0.023584	0.1329	0.29705
r2	0	0	0	0	0	0	0.023584	0.1329	0.29705
r3	0	0	0	0	0	0	0.023584	0.1329	0.29705
r4	0	0	0	0	0	0	0.023584	0.1329	0.29705
r5	0	0	0	0	0	0	0.023584	0.1329	0.29705
r746	0.80439	0.80299	0.80094	0.79856	0.79588	0.79222	0.78825	0.78263	0.77647
r747	0.80467	0.80314	0.8011	0.79875	0.79606	0.7924	0.78846	0.78285	0.77687
r748	0.80491	0.80329	0.80125	0.7989	0.79621	0.79255	0.78864	0.78315	0.77732
r749	0.80515	0.80341	0.80137	0.79905	0.7964	0.79273	0.78883	0.78352	0.77769
r750	0.80534	0.80357	0.80152	0.7992	0.79655	0.79292	0.78904	0.78388	0.7779

```
% Higher Savings Incentives
mp_params('fl_beta') = 0.95;
mp_params('fl_r') = 0.04;
ff_vfi_az_bisec_vec(mp_params, mp_support);
```

```
Elapsed time is 17.994960 seconds.
----------------------------------------
xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
CONTAINER NAME: mp_ffcmd ND Array (Matrix etc)
xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
                  i    idx    ndim    numel    rowN    colN     sum       mean        std       coefvari    min
                  _    ___    ____    _____    ____    ____    ______    _______    _______    ________    ___

    savefraccoh   1     1      2       6750     750      9      4493.5    0.66571    0.28784    0.43238      0
```

```
xxx TABLE:savefraccoh xxxxxxxxxxxxxxxxxx
              c1         c2         c3         c4         c5         c6         c7         c8         c9
            _______    _______    _______    _______    _______    _______    _______    _______    _______

    r1            0          0          0          0    0.032007    0.15008    0.31087    0.48467    0.64488
    r2            0          0          0          0    0.032007    0.15008    0.31087    0.48467    0.64488
    r3            0          0          0          0    0.032007    0.15008    0.31087    0.48467    0.64488
    r4            0          0          0          0    0.032007    0.15008    0.31087    0.48467    0.64488
    r5            0          0          0          0    0.032007    0.15008    0.31087    0.48467    0.64488
    r746     0.9289     0.9285    0.92805    0.92734     0.92664    0.92594    0.92515    0.92545    0.92777
    r747    0.92902     0.9286    0.92814    0.92747     0.92673    0.92606     0.9253    0.92573    0.92802
    r748    0.92911    0.92869    0.92826    0.92756     0.92686    0.92618    0.92545      0.926    0.92829
    r749    0.92921    0.92881    0.92835    0.92768     0.92698    0.92631    0.92564    0.92631    0.92857
    r750     0.9293     0.9289    0.92844    0.92777     0.92707    0.92643    0.92591    0.92658    0.92881
```

Test FF_VFI_AZ_BISEC_VEC Changing Risk Aversion

Here, again, show fraction of coh saved in summary tabular form, but also show it graphically.

```
mp_support = containers.Map('KeyType','char', 'ValueType','any');
mp_support('bl_print_params') = false;
mp_support('bl_print_iterinfo') = false;
mp_support('ls_ffcmd') = {'savefraccoh'};
mp_support('ls_ffsna') = {};
mp_support('ls_ffgrh') = {'savefraccoh'};
mp_params = containers.Map('KeyType','char', 'ValueType','any');
mp_params('it_a_n') = 750;
mp_params('it_z_n') = 9;
mp_params('fl_a_max') = 50;
mp_params('st_grid_type') = 'grid_powerspace';
```

Solve the model with different risk aversion levels, higher preferences for risk:

```
% Lower Risk Aversion
mp_params('fl_crra') = 0.5;
ff_vfi_az_bisec_vec(mp_params, mp_support);
```

```
Elapsed time is 13.815578 seconds.
----------------------------------------
xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
CONTAINER NAME: mp_ffcmd ND Array (Matrix etc)
xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
                  i    idx    ndim    numel    rowN    colN     sum       mean        std       coefvari    min
```

	_	___	____	_____	____	____	______	_______	_______	________	___	_
savefraccoh	1	1	2	6750	750	9	3735.7	0.55343	0.28972	0.5235	0	0

xxx TABLE:savefraccoh xxxxxxxxxxxxxxxxx

	c1	c2	c3	c4	c5	c6	c7	c8	c9
r1	0	0	0	0	0	0	0.074609	0.22661	0.41036
r2	0	0	0	0	0	0	0.074609	0.22661	0.41036
r3	0	0	0	0	0	0	0.074609	0.22661	0.41036
r4	0	0	0	0	0	0	0.074609	0.22661	0.41036
r5	0	0	0	0	0	0	0.074609	0.22664	0.41039
r746	0.85941	0.85828	0.85703	0.8556	0.85398	0.85178	0.84907	0.84583	0.84211
r747	0.85957	0.85844	0.85719	0.85575	0.85413	0.85194	0.84925	0.84602	0.84229
r748	0.85969	0.85859	0.85734	0.8559	0.85429	0.85212	0.84943	0.8462	0.84248
r749	0.85984	0.85871	0.85749	0.85606	0.85447	0.85227	0.84962	0.84638	0.84266
r750	0.85999	0.85889	0.85761	0.85621	0.85462	0.85246	0.84977	0.84657	0.84284





When risk aversion increases, at every state-space point, the household wants to save more.

```
% Higher Risk Aversion
mp_params('fl_crra') = 5;
ff_vfi_az_bisec_vec(mp_params, mp_support);
```

```
Elapsed time is 13.688997 seconds.
----------------------------------------
xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
CONTAINER NAME: mp_ffcmd ND Array (Matrix etc)
xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
```

	i	idx	ndim	numel	rowN	colN	sum	mean	std	coefvari	min	ma
savefraccoh	1	1	2	6750	750	9	4640	0.68741	0.2821	0.41039	0	0.94

xxx TABLE:savefraccoh xxxxxxxxxxxxxxxxxx

	c1	c2	c3	c4	c5	c6	c7	c8	c9
r1	0	0	0	0.0089972	0.085107	0.21343	0.37139	0.53578	0.68562
r2	0	0	0	0.0089972	0.085107	0.21343	0.37139	0.53578	0.68562
r3	0	0	0	0.0089972	0.085107	0.21343	0.37139	0.53578	0.68562
r4	0	0	0	0.0089972	0.085107	0.21343	0.37139	0.53578	0.68562
r5	0	0	0	0.0089972	0.085107	0.21343	0.37139	0.53578	0.68562
r746	0.94105	0.94074	0.94041	0.93992	0.93943	0.93897	0.93848	0.93885	0.94083
r747	0.94114	0.94083	0.94053	0.94004	0.93955	0.93909	0.93864	0.93909	0.94105
r748	0.94126	0.94095	0.94062	0.94016	0.93964	0.93922	0.93879	0.93931	0.94126
r749	0.94135	0.94105	0.94074	0.94025	0.93976	0.93934	0.93894	0.93955	0.94147
r750	0.94144	0.94117	0.94083	0.94038	0.93989	0.93946	0.93915	0.93976	0.94169





Test FF_VFI_AZ_BISEC_VEC with Higher Uncertainty

Increase the standard deviation of the Shock.

```
mp_support = containers.Map('KeyType','char', 'ValueType','any');
mp_support('bl_print_params') = false;
mp_support('bl_print_iterinfo') = false;
mp_support('ls_ffcmd') = {'savefraccoh'};
mp_support('ls_ffsna') = {};
mp_support('ls_ffgrh') = {};
mp_params = containers.Map('KeyType','char', 'ValueType','any');
mp_params('it_a_n') = 750;
mp_params('it_z_n') = 9;
mp_params('fl_a_max') = 50;
mp_params('st_grid_type') = 'grid_powerspace';
```

Lower standard deviation of shock:

```
% Lower Risk Aversion
mp_params('fl_shk_std') = 0.10;
ff_vfi_az_bisec_vec(mp_params, mp_support);
```

```
Elapsed time is 14.533433 seconds.
----------------------------------------
xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
CONTAINER NAME: mp_ffcmd ND Array (Matrix etc)
xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
                    i    idx    ndim    numel    rowN    colN     sum       mean       std       coefvari    min
                    _    ___    ____    _____    ____    ____    ______    _______    ______    ________    ___

    savefraccoh     1      1       2     6750     750       9    4025.4    0.59636    0.3153     0.5287       0

xxx TABLE:savefraccoh xxxxxxxxxxxxxxxxxx
              c1         c2         c3         c4         c5         c6         c7         c8         c9
          _______    _______    _______    _______    _______    _______    _______    _______    _______
```

r1	0	0	0	0	0	0.012568	0.063073	0.13604	0.22228
r2	0	0	0	0	0	0.012568	0.063073	0.13604	0.22228
r3	0	0	0	0	0	0.012598	0.063073	0.13604	0.22228
r4	0	0	0	0	0	0.012598	0.063073	0.13604	0.22228
r5	0	0	0	0	0	0.012598	0.063073	0.13604	0.22228
r746	0.91276	0.91248	0.91196	0.91163	0.91111	0.91077	0.91025	0.90977	0.90913
r747	0.91291	0.9126	0.91209	0.91178	0.91126	0.91093	0.91041	0.90992	0.90925
r748	0.91303	0.91276	0.91224	0.91193	0.91138	0.91108	0.91056	0.91004	0.9094
r749	0.91318	0.91288	0.91236	0.91206	0.91154	0.9112	0.91068	0.91019	0.90955
r750	0.91331	0.913	0.91251	0.91221	0.91169	0.91135	0.91083	0.91035	0.90971

Higher shock standard deviation: low shock high asset save more, high shock more asset save less, high shock low asset save more:

```
% Higher Risk Aversion
mp_params('fl_shk_std') = 0.40;
ff_vfi_az_bisec_vec(mp_params, mp_support);
```

```
Elapsed time is 14.829381 seconds.
----------------------------------------
xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
CONTAINER NAME: mp_ffcmd ND Array (Matrix etc)
xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
```

	i	idx	ndim	numel	rowN	colN	sum	mean	std	coefvari	min	
	_	___	____	_____	____	____	_____	_____	_____	_____	___	_
savefraccoh	1	1	2	6750	750	9	5105.2	0.75633	0.26373	0.3487	0	0

```
xxx TABLE:savefraccoh xxxxxxxxxxxxxxxxxx
```

	c1	c2	c3	c4	c5	c6	c7	c8	c9
	_____	_____	_____	_____	_____	_____	_____	_____	_____
r1	0	0	0	0	0.031641	0.2456	0.55455	0.80573	0.96207
r2	0	0	0	0	0.031641	0.2456	0.55455	0.80573	0.96207
r3	0	0	0	0	0.031641	0.2456	0.55455	0.80573	0.96207
r4	0	0	0	0	0.031671	0.2456	0.55455	0.80573	0.96207
r5	0	0	0	0	0.031671	0.2456	0.55455	0.80573	0.96207
r746	0.93336	0.93287	0.93226	0.93149	0.9303	0.9289	0.92725	0.93293	0.97416
r747	0.93342	0.93293	0.93232	0.93159	0.9304	0.92899	0.92737	0.93317	0.97419
r748	0.93348	0.93299	0.93241	0.93165	0.93046	0.92905	0.9275	0.93339	0.97422
r749	0.93354	0.93305	0.93247	0.93171	0.93055	0.92914	0.92762	0.93363	0.97425
r750	0.9336	0.93311	0.93253	0.93177	0.93061	0.92924	0.92771	0.93384	0.97428