

R Summarize a Quantitative/Continuous Variable with Categorical Groups

Fan Wang

2020-04-01

Contents

Histogram 1

Histogram

Generate Test Score Dataset

Go to the [RMD](#), [R](#), [PDF](#), or [HTML](#) version of this file. Go back to [fan's REconTools Package](#), [R4Econ Repository \(bookdown site\)](#), or [Intro Stats with R Repository](#).

- r generate text string as csv
- r tibble matrix hand input

First, we will generate a test score dataset, directly from string. Below we type line by line a dataset with four variables in comma separated (csv) format, where the first row includes the variables names. These texts could be stored in a separate file, or they could be directly included in code and read in as csv

```
ar_test_scores_ec3 <- c(107.72,101.28,105.92,109.31,104.27,110.27,91.92846154,81.8,109.0071429,103.07,99.07,100.27,104.27,90.23615385,77.8,103.4357143,97.07,93.07)
ar_test_scores_ec1 <- c(101.72,101.28,99.92,103.31,100.27,104.27,90.23615385,77.8,103.4357143,97.07,93.07)
mt_test_scores <- cbind(ar_test_scores_ec1, ar_test_scores_ec3)
ar_st_varnames <- c('course_total_ec1p', 'course_total_ec3p')
tb_final_twovar <- as_tibble(mt_test_scores) %>% rename_all(~c(ar_st_varnames))
summary(tb_final_twovar)
```

A Dataset with only Two Continuous Variable

```
## course_total_ec1p course_total_ec3p
## Min. : 40.48 Min. : 44.23
## 1st Qu.: 76.46 1st Qu.: 79.91
## Median : 86.35 Median : 89.28
## Mean : 83.88 Mean : 87.90
## 3rd Qu.: 95.89 3rd Qu.:100.75
## Max. :104.27 Max. :112.22
```

```
ff_summ_percentiles(df = tb_final_twovar, bl_statsasrows = TRUE, col2varname = FALSE)
```

```
## # A tibble: 17 x 3
##   stats   course.total.ec1p course.total.ec3p
##   <chr>   <chr>             <chr>
## 1 n       46                  46
## 2 NAobs   0                   0
## 3 ZEROobs 0                   0
```

```
## 4 mean      83.87572      87.90239
## 5 sd        15.87272      16.76041
## 6 cv         0.1892409     0.1906706
## 7 min        40.475       44.225
## 8 p01        42.14434     45.82202
## 9 p05        56.9650      57.1575
## 10 p10       63.05462     66.07500
## 11 p25       76.45616     79.90500
## 12 p50       86.35236     89.27923
## 13 p75       " 95.89054"   100.75250
## 14 p90       100.8137     106.8200
## 15 p95       102.9125     109.2343
## 16 p99       103.8946     111.3439
## 17 max       104.2700     112.2225
```

```
ar_final_scores <- c(94.28442509,95.68817475,97.25219512,77.89268293,95.08795497,93.27380863,92.3,84.25)
mt_test_scores <- cbind(seq(1,length(ar_final_scores)), ar_final_scores)
ar_st_varnames <- c('index', 'course_final')
tb_onevar <- as_tibble(mt_test_scores) %>% rename_all(~c(ar_st_varnames))
summary(tb_onevar)
```

A Dataset with one Continuous Variable and Histogram

```
##      index      course_final
## Min.   : 1.0   Min.   : 2.293
## 1st Qu.:12.5   1st Qu.: 76.372
## Median :24.0   Median : 86.959
## Mean   :24.0   Mean   : 82.415
## 3rd Qu.:35.5   3rd Qu.: 94.686
## Max.   :47.0   Max.   :100.898
```

```
ff_summ_percentiles(df = tb_onevar, bl_statsasrows = TRUE, col2varname = FALSE)
```

```
## # A tibble: 17 x 3
##   stats      course.final index
##   <chr>      <chr>      <chr>
## 1 n          47          47
## 2 NAobs      0           0
## 3 ZEROobs    0           0
## 4 mean       82.41501     24.00000
## 5 sd         18.35476     13.71131
## 6 cv         0.2227113     0.5713046
## 7 min        2.292683     1.000000
## 8 p01        18.67401     " 1.46000"
## 9 p05        49.72075     " 3.30000"
## 10 p10       66.28051     " 5.60000"
## 11 p25       76.37177     12.50000
## 12 p50       86.95932     24.00000
## 13 p75       94.68619     35.50000
## 14 p90       97.52332     42.40000
## 15 p95       99.47459     44.70000
## 16 p99      100.5244     " 46.5400"
## 17 max      100.898     " 47.000"
```

```

#load in data empirically by hand
txt_test_data <- "init_prof, later_prof, class_id, exam_score
'SW', 'SW', 1, 102
'SW', 'SW', 1, 102
'SW', 'SW', 1, 101
'SW', 'SW', 1, 100
'SW', 'SW', 1, 100
'SW', 'SW', 1, 99
'SW', 'SW', 1, 98.5
'SW', 'SW', 1, 98.5
'SW', 'SW', 1, 97
'SW', 'SW', 1, 95
'SW', 'SW', 1, 94
'SW', 'SW', 1, 91
'SW', 'SW', 1, 91
'SW', 'SW', 1, 90
'SW', 'SW', 1, 89
'SW', 'SW', 1, 88.5
'SW', 'SW', 1, 88
'SW', 'SW', 1, 87
'SW', 'SW', 1, 87
'SW', 'SW', 1, 87
'SW', 'SW', 1, 86
'SW', 'SW', 1, 86
'SW', 'SW', 1, 84
'SW', 'SW', 1, 82
'SW', 'SW', 1, 78.5
'SW', 'SW', 1, 76
'SW', 'SW', 1, 72
'SW', 'SW', 1, 70.5
'SW', 'SW', 1, 67.5
'SW', 'SW', 1, 67.5
'SW', 'SW', 1, 67
'SW', 'SW', 1, 63.5
'SW', 'SW', 1, 60
'SW', 'SW', 1, 59
'SW', 'SW', 1, 44.5
'SW', 'SW', 1, 44
'SW', 'SW', 1, 42.5
'SW', 'SW', 1, 40.5
'SW', 'SW', 1, 40.5
'SW', 'SW', 1, 36.5
'SW', 'SW', 1, 35.5
'SW', 'SW', 1, 21.5
'SW', 'SW', 1, 4
'MP', 'MP', 2, 105
'MP', 'MP', 2, 103
'MP', 'MP', 2, 102
'MP', 'MP', 2, 101
'MP', 'MP', 2, 101
'MP', 'MP', 2, 100.5
'MP', 'MP', 2, 100

```

```

'MP', 'MP', 2, 99
'MP', 'MP', 2, 97
'MP', 'MP', 2, 97
'MP', 'MP', 2, 97
'MP', 'MP', 2, 97
'MP', 'MP', 2, 96
'MP', 'MP', 2, 95
'MP', 'MP', 2, 91
'MP', 'MP', 2, 89
'MP', 'MP', 2, 85
'MP', 'MP', 2, 84
'MP', 'MP', 2, 84
'MP', 'MP', 2, 84
'MP', 'MP', 2, 83.5
'MP', 'MP', 2, 82.5
'MP', 'MP', 2, 81.5
'MP', 'MP', 2, 80.5
'MP', 'MP', 2, 80
'MP', 'MP', 2, 77
'MP', 'MP', 2, 77
'MP', 'MP', 2, 75
'MP', 'MP', 2, 75
'MP', 'MP', 2, 71
'MP', 'MP', 2, 70
'MP', 'MP', 2, 68
'MP', 'MP', 2, 63
'MP', 'MP', 2, 56
'MP', 'MP', 2, 56
'MP', 'MP', 2, 55.5
'MP', 'MP', 2, 49.5
'MP', 'MP', 2, 48.5
'MP', 'MP', 2, 47.5
'MP', 'MP', 2, 44.5
'MP', 'MP', 2, 34.5
'MP', 'MP', 2, 29.5
'CA', 'MP', 3, 103
'CA', 'MP', 3, 103
'CA', 'MP', 3, 101
'CA', 'MP', 3, 96.5
'CA', 'MP', 3, 93.5
'CA', 'MP', 3, 93
'CA', 'MP', 3, 93
'CA', 'MP', 3, 92
'CA', 'MP', 3, 90
'CA', 'MP', 3, 90
'CA', 'MP', 3, 89
'CA', 'MP', 3, 86.5
'CA', 'MP', 3, 84.5
'CA', 'MP', 3, 83
'CA', 'MP', 3, 83
'CA', 'MP', 3, 82
'CA', 'MP', 3, 78
'CA', 'MP', 3, 75

```

'CA', 'MP', 3, 74.5
'CA', 'MP', 3, 70
'CA', 'MP', 3, 54.5
'CA', 'MP', 3, 52
'CA', 'MP', 3, 50
'CA', 'MP', 3, 42
'CA', 'MP', 3, 36.5
'CA', 'MP', 3, 28
'CA', 'MP', 3, 26
'CA', 'MP', 3, 11
'CA', 'SN', 4, 103
'CA', 'SN', 4, 103
'CA', 'SN', 4, 102
'CA', 'SN', 4, 102
'CA', 'SN', 4, 101
'CA', 'SN', 4, 100
'CA', 'SN', 4, 98
'CA', 'SN', 4, 98
'CA', 'SN', 4, 98
'CA', 'SN', 4, 95
'CA', 'SN', 4, 95
'CA', 'SN', 4, 92.5
'CA', 'SN', 4, 92
'CA', 'SN', 4, 91
'CA', 'SN', 4, 90
'CA', 'SN', 4, 85.5
'CA', 'SN', 4, 84
'CA', 'SN', 4, 82.5
'CA', 'SN', 4, 81
'CA', 'SN', 4, 77.5
'CA', 'SN', 4, 77
'CA', 'SN', 4, 72
'CA', 'SN', 4, 71.5
'CA', 'SN', 4, 69
'CA', 'SN', 4, 68.5
'CA', 'SN', 4, 68
'CA', 'SN', 4, 67
'CA', 'SN', 4, 65.5
'CA', 'SN', 4, 62.5
'CA', 'SN', 4, 62
'CA', 'SN', 4, 61.5
'CA', 'SN', 4, 61
'CA', 'SN', 4, 57.5
'CA', 'SN', 4, 54
'CA', 'SN', 4, 52.5
'CA', 'SN', 4, 51
'CA', 'SN', 4, 50.5
'CA', 'SN', 4, 50
'CA', 'SN', 4, 49
'CA', 'SN', 4, 43
'CA', 'SN', 4, 39.5
'CA', 'SN', 4, 32.5
'CA', 'SN', 4, 25.5

```
'CA', 'SN', 4, 18"

csv_test_data = read.csv(text=txt_test_data, header=TRUE)
ar_st_varnames <- c('first_half_professor',
                    'second_half_professor',
                    'course_id', 'exam_score')
tb_test_data <- as_tibble(csv_test_data) %>%
  rename_all(~c(ar_st_varnames))
summary(tb_test_data)
```

A Dataset with Multiple Variables


##	first_half_professor	second_half_professor	course_id	exam_score
##	'CA':72	'MP':70	Min. :1.000	Min. : 4.00
##	'MP':42	'SN':44	1st Qu.:1.000	1st Qu.: 60.00
##	'SW':43	'SW':43	Median :2.000	Median : 82.00
##			Mean :2.465	Mean : 75.08
##			3rd Qu.:4.000	3rd Qu.: 94.00
##			Max. :4.000	Max. :105.00

Test Score Distributions

```
ggplot(tb_final_twovar, aes(x=ar_test_scores_ec3)) +
  geom_histogram(bins=25) +
  labs(title = paste0('Sandbox: Final Distribution (Econ 2370, FW)'),
       caption = paste0('FW Section, formula:',
                        '0.3*exam1Perc + 0.3*exam2Perc + ',
                        '0.42*HWtotalPerc + 0.03*AttendancePerc \n',
                        '+ perfect attendance + 0.03 per Extra Credit')) +
  theme_bw()
```

Histogram


Sandbox: Final Distribution (Econ 2370, FW)



FW Section, formula: $0.3 \cdot \text{exam1Perc} + 0.3 \cdot \text{exam2Perc} + 0.42 \cdot \text{HWtotalPerc} + 0.03 \cdot \text{AttendancePerc}$
 + perfect attendance + 0.03 per Extra Credit

```
ggplot(tb_test_data, aes(x=exam_score)) +
  geom_histogram(bins=16) +
  labs(title = paste0('Exam Distribution'),
       caption = 'All Sections') +
  theme_bw()
```

Exam Distribution



All Sections