GGplot Multiple Categorical Variables With Continuous Variable

Fan Wang

2021-01-24

Contents

1	Continuous Outcome with Multiple Categorical Variables	1
	1.1 Three Categories, One is Subplot	1

1 Continuous Outcome with Multiple Categorical Variables

Go to the RMD, R, PDF, or HTML version of this file. Go back to fan's REconTools Package, R Code Examples Repository (bookdown site), or Intro Stats with R Repository (bookdown site).

1.1 Three Categories, One is Subplot

The outcome is CEV, generated for results with different productivity types (subplot), generated for PE vs GE (linetype), and at different parameter specifications (lower and higher gamma).


The graphs rely on this csv file cev_data.csv.

```
# Libraries
# library(tidyverse)
# Load in CSV
bl_save_img <- FALSE</pre>
spt_csv_root <- c('C:/Users/fan/R4Econ/tabgraph/ggline/_file/')</pre>
spt img root <- c('G:/repos/R4Econ/tabgraph/ggline/ file/')</pre>
spn_cev_data <- paste0(spt_csv_root, 'cev_data.csv')</pre>
spn cev graph <- pasteO(spt img root, 'cev graph.png')</pre>
spn_cev_graph_eps <- paste0(spt_img_root, 'cev_graph.eps')</pre>
df_cev_graph <- as_tibble(read.csv(spn_cev_data)) %>% select(-X)
# Dataset subsetting -----
# Line Patterns and Colors -----
 \# \ ar\_st\_age\_group\_leg\_labels <- \ c("\nGE\n\u03B3=0.42\n", \ "\nGE\n\u03B3=0.56\n", \nu03B3=0.56\n", \n
                                                                                                             "\nPE\n\u03B3=0.42\n", "\nPE\n\u03B3=0.42\n")
ar_st_age_group_leg_labels <- c(bquote("GE,"~gamma == .(0.42)),</pre>
                                                                                                     bquote("GE,"~gamma == .(0.56)),
                                                                                                     bquote("PE,"~gamma == .(0.42)),
                                                                                                     bquote("PE,"~gamma == .(0.56)))
ar_st_colours <- c("#85ccff", "#026aa3", "#85ccff", "#026aa3")</pre>
ar_st_linetypes <- c("solid", "solid", "longdash", "longdash")</pre>
# Labels and Other Strings -----
st title <- ''
```

```
st_x <- 'Wealth'
st_y <- 'Welfare Gain (% CEV)'</pre>
st_subtitle <- paste0('https://fanwangecon.github.io/',</pre>
                       'R4Econ/tabgraph/ggline/htmlpdfr/fs_ggline_mgrp_ncts.html')
\# ar_st_age_group_leg_labels \leftarrow c("C\u20130ptimal", "V\u20130ptimal")
prod_type_recode <- c("Productivity Type\n(-1 sd)" = "8993",
                       "Productivity Type\n(mean)" = "10189",
                       "Productivity Type\n(+1 \text{ sd})" = "12244")
x.labels <- c('0', '200k', '400k', '600k', '800k')
x.breaks \leftarrow c(0,
              5,
               10.
               15.
               20)
x.min <- 0
x.max <- 20
# y.labels <- c('-0.01',
                 ' \u2191 \u2191 \nWelfare \nGain \n \nCEV=0 \n \nWelfare \nLoss \n \u2193 \u2193'
#
                 '+0.01', '+0.02', '+0.03', '+0.04', '+0.05')
y.labels \leftarrow c('-0.5 pp',
               'CEV=O',
               '+0.5 pp', '+1.0 pp', '+1.5 pp', '+2.0 pp', '+2.5 pp')
y.breaks \leftarrow c(-0.01, 0, 0.01, 0.02, 0.03, 0.04, 0.05)
y.min < -0.011
y.max <- 0.051
# data change -----
df_cev_graph <- df_cev_graph %>%
  filter(across(counter_policy, ~ grepl('70|42', .))) %>%
  mutate(prod_type_lvl = as.factor(prod_type_lvl)) %>%
  mutate(prod_type_lvl = fct_recode(prod_type_lvl, !!!prod_type_recode))
# graph -----
pl_cev <- df_cev_graph %>%
  group_by(prod_type_st, cash_tt) %>%
  ggplot(aes(x=cash_tt, y=cev_lvl,
             colour=counter_policy, linetype=counter_policy, shape=counter_policy)) +
  facet_wrap( ~ prod_type_lvl, nrow=1) +
  geom_smooth(method="auto", se=FALSE, fullrange=FALSE, level=0.95)
# labels
pl_cev <- pl_cev +
  labs(x = st_x,
       y = st_y,
       subtitle = st_subtitle)
# set shapes and colors
pl_cev <- pl_cev +
  scale_colour_manual(values=ar_st_colours, labels=ar_st_age_group_leg_labels) +
```

```
scale_shape_discrete(labels=ar_st_age_group_leg_labels) +
  scale_linetype_manual(values=ar_st_linetypes, labels=ar_st_age_group_leg_labels) +
  scale_x_continuous(labels = x.labels, breaks = x.breaks,
                     limits = c(x.min, x.max)) +
  scale_y_continuous(labels = y.labels, breaks = y.breaks,
                     limits = c(y.min, y.max))
# Horizontal line
pl_cev <- pl_cev +
  geom_hline(yintercept=0, linetype='solid', colour="black", size =1)
  # geom_hline(yintercept=0, linetype='dotted', colour="black", size=2)
# theme
pl_cev <- pl_cev +
  theme_bw() +
  theme(text = element_text(size = 10),
       legend.title = element_blank(),
       legend.position = c(0.16, 0.65),
       legend.background = element_rect(fill = "white", colour = "black", linetype='solid'),
       legend.key.width = unit(1.5, "cm"))
# Save Image Outputs -----
if (bl_save_img) {
  png(spn_cev_graph,
      width = 160,
     height = 105, units='mm',
      res = 150, pointsize=7)
  ggsave(
    spn_cev_graph_eps,
    plot = last_plot(),
    device = 'eps',
    path = NULL,
   scale = 1,
   width = 160,
   height =105,
   units = c("mm"),
   dpi = 150,
   limitsize = TRUE
print(pl_cev)
```

https://fanwangecon.github.io/R4Econ/tabgraph/ggline/htmlpdfr/fs_ggline_mgrp_ncts.html



```
if (bl_save_img) {
  dev.off()
}
```