All Purpose N Columns M Panels Regression

Fan Wang

September 2, 2019

Table 1: Panel A, foreign == 0

	(1) price	(2) price	(3) wgt	(4) areg	$ \begin{array}{c} (5) \\ \text{gear} <= 3 \end{array} $	(6) reg	(7) areg
Repair Record 1978	404.2 (0.252)	404.2 (0.252)	71.68* (0.063)	215.3 (0.602)	297.7 (0.547)	404.2 (0.252)	404.2 (0.380)
Mileage (mpg)	-226.9** (0.046)	-226.9** (0.046)	-107.8*** (0.000)	167.5 (0.261)	-175.7 (0.409)	-226.9** (0.046)	-226.9** (0.036)
Headroom (in.)	-426.0 (0.191)	-426.0 (0.191)	-27.26 (0.535)	-470.6 (0.259)	-431.9 (0.382)	-426.0 (0.191)	-426.0 (0.361)
Turn Circle (ft.)					126.7 (0.499)		
N	48	48	46	48	37	48	48
r2	0.431	0.431	0.792	0.558	0.450	0.431	0.431
rank	5	5	5	6	6	5	5

p-values in parentheses

This panel only includes for eign == 0. Absorb no effects.

Table 2: Panel B, foreign == 1

	(1)	(2)	(3)	(4)	(5)	(6)	(7)
	price	price	wgt	areg	gear <= 3	reg	areg
Repair Record 1978	182.2	182.2	50.78	-356.9		182.2	182.2
	(0.761)	(0.761)	(0.472)	(0.430)		(0.761)	(0.818)
N	21	21	20	21	0	21	21
r2	0.0891	0.0891	0.400	0.735		0.0891	0.0891
rank	3	3	3	4	0	3	3

 $p ext{-values}$ in parentheses

This panel then focuses only on foreign == 1

Hi there, more notes next line

^{*} p < 0.10, ** p < 0.05, *** p < 0.01

^{*} p < 0.10, ** p < 0.05, *** p < 0.01

Table 3: Panel C, length >= 190

	(1) price	(2) price	(3) wgt	(4) areg	$ \begin{array}{c} (5) \\ \text{gear} <= 3 \end{array} $	(6) reg	(7) areg
Repair Record 1978	-0.297 (0.526)	-0.297 (0.526)	-0.297 (0.526)	0.272 (0.577)	-0.935 (0.117)	-0.297 (0.526)	-0.183 (0.769)
N r2	36 0.174	36 0.174	36 0.174	36 0.533	31 0.431	36 0.174	36 0.178
rank	3	3	3	0.555 4	0.431 4	3	3

 $p ext{-values}$ in parentheses

general notes

Table 4: current panel results

	(1) price	(2) price	(3) wgt	(4) areg	$ \begin{array}{c} (5) \\ \text{gear} <= 3 \end{array} $	(6) reg	(7) areg
Repair Record 1978	774.6*** (0.003)	774.6*** (0.003)	-6.772 (0.903)	65.63 (0.844)	614.0 (0.248)	774.6*** (0.003)	248.6 (0.513)
Mileage (mpg)	-210.6*** (0.005)	-210.6*** (0.005)	-63.16*** (0.000)	46.88 (0.548)	-250.6 (0.210)	-210.6*** (0.005)	-180.2** (0.010)
Turn Circle (ft.)					12.54 (0.948)		
Length (in.)							
N	69	69	66	69	38	69	69
r2	0.275	0.275	0.774	0.516	0.383	0.275	0.357
rank	4	4	4	5	5	4	4

p-values in parentheses

general notes

Table 5: current panel results

	(1) price	(2) price	(3) wgt	(4) areg	$ \begin{array}{c} (5) \\ \text{gear} <= 3 \end{array} $	(6) reg	(7) areg
Repair Record 1978	575.2**	575.2**	-62.11	118.3	768.2	575.2**	5.905
	(0.043)	(0.043)	(0.403)	(0.712)	(0.199)	(0.043)	(0.988)
N	69	69	66	69	38	69	69
r2	0.176	0.176	0.648	0.513	0.331	0.176	0.287
rank	3	3	3	4	4	3	3

p-values in parentheses

This panel is the 5th

Yes it is the 5th, so what

^{*} p < 0.10, ** p < 0.05, *** p < 0.01

^{*} p < 0.10, ** p < 0.05, *** p < 0.01

^{*} p < 0.10, ** p < 0.05, *** p < 0.01

Table 6: current panel results

	(1)	(2)	(3)	(4)	(5)	(6)	(7)
	price	price	wgt	areg	gear <= 3	reg	areg
Repair Record 1978	0.947	0.947	0.876	1.123**	-0.615	0.947	1.347**
	(0.195)	(0.195)	(0.236)	(0.033)	(0.528)	(0.195)	(0.048)
N	69	69	66	69	38	69	69
r2	0.452	0.452	0.448	0.686	0.498	0.452	0.466
rank	3	3	3	4	4	3	3

p-values in parentheses general notes

^{*} p < 0.10, ** p < 0.05, *** p < 0.01