Preliminary and Alpha - Not to be publicly distributed

<u>Instruction for Setting Up 'Babel' Code</u>

Make sure php.ini has inc/ as an include directory.

Copy 'aptana_global' into the inc/ directory

ln -s inc/aptana_global/public www/aptana_translate (or what
ever your apache exposed directory is)

make sure inc/aptana_global/public has .htaccess setup properly (permission/owner) and that rewrite is working for your apache exposed directory (see inc/aptana_global/htaccess if needed)

aptana_global.sql is the 'creates' for the DB

(aptana_global/base.conf and aptana_global/utils.inc.php have DB username/passwords that need updating)

Notes

/entry/add (import.php) now deletes non-english entries if and only if the entries' value is changed - thus making the non-english versions invalid. This API should NOT be made public but only used internally. It can be very destructive plus you should control what is and isn't added to the master data set. I do include it in the docs below for completeness.

/entry/edit (edit.php) should be used by users. You can not change the english version of entries - only non-english. Note that it has a different set of required fields.

NOTE: Farsi and Punjabi do not have valid iso_codes. This needs to be fixed for those languages to work.

There nothing in the code/database to support an approval process.

<u>Usage</u>

To retrieve entries for a given language

Use either

http:// <http://eclipse_org_site/export_data/ko/xml_file> translate. <http://
eclipse_org_site/export_data/ko/xml_file> aptana.com/export_data/XX/xml_file
<http://eclipse_org_site/export_data/ko/xml_file>
or

http://eclipse_org_site/export.php?lang=XX

where XX is the language code you wish to retrieve.

<entry>

```
The following codes are currently supported.
en English
 zh Chinese (Simplified)
hi Hindi
es Spanish
ar Arabic
 ru Russian
pt Portuguese
 fr French
 ja Japanese
de German
    Farsi
ur Urdu
    Punjabi
vi Vietnamese
 ta Tamil
 tr Turkish
 ko Korean
 it Italian
 th Thai
pl Polish
 ro Romanian
nl Dutch
If you request a language that does not exist you will get the
following error:
 <?xml version="1.0" encoding="UTF-8"?>
   <error>language not found
The format of the language entries XML is as follows.
<?xml version="1.0" encoding="UTF-8"?>
 <translation>
 <language>English</language>
 <iso name>en</iso name>
 cts>
 ct>
  <name>Aptana FTP Synchronization Provider
  <entries>
```

```
<name>DreamweaverSiteImportWizard ImportExistingConfiguration/
name>
      <value>
       <![CDATA[Import Existing Dreamweaver Site Configuration]]>
      </value>
      <file>com.aptana.ide.syncing.ftp/src/com/aptana/ide/
syncing/wizards/messages.properties</file>
    </entry>
   </entries>
  </project>
 </projects>
 </translation>
To submit an entry for a given language
POST the entry to either
http:// <http://eclipse_org_site/export_data/ko/xml_file> translate. <http://</p>
eclipse org site/export data/ko/xml_file> aptana.com/entry/edit <http://
eclipse org site/export data/ko/xml file>
or
http://eclipse_org_site/edit.php
Required fields:
project name
entry_name
 entry_value
lang_code
Possible results - <?xml version="1.0" encoding="UTF-8"?>
<success>1</success>
<error>invalid language code
<error>no project_name
<error>no entry_name</error>
<error>no entry_value</error>
<error>unknown project
```

To create a new entry for translation Should be internal only

```
POST the entry to either
 http:// <http://eclipse_org_site/export_data/ko/xml_file> translate. <http://</p>
eclipse org site/export data/ko/xml file> aptana.com/entry/add <http://
eclipse_org_site/export_data/ko/xml_file>
or
http://eclipse_org_site/import.php
Required fields:
 project_name
 package_name
 entry_name
 entry_value
 repo_path
 lang_code (optional - must be "en" if used)
Possible results - <?xml version="1.0" encoding="UTF-8"?>
<success>1</success>
<error>invalid language code
<error>no project_name
<error>no package_name
<error>no repo_path</error>
<error>no entry_name</error>
<error>no entry_value</error>
<error>error finding project
```