Erratum: First-principles study on the intrinsic stability of the magic $Fe_{13}O_8$ Cluster [Phys. Rev. B 61, 5781 (2000)]

Q. Sun,[1] Q. Wang,[1] K. Parlinski,[1,2] J. Z. Yu,[1] Y. Hashi,[3] X. G. Gong,[4] and Y. Kawazoe[1]
[1]*Institute for Materials Research, Tohoku University, Sendai 980-8577, Japan*
[2]*Institute of Nuclear Physics, 31-342 Cracow, Poland*
[3]*Hitachi Tohoku Software Ltd., Sendai 980-0014, Japan*
[4]*Institute of Solid State Physics, Academia Sinica, 230031-Hefei, People's Republic of China*

There is an error in the unit of frequency in this paper; the frequencies in Table II should be in THz. If converted to cm^{-1}, the data are shown in the table below. The vibration frequencies found recently by all-electron calculations[1] have similar values. There are also some errors in the specifications of mode type. A_{2u} and E_u modes are infrared active, whereas A_{1g}, B_{1g}, B_{2g}, and E_g modes are active in Raman. These corrections do not alter the main results or conclusions of the paper.

TABLE II. Frequencies (in cm^{-1}) and irreducible representations (IrRep) of the vibrational modes active in Raman (R) or infrared (IR) spectroscopy for the $Fe_{13}O_8$ cluster.

	IrRep	Frequency
R	A_{1g}	181, 296, 330, 471, 739
	B_{1g}	174, 294, 488
	B_{2g}	163, 305,475, 725
	E_g	175, 276, 298, 503, 574, 724
IR	A_{2u}	221, 312, 339, 576, 734
	E_u	129, 223, 234, 309, 337, 496, 576, 738

[1] J. Kortus and M. R. Pederson, Phys. Rev. B **62**, 5755 (2000).

