```
@Override
void & () {
```

Bài 1

```
class HinhHoc {
        void tinhDienTich () {
                System . out . println ("tinh DT hinh hoc ")
        }
}
public class HinhTron extends Hinh Hoc {
        private double BanKinh;
        public HinhTron ( double BanKinh ) {
                this . BanKinh = BanKinh;
        }
        @ Override
        public void tinhDienTich () {
                double DienTich = Math . PI * BanKinh * Ban
                System . Out . println ("Dientich Hinh Tron : " +
Dientich );
        }
}
public class HinhChuNhat extends HinhHoc {
. . . . . .
```

My notes:

THIENLONG

Thứ

Ngày . . No.

```
        private double chieudai;
        private double chieurong;
        public HinhChuNhat (double chieudai, double
chieurong) {
            this.Chieudai = chieudai;
            this.chieurong = chieurong;
        }
        @override
        public void ~~tinh HinhChuNhat~~ tinhDientich () {
            int dientich = chieudai * chieurong;
        System.out.println ("Dientich HCN :"
+ dientich );
        }
}
public void main {
    public static void main (String [] args) {
        HinhHoc h1 = new HinhHoc (5);
        HinhChuNhat h2 = new HinhChuNhat (3,6);

        h1.dientich();
        h2.dientich();
    }
}
```

THIENLONG

Thứ
Ngày . . No.

Bài 2:

```
class xeplap {
public void run () {
        System. out. println (" chay ");
    }
}
~~class~~ public class ~~xeclapdien~~ xeclapdien extends xeclap
    ~~void~~ ~~@ override~~
    public void run () ~~{~~ {
        ~~System print~~
        System out. println (" chay bang
may ");
    }
}
public class main ( String [] args ) {
    xeclap. id = new xeclapdien ;
    id . run ();
}
```

~~public // setname String~~
public ~~set~~ void ~~name~~ setname (~~String~~ ~~name~~
public void setbirthday (

Bài 3:

```
class person {
    protected String name;
    protected Date birthday;
    public person (String name, Date birthday){
        this.name = name;
        this.birthday = birthday;
    }
    public void setname (String name){ {
    ~~public void setBirthday (~~
        this.name = name;
    }
    public void setBirthday (Date Birthday){;}
    ~~public void get~~
        this.birthday = Birthday; }
    ~~public void getDetails ()~~
    public String getDetails () {
        return this.name;
        return this.birthday;
    }
~~public class Employee (Salary double Salary){~~
    ~~this.Salary = Salary;~~
}
```

My notes:

THIENLONG Super Thứ Ngày No.

```
@ override
public void set Salary (double Salary) {
    this. Salary = Salary;

~~public clas~~
class Employee extends person {
    protected double Salary;
    public void setSalary (double Salary) {
        this. Salary = Salary; }
    }
    @ override
    public string get Details () {
        Return ~~set~~ super. get Details () + ",
luong : " + Salary;
    }
}
Class Manager extends Employee {
    private employee assistant;
    public void set Assistant ( Employee assistant)
    {
        this . assistant = assistant;
    }
    @ override
    public string getDetails () {
        Return super. get Details () + " Ho ly;
" + (assistant != null ? assistant . name : " khong co ");
    }
}
```

My notes:

Bài 4:

```
Class Bank {
    public double getRateOfInterest () {
        return 0;
    }
}
Class SBI extends Bank {
    @ Override
    public double getRateOfInterest () {
        return 8.0;
    }
}
Class ICICI extends Bank {
    @ Override
    public double getRateOfInterest () {
        return 7.0;
    }
}
Class AXIS extends Bank {
    @ Override
    public double getRateOfInterest () {
        return 9.0;
    }
}
public class main {
    public static void main (String [] args) {
        Bank b;
        b = new SBI ();
        System.out.println ("lai suat SBI
".+b.getRateOfInterest () + " % ");
```

My notes:

```
        b = new ICICI();
        System.out.println("Lai suat SBI : " + b.
getRateOfInterest() + " %");
        b = new AXIS();
        System.out.println(" Lai suat AXIS : " +
getRateOfInterest() + " % ");
    }
}
```

Bài 5:

```
Class Car {
    public void move(){
        system.out.println(" di chuyen ");
    }
}
Class LandRover extends Car {
    @ override
    public void move() {
        System.out.println(" di chuyen ok
tren dia hinh [redacted] . ");
    }
}
Class Ford extends Car {
    @ override
    public void move() {
        System.out.println(" Ford di chuyen
ok tren otg lo");
    }
}
Class Honda extends Car {
```

My notes:

THIENLONG

Thứ
Ngày . . No.

```
@ override
public void move () {
    System.out.println ("Tiếp tục
nhiên liệu ");
    }
}
~~Class public class void main {~~
public class main {
    public static void main (String [] args) {
        ~~move~~.
        Car. i1 = new landrover
        Car. i2 = new Ford
        Car. i3 = new Honda

        i1 . move ();
        i2 . move ();
        i3 . move ();
    }
}
```