

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

EMC-TRF-01 Rev 2.0

Report No.: GZCR250500072907

Page: 1 of 44

TEST REPORT

Application No.: GZCR2601000153HS
Applicant: Jiangxi EQi Industrial Co., Ltd
Address of Applicant: Luliang Avenue, Yining Town, Xiushui, Jiujiang, Jiangxi, China
Manufacturer: Jiangxi EQi Industrial Co., Ltd
Address of Manufacturer: Luliang Avenue, Yining Town, Xiushui, Jiujiang, Jiangxi, China
Factory: Jiangxi EQi Industrial Co., Ltd
Address of Factory: Luliang Avenue, Yining Town, Xiushui, Jiujiang, Jiangxi, China
Product Name: Household electric treadmill
Model No.: P12, T3803D, WFTM015(T3823), T5009, T5006, SP38240/T3837, SP38242/T3807, A4003D, T3899, CS-WP3, TM037 ♣
♣ Please refer to section 2 of this report which indicates which item was actually tested and which were electrically identical.
Standard(s) : EN IEC 55014-1: 2021
EN IEC 55014-2: 2021
EN IEC 61000-3-2: 2019 +A1:2021 +A2:2024
EN 61000-3-3: 2013 +A1:2019 +A2:2021
Date of Receipt: 2025-05-21
Date of Test: 2025-05-30 to 2025-06-17
Date of Issue: 2026-01-28

Test Result:	Pass*
---------------------	--------------

* In the configuration tested, the EUT complied with the standards specified above.

Remark: "EN IEC 61000-3-2: 2019+A1:2021 +A2:2024" is not under GZ EMC NVLAP scope.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch, EMC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Revision Record			
Version	Report No.	Date	Remark
01	GZCR250500072901	2025-08-04	Original
02	GZCR250500072907	2026-01-28	Amendment report: Updated Model No., added appearance photos and NVLAP logo.

Authorized for issue by:			
			
		Damon Guan/Project Engineer	
Approved By			
		Vico Cui/Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号

t (86-20) 82155555 www.sgs.com.cn
t (86-20) 82155555 sgs.china@sgs.com

2 Test Summary

Emission Part				
Item	Standard	Method	Requirement	Result
Conducted Emissions at AC Mains Power Port (150kHz-30MHz)	EN IEC 55014-1: 2021	CISPR 16-2-1: 2014 +A1:2017	Table 5	Pass**
Radiated Emissions (30MHz-1GHz)		CISPR 16-2-3: 2016 +A1:2019 +A2:2023	Table 9	Pass**
Harmonic Current Emission	EN IEC 61000-3-2: 2019 +A1:2021 +A2:2024	EN IEC 61000-3-2: 2019 +A1:2021 +A2:2024	Class A	Pass**
Voltage Fluctuations and Flicker	EN 61000-3-3: 2013 +A1:2019 +A2:2021	EN 61000-3-3: 2013 +A1:2019 +A2:2021	Clause 5	Pass

Remark: "EN IEC 61000-3-2: 2019+A1:2021 +A2:2024" is not under GZ EMC NVLAP scope.

Immunity Part				
Item	Standard	Method	Requirement	Result
Electrostatic Discharge	EN IEC 55014-2: 2021	EN 61000-4-2: 2009	4kV Contact Discharge, 8kV Air Discharge	Pass
Electrical Fast Transients Burst at AC Mains Power Port		EN 61000-4-4: 2012	1kV, 5/50ns Tr/Td, 5kHz Repetition Frequency	Pass
Surge at AC Mains Power Port		EN 61000-4-5: 2014 +A1:2017	1.2/50µs Tr/Td, 1kV Line to Line, 2kV Line to Ground	Pass
Conducted Immunity at AC Mains Power Port (150kHz-230MHz)		EN 61000-4-6: 2014	3Vrms (emf), 80%, 1kHz Amp. Mod.	Pass
Voltage Dips and Interruptions		EN IEC 61000-4-11: 2020	For 50Hz: 0 % UT for 0.5cycle, 40 % UT for 10cycles, 70 % UT for 25cycles; For 60Hz: 0 % UT for 0.5cycle, 40 % UT for 12cycles, 70 % UT for 30cycles, UT is Supply Voltage	Pass

** : The EUT passed Conducted Emissions at AC Mains Power Port (150kHz-30MHz), Radiated Emissions (30MHz-1GHz) and Harmonic Current Emission tests after modification.

Note:

E.U.T./EUT means Equipment Under Test.

Pass means the test result passed the test standard requirement, please find the detailed decision rule in the report relative section.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Qoccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Remark for the report GZCR250500072901:

♣ Declaration of EUT Family Grouping:

Model No.: P12, T3803D, WFTM015(T3823), WFTM020(T4254C), T5009, T5006, SP38240, T3837, SP38242, T3807, A4003D

According to the declaration from the applicant, the electrical circuit design, layout, components used and internal wiring were identical for all models, only different on the appearance decoration, appearance color and model name.

Therefore, only one model **P12** was tested in this report.

Remark for the report GZCR250500072907:

This report GZCR250500072907 is based on original report GZCR250500072901, with the following changes:

1. Updated Model No.: P12, T3803D, WFTM015(T3823), T5009, T5006, SP38240/T3837, SP38242/T3807, A4003D, T3899, CS-WP3, TM037.

According to the declaration from the applicant, the models in this report and model **P12** in original report are totally same, only being different in the model name, appearance and color.

2. Added NVLAP logo.
3. Appearance photos.

No further testing is needed for above differences, test data in **GZCR250500072901** was kept in this report **GZCR250500072907**.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

3 Contents

	Page
1 Cover Page	1
2 Test Summary	3
3 Contents	5
4 General Information	7
4.1 Details of E.U.T.	7
4.2 Description of Support Units	7
4.3 Measurement Uncertainty	7
4.4 Test Location	7
4.5 Test Facility	8
4.6 Deviation from Standards	8
4.7 Abnormalities from Standard Conditions	8
4.8 EMS Monitor	8
5 Equipment List	9
6 Emission Test Results	12
6.1 Conducted Emissions at AC Mains Power Port (150kHz-30MHz)	12
6.1.1 E.U.T. Operation	12
6.1.2 Test Mode Description	12
6.1.3 Test Setup Diagram	12
6.1.4 Measurement Procedure and Data	12
6.2 Radiated Emissions (30MHz-1GHz)	15
6.2.1 E.U.T. Operation	15
6.2.2 Test Mode Description	15
6.2.3 Test Setup Diagram	15
6.2.4 Measurement Procedure and Data	15
6.3 Harmonic Current Emission	18
6.3.1 E.U.T. Operation	18
6.3.2 Test Mode Description	18
6.3.3 Test Setup Diagram	18
6.3.4 Measurement Procedure and Data	18
6.4 Voltage Fluctuations and Flicker	23
6.4.1 E.U.T. Operation	23
6.4.2 Test Mode Description	23
6.4.3 Test Setup Diagram	23
6.4.4 Measurement Procedure and Data	23
7 Immunity Test Results	26
7.1 Electrostatic Discharge	27
7.1.1 Test Setup Diagram	27
7.1.2 E.U.T. Operation	27
7.1.3 Test Mode Description	27
7.1.4 Test Condition and Results	27
7.2 Electrical Fast Transients Burst at AC Mains Power Port	29



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch (EMC) EEC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgs.com.cn
sgs.china@sgs.com

7.2.1	Test Setup Diagram	29
7.2.2	E.U.T. Operation	29
7.2.3	Test Mode Description	29
7.2.4	Test Condition and Results	29
7.3	Surge at AC Mains Power Port	30
7.3.1	Test Setup Diagram	30
7.3.2	E.U.T. Operation	30
7.3.3	Test Mode Description	30
7.3.4	Test Condition and Results	30
7.4	Conducted Immunity at AC Mains Power Port (150kHz-230MHz).....	32
7.4.1	Test Setup Diagram	32
7.4.2	E.U.T. Operation	32
7.4.3	Test Mode Description	32
7.4.4	Test Condition and Results	32
7.5	Voltage Dips and Interruptions	33
7.5.1	Test Setup Diagram	33
7.5.2	E.U.T. Operation	33
7.5.3	Test Mode Description	33
7.5.4	Test Condition and Results	33
8	Test Setup Photo	35
9	EUT Constructional Details (EUT Photos).....	44



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
sgs.china@sgs.com

4 General Information

4.1 Details of E.U.T.

Power supply: AC 220V-240V 50/60Hz for main unit
DC 3.0V with CR2032 button cell for remote controller.

Cable(s): About 0.8m x 3 wires unscreened AC mains cable.

Test Voltage: AC 230 V, 50 & 60 Hz

Category: II

Remark: The information in this section is provided by the applicant or manufacturer, SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

4.2 Description of Support Units

Description	Manufacturer	Model No.	Serial No.
--	--	--	--
The EUT has been tested as an independent unit.			

4.3 Measurement Uncertainty

Test Item	Measurement Uncertainty
Conducted Emissions at AC Mains Power Port (150kHz-30MHz)	3.22dB (150kHz to 30MHz)
Radiated Emissions (30MHz-1GHz)	5.14dB (30MHz-1GHz):3m; 4.90dB (30MHz-1GHz):10m
Remark: The U_{lab} (lab Uncertainty) is less than U_{cisp} (CISPR Uncertainty) or U_{ETSI} (ETSI Uncertainty). Emission decision rule: – Compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit, marked as Pass in the report. – Non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit, marked as Fail in the report. Immunity decision rule: – Pass means the observation meets the Performance Criterion requirement. – Fail means the observation doesn't meet the Performance Criterion requirement.	

4.4 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Guangzhou Branch EMC Laboratory,
No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou,
Guangdong, China 510663

Tel: +86 20 82155555

No tests were sub-contracted.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Qoccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch EMC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

4.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

● ACMA

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory can also perform testing for the Australian/New Zealand Regulatory Compliance Mark (RCM).

● SGS UK(Certificate No.: 32), SGS-TUV SAARLAND and SGS-FIMKO

Have approved SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory as a supplier of EMC TESTING SERVICES and SAFETY TESTING SERVICES.

● FCC Recognized Accredited Test Firm(Registration No.: 486818)

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory has been accredited and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Designation Number: CN5016, Test Firm Registration Number: 486818.

● ISED (Registration No.: 4620B, CAB identifier: CN0052)

SGS-CSTC Standards Technical Services Co., Ltd., has been registered by Innovation Science and Economic Development Canada for Wireless Device Testing laboratories to test to Canadian radio equipment requirements. Registration No. 4620B, CAB identifier: CN0052.

● VCCI (Registration No.: R-12460, C-12584, G-20107 and T-11179)

The 10m Semi-anechoic chamber, 966 Anechoic Chamber and Shielded Room of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-12460, C-12584, G-20107 and T-11179 respectively.

● CBTL (Lab Code: TL129)

SGS-CSTC Standards Technical Services Co., Ltd., E&E Laboratory has been assessed and fully comply with the requirements of ISO/IEC 17025:2017, the Basic Rules, IECEE 01 and Rules of procedure IECEE 02, and the relevant IECEE CB-Scheme Operational documents.

4.6 Deviation from Standards

None

4.7 Abnormalities from Standard Conditions

**：The EUT passed Conducted Emissions at AC Mains Power Port (150kHz-30MHz), Radiated Emissions (30MHz-1GHz) and Harmonic Current Emission tests after modification.

4.8 EMS Monitor

Visual: Motor running and LED displaying of the EUT.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch EMC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

5 Equipment List

Conducted Emissions at AC Mains Power Port (150kHz-30MHz)					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Coaxial Cable	HangTianXing	2m	EMC0107	2023-08-24	2025-08-23
Shielding Room	ChangZhou ZhongYu	8m x 3m x 3.8m	EMC0306	2022-10-16	2025-10-15
Two-Line V-Network-GZ	Rohde & Schwarz	ENV216	EMC2135	2024-09-02	2025-09-01
EMI Test Receiver (9kHz-3.6GHz)	Rohde & Schwarz	ESR3	EMC2221	2024-12-04	2025-12-03
Test Software E3r	Audix	Ver.6.191211	GZE100-77	N/A	N/A
Artificial Mains Network (LISN)	AFJ Instruments	LT32C	EMC2046	2024-10-14	2025-10-13

Radiated Emissions (30MHz-1GHz)					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
10m Semi-Anechoic Chamber	ETS	N/A	EMC0530	2022-10-16	2025-10-15
Coaxial cable	Mirco-COAX UTIFLEX	311A	EMC0540	2024-08-19	2026-08-18
Amplifier (9kHz-1.3GHz)	HP	8447F	EMC2065	2024-12-04	2025-12-03
EMI Test Receiver (9kHz-7GHz)	Rohde & Schwarz	ESR7	EMC2220	2024-12-04	2025-12-03
Test Software E3	Audix	Ver.6.120110a	GZE100-61	N/A	N/A
Trilog Broadband Antenna (25MHz-2GHz)	Schwarzbeck Mess-Elektronik	VULB 9168	EMC2174	2025-04-21	2027-04-20
CMAD	Schaffner	CAMD 10	EMC0531	2023-11-16	2025-11-15
CMAD	Schaffner	CAMD 10	EMC0532	2023-11-27	2025-11-26

Harmonic Current Emission					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Digital power analyzer for harmonics & flicker testing	EMTEST	DPA 500N	EMC2235	2024-12-04	2025-12-03
Programmable multifunctional ac/dc power source	EMTEST	NETWAVE 7-400	EMC2234	2024-12-04	2025-12-03
NET.Control	EMTEST	Ver 3.2.3	GZE100-80	N/A	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Voltage Fluctuations and Flicker					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Digital power analyzer for harmonics & flicker testing	EMTEST	DPA 500N	EMC2235	2024-12-04	2025-12-03
Programmable multifunctional ac/dc power source	EMTEST	NETWAVE 7-400	EMC2234	2024-12-04	2025-12-03
NET.Control	EMTEST	Ver 3.2.3	GZE100-80	N/A	N/A

Electrostatic Discharge					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
ESD Ground Plane	SGS-EMC	3m x 3m	EMC0804	N/A	N/A
Aneroid Barometer	Shanghai Meteorological Instrument Factory Co., Ltd.	YM3	EMC2181	2024-10-31	2025-10-30
ESD Simulator-E	EMTEST	NX30	EMC2186	2024-12-30	2025-12-29

Electrical Fast Transients Burst at AC Mains Power Port					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Oscilloscope	Tektronix	TDS3052C	EMC2055	2024-10-14	2025-10-13
EMC Immunity Test System	TESEQ AG	NSG 3060&CDN306 1&INA 6502 CIB	EMC2072	2024-12-03	2025-12-02
Test Software WIN 3000	TESEQ AG	Ver 1.3.2	GZE100-68	N/A	N/A

Surge at AC Mains Power Port					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Oscilloscope	Tektronix	TDS3052C	EMC2055	2024-10-14	2025-10-13
EMC Immunity Test System	TESEQ AG	NSG 3060&CDN306 1&INA 6502 CIB	EMC2072	2024-12-03	2025-12-02
Test Software WIN 3000	TESEQ AG	Ver 1.3.2	GZE100-68	N/A	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Conducted Immunity at AC Mains Power Port (150kHz-230MHz)					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Dual Directional coupler	Werlatone Inc.	C1795	EMC1105	2024-12-04	2025-12-03
CDN M2	Schaffner Chase	CDN-M2-16	EMC1107	2024-10-14	2026-10-13
CDN M2/M3	Elektronik-Feinmechanik	L-801:M2/M3	EMC2048	2024-12-04	2025-12-03
Test System for Conducted and Radiated Immunity	TESEQ AG	NSG 4070B-80	EMC2115	2024-10-14	2025-10-13
Audio Analyzer	Keysight	U8903B	EMC2180	2024-08-30	2025-08-29
Test Software NSG4070_Ctrl1	TESEQ AG	Ver.1.3.0.1	GZE100-72	N/A	N/A
Oscilloscope	Tektronix	TDS3052C	EMC2055	2024-10-14	2025-10-13
6dB Attenuator	Shanghai Huaxiang	WDT5150-6-2.5-B	EMC2116	2024-12-04	2026-12-03

Voltage Dips and Interruptions					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Oscilloscope	Tektronix	TDS3052C	EMC2055	2024-10-14	2025-10-13
EMC Immunity Test System	TESEQ AG	NSG 3060&CDN306 1&INA 6502 CIB	EMC2072	2024-12-03	2025-12-02
Test Software WIN 3000	TESEQ AG	Ver 1.3.2	GZE100-68	N/A	N/A

General used equipment					
Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date
DMM	Fluke	73	EMC0006	2025-06-03	2026-06-02
DMM	Fluke	73	EMC0007	2025-06-03	2026-06-02



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Qoccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

6 Emission Test Results

6.1 Conducted Emissions at AC Mains Power Port (150kHz-30MHz)

Test Requirement:	EN IEC 55014-1: 2021
Test Method:	CISPR 16-2-1: 2014 +A1:2017
Limit:	
0.15M-0.5MHz	66dB(μV)-56dB(μV) quasi-peak, 59dB(μV)-46dB(μV) average
0.5M-5MHz	56dB(μV) quasi-peak, 46dB(μV) average
5M-30MHz	60dB(μV) quasi-peak, 50dB(μV) average
Detector:	Peak for pre-scan (9kHz resolution bandwidth) 0.15M to 30MHz


6.1.1 E.U.T. Operation

Operating Environment:			
Temperature:	23.7 °C	Humidity:	59.7 % RH
		Atmospheric Pressure:	1008 mbar

6.1.2 Test Mode Description

Pre-scan / Mode	Description
Final test Code	
Final test 07	Test the EUT in motor running mode, at high speed.
Pre-scan 08	Test the EUT in motor running mode, at middle speed.
Pre-scan 09	Test the EUT in motor running mode, at low speed.

6.1.3 Test Setup Diagram



6.1.4 Measurement Procedure and Data

Frequency Range: 150kHz to 30MHz

An initial pre-scan was performed with peak detector. Quasi-Peak or Average measurement were performed at the frequencies with maximized peak emission were detected. The red line show in graphic is the limit in standard used in this section.

Measured Level = Read level + Cable Loss + LISN Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Qoccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch, EMC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Test Mode: 07; Line: Live line



Pol : LINE
Mode :
Model :
Power :


	Frequency MHz	Read Level dBuV	Cable Loss dB	LISN Factor dB	Measured Level dBuV	Limit Line dBuV	Over Limit dB	Remark
1	0.156	42.67	0.04	9.56	52.27	58.60	-6.33	Average
2	0.156	48.13	0.04	9.56	57.73	65.69	-7.96	QP
3	0.346	34.60	0.05	9.59	44.24	49.96	-5.72	Average
4	0.346	42.11	0.05	9.59	51.75	59.05	-7.30	QP
5	0.589	30.45	0.05	9.55	40.05	46.00	-5.95	Average
6	0.589	39.78	0.05	9.55	49.38	56.00	-6.62	QP
7	1.654	29.54	0.11	9.60	39.25	46.00	-6.75	Average
8	1.654	37.52	0.11	9.60	47.23	56.00	-8.77	QP
9	1.970	31.18	0.12	9.61	40.91	46.00	-5.09	Average
10	1.970	39.26	0.12	9.61	48.99	56.00	-7.01	QP
11	11.559	30.80	0.28	9.76	40.84	50.00	-9.16	Average
12	11.559	38.34	0.28	9.76	48.38	60.00	-11.62	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Mode: 07; Line: Neutral Line



Pol : NEUTRAL
Mode :
Model :
Power :

	Frequency MHz	Read Level dBUV	Cable Loss dB	LISN Factor dB	Measured Level dBUV	Limit Line dBUV	Over Limit dB	Remark
1	0.156	41.27	0.04	9.52	50.83	58.60	-7.77	Average
2	0.156	47.84	0.04	9.52	57.40	65.69	-8.29	QP
3	0.346	34.71	0.05	9.51	44.27	49.96	-5.69	Average
4	0.346	43.34	0.05	9.51	52.90	59.05	-6.15	QP
5	0.573	30.15	0.05	9.57	39.77	46.00	-6.23	Average
6	0.573	39.32	0.05	9.57	48.94	56.00	-7.06	QP
7	1.216	30.64	0.09	9.56	40.29	46.00	-5.71	Average
8	1.216	39.04	0.09	9.56	48.69	56.00	-7.31	QP
9	4.338	28.80	0.18	9.62	38.60	46.00	-7.40	Average
10	4.338	37.13	0.18	9.62	46.93	56.00	-9.07	QP
11	11.377	30.23	0.27	9.81	40.31	50.00	-9.69	Average
12	11.377	38.94	0.27	9.81	49.02	60.00	-10.98	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

6.2 Radiated Emissions (30MHz-1GHz)

Test Requirement: EN IEC 55014-1: 2021
 Test Method: CISPR 16-2-3: 2016 +A1:2019 +A2:2023
 Limit:
 Test Distance: 10m
 30MHz-230MHz 30 dB(μV/m) quasi-peak
 230MHz-1GHz 37 dB(μV/m) quasi-peak
 Detector: Peak for pre-scan (120kHz resolution bandwidth) 30M to 1000MHz


6.2.1 E.U.T. Operation

Operating Environment:
 Temperature: 23.7 °C Humidity: 56.3 % RH Atmospheric Pressure: 1008 mbar

6.2.2 Test Mode Description

Pre-scan / Mode	Description
Final test Code	
Final test 07	Test the EUT in motor running mode, at high speed.
Pre-scan 08	Test the EUT in motor running mode, at middle speed.
Pre-scan 09	Test the EUT in motor running mode, at low speed.


6.2.3 Test Setup Diagram



6.2.4 Measurement Procedure and Data

Frequency Range: 30MHz to 1GHz
 An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Quasi-peak measurements were conducted based on the peak sweep graph. The EUT was measured by BiConiLog antenna with 2 orthogonal polarities.
 The red line show in graphic is the limit in standard used in this section.
 Level=Read Level + Antenna Factor + Cable Loss - Preamp Factor

Test Mode: 07; Polarity: Horizontal



Site : SGS
Job :
Model :
Power :
Test Mode : Running

	Freq	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Measured Level	Limit Line	Over Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	108.647	41.14	10.27	0.86	27.79	24.48	30.00	-5.52	HORIZONTAL	QP
2	144.842	40.24	13.24	0.97	27.74	26.71	30.00	-3.29	HORIZONTAL	QP
3	210.048	42.22	9.97	1.26	27.41	26.04	30.00	-3.96	HORIZONTAL	QP
4	360.448	43.18	14.65	1.78	27.41	32.20	37.00	-4.80	HORIZONTAL	QP
5	517.248	41.20	18.40	1.91	28.50	33.01	37.00	-3.99	HORIZONTAL	QP
6	962.162	32.82	24.39	2.70	27.75	32.16	37.00	-4.84	HORIZONTAL	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Test Mode: 07; Polarity: Vertical



Site : SGS
Job :
Model :
Power :
Test Mode : Running

	Freq	Read Level	Antenna Factor	Cable Loss	Preamplifier Factor	Measured Level	Limit Line	Over Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	30.000	40.35	12.94	0.51	28.00	25.80	30.00	-4.20	VERTICAL	QP
2	59.441	40.40	13.45	0.78	27.93	26.70	30.00	-3.30	VERTICAL	QP
3	73.617	42.03	10.71	0.81	27.86	25.69	30.00	-4.31	VERTICAL	QP
4	107.134	42.51	10.12	0.86	27.79	25.70	30.00	-4.30	VERTICAL	QP
5	143.326	40.38	13.20	0.97	27.74	26.81	30.00	-3.19	VERTICAL	QP
6	207.850	42.50	9.99	1.25	27.43	26.31	30.00	-3.69	VERTICAL	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

6.3 Harmonic Current Emission

Test Requirement: EN IEC 61000-3-2: 2019 +A1:2021 +A2:2024

Test Method: EN IEC 61000-3-2: 2019 +A1:2021 +A2:2024

6.3.1 E.U.T. Operation

Operating Environment:

Temperature: 24.4 °C


Humidity: 51.2 % RH

Atmospheric Pressure: 1004 mbar

6.3.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	07	Test the EUT in motor running mode, at high speed.
Pre-scan	08	Test the EUT in motor running mode, at middle speed.
Pre-scan	09	Test the EUT in motor running mode, at low speed.

6.3.3 Test Setup Diagram



6.3.4 Measurement Procedure and Data

Frequency Range: 100Hz to 2kHz

Test Mode: 07

Standard Specific Results for IEC 61000-3-2 (Edition 5.1)

Standard Group:	Industry
Standard Name:	IEC 61000-3-2 (Edition 5.1)
	Limits for harmonic current emissions (equipment input current < 16 A per phase)
Device Under Test:	PASS
Power Source:	PASS
Connection Type:	L - N
Classification:	Class A
Appli. of Limits:	less than or equal to 150 % (Without POHC Enhancement)
Test Duration:	2 min 30 s

Check Harmonics 2..40			
<i>First detected harmonic order > 150 %</i>			
Line 1:	None		
<i>Harmonics orders > 150 %</i>			
Line 1:	None		
<i>Harmonics orders with average > 100 %</i>			
Line 1:	None		

Measured values			
<i>Fundamental Current</i>			
Line 1:	1.049 A		
<i>Active input Power</i>			
Line 1:	239.79 W *		
<i>Circuit power factor</i>			
Line 1:	0.598 *		

* Absolute value.

Prerequisite for simplified method			
<i>First time window with THD(I) > 15 %</i>			
Line 1:	None		
<i>Time window with max THD(I) > 15 %</i>			
Line 1:	None		
<i>Current emission below 60 % of the applicable limits</i>			
Line 1:	No		
<i>Active Input Power</i>			
Line 1:	239 W *		

* Absolute value.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Current Test Result

Average and Maximum harmonic current results									
Hn	Average				Maximum				Harmonic Result
	I _{eff} [A]	of Limit [%]	Limit [A]	Result	I _{eff} [A]	of Limit [%]	Limit [A]	Result	
1	0.957				1.048				
2	0.016	1.501	1.080	PASS	0.017	1.070	1.620	PASS	PASS
3	0.867	37.715	2.300	PASS	0.947	27.449	3.450	PASS	PASS
4	0.018	4.161	0.430	PASS	0.019	2.928	0.645	PASS	PASS
5	0.706	61.933	1.140	PASS	0.763	44.625	1.710	PASS	PASS
6	0.012	4.066	0.300	PASS	0.013	2.840	0.450	PASS	PASS
7	0.507	65.841	0.770	PASS	0.539	46.624	1.155	PASS	PASS
8	0.007	3.010	0.230	PASS	0.007	2.082	0.345	PASS	PASS
9	0.312	77.912	0.400	PASS	0.322	53.600	0.600	PASS	PASS
10	0.003	1.576	0.184	n/a	0.003	1.115	0.276	n/a	PASS
11	0.157	47.515	0.330	PASS	0.158	31.823	0.495	PASS	PASS
12	0.003	1.959	0.153	n/a	0.003	1.437	0.230	n/a	PASS
13	0.085	40.603	0.210	PASS	0.089	28.311	0.315	PASS	PASS
14	0.003	2.485	0.131	n/a	0.004	1.820	0.197	n/a	PASS
15	0.085	56.978	0.150	PASS	0.093	41.230	0.225	PASS	PASS
16	0.002	1.983	0.115	n/a	0.002	1.400	0.173	n/a	PASS
17	0.080	60.306	0.132	PASS	0.083	41.630	0.199	PASS	PASS
18	0.002	2.093	0.102	n/a	0.002	1.526	0.153	n/a	PASS
19	0.059	50.004	0.118	PASS	0.059	33.495	0.178	PASS	PASS
20	0.002	2.295	0.092	n/a	0.002	1.682	0.138	n/a	PASS
21	0.046	42.963	0.107	PASS	0.049	30.198	0.161	PASS	PASS
22	0.002	2.584	0.084	n/a	0.002	1.836	0.125	n/a	PASS
23	0.049	49.671	0.098	PASS	0.053	36.011	0.147	PASS	PASS
24	0.002	2.771	0.077	n/a	0.002	1.986	0.115	n/a	PASS
25	0.051	56.923	0.090	PASS	0.053	39.313	0.135	PASS	PASS
26	0.002	2.568	0.071	n/a	0.002	1.893	0.106	n/a	PASS
27	0.046	55.091	0.083	PASS	0.047	37.375	0.125	PASS	PASS
28	0.002	3.300	0.066	n/a	0.002	2.310	0.099	n/a	PASS
29	0.045	58.157	0.078	PASS	0.048	40.934	0.116	PASS	PASS
30	0.003	4.873	0.061	n/a	0.003	3.464	0.092	n/a	PASS
31	0.053	72.822	0.073	PASS	0.056	51.810	0.109	PASS	PASS
32	0.003	4.544	0.058	n/a	0.003	3.157	0.086	n/a	PASS
33	0.058	84.614	0.068	PASS	0.060	58.339	0.102	PASS	PASS
34	0.003	5.606	0.054	n/a	0.003	3.950	0.081	n/a	PASS
35	0.057	88.591	0.064	PASS	0.059	61.352	0.096	PASS	PASS
36	0.004	7.323	0.051	n/a	0.004	5.167	0.077	n/a	PASS
37	0.058	94.932	0.061	PASS	0.061	66.376	0.091	PASS	PASS
38	0.003	6.190	0.048	n/a	0.003	4.416	0.073	n/a	PASS
39	0.046	80.562	0.058	PASS	0.048	55.766	0.087	PASS	PASS
40	0.002	5.194	0.046	n/a	0.003	3.738	0.069	n/a	PASS

Note: Harmonic currents less than 0.6 % of the input current measured under the test conditions, or less than 5 mA, whichever is greater, are disregarded.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Qoccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com


Time Window 1

Time Domain of Time Window 1



Harmonics of Time Window 1 (Line 1)

Harmonics of Time Window 1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663


t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Maximum / Average Values

	Line 1
Maximum Values	
Frequency	50 Hz
Voltage RMS	229.4 V
Current RMS	1.753 A
Peak Current	5.119 A
Fundamental Current	1.055 A
Current Crest Factor	2.986
Active Power P	241.2 W
Power Factor	0.5979
Total Harmonic Current (THC)	1.398 A
Instantaneous Partial Odd Harmonic Current (Inst. POHC)	0.1698 A
Total Harmonic Distortion Current (THDC)	1.332
Average Values	
Total Harmonic Current (THC)	1.297 A
Instantaneous Partial Odd Harmonic Current (Inst. POHC)	0.1615 A
Total Harmonic Distortion Current (THDC)	1.236

Average Harmonics

Average Harmonics (Line 1)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

6.4 Voltage Fluctuations and Flicker

Test Requirement: EN 61000-3-3: 2013 +A1:2019 +A2:2021

Test Method: EN 61000-3-3: 2013 +A1:2019 +A2:2021

6.4.1 E.U.T. Operation

Operating Environment:

Temperature: 24.0 °C


Humidity: 59.3 % RH

Atmospheric Pressure: 1004 mbar

6.4.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	07	Test the EUT in motor running mode, at high speed.
Pre-scan	08	Test the EUT in motor running mode, at middle speed.
Pre-scan	09	Test the EUT in motor running mode, at low speed.

6.4.3 Test Setup Diagram



6.4.4 Measurement Procedure and Data

Test Mode: 07

Flicker Results

Standard Specific Results for IEC 61000-3-3 (Edition 3.2)

Standard Group: Industry

Standard Name: IEC 61000-3-3 (Edition 3.2)

Limitation of voltage changes, voltage fluctuations and flicker

in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection

Test Condition: General Test Conditions

Analysis Status: PASS

Flicker Measurements Settings

Main Line:	230V, 50Hz
Flicker Meter:	230V / 50Hz
Flicker Impedance:	Zref
Observation Time:	1 × 10 min
Measurements:	1

Flicker Measurements

	P _{It}	Max P _{st}	Max d _c	Max d _{max}	Max T _{max}
Line 1:	0.068	0.155	0.267	0.456	0
Limits:	0.65	1	3.3	4	0.5
Results:	PASS	PASS	PASS	PASS	PASS

Flicker Individual Measurements

Measurement	P _{st} [%]			d _c [%]			d _{max} [%]			T _{max} [s]		
	Value	Limit	Result	Value	Limit	Result	Value	Limit	Result	Value	Limit	Result
#1	0.16	1.00	PASS	0.27	3.30	PASS	0.46	4.00	PASS	0.00	0.50	PASS




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


Pst Data

Short-term Flicker Severity (Pst)



Measure Index

Long-term Flicker Severity (Plt)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

7 Immunity Test Results

Performance Criteria Description in EN IEC 55014-2:2021

- Criterion A:** The apparatus shall continue to operate as intended during the test. No degradation of performance or loss of function is allowed below a performance level (or permissible loss of performance) specified by the manufacturer, when the apparatus is used as intended. If the minimum performance level or the permissible performance loss is not specified by the manufacturer, then either of these may be derived from the product description and documentation, and from what the user may reasonably expect from the apparatus if used as intended.
- Criterion B:** The apparatus shall continue to operate as intended after the test. No degradation of performance or loss of function is allowed below a performance level (or permissible loss of performance) specified by the manufacturer, when the apparatus is used as intended. During the test, degradation of performance is allowed, however. No change of actual operating state or stored data is allowed. If the minimum performance level or the permissible performance loss is not specified by the manufacturer, then either of these may be derived from the product description and documentation and from what the user may reasonably expect from the apparatus if used as intended.
- Criterion C:** Temporary loss of function is allowed, provided the function is self recoverable or can be restored by the operation of the controls, or by any operation specified in the instructions for use.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch EMC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663


t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

7.1 Electrostatic Discharge

Test Requirement: EN IEC 55014-2: 2021

Test Method: EN 61000-4-2: 2009

7.1.1 Test Setup Diagram



7.1.2 E.U.T. Operation

Operating Environment:

Temperature: 24.0 °C

Humidity: 59.4 % RH

Atmospheric Pressure: 1004 mbar

7.1.3 Test Mode Description

Pre-scan / Mode	Description
Final test Code	
Final test 07	Test the EUT in motor running mode, at high speed.
Final test 08	Test the EUT in motor running mode, at middle speed.
Final test 09	Test the EUT in motor running mode, at low speed.
Final test 10	Test the EUT in idle mode.

7.1.4 Test Condition and Results

Performance Criterion: B

Discharge Impedance: 330 Ω / 150 pF

Discharge Voltage: Air Discharge: 8 kV; Contact Discharge: 4 kV; VCP/HCP: 4 kV.

Polarity: Positive & Negative

Number of Discharge: Minimum 10 times at each test point

Discharge Mode: Single Discharge

Discharge Period: 1 second minimum

Test Point 1: All insulated enclosure & seams.

Test Point 2: All accessible metal parts of the enclosure.

Test Point 3: All sides.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Discharge type	Level (kV)	Polarity	Test Point	Result / Observations
Air Discharge	8	+	1	A
Air Discharge	8	-	1	A
Contact Discharge	4	+	2	A
Contact Discharge	4	-	2	A
Horizontal Coupling	4	+	3	N/A
Horizontal Coupling	4	-	3	N/A
Vertical Coupling	4	+	3	A
Vertical Coupling	4	-	3	A

A: No degradation in the performance of the EUT was observed
N/A: Not applicable.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663


t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

7.2 Electrical Fast Transients Burst at AC Mains Power Port

Test Requirement: EN IEC 55014-2: 2021

Test Method: EN 61000-4-4: 2012

7.2.1 Test Setup Diagram



7.2.2 E.U.T. Operation

Operating Environment:

Temperature: 21.0 °C

Humidity: 54.0 % RH

Atmospheric Pressure: 1004 mbar

7.2.3 Test Mode Description

Pre-scan / Mode	Code	Description
Final test	07	Test the EUT in motor running mode, at high speed.
Final test	08	Test the EUT in motor running mode, at middle speed.
Final test	09	Test the EUT in motor running mode, at low speed.
Final test	10	Test the EUT in idle mode.

7.2.4 Test Condition and Results

Performance Criterion: B

Repetition Frequency: 5kHz

Burst Period: 300ms

Test Duration: 2 minute per level & polarity

Test Level: 1.0kV

Polarity: Positive & Negative

Port	Level (kV)	Polarity	Repetition Frequency:	CDN/Clamp	Result / Observations
AC power port	1	+	5kHz	CDN	A
AC power port	1	-	5kHz	CDN	A

A: No degradation in the performance of the EUT was observed



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch EMC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663


t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

7.3 Surge at AC Mains Power Port

Test Requirement: EN IEC 55014-2: 2021

Test Method: EN 61000-4-5: 2014 +A1:2017

7.3.1 Test Setup Diagram



7.3.2 E.U.T. Operation

Operating Environment:

Temperature: 21.0 °C

Humidity: 54.1 % RH

Atmospheric Pressure: 1004 mbar

7.3.3 Test Mode Description

Pre-scan / Mode	Description
Final test Code	
Final test 07	Test the EUT in motor running mode, at high speed.
Final test 08	Test the EUT in motor running mode, at middle speed.
Final test 09	Test the EUT in motor running mode, at low speed.
Final test 10	Test the EUT in idle mode.

7.3.4 Test Condition and Results

Performance Criterion: B

Interval: 60s between each surge

Test Level: ±1kV Live to Neutral; ±2kV Live, Neutral to Earth

Polarity: Positive & Negative

Generator source impedance: 2Ω

CDN coupling impedance(Line-to-ground):10Ω

Trigger Mode: Internal

No. of surges: 5 positive at 90°, 5 negative at 270°.

Test Line	Level (kV)	Polarity	Phase (deg)	Result / Observations
L-N	1	+	90°	A
L-N	1	-	270°	A
L-PE	2	+	90°	A
L-PE	2	-	270°	A
N-PE	2	+	90°	A
N-PE	2	-	270°	A

A: No degradation in the performance of the EUT was observed



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch, EMC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号


t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

7.5 Voltage Dips and Interruptions

Test Requirement: EN IEC 55014-2: 2021

Test Method: EN IEC 61000-4-11: 2020

7.5.1 Test Setup Diagram



7.5.2 E.U.T. Operation

Operating Environment:

Temperature: 21.0 °C

Humidity: 54.0 % RH

Atmospheric Pressure: 1004 mbar

7.5.3 Test Mode Description

Pre-scan / Mode	Description
Final test Code	
Final test 07	Test the EUT in motor running mode, at high speed.
Final test 08	Test the EUT in motor running mode, at middle speed.
Final test 09	Test the EUT in motor running mode, at low speed.
Final test 10	Test the EUT in idle mode.

7.5.4 Test Condition and Results

Performance Criterion:

For 50Hz: 0% of UT (Rated Voltage) for 0.5 Cycle: C; 40% of UT for 10 Cycles: C; 70% of UT for 25 Cycles: C.

For 60Hz: 0% of UT (Rated Voltage) for 0.5 Cycle: C; 40% of UT for 12 Cycles: C; 70% of UT for 30 Cycles: C.

No. of Dips / Interruptions: 3 per Level

Time between dropout: 10s



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Qoccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch: EMC/IEC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Level % UT	Phase (deg)	Duration	No. of Dips / Interruptions	Result / Observations
0	0°	0.5 Cycle for 50Hz	3	A
0	180°	0.5 Cycle for 50Hz	3	A
40	0°	10 Cycles for 50Hz	3	A
40	180°	10 Cycles for 50Hz	3	A
70	0°	25 Cycles for 50Hz	3	A
70	180°	25 Cycles for 50Hz	3	A
0	0°	0.5 Cycle for 60Hz	3	A
0	180°	0.5 Cycle for 60Hz	3	A
40	0°	12 Cycles for 60Hz	3	A
40	180°	12 Cycles for 60Hz	3	A
70	0°	30 Cycles for 60Hz	3	A
70	180°	30 Cycles for 60Hz	3	A

A: No degradation in the performance of the EUT was observed



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号


t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

8 Test Setup Photo

Conducted Emissions at AC Mains Power Port (150kHz-30MHz)



Radiated Emissions (30MHz-1GHz)



Harmonic Current Emission



Voltage Fluctuations and Flicker



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Electrostatic Discharge



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Electrical Fast Transients Burst at AC Mains Power Port



Surge at AC Mains Power Port



Conducted Immunity at AC Mains Power Port (150kHz-230MHz)



Voltage Dips and Interruptions



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch EMC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

9 EUT Constructional Details (EUT Photos)

Refer to Appendix_Photographs of EUT Constructional Details for GZCR2601000153HS

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

EMC-TRF-01 Rev 2.0

Report No.: GZCR250500072908

Page: 1 of 41

TEST REPORT

Application No.: GZCR2601000153HS
Applicant: Jiangxi EQi Industrial Co., Ltd
Address of Applicant: Luliang Avenue, Yining Town, Xiushui, Jiujiang, Jiangxi, China
Manufacturer: Jiangxi EQi Industrial Co., Ltd
Address of Manufacturer: Luliang Avenue, Yining Town, Xiushui, Jiujiang, Jiangxi, China
Factory: Jiangxi EQi Industrial Co., Ltd
Address of Factory: Luliang Avenue, Yining Town, Xiushui, Jiujiang, Jiangxi, China
Product Name: Household electric treadmill
Model No.: P12, T3803D, WFTM015(T3823), T5009, T5006, SP38240/T3837, SP38242/T3807, A4003D, T3899, CS-WP3, TM037 ♣
♣ Please refer to section 2 of this report which indicates which item was actually tested and which were electrically identical.
Standard(s) : EN 301 489-1 V2.2.3
EN 301 489-3 V2.3.2
EN 301 489-17 V3.3.1
EN 61000-3-3: 2013 +A1:2019 +A2:2021
EN IEC 61000-3-2: 2019 +A1:2021 +A2:2024
Date of Receipt: 2025-05-21
Date of Test: 2025-05-29 to 2025-06-04
Date of Issue: 2026-01-28

Test Result:	Pass*
---------------------	--------------

* In the configuration tested, the EUT complied with the standards specified above.

Remark: "EN IEC 61000-3-2: 2019+A1:2021 +A2:2024" is not under GZ EMC NVLAP scope.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Revision Record			
Version	Report No.	Date	Remark
01	GZCR250500072902	2025-08-04	Original
02	GZCR250500072908	2026-01-28	Amendment report: Updated Model No., added appearance photos and NVLAP logo.

Authorized for issue by:			
			
		Damon Guan/Project Engineer	
Approved By			
		Vico Cui/Reviewer	

2 Test Summary

Emission Part				
Item	Standard	Method	Requirement	Result
Conducted Emissions at AC Power Port	EN 301 489-1 V2.2.3	EN 55032: 2015+A11:2020+A1:2020	Class B	Pass
Radiated Emissions (30MHz-1GHz)	EN 301 489-3 V2.3.2 EN 301 489-17 V3.3.1	EN 55032: 2015+A11:2020+A1:2020	Class B	N/A
Harmonic Current Emission	EN IEC 61000-3-2: 2019 +A1:2021 +A2:2024	EN IEC 61000-3-2: 2019 +A1:2021 +A2:2024	Class A	Pass
Voltage Fluctuations and Flicker	EN 61000-3-3: 2013 +A1:2019 +A2:2021	EN 61000-3-3: 2013 +A1:2019 +A2:2021	Clause 5	Pass

Remark: "EN IEC 61000-3-2: 2019+A1:2021 +A2:2024" is not under GZ EMC NVLAP scope.

N/A: Not applicable

Immunity Part				
Item	Standard	Method	Requirement	Result
Electrostatic Discharge	EN 301 489-1 V2.2.3 EN 301 489-3 V2.3.2 EN 301 489-17 V3.3.1	EN 61000-4-2:2009	±4kV Contact Discharge; ±8kV Air Discharge	Pass
Radiated Immunity		EN IEC 61000-4-3:2020	3V/m, 80%, 1kHz Amp. Mod.	Pass
Electrical Fast Transients Burst at AC Mains Power Port		EN 61000-4-4:2012	1kV; 5/50ns Tr/Td; 5kHz Repetition Frequency	Pass
Surge at AC Mains Power Port		EN 61000-4-5:2014 +A1:2017	1.2/50µs Tr/Td; 1kV Line to Line; 2kV Line to Ground	Pass
Conducted Immunity at AC Mains Power Port		EN 61000-4-6:2014	3Vrms (emf), 80%, 1kHz Amp. Mod.	Pass
Voltage Dips and Interruptions		EN IEC 61000-4-11:2020	0 % UT for 0.5per; 0 % UT for 1per; 0 % UT for 250per; 70 % UT for 25per; UT is Supply Voltage	Pass

Note:

E.U.T./EUT means Equipment Under Test.

Pass means the test result passed the test standard requirement, please find the detailed decision rule in the report relative section.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgsgroup.com.cn
Guangzhou Branch Inspection & Testing Services 中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com

Remark for the report GZCR250500072902:

♣ Declaration of EUT Family Grouping:

Model No.: P12, T3803D, WFTM015(T3823), WFTM020(T4254C), T5009, T5006, SP38240, T3837, SP38242, T3807, A4003D

According to the declaration from the applicant, the electrical circuit design, layout, components used and internal wiring were identical for all models, only different on the appearance decoration, appearance color and model name.

Therefore, only one model **P12** was tested in this report.

Remark for the report GZCR250500072908:

This report GZCR250500072908 is based on original report GZCR250500072902, with the following changes:

1. Updated Model No.: P12, T3803D, WFTM015(T3823), T5009, T5006, SP38240/T3837, SP38242/T3807, A4003D, T3899, CS-WP3, TM037.

According to the declaration from the applicant, the models in this report and model **P12** in original report are totally same, only being different in the model name, appearance and color.

2. Added NVLAP logo.

3. Appearance photos.

No further testing is needed for above differences, test data in **GZCR250500072902** was kept in this report **GZCR250500072908**.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3 Contents

	Page
1 Cover Page	1
2 Test Summary	3
3 Contents	5
4 General Information	7
4.1 Details of E.U.T.	7
4.2 Description of Support Units	7
4.3 Measurement Uncertainty	7
4.4 Test Location	7
4.5 Test Facility	8
4.6 Deviation from Standards	8
4.7 Abnormalities from Standard Conditions	8
4.8 EMS Monitor	8
5 Equipment List	9
6 Emission Test Results	12
6.1 Conducted Emissions at AC Power Port	12
6.1.1 E.U.T. Operation	12
6.1.2 Test Mode Description	12
6.1.3 Test Setup Diagram	12
6.1.4 Measurement Procedure and Data	12
6.2 Radiated Emissions (30MHz-1GHz)	15
6.2.1 Conclusion	15
6.3 Harmonic Current Emission	16
6.3.1 Conclusion	16
6.4 Voltage Fluctuations and Flicker	17
6.4.1 E.U.T. Operation	17
6.4.2 Test Mode Description	17
6.4.3 Test Setup Diagram	17
6.4.4 Measurement Procedure and Data	17
7 Immunity Test Results	20
7.1 Electrostatic Discharge	23
7.1.1 Test Setup Diagram	23
7.1.2 E.U.T. Operation	23
7.1.3 Test Mode Description	23
7.1.4 Test Condition and Results	23
7.2 Radiated Immunity	25
7.2.1 Test Setup Diagram	25
7.2.2 E.U.T. Operation	25
7.2.3 Test Mode Description	25
7.2.4 Test Condition and Results	25
7.3 Electrical Fast Transients Burst at AC Mains Power Port	27
7.3.1 Test Setup Diagram	27



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

7.3.2	E.U.T. Operation	27
7.3.3	Test Mode Description	27
7.3.4	Test Condition and Results	27
7.4	Surge at AC Mains Power Port	28
7.4.1	Test Setup Diagram	28
7.4.2	E.U.T. Operation	28
7.4.3	Test Mode Description	28
7.4.4	Test Condition and Results	28
7.5	Conducted Immunity at AC Mains Power Port	30
7.5.1	Test Setup Diagram	30
7.5.2	E.U.T. Operation	30
7.5.3	Test Mode Description	30
7.5.4	Test Condition and Results	30
7.6	Voltage Dips and Interruptions	31
7.6.1	Test Setup Diagram	31
7.6.2	E.U.T. Operation	31
7.6.3	Test Mode Description	31
7.6.4	Test Condition and Results	31
8	Test Setup Photo	33
9	EUT Constructional Details (EUT Photos)	41



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

4 General Information

4.1 Details of E.U.T.

Power supply:	AC 220V-240V 50/60Hz for main unit (433.92 MHz and BT/BLE) DC 3.0V with CR2032 button cell for remote controller.
Cable(s):	About 0.8m x 3 wires unscreened AC mains cable.
Test Voltage:	AC 230 V, 50 Hz
Internal Source:	< 108 MHz other RF modules
RF character	Please refer to the report GZCR250500072903, GZCR250500072904 and GZCR250500072905 issued by SGS.

Remark: The information in this section is provided by the applicant or manufacturer, SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

4.2 Description of Support Units

Description	Manufacturer	Model No.	Serial No.
Mobile Phone	APPLE	iPhone 12 mini	F71DP3NG0GQY

4.3 Measurement Uncertainty

Test Item	Measurement Uncertainty
Conducted Emissions at AC Power Port	3.30dB (9kHz to 150kHz); 3.22dB (150kHz to 30MHz)
Remark: The U_{lab} (lab Uncertainty) is less than U_{cisp} (CISPR Uncertainty) or U_{ETSI} (ETSI Uncertainty). Emission decision rule: – Compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit, marked as Pass in the report. – Non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit, marked as Fail in the report.	

4.4 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Guangzhou Branch EMC Laboratory,
No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou,
Guangdong, China 510663

Tel: +86 20 82155555

No tests were sub-contracted.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch EMC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

4.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

● ACMA

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory can also perform testing for the Australian/New Zealand Regulatory Compliance Mark (RCM).

● SGS UK(Certificate No.: 32), SGS-TUV SAARLAND and SGS-FIMKO

Have approved SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory as a supplier of EMC TESTING SERVICES and SAFETY TESTING SERVICES.

● FCC Recognized Accredited Test Firm(Registration No.: 486818)

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory has been accredited and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Designation Number: CN5016, Test Firm Registration Number: 486818.

● ISED (Registration No.: 4620B, CAB identifier: CN0052)

SGS-CSTC Standards Technical Services Co., Ltd., has been registered by Innovation Science and Economic Development Canada for Wireless Device Testing laboratories to test to Canadian radio equipment requirements. Registration No. 4620B, CAB identifier: CN0052.

● VCCI (Registration No.: R-12460, C-12584, G-20107 and T-11179)

The 10m Semi-anechoic chamber, 966 Anechoic Chamber and Shielded Room of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-12460, C-12584, G-20107 and T-11179 respectively.

● CBTL (Lab Code: TL129)

SGS-CSTC Standards Technical Services Co., Ltd., E&E Laboratory has been assessed and fully comply with the requirements of ISO/IEC 17025:2017, the Basic Rules, IECEE 01 and Rules of procedure IECEE 02, and the relevant IECEE CB-Scheme Operational documents.

4.6 Deviation from Standards

None

4.7 Abnormalities from Standard Conditions

None

4.8 EMS Monitor

Visual: Motor running and LED displaying of the EUT.

Other: Monitor the spectrum analyzer of any unintentional response.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch EMC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

5 Equipment List

Conducted Emissions at AC Power Port					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Coaxial Cable	HangTianXing	2m	EMC0107	2023-08-24	2025-08-23
Shielding Room	ChangZhou ZhongYu	8m x 3m x 3.8m	EMC0306	2022-10-16	2025-10-15
Two-Line V-Network-GZ	Rohde & Schwarz	ENV216	EMC2135	2024-09-02	2025-09-01
EMI Test Receiver (9kHz-3.6GHz)	Rohde & Schwarz	ESR3	EMC2221	2024-12-04	2025-12-03
Test Software E3r	Audix	Ver.6.191211	GZE100-77	N/A	N/A
Artificial Mains Network (LISN)	AFJ Instruments	LT32C	EMC2046	2024-10-14	2025-10-13

Voltage Fluctuations and Flicker					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Digital power analyzer for harmonics & flicker testing	EMTEST	DPA 500N	EMC2235	2024-12-04	2025-12-03
Programmable multifunctional ac/dc power source	EMTEST	NETWAVE 7-400	EMC2234	2024-12-04	2025-12-03
NET.Control	EMTEST	Ver 3.2.3	GZE100-80	N/A	N/A

Electrostatic Discharge					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Temperature & Humidity	Shanghai Meteorological Instrument Factory Co., Ltd.	ZJ1-2B	EMC0078	2025-06-03	2026-06-02
ESD Ground Plane	SGS-EMC	3m x 3m	EMC0804	N/A	N/A
Aneroid Barometer	Shanghai Meteorological Instrument Factory Co., Ltd.	YM3	EMC2181	2024-10-31	2025-10-30
ESD Simulator-E	EMTEST	NX30	EMC2186	2024-12-30	2025-12-29



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Radiated Immunity					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
743 Compact 3m Semi-Anechoic Chamber	ChangZhou ZhongYu	N/A	EMC0525	2022-10-16	2025-10-15
Oscilloscope	Tektronix	TDS3052C	EMC2055	2024-10-14	2025-10-13
Laser Probe Interface	RF Microwave Instrumentation	FI7000	EMC2089	N/A	N/A
Open Switch And Control Unit	Rohde & Schwarz	OSP130	EMC2090	N/A	N/A
Broadband Amplifier (80MHz~1GHz/250W)	Rohde & Schwarz	BBA150	EMC2091	2024-10-14	2025-10-13
Broadband Amplifier (800MHz~3GHz/110W)	Rohde & Schwarz	BBA150	EMC2092	2024-10-14	2025-10-13
Signal Generator (9kHz-6GHz)	Rohde & Schwarz	SMB100A	EMC2093	2024-10-14	2025-10-13
Laser Probe	RF Microwave Instrumentation	FL7006	EMC2094	2025-04-23	2026-04-22
NRP-Z91 Power Sensor (9kHz-6GHz)	Rohde & Schwarz	NPR-Z91	EMC2095	2024-10-14	2025-10-13
NRP-Z91 Power Sensor (9kHz-6GHz)	Rohde & Schwarz	NPR-Z91	EMC2096	2024-10-14	2025-10-13
High-Gain Log-preiodic Antenna	Rohde & Schwarz	HL046E	EMC2097	2025-02-14	2028-02-13
RI Cable	Rohde & Schwarz	7m	EMC2098	2025-05-13	2026-05-12
Broadband Amplifier (2.5~6GHz/30W)	Rohde & Schwarz	BBA150	EMC2105	2024-10-14	2025-10-13
Test Software EMC32	Rohde & Schwarz	Ver. 10.60.10	GZE100-63	N/A	N/A
Stacked Logarithmic-Periodic Broadband Antenna (0.7~9GHz)/300W	Schwarzbeck	STLP 9149	SEM003-21	2024-09-18	2027-09-17

Electrical Fast Transients Burst at AC Mains Power Port					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Oscilloscope	Tektronix	TDS3052C	EMC2055	2024-10-14	2025-10-13
EMC Immunity Test System	TESEQ AG	NSG 3060&CDN306 1&INA 6502 CIB	EMC2072	2024-12-03	2025-12-02
Test Software WIN 3000	TESEQ AG	Ver 1.3.2	GZE100-68	N/A	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Surge at AC Mains Power Port					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Oscilloscope	Tektronix	TDS3052C	EMC2055	2024-10-14	2025-10-13
EMC Immunity Test System	TESEQ AG	NSG 3060&CDN3061&INA 6502 CIB	EMC2072	2024-12-03	2025-12-02
Test Software WIN 3000	TESEQ AG	Ver 1.3.2	GZE100-68	N/A	N/A

Conducted Immunity at AC Mains Power Port					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Dual Directional coupler	Werlatone Inc.	C1795	EMC1105	2024-12-04	2025-12-03
CDN M2/M3	Elektronik-Feinmechanik	L-801:M2/M3	EMC2048	2024-12-04	2025-12-03
Test System for Conducted and Radiated Immunity	TESEQ AG	NSG 4070B-80	EMC2115	2024-10-14	2025-10-13
Test Software NSG4070_Ctrl1	TESEQ AG	Ver.1.3.0.1	GZE100-72	N/A	N/A
6dB Attenuator	Shanghai Huaxiang	WDTS150-6-2.5-B	EMC2116	2024-12-04	2026-12-03

Voltage Dips and Interruptions					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Oscilloscope	Tektronix	TDS3052C	EMC2055	2024-10-14	2025-10-13
EMC Immunity Test System	TESEQ AG	NSG 3060&CDN3061&INA 6502 CIB	EMC2072	2024-12-03	2025-12-02
Test Software WIN 3000	TESEQ AG	Ver 1.3.2	GZE100-68	N/A	N/A

General used equipment					
Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date
DMM	Fluke	73	EMC0006	2025-06-03	2026-06-02



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Qoccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch, EMC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

6 Emission Test Results

6.1 Conducted Emissions at AC Power Port

Test Requirement:	EN 301 489-1 V2.2.3 EN 301 489-3 V2.3.2 EN 301 489-17 V3.3.1
Test Method:	EN 55032: 2015+A11:2020+A1:2020
Limit:	
0.15MHz-0.5MHz	66dB(μV)-56dB(μV) quasi-peak, 56dB(μV)-46dB(μV) average
0.5MHz-5MHz	56dB(μV) quasi-peak, 46dB(μV) average
5MHz-30MHz	60dB(μV) quasi-peak, 50dB(μV) average
Detector:	Peak for pre-scan (9kHz resolution bandwidth) 0.15M to 30MHz


6.1.1 E.U.T. Operation

Operating Environment:	
Temperature:	23.7 °C
Humidity:	56.3 % RH
Atmospheric Pressure:	1008 mbar

6.1.2 Test Mode Description

Pre-scan / Mode	Description
Final test Code	
Final test 11	Operation(433.92MHz): Keep the EUT pairing with another devices.
Pre-scan 12	Operation(BT):Keep the EUT communicating with other Bluetooth devices.

6.1.3 Test Setup Diagram



6.1.4 Measurement Procedure and Data

An initial pre-scan was performed with peak detector. Quasi-Peak or Average measurement were performed at the frequencies with maximized peak emission were detected.

Remark: Level= Read Level+ Cable Loss+ LISN Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Qoccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch, EMC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Test Mode: 11; Line: Live line



Pol : LINE
Mode :
Model :
Power :

	Frequency MHz	Read Level dBuV	Cable Loss dB	LISN Factor dB	Measured Level dBuV	Limit Line dBuV	Over Limit dB	Remark
1	0.190	31.15	0.04	9.55	40.74	54.02	-13.28	Average
2	0.190	41.45	0.04	9.55	51.04	64.02	-12.98	QP
3	0.332	23.90	0.04	9.57	33.51	49.40	-15.89	Average
4	0.332	37.58	0.04	9.57	47.19	59.40	-12.21	QP
5	0.552	28.85	0.05	9.56	38.46	46.00	-7.54	Average
6	0.552	42.02	0.05	9.56	51.63	56.00	-4.37	QP
7	0.592	29.04	0.05	9.54	38.63	46.00	-7.37	Average
8	0.592	42.05	0.05	9.54	51.64	56.00	-4.36	QP
9	1.296	22.90	0.09	9.56	32.55	46.00	-13.45	Average
10	1.296	33.47	0.09	9.56	43.12	56.00	-12.88	QP
11	3.107	23.85	0.16	9.56	33.57	46.00	-12.43	Average
12	3.107	33.60	0.16	9.56	43.32	56.00	-12.68	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgs.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Test Mode: 11; Line: Neutral Line



Pol : NEUTRAL
Mode :
Model :
Power :

	Frequency MHz	Read Level dBuV	Cable Loss dB	LISN Factor dB	Measured Level dBuV	Limit Line dBuV	Over Limit dB	Remark
1	0.188	30.92	0.04	9.55	40.51	54.11	-13.60	Average
2	0.188	37.91	0.04	9.55	47.50	64.11	-16.61	QP
3	0.363	30.50	0.05	9.52	40.07	48.65	-8.58	Average
4	0.363	39.63	0.05	9.52	49.20	58.65	-9.45	QP
5	0.552	27.53	0.05	9.57	37.15	46.00	-8.85	Average
6	0.552	40.89	0.05	9.57	50.51	56.00	-5.49	QP
7	0.644	30.23	0.06	9.56	39.85	46.00	-6.15	Average
8	0.644	43.35	0.06	9.56	52.97	56.00	-3.03	QP
9	1.049	23.06	0.07	9.56	32.69	46.00	-13.31	Average
10	1.049	33.65	0.07	9.56	43.28	56.00	-12.72	QP
11	1.949	20.43	0.12	9.52	30.07	46.00	-15.93	Average
12	1.949	33.78	0.12	9.52	43.42	56.00	-12.58	QP

6.2 Radiated Emissions (30MHz-1GHz)

Test Requirement: EN 301 489-1 V2.2.3
EN 301 489-3 V2.3.2
EN 301 489-17 V3.3.1

Test Method: EN 55032: 2015+A11:2020+A1:2020

6.2.1 Conclusion

N/A, since there is not any ancillary equipment connected to the radio equipment. The Radiated Emission test is only applicable to ancillary equipment not incorporated in the radio equipment and intended to be measured on a stand-alone basis, as declared by the manufacturer.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

6.3 Harmonic Current Emission

Test Requirement: EN IEC 61000-3-2: 2019 +A1:2021 +A2:2024

Test Method: EN IEC 61000-3-2: 2019 +A1:2021 +A2:2024

6.3.1 Conclusion

Remark:

Since the EUT was belong to exception of clause 7 and Annex B, according to EN IEC 61000-3-2 figure 1, it was deemed to conform to the requirements of this standard without further testing.

7 Harmonic current limits

The procedure for applying the limits and assessing the results is shown in Figure 1.

For the following categories of equipment, limits are not specified in this standard:

NOTE 1 Limits may be defined in a future amendment or revision of the standard.

- lighting equipment with a rated power less than but not equal to 5 W;
- equipment with a rated power of 75 W or less, other than lighting equipment;

NOTE 2 This value may be reduced from 75 W to 50 W in the future, subject to approval by National Committees at that time.

- professional equipment with a total rated power greater than 1 kW;
- symmetrically controlled heating elements with a rated power less than or equal to 200 W;
- independent phase control dimmers
 - with a rated power less than or equal to 1 kW when operating incandescent lamps;
 - with a rated power less than or equal to 200 W for trailing edge dimmers, and universal phase control dimmers with the default mode set to trailing edge, when operating lighting equipment other than incandescent lamps;
 - with a rated power less than or equal to 100 W for leading edge dimmers, and universal phase control dimmers without default mode set to trailing edge, when operating lighting equipment other than incandescent lamps.

and

Kitchen machines as listed in the scope of IEC 60335-2-14 are deemed to conform to the harmonic current limits of this standard without further testing.

Please read clause 7 & Annex B of this standard for reference.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Qoccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

6.4 Voltage Fluctuations and Flicker

Test Requirement: EN 61000-3-3: 2013 +A1:2019 +A2:2021

Test Method: EN 61000-3-3: 2013 +A1:2019 +A2:2021

6.4.1 E.U.T. Operation

Operating Environment:

Temperature: 24.0 °C


Humidity: 59.3 % RH

Atmospheric Pressure: 1004 mbar

6.4.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Pre-scan	11	Operation(433.92MHz):Keep the EUT pairing with another devices.
Final test	12	Operation(BT):Keep the EUT communicating with other Bluetooth devices.

6.4.3 Test Setup Diagram



6.4.4 Measurement Procedure and Data

Test Mode: 12

Flicker Results

Standard Specific Results for IEC 61000-3-3 (Edition 3)

Standard Group: Industry

Standard Name: IEC 61000-3-3 (Edition 3)

Limitation of voltage changes, voltage fluctuations and flicker
in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase
and not subject to conditional connection

Test Condition: General Test Conditions

Analysis Status: **PASS**

Flicker Measurements Settings	
Main Line:	230V, 50Hz
Flicker Meter:	230V / 50Hz
Flicker Impedance:	Zref
Observation Time:	1 × 10 min
Measurements:	1

Flicker Measurements					
	P _{It}	Max P _{st}	Max d _c	Max d _{max}	Max T _{max}
Line 1:	0.048	0.107	0	< 0.2	0
Limits:	0.65	1	3.3	4	0.5
Results:	PASS	PASS	PASS	PASS	PASS

Flicker Individual Measurements												
Measurement	P _{st} [%]			d _c [%]			d _{max} [%]			T _{max} [s]		
	Value	Limit	Result	Value	Limit	Result	Value	Limit	Result	Value	Limit	Result
#1	0.11	1.00	PASS	0.00	3.30	PASS	< 0.2	4.00	PASS	0.00	0.50	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch, EMC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Pst Data

Short-term Flicker Severity (Pst) (Line 1)



7 Immunity Test Results

Performance Criteria Description in EN 301 489-1 V2.2.3

Performance criteria for continuous phenomena	During the test, the equipment shall: • continue to operate as intended; • not unintentionally transmit; • not unintentionally change its operating state; • not unintentionally change critical stored data.
Performance criteria for transient phenomena	For all ports and transient phenomena with the exception described below, the following applies: • The application of the transient phenomena shall not result in a change of the mode of operation (e.g. unintended transmission) or the loss of critical stored data. • After application of the transient phenomena, the equipment shall operate as intended. For surges applied to symmetrically operated wired network ports intended to be connected directly to outdoor lines the following criteria applies: • For products with only one symmetrical port intended for connection to outdoor lines, loss of function is allowed, provided the function is self-recoverable, or can be otherwise restored. Information stored in non-volatile memory, or protected by a battery backup, shall not be lost. • For products with more than one symmetrical port intended for connection to outdoor lines, loss of function on the port under test is allowed, provided the function is self-recoverable. Information stored in non-volatile memory, or protected by a battery backup, shall not be lost.

Performance Criteria Description in EN 301 489-3 V2.3.2

Performance Criteria	
Introduction	The performance criteria are used to make an assessment whether a radio equipment passes or fails immunity tests. Only the performance criteria specified in the present document or in ETSI EN 301 489-1 [1] where referenced shall apply. The provisions of ETSI EN 301 489-1 [1], clause 6, shall apply together with the following.
Continuous and non-continuous operation	Latency is the time delay between the initiation and the completion of operation of the EUT. Correct functioning requires completing the relevant operation within the maximum latency time. Where the maximum latency is specified in the applicable harmonised radio standard (in the wanted performance criterion, or an acknowledge requirement), that value shall be used. Where this is not the case, then the maximum latency is that required by the intended use of the EUT.
Operating modes	Where the EUT has more than one mode of operation (see clause 4.4.1), an unplanned transition from one mode to another is considered as an unintentional response. The EUT shall be tested in all modes to confirm there are no such unintentional responses.

Special conditions for EMC immunity tests

Reference to clauses in ETSI EN 301 489-1	Special product-related conditions, additional to or modifying the test conditions in ETSI EN 301 489-1, clause 9
Test method; Radio frequency electromagnetic field	Where the EUT is subject to EMC Immunity testing under a Harmonised Standard of a Directive other than the Directive 2014/53/EU [i.2] then the modulating signal frequency specified in that Harmonised Standard may be used. If this alternative modulating frequency is used, then the applicable Directive, Harmonised Standard & modulating frequency shall be noted in the test report.
Fast transients common mode	The requirements of ETSI EN 301 489-1 [1], clauses 9.4.1 and 9.4.2 shall be applied with the exception of clause 7.4 of EN 61000-4-4 [4].
Test method; Radio frequency, common mode	Where the EUT is subject to EMC Immunity testing under a Harmonised Standard of a Directive other than the Directive 2014/53/EU [i.2] then the modulating signal frequency specified in that Harmonised Standard may be used. If this alternative modulating frequency is used, then the applicable Directive, Harmonised Standard & modulating frequency shall be noted in the test report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Qoccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Performance Criteria Description in EN 301 489-17 V3.3.1

Criteria	During Test	After Test (i.e. as a result of the application of the test)
A	Shall operate as intended. (see note). Shall be no loss of function. Shall be no unintentional transmissions.	Shall operate as intended. Shall be no degradation of performance. Shall be no loss of function. Shall be no loss of critical stored data.
B	May be loss of function.	Functions shall be self-recoverable. Shall operate as intended after recovering. Shall be no loss of critical stored data.
C	May be loss of function.	Functions shall be recoverable by the operator. Shall operate as intended after recovering. Shall be no loss of critical stored data.

NOTE: Operate as intended during the test shall be considered as:

For equipment that supports a PER or FER, the minimum performance level shall be a PER or FER less than or equal to 10 %.

For equipment that does not support a PER or a FER, (e.g. audio equipment and equipment transmitting sporadic messages) the minimum performance level shall be no loss of the wireless transmission function needed for the intended use of the equipment.

Performance criteria for Continuous phenomena

The performance criteria A shall apply.

Where the EUT is a transmitter in standby mode, unintentional transmission shall not occur during the test.

Where the EUT is a transceiver in receive mode, unintentional transmission shall not occur during the test.

Performance criteria for Transient phenomena

The performance criteria B shall apply, except for voltage dips greater than or equal to 100 ms and voltage interruptions of 5 000 ms duration, for which performance criteria C shall apply.

Where the EUT is a transmitter in standby mode, unintentional transmission shall not occur as a result of the application of the test.

Where the EUT is a transceiver in receive mode, unintentional transmission shall not occur as a result of the application of the test.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch EMC Laboratory


No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
s (86-20) 82155555 sgs.china@sgs.com

7.1 Electrostatic Discharge

Test Requirement: EN 301 489-1 V2.2.3
EN 301 489-3 V2.3.2
EN 301 489-17 V3.3.1
Test Method: EN 61000-4-2:2009

7.1.1 Test Setup Diagram



7.1.2 E.U.T. Operation

Operating Environment:
Temperature: 24.0 °C Humidity: 59.4 % RH Atmospheric Pressure: 1004 mbar

7.1.3 Test Mode Description

Pre-scan / Mode	Description
Final test Code	
Final test 10	Test the EUT in idle mode.
Final test 11	Operation(433.92MHz):Keep the EUT pairing with another devices.
Final test 12	Operation(BT):Keep the EUT communicating with other Bluetooth devices.

7.1.4 Test Condition and Results

Performance Criterion: B
Discharge Impedance: 330Ω/150pF
Number of Discharge: Minimum 10 times at each test point
Discharge Mode: Single Discharge
Discharge Period: 1 second minimum
Test Point:
1. All insulated enclosure and seams.
2. All accessible metal parts of the enclosure.
3. All side

Discharge type	Level (kV)	Polarity	Test Point	Result / Observations
Air Discharge	2,4,8	+	1	A
Air Discharge	2,4,8	-	1	A
Contact Discharge	4	+	2	A
Contact Discharge	4	-	2	A
Horizontal Coupling	4	+	3	N/A
Horizontal Coupling	4	-	3	N/A
Vertical Coupling	4	+	3	A
Vertical Coupling	4	-	3	A

A: No degradation in the performance of the EUT was observed
N/A: Not applicable.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663


t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

7.2 Radiated Immunity

Test Requirement: EN 301 489-1 V2.2.3
EN 301 489-3 V2.3.2
EN 301 489-17 V3.3.1

Test Method: EN IEC 61000-4-3:2020

7.2.1 Test Setup Diagram



7.2.2 E.U.T. Operation

Operating Environment:

Temperature: 23.6 °C

Humidity: 56.3 % RH

Atmospheric Pressure: 1008 mbar

7.2.3 Test Mode Description

Pre-scan / Mode	Description
Final test Code	
Final test 10	Test the EUT in idle mode.
Final test 11	Operation(433.92MHz):Keep the EUT pairing with another devices.
Final test 12	Operation(BT):Keep the EUT communicating with other Bluetooth devices.

7.2.4 Test Condition and Results

Performance Criterion: A

Frequency Range: 80MHz to 6GHz

Antenna Polarisation: Vertical and Horizontal

Modulation: 1kHz,80% Amp. Mod,1% increment

Frequency	Level (V/m)	EUT Face	Dwell time	Result / Observations
80MHz-6GHz	3	Front	2s	A
80MHz-6GHz	3	Back	2s	A
80MHz-6GHz	3	Left	2s	A
80MHz-6GHz	3	Right	2s	A
80MHz-6GHz	3	Top	2s	A
80MHz-6GHz	3	Underside	2s	A

A: No degradation in the performance of the EUT was observed



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch


No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

7.3 Electrical Fast Transients Burst at AC Mains Power Port

Test Requirement: EN 301 489-1 V2.2.3
EN 301 489-3 V2.3.2
EN 301 489-17 V3.3.1
Test Method: EN 61000-4-4:2012

7.3.1 Test Setup Diagram



7.3.2 E.U.T. Operation

Operating Environment:
Temperature: 21.0 °C Humidity: 53.9 % RH Atmospheric Pressure: 1004 mbar

7.3.3 Test Mode Description

Pre-scan / Mode	Description
Final test Code	
Final test 10	Test the EUT in idle mode.
Final test 11	Operation(433.92MHz):Keep the EUT pairing with another devices.
Final test 12	Operation(BT):Keep the EUT communicating with other Bluetooth devices.

7.3.4 Test Condition and Results

Performance Criterion: B
Repetition Frequency: 5kHz
Burst Period: 300ms

Test Line	Level (kV)	Polarity	CDN/Clamp	Result / Observations
AC power port	1	+	CDN	A
AC power port	1	-	CDN	A


A: No degradation in the performance of the EUT was observed

7.4 Surge at AC Mains Power Port

Test Requirement: EN 301 489-1 V2.2.3
EN 301 489-3 V2.3.2
EN 301 489-17 V3.3.1

Test Method: EN 61000-4-5:2014 +A1:2017

7.4.1 Test Setup Diagram



7.4.2 E.U.T. Operation

Operating Environment:
Temperature: 21.0 °C Humidity: 53.8 % RH Atmospheric Pressure: 1004 mbar

7.4.3 Test Mode Description

Pre-scan / Mode	Description
Final test Code	
Final test 10	Test the EUT in idle mode.
Final test 11	Operation(433.92MHz):Keep the EUT pairing with another devices.
Final test 12	Operation(BT):Keep the EUT communicating with other Bluetooth devices.

7.4.4 Test Condition and Results

Performance Criterion: B
Interval: 60s between each surge
No. of surges: 5 positive, 5 negative at 0°, 90°, 180°, 270°

Test Line	Level (kV)	Polarity	Phase (deg)	Result / Observations
L-N	0.5,1	+	0°	A
L-N	0.5,1	-	0°	A
L-N	0.5,1	+	90°	A
L-N	0.5,1	-	90°	A
L-N	0.5,1	+	180°	A
L-N	0.5,1	-	180°	A
L-N	0.5,1	+	270°	A
L-N	0.5,1	-	270°	A
L-PE	0.5,1,2	+	0°	A
L-PE	0.5,1,2	-	0°	A
L-PE	0.5,1,2	+	90°	A
L-PE	0.5,1,2	-	90°	A
L-PE	0.5,1,2	+	180°	A
L-PE	0.5,1,2	-	180°	A
L-PE	0.5,1,2	+	270°	A
L-PE	0.5,1,2	-	270°	A
N-PE	0.5,1,2	+	0°	A
N-PE	0.5,1,2	-	0°	A
N-PE	0.5,1,2	+	90°	A
N-PE	0.5,1,2	-	90°	A
N-PE	0.5,1,2	+	180°	A
N-PE	0.5,1,2	-	180°	A
N-PE	0.5,1,2	+	270°	A
N-PE	0.5,1,2	-	270°	A

A: No degradation in the performance of the EUT was observed



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch


No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

7.5 Conducted Immunity at AC Mains Power Port

Test Requirement: EN 301 489-1 V2.2.3
EN 301 489-3 V2.3.2
EN 301 489-17 V3.3.1
Test Method: EN 61000-4-6:2014

7.5.1 Test Setup Diagram



7.5.2 E.U.T. Operation

Operating Environment:
Temperature: 21.0 °C Humidity: 53.7 % RH Atmospheric Pressure: 1004 mbar

7.5.3 Test Mode Description

Pre-scan / Mode	Description
Final test Code	
Final test 10	Test the EUT in idle mode.
Final test 11	Operation(433.92MHz):Keep the EUT pairing with another devices.
Final test 12	Operation(BT):Keep the EUT communicating with other Bluetooth devices.

7.5.4 Test Condition and Results

Performance Criterion: A
Frequency Range: 0.15MHz to 80MHz
Modulation: 80%, 1kHz Amplitude Modulation
Step Size: 1%


Cable port	Level (Vrms)	CDN/Clamp	Dwell time	Result / Observations
AC power port	3	CDN	2s	A

A: No degradation in the performance of the EUT was observed

7.6 Voltage Dips and Interruptions

Test Requirement: EN 301 489-1 V2.2.3
EN 301 489-3 V2.3.2
EN 301 489-17 V3.3.1
Test Method: EN IEC 61000-4-11:2020

7.6.1 Test Setup Diagram



7.6.2 E.U.T. Operation

Operating Environment:
Temperature: 21.0 °C Humidity: 54.3 % RH Atmospheric Pressure: 1004 mbar

7.6.3 Test Mode Description

Pre-scan / Mode	Description
Final test Code	
Final test 10	Test the EUT in idle mode.
Final test 11	Operation(433.92MHz):Keep the EUT pairing with another devices.
Final test 12	Operation(BT):Keep the EUT communicating with other Bluetooth devices.

7.6.4 Test Condition and Results

Performance Criterion:
0% of UT (Supply Voltage) for 0.5 Cycle: B;
0% of UT for 1 Cycle: B;
0% of UT for 250 Cycles: C;
70 % of UT for 25 Cycles: C
No. of Dips / Interruptions: 3 per Level
Time between dropout: 10s

Level % UT	Phase (deg)	Duration	No. of Dips / Interruptions	Result / Observations
0	0°	0.5 Cycle	3	A
0	180°	0.5 Cycle	3	A
0	0°	1 Cycle	3	A
0	180°	1 Cycle	3	A
0	0°	250 Cycles	3	B
0	180°	250 Cycles	3	B
70	0°	25 Cycles	3	A
70	180°	25 Cycles	3	A

A: No degradation in the performance of the EUT was observed

B: During the testing process, communication was disconnected. After testing, it can automatically recover.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

8 Test Setup Photo

Conducted Emissions at AC Power Port



Voltage Fluctuations and Flicker



Electrostatic Discharge



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch EMC Laboratory


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Radiated Immunity



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Electrical Fast Transients Burst at AC Mains Power Port



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch EMC Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgs.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Surge at AC Mains Power Port



Conducted Immunity at AC Mains Power Port



Voltage Dips and Interruptions



9 EUT Constructional Details (EUT Photos)

Refer to Appendix_Photographs of EUT Constructional Details for GZCR2601000153HS

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

EMC-TRF-01 Rev 2.0

Report No.: GZCR250500072909

Page: 1 of 23

TEST REPORT

Application No.: GZCR2601000153HS
Applicant: Jiangxi EQi Industrial Co., Ltd
Address of Applicant: Luliang Avenue, Yining Town, Xiushui, Jiujiang, Jiangxi, China
Manufacturer: Jiangxi EQi Industrial Co., Ltd
Address of Manufacturer: Luliang Avenue, Yining Town, Xiushui, Jiujiang, Jiangxi, China
Factory: Jiangxi EQi Industrial Co., Ltd
Address of Factory: Luliang Avenue, Yining Town, Xiushui, Jiujiang, Jiangxi, China
Product Name: Household electric treadmill
Model No.: P12, T3803D, WFTM015(T3823), T5009, T5006, SP38240/T3837, SP38242/T3807, A4003D, T3899, CS-WP3, TM037 ♣
 ♣ Please refer to section 2 of this report which indicates which item was actually tested and which were electrically identical.
Standard(s) : EN 300 328 V2.2.2
Date of Receipt: 2025-05-21
Date of Test: 2025-06-06
Date of Issue: 2026-01-28

Test Result:	Pass*
---------------------	--------------

* In the configuration tested, the EUT complied with the standards specified above.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
 Guangzhou Branch, EMC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
 中国·广东·广州高新技术产业开发区科学城科珠路198号

t (86-20) 82155555 www.sgsgroup.com.cn
 t (86-20) 82155555 sgs.china@sgs.com

Revision Record			
Version	Report No.	Date	Remark
01	GZCR250500072903	2025-08-04	Original
02	GZCR250500072909	2026-01-28	Amendment report: Updated Model No., added appearance photos and NVLAP logo.

Authorized for issue by:			
			
		Damon Guan/Project Engineer	
Approved By			
		Vico Cui/Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch EMC/CEC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

2 Test Summary

Radio Spectrum Matter Part				
Item	Standard	Method	Requirement	Result
Transmitter unwanted emissions in the spurious domain	EN 300 328 V2.2.2	EN 300 328 V2.2.2 Clause 5.4.9.2	EN 300 328 V2.2.2 Clause 4.3.2.9.3	Pass
Receiver spurious emissions		EN 300 328 V2.2.2 Clause 5.4.10.2	EN 300 328 V2.2.2 Clause 4.3.2.10.3	Pass

Note:

E.U.T./EUT means Equipment Under Test.

Pass means the test result passed the test standard requirement, please find the detailed decision rule in the report relative section.

Remark:

The RF module (Model: **FS-BT-C1**) of the EUT has been tested and meets the requirement of ETSI EN 300 328 V2.2.2. The detailed testing information please refer to the module report **2507P26950E-RF-01** issued by Bay Area Compliance Laboratories Corp. (Fujian).

According to standard **ETSI EG 203 367 V1.1.1 (2016-06)**, this product is assembled internally with one RF module which has integral antenna, so this product combination takes Scenario "Non-radio products combined with a radio product" and for application harmonized standard is ETSI EG 203 367 V1.1.1 (2016-06) clause 6.1.

Evaluation base on the technical information of the RF module and its interface with the host device shown that RF performance of the completed product should be meets the requirement of ETSI EN 300 328 V2.2.2 with additional Transmitter unwanted emissions in the spurious domain and Receiver spurious emissions tests and recorded the test data in this report.

All other tests please refer to module report **2507P26950E-RF-01** for details.

Remark for the report GZCR250500072903:

♣ Declaration of EUT Family Grouping:

Model No.: P12, T3803D, WFTM015(T3823), WFTM020(T4254C), T5009, T5006, SP38240, T3837, SP38242, T3807, A4003D

According to the declaration from the applicant, the electrical circuit design, layout, components used and internal wiring were identical for all models, only different on the appearance decoration, appearance color and model name.

Therefore, only one model **P12** was tested in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Qoccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Remark for the report GZCR250500072909:

This report GZCR250500072909 is based on original report GZCR250500072903 and only valid with the module report 2507P26950E-RF-01 issued by Bay Area Compliance Laboratories Corp. (Fujian), with the following changes:

1. Updated Model No.: P12, T3803D, WFTM015(T3823), T5009, T5006, SP38240/T3837, SP38242/T3807, A4003D, T3899, CS-WP3, TM037.

According to the declaration from the applicant, the models in this report and model **P12** in original report are totally same, only being different in the model name, appearance and color.

2. Added NVLAP logo.

3. Appearance photos.

No further testing is needed for above differences, test data in **GZCR250500072903** was kept in this report **GZCR250500072909**.

All other tests please refer to module report **2507P26950E-RF-01** for details.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3 Contents

	Page
1 Cover Page	1
2 Test Summary	3
3 Contents	5
4 General Information	6
4.1 Details of E.U.T.	6
4.2 Description of Support Units	6
4.3 Measurement Uncertainty	6
4.4 Test Location	6
4.5 Test Facility	7
4.6 Deviation from Standards	7
4.7 Abnormalities from Standard Conditions	7
5 Equipment List	8
6 Radio Spectrum Matter Test Results	10
6.1 Transmitter unwanted emissions in the spurious domain	10
6.1.1 E.U.T. Operation	10
6.1.2 Test Mode Description	10
6.1.3 Test Setup Diagram	11
6.1.4 Measurement Procedure and Data	11
6.2 Receiver spurious emissions	16
6.2.1 E.U.T. Operation	16
6.2.2 Test Mode Description	16
6.2.3 Test Setup Diagram	16
6.2.4 Measurement Procedure and Data	17
7 Test Setup Photo	22
8 EUT Constructional Details (EUT Photos)	23



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4 General Information

4.1 Details of E.U.T.

Power supply:	AC 220V-240V 50/60Hz for main unit (433.92 MHz and BT/BLE) DC 3.0V with CR2032 button cell for remote controller.
Cable(s):	About 0.8m x 3 wires unscreened AC mains cable.
Test Voltage:	AC 230 V, 50 Hz
RF character	Please refer to the report 2507P26950E-RF-01 issued by Bay Area Compliance Laboratories Corp. (Fujian).

Remark: The information in this section is provided by the applicant or manufacturer, SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

4.2 Description of Support Units

Description	Manufacturer	Model No.	Serial No.
Note Book Computer	LENOVO	ThinkPad T490	PF1D1MVJ

4.3 Measurement Uncertainty

Test Item	Measurement Uncertainty
Transmitter unwanted emissions in the spurious domain	$\pm 3.87\text{dB}$ (30MHz-1GHz); $\pm 4.82\text{dB}$ (Above 1GHz)
Receiver spurious emissions	$\pm 3.87\text{dB}$ (30MHz-1GHz); $\pm 4.82\text{dB}$ (Above 1GHz)
Remark: The U_{lab} (lab Uncertainty) is less than U_{CISPR} (CISPR Uncertainty) or U_{ETSI} (ETSI Uncertainty). Emission decision rule: – Compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit, marked as Pass in the report. – Non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit, marked as Fail in the report.	

4.4 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Guangzhou Branch EMC Laboratory,
No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou,
Guangdong, China 510663

Tel: +86 20 82155555

No tests were sub-contracted.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch EMC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

4.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

● ACMA

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory can also perform testing for the Australian/New Zealand Regulatory Compliance Mark (RCM).

● SGS UK(Certificate No.: 32), SGS-TUV SAARLAND and SGS-FIMKO

Have approved SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory as a supplier of EMC TESTING SERVICES and SAFETY TESTING SERVICES.

● FCC Recognized Accredited Test Firm(Registration No.: 486818)

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory has been accredited and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Designation Number: CN5016, Test Firm Registration Number: 486818.

● ISED (Registration No.: 4620B, CAB identifier: CN0052)

SGS-CSTC Standards Technical Services Co., Ltd., has been registered by Innovation Science and Economic Development Canada for Wireless Device Testing laboratories to test to Canadian radio equipment requirements. Registration No. 4620B, CAB identifier: CN0052.

● VCCI (Registration No.: R-12460, C-12584, G-20107 and T-11179)

The 10m Semi-anechoic chamber, 966 Anechoic Chamber and Shielded Room of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-12460, C-12584, G-20107 and T-11179 respectively.

● CBTL (Lab Code: TL129)

SGS-CSTC Standards Technical Services Co., Ltd., E&E Laboratory has been assessed and fully comply with the requirements of ISO/IEC 17025:2017, the Basic Rules, IECEE 01 and Rules of procedure IECEE 02, and the relevant IECEE CB-Scheme Operational documents.

4.6 Deviation from Standards

None

4.7 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Qoccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch EMC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

5 Equipment List

Transmitter unwanted emissions in the spurious domain					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Signal Generator (9kHz-6GHz)	Rohde & Schwarz	SMB100A	EMC2093	2024-10-14	2025-10-13
1GHz-26.5 GHz Pre-Amplifier	Agilent	8449B	EMC0521	2024-10-14	2025-10-13
EMI Test Receiver (10Hz-26.5GHz)	Rohde & Schwarz	ESIB26	EMC0522	2024-09-02	2025-09-01
Chamber cable (Above 1GHz)	Scoflex	KMKM-8.0m	EMC0545	2024-08-19	2026-08-18
Chamber Cable (Below 1GHz)	Scoflex	KMKM-8.0m	EMC0546	2024-08-19	2026-08-18
Trilog Broadband Antenna (25MHz-1GHz)	SCHWARZBECK	VULB 9160	EMC2025	2025-05-12	2027-05-11
Horn Antenna (1GHz-18GHz)	SCHWARZBECK MESS-ELEKTRONIK	BBHA 9120D	EMC2026	2025-05-13	2027-05-12
2.4GHz Filter	Micro-Tronics	BRM 50702	EMC2069	2024-10-14	2025-10-13
Pre-Amplifier MH648A (100kHz-1.2GHz)	ANRITSU CORP	MH648A	EMC2086	2024-10-14	2025-10-13
966 Anechoic Chamber	C.R.T	9m x 6m x 6m	EMC2142	2023-12-20	2026-12-19
Test Software E3	Audix	Ver.6.120110a	GZE100-61	N/A	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch (EMC Laboratory)

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Receiver spurious emissions					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Signal Generator (9kHz-6GHz)	Rohde & Schwarz	SMB100A	EMC2093	2024-10-14	2025-10-13
1GHz-26.5 GHz Pre-Amplifier	Agilent	8449B	EMC0521	2024-10-14	2025-10-13
EMI Test Receiver (10Hz-26.5GHz)	Rohde & Schwarz	ESIB26	EMC0522	2024-09-02	2025-09-01
Chamber cable (Above 1GHz)	Scoflex	KMKM-8.0m	EMC0545	2024-08-19	2026-08-18
Chamber Cable (Below 1GHz)	Scoflex	KMKM-8.0m	EMC0546	2024-08-19	2026-08-18
Trilog Broadband Antenna (25MHz-1GHz)	SCHWARZBECK	VULB 9160	EMC2025	2025-05-12	2027-05-11
Horn Antenna (1GHz-18GHz)	SCHWARZBECK MESS-ELEKTRONIK	BBHA 9120D	EMC2026	2025-05-13	2027-05-12
Pre-Amplifier MH648A (100kHz-1.2GHz)	ANRITSU CORP	MH648A	EMC2086	2024-10-14	2025-10-13
966 Anechoic Chamber	C.R.T	9m x 6m x 6m	EMC2142	2023-12-20	2026-12-19
Test Software E3	Audix	Ver.6.120110a	GZE100-61	N/A	N/A

General used equipment					
Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date
DMM	Fluke	73	EMC0006	2025-06-03	2026-06-02



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Qoccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch (EMC Laboratory)

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

6 Radio Spectrum Matter Test Results

6.1 Transmitter unwanted emissions in the spurious domain

Test Requirement EN 300 328 V2.2.2 Clause 4.3.2.9.3

Test Method: EN 300 328 V2.2.2 Clause 5.4.9.2

Limit:

Table 12: Transmitter limits for spurious emissions

Frequency range	Maximum power e.r.p. (≤ 1 GHz) e.i.r.p. (> 1 GHz)	Bandwidth
30 MHz to 47 MHz	-36dBm	100 kHz
47 MHz to 74 MHz	-54dBm	100 kHz
74 MHz to 87,5 MHz	-36dBm	100 kHz
87,5 MHz to 118 MHz	-54dBm	100 kHz
118 MHz to 174 MHz	-36dBm	100 kHz
174 MHz to 230 MHz	-54dBm	100 kHz
230 MHz to 470 MHz	-36dBm	100 kHz
470 MHz to 694 MHz	-54dBm	100 kHz
694 MHz to 1 GHz	-36dBm	100 kHz
1 GHz to 12,75 GHz	-30dBm	1MHz

6.1.1 E.U.T. Operation

Operating Environment:

Temperature: 25.2 °C Humidity: 63.0 % RH Atmospheric Pressure: 1004 mbar

6.1.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode_Keep the EUT in continuously transmitting mode with GFSK modulation



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Qoccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch, EMC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

6.1.3 Test Setup Diagram



6.1.4 Measurement Procedure and Data

1. Using test software to set up the lowest channel, the middle channel and the highest channel.
2. Scan from 30MHz to 12.75GHz, find the maximum radiation frequency to measure. No Standby Mode apply for the EUT.
3. The technique used to find the Spurious Emissions of the transmitter was a pre-calibration method which is measure the path loss from the measurement antenna to the substitution antenna and subtract this from the signal generator level to reach the measurement result. The method was performed to determine the actual ERP/EIRP emission levels of the EUT.

Test procedure as below:

- 1) The EUT was powered ON and placed on a table in the chamber. The antenna of the transmitter was extended to its maximum length. Receiver mode and the measuring receiver shall be tuned to the frequency of the transmitter under test.
- 2) The disturbance of the transmitter was maximized on the test receiver display by raising and lowering the receive antenna and by rotating through 360° the turntable. After the fundamental emission was maximized, a field strength measurement was made.
- 3) The test antenna shall be raised or lowered again, if necessary, through the specified height range until a maximum is obtained. This level shall be recorded.
- 4) This measurement shall be repeated for horizontal and vertical polarization.

Test Mode: 00; Polarity: Vertical; Modulation:GFSK; Channel:Low

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	1525.000	-61.13	6.54	-54.59	-30.00	-24.59	VERTICAL
2	2710.622	-59.30	4.95	-54.35	-30.00	-24.35	VERTICAL
3	4804.000	-64.08	9.05	-55.03	-30.00	-25.03	VERTICAL
4	7206.000	-62.57	19.04	-43.53	-30.00	-13.53	VERTICAL
5	9608.000	-62.44	17.91	-44.53	-30.00	-14.53	VERTICAL
6	13173.560	-63.52	24.99	-38.53	-30.00	-8.53	VERTICAL

Test Mode: 00; Polarity: Horizontal; Modulation:GFSK; Channel:Low

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	1702.042	-60.68	6.40	-54.28	-30.00	-24.28	HORIZONTAL
2	2603.126	-53.15	5.74	-47.41	-30.00	-17.41	HORIZONTAL
3	4804.000	-63.42	8.29	-55.13	-30.00	-25.13	HORIZONTAL
4	7206.000	-62.28	18.41	-43.87	-30.00	-13.87	HORIZONTAL
5	9608.000	-60.80	17.78	-43.02	-30.00	-13.02	HORIZONTAL
6	12947.070	-63.14	25.26	-37.88	-30.00	-7.88	HORIZONTAL



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Test Mode: 00; Polarity: Vertical; Modulation:GFSK; Channel:High

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	1155.483	-58.01	4.00	-54.01	-30.00	-24.01	VERTICAL
2	2618.218	-59.39	5.61	-53.78	-30.00	-23.78	VERTICAL
3	4960.000	-63.95	9.86	-54.09	-30.00	-24.09	VERTICAL
4	7440.000	-63.10	16.74	-46.36	-30.00	-16.36	VERTICAL
5	9920.000	-63.38	19.82	-43.56	-30.00	-13.56	VERTICAL
6	13173.560	-63.65	24.99	-38.66	-30.00	-8.66	VERTICAL

Test Mode: 00; Polarity: Horizontal; Modulation:GFSK; Channel:High

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	1762.112	-61.02	5.92	-55.10	-30.00	-25.10	HORIZONTAL
2	2679.464	-59.60	4.73	-54.87	-30.00	-24.87	HORIZONTAL
3	4960.000	-64.13	10.69	-53.44	-30.00	-23.44	HORIZONTAL
4	7440.000	-62.00	16.27	-45.73	-30.00	-15.73	HORIZONTAL
5	9920.000	-62.86	19.62	-43.24	-30.00	-13.24	HORIZONTAL
6	13022.130	-63.20	25.60	-37.60	-30.00	-7.60	HORIZONTAL



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Test Mode: 00; Polarity: Vertical; Modulation:GFSK; Channel:Low

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	56.991	-80.60	-3.09	-83.69	-54.00	-29.69	VERTICAL
2	60.918	-79.94	-2.47	-82.41	-54.00	-28.41	VERTICAL
3	104.170	-79.66	-4.95	-84.61	-54.00	-30.61	VERTICAL
4	185.138	-77.90	-4.11	-82.01	-54.00	-28.01	VERTICAL
5	499.425	-76.47	1.79	-74.68	-54.00	-20.68	VERTICAL
6	647.386	-77.37	4.70	-72.67	-54.00	-18.67	VERTICAL

Test Mode: 00; Polarity: Horizontal; Modulation:GFSK; Channel:Low

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	54.452	-79.83	-1.80	-81.63	-54.00	-27.63	HORIZONTAL
2	60.069	-79.83	-2.52	-82.35	-54.00	-28.35	HORIZONTAL
3	101.289	-78.97	-9.58	-88.55	-54.00	-34.55	HORIZONTAL
4	217.544	-77.70	-7.44	-85.14	-54.00	-31.14	HORIZONTAL
5	524.554	-75.79	0.52	-75.27	-54.00	-21.27	HORIZONTAL
6	665.804	-77.20	3.94	-73.26	-54.00	-19.26	HORIZONTAL



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Mode: 00; Polarity: Vertical; Modulation:GFSK; Channel:High

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	55.609	-79.68	-3.84	-83.52	-54.00	-29.52	VERTICAL
2	60.069	-80.43	-2.10	-82.53	-54.00	-28.53	VERTICAL
3	97.798	-78.73	-5.43	-84.16	-54.00	-30.16	VERTICAL
4	186.441	-78.88	-4.16	-83.04	-54.00	-29.04	VERTICAL
5	489.027	-76.62	1.99	-74.63	-54.00	-20.63	VERTICAL
6	603.539	-76.58	4.22	-72.36	-54.00	-18.36	VERTICAL

Test Mode: 00; Polarity: Horizontal; Modulation:GFSK; Channel:High

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	51.843	-79.38	-1.42	-80.80	-54.00	-26.80	HORIZONTAL
2	61.346	-78.83	-2.87	-81.70	-54.00	-27.70	HORIZONTAL
3	92.462	-78.53	-9.73	-88.26	-54.00	-34.26	HORIZONTAL
4	186.441	-79.28	-6.17	-85.45	-54.00	-31.45	HORIZONTAL
5	558.730	-76.24	1.59	-74.65	-54.00	-20.65	HORIZONTAL
6	595.133	-76.53	2.85	-73.68	-54.00	-19.68	HORIZONTAL



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

6.2 Receiver spurious emissions

Test Requirement EN 300 328 V2.2.2 Clause 4.3.2.10.3

Test Method: EN 300 328 V2.2.2 Clause 5.4.10.2

Limit:

The spurious emissions of the receiver shall not exceed the values in tables in the indicated bands:

Frequency Range	Limit
30 MHz to 1 GHz	2nW(-57dBm)
Above 1GHz	20nW(-47dBm)

6.2.1 E.U.T. Operation



Operating Environment:

Temperature: 25.2 °C Humidity: 63.0 % RH Atmospheric Pressure: 1004 mbar

6.2.2 Test Mode Description

Pre-scan / Mode	Description
Final test Code	
Final test 01	RX_Keep the EUT in receiving mode with GFSK modulation.

6.2.3 Test Setup Diagram



6.2.4 Measurement Procedure and Data

1. Using test software to set up the lowest channel, the middle channel and the highest channel.
2. Scan from 30MHz to 12.75GHz, find the maximum radiation frequency to measure. No Standby Mode apply for the EUT.
3. The technique used to find the Spurious Emissions of the transmitter was a pre-calibration method which is measure the path loss from the measurement antenna to the substitution antenna and subtract this from the signal generator level to reach the measurement result. The method was performed to determine the actual ERP/EIRP emission levels of the EUT.

Test procedure as below:

- 1) The EUT was powered ON and placed on a table in the chamber. The antenna of the transmitter was extended to its maximum length. Receiver mode and the measuring receiver shall be tuned to the frequency of the transmitter under test.
- 2) The disturbance of the transmitter was maximized on the test receiver display by raising and lowering the receive antenna and by rotating through 360° the turntable. After the fundamental emission was maximized, a field strength measurement was made.
- 3) The test antenna shall be raised or lowered again, if necessary, through the specified height range until a maximum is obtained. This level shall be recorded.
- 4) This measurement shall be repeated for horizontal and vertical polarization.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch, EMC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Test Mode: 01; Polarity: Vertical; Modulation:GFSK; Channel:Low

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	1100.079	-70.11	4.84	-65.27	-47.00	-18.27	VERTICAL
2	1481.553	-70.03	6.60	-63.43	-47.00	-16.43	VERTICAL
3	2633.397	-69.13	5.52	-63.61	-47.00	-16.61	VERTICAL
4	4560.559	-71.80	6.56	-65.24	-47.00	-18.24	VERTICAL
5	7347.474	-72.10	17.52	-54.58	-47.00	-7.58	VERTICAL
6	8995.123	-71.76	15.89	-55.87	-47.00	-8.87	VERTICAL

Test Mode: 01; Polarity: Horizontal; Modulation:GFSK; Channel:Low

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	1231.345	-68.64	3.73	-64.91	-47.00	-17.91	HORIZONTAL
2	1772.327	-69.90	5.83	-64.07	-47.00	-17.07	HORIZONTAL
3	2679.464	-69.47	4.73	-64.74	-47.00	-17.74	HORIZONTAL
4	4560.559	-71.87	6.88	-64.99	-47.00	-17.99	HORIZONTAL
5	7368.741	-71.67	16.79	-54.88	-47.00	-7.88	HORIZONTAL
6	8995.123	-70.68	15.55	-55.13	-47.00	-8.13	HORIZONTAL



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Test Mode: 01; Polarity: Vertical; Modulation:GFSK; Channel:High

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	1109.660	-68.59	4.39	-64.20	-47.00	-17.20	VERTICAL
2	1481.553	-69.99	6.60	-63.39	-47.00	-16.39	VERTICAL
3	2679.464	-68.33	5.17	-63.16	-47.00	-16.16	VERTICAL
4	4534.271	-71.84	6.31	-65.53	-47.00	-18.53	VERTICAL
5	7807.262	-71.07	16.66	-54.41	-47.00	-7.41	VERTICAL
6	8995.123	-72.32	15.89	-56.43	-47.00	-9.43	VERTICAL

Test Mode: 01; Polarity: Horizontal; Modulation:GFSK; Channel:High

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	1282.193	-69.60	4.10	-65.50	-47.00	-18.50	HORIZONTAL
2	1856.215	-69.39	6.14	-63.25	-47.00	-16.25	HORIZONTAL
3	2664.019	-69.52	4.96	-64.56	-47.00	-17.56	HORIZONTAL
4	4560.559	-71.22	6.88	-64.34	-47.00	-17.34	HORIZONTAL
5	7347.474	-71.85	17.00	-54.85	-47.00	-7.85	HORIZONTAL
6	8943.274	-71.39	15.12	-56.27	-47.00	-9.27	HORIZONTAL



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Test Mode: 01; Polarity: Vertical; Modulation:GFSK; Channel:Low

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	39.162	-79.54	-7.83	-87.37	-57.00	-30.37	VERTICAL
2	60.918	-78.12	-2.47	-80.59	-57.00	-23.59	VERTICAL
3	135.032	-78.36	-3.93	-82.29	-57.00	-25.29	VERTICAL
4	440.196	-77.24	1.37	-75.87	-57.00	-18.87	VERTICAL
5	595.133	-77.15	3.94	-73.21	-57.00	-16.21	VERTICAL
6	845.088	-78.16	7.83	-70.33	-57.00	-13.33	VERTICAL

Test Mode: 01; Polarity: Horizontal; Modulation:GFSK; Channel:Low

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	32.864	-78.77	3.11	-75.66	-57.00	-18.66	HORIZONTAL
2	58.407	-79.24	-2.40	-81.64	-57.00	-24.64	HORIZONTAL
3	236.645	-78.10	-6.31	-84.41	-57.00	-27.41	HORIZONTAL
4	368.112	-76.22	-1.27	-77.49	-57.00	-20.49	HORIZONTAL
5	599.321	-76.61	3.07	-73.54	-57.00	-16.54	HORIZONTAL
6	851.035	-78.02	7.27	-70.75	-57.00	-13.75	HORIZONTAL



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Test Mode: 01; Polarity: Vertical; Modulation:GFSK; Channel:High

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	33.328	-78.59	-7.35	-85.94	-57.00	-28.94	VERTICAL
2	59.649	-79.49	-2.21	-81.70	-57.00	-24.70	VERTICAL
3	170.195	-78.15	-3.94	-82.09	-57.00	-25.09	VERTICAL
4	422.058	-77.13	0.96	-76.17	-57.00	-19.17	VERTICAL
5	599.321	-76.96	4.19	-72.77	-57.00	-15.77	VERTICAL
6	851.035	-78.38	7.87	-70.51	-57.00	-13.51	VERTICAL

Test Mode: 01; Polarity: Horizontal; Modulation:GFSK; Channel:High

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	33.095	-79.33	3.07	-76.26	-57.00	-19.26	HORIZONTAL
2	61.346	-77.72	-2.87	-80.59	-57.00	-23.59	HORIZONTAL
3	169.005	-78.36	-6.21	-84.57	-57.00	-27.57	HORIZONTAL
4	422.058	-77.15	-0.06	-77.21	-57.00	-20.21	HORIZONTAL
5	620.710	-76.93	3.35	-73.58	-57.00	-16.58	HORIZONTAL
6	827.493	-77.97	7.09	-70.88	-57.00	-13.88	HORIZONTAL



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

7 Test Setup Photo

Transmitter unwanted emissions in the spurious domain



Receiver spurious emissions



8 EUT Constructional Details (EUT Photos)

Refer to Appendix_Photographs of EUT Constructional Details for GZCR2601000153HS

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

EMC-TRF-01 Rev 2.0

Report No.: GZCR250500072910

Page: 1 of 23

TEST REPORT

Application No.: GZCR2601000153HS
Applicant: Jiangxi EQi Industrial Co., Ltd
Address of Applicant: Luliang Avenue, Yining Town, Xiushui, Jiujiang, Jiangxi, China
Manufacturer: Jiangxi EQi Industrial Co., Ltd
Address of Manufacturer: Luliang Avenue, Yining Town, Xiushui, Jiujiang, Jiangxi, China
Factory: Jiangxi EQi Industrial Co., Ltd
Address of Factory: Luliang Avenue, Yining Town, Xiushui, Jiujiang, Jiangxi, China
Product Name: Household electric treadmill
Model No.: P12, T3803D, WFTM015(T3823), T5009, T5006, SP38240/T3837, SP38242/T3807, A4003D, T3899, CS-WP3, TM037 ♣
♣ Please refer to section 2 of this report which indicates which item was actually tested and which were electrically identical.
Standard(s) : EN 300 328 V2.2.2
Date of Receipt: 2025-05-21
Date of Test: 2025-06-06
Date of Issue: 2026-01-28

Test Result:	Pass*
---------------------	--------------

* In the configuration tested, the EUT complied with the standards specified above.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Revision Record			
Version	Report No.	Date	Remark
01	GZCR250500072904	2025-08-04	Original
02	GZCR250500072910	2026-01-28	Amendment report: Updated Model No., added appearance photos and NVLAP logo.

Authorized for issue by:			
			
		Damon Guan/Project Engineer	
Approved By			
		Vico Cui/Reviewer	

2 Test Summary

Radio Spectrum Matter Part				
Item	Standard	Method	Requirement	Result
Transmitter unwanted emissions in the spurious domain	EN 300 328 V2.2.2	EN 300 328 V2.2.2 Clause 5.4.9.2	EN 300 328 V2.2.2 Clause 4.3.1.10.3	Pass
Receiver spurious emissions		EN 300 328 V2.2.2 Clause 5.4.10.2	EN 300 328 V2.2.2 Clause 4.3.1.11.3	Pass

Note:

E.U.T./EUT means Equipment Under Test.

Pass means the test result passed the test standard requirement, please find the detailed decision rule in the report relative section.

Remark:

The RF module (Model: **FS-BT-C1**) of the EUT has been tested and meets the requirement of ETSI EN 300 328 V2.2.2. The detailed testing information please refer to the module report **2507P26950E-RF-02** issued by Bay Area Compliance Laboratories Corp. (Fujian).

According to standard **ETSI EG 203 367 V1.1.1 (2016-06)**, this product is assembled internally with one RF module which has integral antenna, so this product combination takes Scenario "Non-radio products combined with a radio product" and for application harmonized standard is ETSI EG 203 367 V1.1.1 (2016-06) clause 6.1.

Evaluation base on the technical information of the RF module and its interface with the host device shown that RF performance of the completed product should be meets the requirement of ETSI EN 300 328 V2.2.2 with additional Transmitter unwanted emissions in the spurious domain and Receiver spurious emissions tests and recorded the test data in this report.

All other tests please refer to module report **2507P26950E-RF-02** for details.

Remark for the report GZCR250500072904:

♣ Declaration of EUT Family Grouping:

Model No.: P12, T3803D, WFTM015(T3823), WFTM020(T4254C), T5009, T5006, SP38240, T3837, SP38242, T3807, A4003D

According to the declaration from the applicant, the electrical circuit design, layout, components used and internal wiring were identical for all models, only different on the appearance decoration, appearance color and model name.

Therefore, only one model **P12** was tested in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Qoccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch, EMC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Remark for the report GZCR250500072910:

This report GZCR250500072910 is based on original report GZCR250500072904 and only valid with the module report 2507P26950E-RF-02 issued by Bay Area Compliance Laboratories Corp. (Fujian), with the following changes:

1. Added Model No.: Updated Model No.: P12, T3803D, WFTM015(T3823), T5009, T5006, SP38240/T3837, SP38242/T3807, A4003D, T3899, CS-WP3, TM037.

According to the declaration from the applicant, the models in this report and model **P12** in original report are totally same, only being different in the model name, appearance and color.

2. Added NVLAP logo.

3. Appearance photos.

No further testing is needed for above differences, test data in **GZCR250500072904** was kept in this report **GZCR250500072910**.

All other tests please refer to module report **2507P26950E-RF-02** for details.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch, EMC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
sgs.china@sgs.com

3 Contents

	Page
1 Cover Page	1
2 Test Summary	3
3 Contents	5
4 General Information	6
4.1 Details of E.U.T.	6
4.2 Description of Support Units	6
4.3 Measurement Uncertainty	6
4.4 Test Location	6
4.5 Test Facility	7
4.6 Deviation from Standards	7
4.7 Abnormalities from Standard Conditions	7
5 Equipment List	8
6 Radio Spectrum Matter Test Results	10
6.1 Transmitter unwanted emissions in the spurious domain	10
6.1.1 E.U.T. Operation	10
6.1.2 Test Mode Description	10
6.1.3 Test Setup Diagram	11
6.1.4 Measurement Procedure and Data	11
6.2 Receiver spurious emissions	16
6.2.1 E.U.T. Operation	16
6.2.2 Test Mode Description	16
6.2.3 Test Setup Diagram	16
6.2.4 Measurement Procedure and Data	17
7 Test Setup Photo	22
8 EUT Constructional Details (EUT Photos)	23



4 General Information

4.1 Details of E.U.T.

Power supply:	AC 220V-240V 50/60Hz for main unit (433.92 MHz and BT/BLE) DC 3.0V with CR2032 button cell for remote controller.
Cable(s):	About 0.8m x 3 wires unscreened AC mains cable.
Test Voltage:	AC 230 V, 50 Hz
RF character	Please refer to the report 2507P26950E-RF-02 issued by Bay Area Compliance Laboratories Corp. (Fujian).

Remark: The information in this section is provided by the applicant or manufacturer, SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

4.2 Description of Support Units

Description	Manufacturer	Model No.	Serial No.
Note Book Computer	LENOVO	ThinkPad T490	PF1D1MVJ

4.3 Measurement Uncertainty

Test Item	Measurement Uncertainty
Transmitter unwanted emissions in the spurious domain	$\pm 3.87\text{dB}$ (30MHz-1GHz); $\pm 4.82\text{dB}$ (Above 1GHz)
Receiver spurious emissions	$\pm 3.87\text{dB}$ (30MHz-1GHz); $\pm 4.82\text{dB}$ (Above 1GHz)
Remark: The U_{lab} (lab Uncertainty) is less than U_{CISPR} (CISPR Uncertainty) or U_{ETSI} (ETSI Uncertainty). Emission decision rule: – Compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit, marked as Pass in the report. – Non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit, marked as Fail in the report.	

4.4 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Guangzhou Branch EMC Laboratory,
No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou,
Guangdong, China 510663

Tel: +86 20 82155555

No tests were sub-contracted.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch EMC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

4.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

● **ACMA**

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory can also perform testing for the Australian/New Zealand Regulatory Compliance Mark (RCM).

● **SGS UK(Certificate No.: 32), SGS-TUV SAARLAND and SGS-FIMKO**

Have approved SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory as a supplier of EMC TESTING SERVICES and SAFETY TESTING SERVICES.

● **FCC Recognized Accredited Test Firm(Registration No.: 486818)**

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory has been accredited and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Designation Number: CN5016, Test Firm Registration Number: 486818.

● **ISED (Registration No.: 4620B, CAB identifier: CN0052)**

SGS-CSTC Standards Technical Services Co., Ltd., has been registered by Innovation Science and Economic Development Canada for Wireless Device Testing laboratories to test to Canadian radio equipment requirements. Registration No. 4620B, CAB identifier: CN0052.

● **VCCI (Registration No.: R-12460, C-12584, G-20107 and T-11179)**

The 10m Semi-anechoic chamber, 966 Anechoic Chamber and Shielded Room of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-12460, C-12584, G-20107 and T-11179 respectively.

● **CBTL (Lab Code: TL129)**

SGS-CSTC Standards Technical Services Co., Ltd., E&E Laboratory has been assessed and fully comply with the requirements of ISO/IEC 17025:2017, the Basic Rules, IECEE 01 and Rules of procedure IECEE 02, and the relevant IECEE CB-Scheme Operational documents.

4.6 Deviation from Standards

None

4.7 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Qoccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch EMC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

5 Equipment List

Transmitter unwanted emissions in the spurious domain					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Signal Generator (9kHz-6GHz)	Rohde & Schwarz	SMB100A	EMC2093	2024-10-14	2025-10-13
1GHz-26.5 GHz Pre-Amplifier	Agilent	8449B	EMC0521	2024-10-14	2025-10-13
EMI Test Receiver (10Hz-26.5GHz)	Rohde & Schwarz	ESIB26	EMC0522	2024-09-02	2025-09-01
Chamber cable (Above 1GHz)	Scoflex	KMKM-8.0m	EMC0545	2024-08-19	2026-08-18
Chamber Cable (Below 1GHz)	Scoflex	KMKM-8.0m	EMC0546	2024-08-19	2026-08-18
Trilog Broadband Antenna (25MHz-1GHz)	SCHWARZBECK	VULB 9160	EMC2025	2025-05-12	2027-05-11
Horn Antenna (1GHz-18GHz)	SCHWARZBECK MESS-ELEKTRONIK	BBHA 9120D	EMC2026	2025-05-13	2027-05-12
2.4GHz Filter	Micro-Tronics	BRM 50702	EMC2069	2024-10-14	2025-10-13
Pre-Amplifier MH648A (100kHz-1.2GHz)	ANRITSU CORP	MH648A	EMC2086	2024-10-14	2025-10-13
966 Anechoic Chamber	C.R.T	9m x 6m x 6m	EMC2142	2023-12-20	2026-12-19
Test Software E3	Audix	Ver.6.120110a	GZE100-61	N/A	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch (EMC Laboratory)

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Receiver spurious emissions					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Signal Generator (9kHz-6GHz)	Rohde & Schwarz	SMB100A	EMC2093	2024-10-14	2025-10-13
1GHz-26.5 GHz Pre-Amplifier	Agilent	8449B	EMC0521	2024-10-14	2025-10-13
EMI Test Receiver (10Hz-26.5GHz)	Rohde & Schwarz	ESIB26	EMC0522	2024-09-02	2025-09-01
Chamber cable (Above 1GHz)	Scoflex	KMKM-8.0m	EMC0545	2024-08-19	2026-08-18
Chamber Cable (Below 1GHz)	Scoflex	KMKM-8.0m	EMC0546	2024-08-19	2026-08-18
Trilog Broadband Antenna (25MHz-1GHz)	SCHWARZBECK	VULB 9160	EMC2025	2025-05-12	2027-05-11
Horn Antenna (1GHz-18GHz)	SCHWARZBECK MESS-ELEKTRONIK	BBHA 9120D	EMC2026	2025-05-13	2027-05-12
Pre-Amplifier MH648A (100kHz-1.2GHz)	ANRITSU CORP	MH648A	EMC2086	2024-10-14	2025-10-13
966 Anechoic Chamber	C.R.T	9m x 6m x 6m	EMC2142	2023-12-20	2026-12-19
Test Software E3	Audix	Ver.6.120110a	GZE100-61	N/A	N/A

General used equipment					
Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date
DMM	Fluke	73	EMC0006	2025-06-03	2026-06-02



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Qoccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

6 Radio Spectrum Matter Test Results

6.1 Transmitter unwanted emissions in the spurious domain

Test Requirement EN 300 328 V2.2.2 Clause 4.3.1.10.3

Test Method: EN 300 328 V2.2.2 Clause 5.4.9.2

Limit:

Table 12: Transmitter limits for spurious emissions

Frequency range	Maximum power e.r.p. (≤ 1 GHz) e.i.r.p. (> 1 GHz)	Bandwidth
30 MHz to 47 MHz	-36dBm	100 kHz
47 MHz to 74 MHz	-54dBm	100 kHz
74 MHz to 87,5 MHz	-36dBm	100 kHz
87,5 MHz to 118 MHz	-54dBm	100 kHz
118 MHz to 174 MHz	-36dBm	100 kHz
174 MHz to 230 MHz	-54dBm	100 kHz
230 MHz to 470 MHz	-36dBm	100 kHz
470 MHz to 694 MHz	-54dBm	100 kHz
694 MHz to 1 GHz	-36dBm	100 kHz
1 GHz to 12,75 GHz	-30dBm	1MHz

6.1.1 E.U.T. Operation

Operating Environment:

Temperature: 25.2 °C Humidity: 63.0 % RH Atmospheric Pressure: 1004 mbar

6.1.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	04	TX_non-Hop mode_Keep the EUT in continuously transmitting mode with GFSK modulation, pi/4DQPSK modulation. All modes have been tested and only the data of worst case is recorded in the report.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgsgroup.com.cn
Guangzhou Branch Inspection & Testing Services Laboratory. 中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com

6.1.3 Test Setup Diagram



6.1.4 Measurement Procedure and Data

1. Using test software to set up the lowest channel, the middle channel and the highest channel.
2. Scan from 30MHz to 12.75GHz, find the maximum radiation frequency to measure. No Standby Mode apply for the EUT.
3. The technique used to find the Spurious Emissions of the transmitter was a pre-calibration method which is measure the path loss from the measurement antenna to the substitution antenna and subtract this from the signal generator level to reach the measurement result. The method was performed to determine the actual ERP/EIRP emission levels of the EUT.

Test procedure as below:

- 1) The EUT was powered ON and placed on a table in the chamber. The antenna of the transmitter was extended to its maximum length. Receiver mode and the measuring receiver shall be tuned to the frequency of the transmitter under test.
- 2) The disturbance of the transmitter was maximized on the test receiver display by raising and lowering the receive antenna and by rotating through 360° the turntable. After the fundamental emission was maximized, a field strength measurement was made.
- 3) The test antenna shall be raised or lowered again, if necessary, through the specified height range until a maximum is obtained. This level shall be recorded.
- 4) This measurement shall be repeated for horizontal and vertical polarization.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Test Mode: 04; Polarity: Vertical; Modulation:GFSK; Channel:Low

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	1481.553	-61.14	6.60	-54.54	-30.00	-24.54	VERTICAL
2	2694.998	-59.32	5.07	-54.25	-30.00	-24.25	VERTICAL
3	4804.000	-60.99	9.05	-51.94	-30.00	-21.94	VERTICAL
4	7206.000	-62.58	19.04	-43.54	-30.00	-13.54	VERTICAL
5	9608.000	-62.69	17.91	-44.78	-30.00	-14.78	VERTICAL
6	13173.560	-64.59	24.99	-39.60	-30.00	-9.60	VERTICAL

Test Mode: 04; Polarity: Horizontal; Modulation:GFSK; Channel:Low

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	1634.543	-59.30	5.56	-53.74	-30.00	-23.74	HORIZONTAL
2	2664.019	-60.13	4.96	-55.17	-30.00	-25.17	HORIZONTAL
3	4804.000	-63.60	8.29	-55.31	-30.00	-25.31	HORIZONTAL
4	7206.000	-63.02	18.41	-44.61	-30.00	-14.61	HORIZONTAL
5	9608.000	-61.79	17.78	-44.01	-30.00	-14.01	HORIZONTAL
6	13173.560	-64.19	26.24	-37.95	-30.00	-7.95	HORIZONTAL



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Test Mode: 04; Polarity: Vertical; Modulation:GFSK; Channel:High

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	1772.327	-59.91	5.73	-54.18	-30.00	-24.18	VERTICAL
2	2648.664	-59.80	5.42	-54.38	-30.00	-24.38	VERTICAL
3	4960.000	-64.33	9.86	-54.47	-30.00	-24.47	VERTICAL
4	7440.000	-63.45	16.74	-46.71	-30.00	-16.71	VERTICAL
5	9920.000	-62.43	19.82	-42.61	-30.00	-12.61	VERTICAL
6	13173.560	-64.29	24.99	-39.30	-30.00	-9.30	VERTICAL

Test Mode: 04; Polarity: Horizontal; Modulation:GFSK; Channel:High

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	1414.597	-59.33	4.62	-54.71	-30.00	-24.71	HORIZONTAL
2	2648.664	-60.20	5.21	-54.99	-30.00	-24.99	HORIZONTAL
3	4960.000	-63.57	10.69	-52.88	-30.00	-22.88	HORIZONTAL
4	7440.000	-63.53	16.27	-47.26	-30.00	-17.26	HORIZONTAL
5	9920.000	-62.87	19.62	-43.25	-30.00	-13.25	HORIZONTAL
6	12872.440	-63.19	24.86	-38.33	-30.00	-8.33	HORIZONTAL



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Mode: 04; Polarity: Vertical; Modulation:GFSK; Channel:Low

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	56.991	-79.70	-3.09	-82.79	-54.00	-28.79	VERTICAL
2	60.918	-80.47	-2.47	-82.94	-54.00	-28.94	VERTICAL
3	101.289	-79.28	-5.08	-84.36	-54.00	-30.36	VERTICAL
4	185.138	-79.71	-4.11	-83.82	-54.00	-29.82	VERTICAL
5	558.730	-76.17	2.48	-73.69	-54.00	-19.69	VERTICAL
6	599.321	-76.55	4.19	-72.36	-54.00	-18.36	VERTICAL

Test Mode: 04; Polarity: Horizontal; Modulation:GFSK; Channel:Low

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	54.452	-78.97	-1.80	-80.77	-54.00	-26.77	HORIZONTAL
2	60.918	-79.57	-2.75	-82.32	-54.00	-28.32	HORIZONTAL
3	93.113	-78.80	-9.72	-88.52	-54.00	-34.52	HORIZONTAL
4	198.588	-78.89	-6.70	-85.59	-54.00	-31.59	HORIZONTAL
5	554.825	-76.12	1.45	-74.67	-54.00	-20.67	HORIZONTAL
6	599.321	-76.30	3.07	-73.23	-54.00	-19.23	HORIZONTAL



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Mode: 04; Polarity: Vertical; Modulation:GFSK; Channel:High

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	56.991	-80.00	-3.09	-83.09	-54.00	-29.09	VERTICAL
2	60.918	-80.30	-2.47	-82.77	-54.00	-28.77	VERTICAL
3	97.798	-79.00	-5.43	-84.43	-54.00	-30.43	VERTICAL
4	185.138	-78.03	-4.11	-82.14	-54.00	-28.14	VERTICAL
5	478.846	-75.82	1.91	-73.91	-54.00	-19.91	VERTICAL
6	620.710	-76.67	4.39	-72.28	-54.00	-18.28	VERTICAL

Test Mode: 04; Polarity: Horizontal; Modulation:GFSK; Channel:High

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	53.693	-79.09	-1.66	-80.75	-54.00	-26.75	HORIZONTAL
2	59.859	-80.49	-2.51	-83.00	-54.00	-29.00	HORIZONTAL
3	104.170	-79.11	-9.45	-88.56	-54.00	-34.56	HORIZONTAL
4	183.844	-78.98	-6.10	-85.08	-54.00	-31.08	HORIZONTAL
5	554.825	-75.73	1.45	-74.28	-54.00	-20.28	HORIZONTAL
6	647.386	-77.28	3.77	-73.51	-54.00	-19.51	HORIZONTAL



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

6.2 Receiver spurious emissions

Test Requirement EN 300 328 V2.2.2 Clause 4.3.1.11.3

Test Method: EN 300 328 V2.2.2 Clause 5.4.10.2

Limit:

The spurious emissions of the receiver shall not exceed the values in tables in the indicated bands:

Frequency Range	Limit
30 MHz to 1 GHz	2nW(-57dBm)
Above 1GHz	20nW(-47dBm)

6.2.1 E.U.T. Operation

Operating Environment:



Temperature: 25.2 °C Humidity: 63.0 % RH Atmospheric Pressure: 1004 mbar

6.2.2 Test Mode Description

Pre-scan / Mode	Description
Final test Code	

Final test	05	RX mode_Keep the EUT in receiving mode with GFSK modulation, pi/4DQPSK modulation. All modes have been tested and only the data of worst case is recorded in the report.
------------	----	--

6.2.3 Test Setup Diagram



6.2.4 Measurement Procedure and Data

1. Using test software to set up the lowest channel, the middle channel and the highest channel.
2. Scan from 30MHz to 12.75GHz, find the maximum radiation frequency to measure. No Standby Mode apply for the EUT.
3. The technique used to find the Spurious Emissions of the transmitter was a pre-calibration method which is measure the path loss from the measurement antenna to the substitution antenna and subtract this from the signal generator level to reach the measurement result. The method was performed to determine the actual ERP/EIRP emission levels of the EUT.

Test procedure as below:

- 1) The EUT was powered ON and placed on a table in the chamber. The antenna of the transmitter was extended to its maximum length. Receiver mode and the measuring receiver shall be tuned to the frequency of the transmitter under test.
- 2) The disturbance of the transmitter was maximized on the test receiver display by raising and lowering the receive antenna and by rotating through 360° the turntable. After the fundamental emission was maximized, a field strength measurement was made.
- 3) The test antenna shall be raised or lowered again, if necessary, through the specified height range until a maximum is obtained. This level shall be recorded.
- 4) This measurement shall be repeated for horizontal and vertical polarization.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Test Mode: 05; Polarity: Vertical; Modulation:GFSK; Channel:Low

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	1289.627	-68.79	4.36	-64.43	-47.00	-17.43	VERTICAL
2	1481.553	-69.79	6.60	-63.19	-47.00	-16.19	VERTICAL
3	2679.464	-67.90	5.17	-62.73	-47.00	-15.73	VERTICAL
4	4534.271	-71.54	6.31	-65.23	-47.00	-18.23	VERTICAL
5	7347.474	-71.77	17.52	-54.25	-47.00	-7.25	VERTICAL
6	8943.274	-71.64	15.49	-56.15	-47.00	-9.15	VERTICAL

Test Mode: 05; Polarity: Horizontal; Modulation:GFSK; Channel:Low

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	1129.072	-69.42	4.12	-65.30	-47.00	-18.30	HORIZONTAL
2	1856.215	-70.19	6.14	-64.05	-47.00	-17.05	HORIZONTAL
3	2633.397	-70.13	5.41	-64.72	-47.00	-17.72	HORIZONTAL
4	4534.271	-72.44	6.53	-65.91	-47.00	-18.91	HORIZONTAL
5	7347.474	-72.65	17.00	-55.65	-47.00	-8.65	HORIZONTAL
6	8995.123	-70.50	15.55	-54.95	-47.00	-7.95	HORIZONTAL



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Test Mode: 05; Polarity: Vertical; Modulation:GFSK; Channel:High

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	1100.079	-70.41	4.84	-65.57	-47.00	-18.57	VERTICAL
2	1498.781	-70.81	6.97	-63.84	-47.00	-16.84	VERTICAL
3	2726.337	-68.94	4.81	-64.13	-47.00	-17.13	VERTICAL
4	4560.559	-71.80	6.56	-65.24	-47.00	-18.24	VERTICAL
5	7717.518	-70.92	16.55	-54.37	-47.00	-7.37	VERTICAL
6	8891.725	-70.98	15.09	-55.89	-47.00	-8.89	VERTICAL

Test Mode: 05; Polarity: Horizontal; Modulation:GFSK; Channel:High

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	1289.627	-69.45	4.02	-65.43	-47.00	-18.43	HORIZONTAL
2	1711.909	-70.57	6.34	-64.23	-47.00	-17.23	HORIZONTAL
3	2664.019	-70.04	4.96	-65.08	-47.00	-18.08	HORIZONTAL
4	4560.559	-71.02	6.88	-64.14	-47.00	-17.14	HORIZONTAL
5	7347.474	-72.43	17.00	-55.43	-47.00	-8.43	HORIZONTAL
6	8995.123	-71.72	15.55	-56.17	-47.00	-9.17	HORIZONTAL



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Mode: 05; Polarity: Vertical; Modulation:GFSK; Channel:Low

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	39.994	-78.82	-7.83	-86.65	-57.00	-29.65	VERTICAL
2	60.918	-79.56	-2.47	-82.03	-57.00	-25.03	VERTICAL
3	181.283	-78.09	-3.98	-82.07	-57.00	-25.07	VERTICAL
4	446.414	-76.76	1.44	-75.32	-57.00	-18.32	VERTICAL
5	612.064	-77.27	4.30	-72.97	-57.00	-15.97	VERTICAL
6	845.088	-78.43	7.83	-70.60	-57.00	-13.60	VERTICAL

Test Mode: 05; Polarity: Horizontal; Modulation:GFSK; Channel:Low

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	33.095	-80.47	3.07	-77.40	-57.00	-20.40	HORIZONTAL
2	62.213	-77.96	-3.15	-81.11	-57.00	-24.11	HORIZONTAL
3	245.090	-78.46	-5.83	-84.29	-57.00	-27.29	HORIZONTAL
4	428.019	-77.31	0.15	-77.16	-57.00	-20.16	HORIZONTAL
5	590.974	-76.59	2.59	-74.00	-57.00	-17.00	HORIZONTAL
6	804.603	-78.38	6.86	-71.52	-57.00	-14.52	HORIZONTAL



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Mode: 05; Polarity: Vertical; Modulation:GFSK; Channel:High

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	38.616	-77.91	-7.83	-85.74	-57.00	-28.74	VERTICAL
2	59.232	-79.16	-2.32	-81.48	-57.00	-24.48	VERTICAL
3	163.182	-78.84	-3.94	-82.78	-57.00	-25.78	VERTICAL
4	437.120	-76.71	1.34	-75.37	-57.00	-18.37	VERTICAL
5	647.386	-77.10	4.70	-72.40	-57.00	-15.40	VERTICAL
6	845.088	-78.58	7.83	-70.75	-57.00	-13.75	VERTICAL

Test Mode: 05; Polarity: Horizontal; Modulation:GFSK; Channel:High

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	38.078	-79.31	2.18	-77.13	-57.00	-20.13	HORIZONTAL
2	56.001	-79.10	-2.12	-81.22	-57.00	-24.22	HORIZONTAL
3	238.310	-78.14	-6.23	-84.37	-57.00	-27.37	HORIZONTAL
4	437.120	-76.91	0.22	-76.69	-57.00	-19.69	HORIZONTAL
5	647.386	-76.46	3.77	-72.69	-57.00	-15.69	HORIZONTAL
6	833.317	-78.00	7.14	-70.86	-57.00	-13.86	HORIZONTAL



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

7 Test Setup Photo

Transmitter unwanted emissions in the spurious domain



Receiver spurious emissions



8 EUT Constructional Details (EUT Photos)

Refer to Appendix_Photographs of EUT Constructional Details for GZCR2601000153HS

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

EMC-TRF-01 Rev 2.0

Report No.: GZCR250500072911

Page: 1 of 42

TEST REPORT

Application No.: GZCR2601000153HS
Applicant: Jiangxi EQi Industrial Co., Ltd
Address of Applicant: Luliang Avenue, Yining Town, Xiushui, Jiujiang, Jiangxi, China
Manufacturer: Jiangxi EQi Industrial Co., Ltd
Address of Manufacturer: Luliang Avenue, Yining Town, Xiushui, Jiujiang, Jiangxi, China
Factory: Jiangxi EQi Industrial Co., Ltd
Address of Factory: Luliang Avenue, Yining Town, Xiushui, Jiujiang, Jiangxi, China
Product Name: Household electric treadmill
Model No.: P12, T3803D, WFTM015(T3823), T5009, T5006, SP38240/T3837, SP38242/T3807, A4003D, T3899, CS-WP3, TM037 ♣
 ♣ Please refer to section 2 of this report which indicates which item was actually tested and which were electrically identical.
Standard(s) : EN 300 220-1 V3.1.1
 EN 300 220-2 V3.2.1
Date of Receipt: 2025-05-21
Date of Test: 2025-06-06 to 2025-07-07
Date of Issue: 2026-01-28

Test Result:	Pass*
---------------------	--------------

* In the configuration tested, the EUT complied with the standards specified above.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch, EMC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Revision Record			
Version	Report No.	Date	Remark
01	GZCR250500072905	2025-08-04	Original
02	GZCR250500072911	2026-01-28	Amendment report: Updated Model No., added appearance photos and NVLAP logo; Updated standard.

Authorized for issue by:			
		<i>Damon Guan</i>	
		Damon Guan/Project Engineer	
Approved By		<i>Vico Cui</i>	
		Vico Cui/Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

2 Test Summary

Radio Spectrum Matter Part				
Item	Standard	Method	Requirement	Result
Operating frequency	EN 300 220-1 V3.1.1 EN 300 220-2 V3.2.1	EN 300 220-1 V3.1.1 clause 5.1.2	EN 300 220-2 V3.1.1 clause 4.2.1	Pass
Unwanted emissions in the spurious domain		EN 300 220-1 V3.1.1 clause 5.9.3	EN 300 220-2 V3.1.1 clause 4.2.2	Pass**
Effective Radiated Power		EN 300 220-1 V3.1.1 clause 5.2.2	EN 300 220-2 V3.1.1 clause 4.3.1	Pass
Duty Cycle		EN 300 220-1 V3.1.1 clause 5.4.2	EN 300 220-2 V3.1.1 clause 4.3.3	Pass
Occupied Bandwidth		EN 300 220-1 V3.1.1 clause 5.6.3	EN 300 220-2 V3.1.1 clause 4.3.4	Pass
Tx Out of Band Emissions		EN 300 220-1 V3.1.1 clause 5.8.3	EN 300 220-2 V3.1.1 clause 4.3.5	Pass
Transient power		EN 300 220-1 V3.1.1 clause 5.10.3	EN 300 220-2 V3.1.1 clause 4.3.6	Pass
TX behaviour under Low Voltage Conditions		EN 300 220-1 V3.1.1 clause 5.12.3	EN 300 220-2 V3.1.1 clause 4.3.8	Pass
Blocking		EN 300 220-1 V3.1.1 clause 5.18.6	EN 300 220-2 V3.1.1 clause 4.4.2	Pass

** : The EUT passed Unwanted emissions in the spurious domain test after modification.

Note:

E.U.T./EUT means Equipment Under Test.

Pass means the test result passed the test standard requirement, please find the detailed decision rule in the report relative section.

Remark for the report GZCR250500072905:

♣ Declaration of EUT Family Grouping:

Model No.: P12, T3803D, WFTM015(T3823), WFTM020(T4254C), T5009, T5006, SP38240, T3837, SP38242, T3807, A4003D

According to the declaration from the applicant, the electrical circuit design, layout, components used and internal wiring were identical for all models, only different on the appearance decoration, appearance color and model name.

Therefore, only one model **P12** was tested in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Qoccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch EMC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Remark for the report GZCR250500072911:

This report GZCR250500072911 is based on original report GZCR250500072905, with the following changes:

1. Updated Model No.: P12, T3803D, WFTM015(T3823), T5009, T5006, SP38240/T3837, SP38242/T3807, A4003D, T3899, CS-WP3, TM037.

According to the declaration from the applicant, the models in this report and model **P12** in original report are totally same, only being different in the model name, appearance and color.

2. Added NVLAP logo.

3. Updated standard:

Standard in original report	Standard updated in this report
EN 300 220-2 V3.1.1	EN 300 220-2 V3.2.1

Reviewed the updated standard, all the technical requirements for the product between original and the newest standard's versions are identical, therefore it's acceptable to update standards without further testing.

4. Appearance photos.

No further testing is needed for above differences, test data in **GZCR250500072905** was kept in this report **GZCR250500072911**.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

3 Contents

	Page
1 Cover Page	1
2 Test Summary	3
3 Contents	5
4 General Information	7
4.1 Details of E.U.T.	7
4.2 Description of Support Units	7
4.3 Environment Parameter	7
4.4 Measurement Uncertainty	8
4.5 Test Location	8
4.6 Test Facility	9
4.7 Deviation from Standards	9
4.8 Abnormalities from Standard Conditions	9
5 Equipment List	10
6 Radio Spectrum Matter Test Results	13
6.1 Operating frequency	13
6.1.1 E.U.T. Operation	13
6.1.2 Test Mode Description	13
6.1.3 Test Setup Diagram	13
6.1.4 Measurement Procedure and Data	13
6.2 Unwanted emissions in the spurious domain	15
6.2.1 E.U.T. Operation	15
6.2.2 Test Mode Description	15
6.2.3 Test Setup Diagram	15
6.2.4 Measurement Procedure and Data	16
6.3 Effective Radiated Power	21
6.3.1 E.U.T. Operation	22
6.3.2 Test Mode Description	22
6.3.3 Test Setup Diagram	22
6.3.4 Measurement Procedure and Data	22
6.4 Duty Cycle	24
6.4.1 E.U.T. Operation	25
6.4.2 Test Mode Description	25
6.4.3 Test Setup Diagram	25
6.4.4 Measurement Procedure and Data	25
6.5 Occupied Bandwidth	27
6.5.1 E.U.T. Operation	28
6.5.2 Test Mode Description	28
6.5.3 Test Setup Diagram	28
6.5.4 Measurement Procedure and Data	28
6.6 Tx Out of Band Emissions	30
6.6.1 E.U.T. Operation	30
6.6.2 Test Mode Description	30



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

6.6.3	Test Setup Diagram	31
6.6.4	Measurement Procedure and Data	31
6.7	Transient power	33
6.7.1	E.U.T. Operation	33
6.7.2	Test Mode Description	33
6.7.3	Test Setup Diagram	33
6.7.4	Measurement Procedure and Data	34
6.8	TX behaviour under Low Voltage Conditions	35
6.8.1	E.U.T. Operation	35
6.8.2	Test Mode Description	35
6.8.3	Test Setup Diagram	35
6.8.4	Measurement Procedure and Data	36
6.9	Blocking	37
6.9.1	E.U.T. Operation	37
6.9.2	Test Mode Description	37
6.9.3	Test Setup Diagram	38
6.9.4	Measurement Procedure and Data	38
7	Test Setup Photo	40
8	EUT Constructional Details (EUT Photos)	42



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

4 General Information

4.1 Details of E.U.T.

Power supply: AC 220V-240V 50/60Hz for main unit (433.92 MHz and BT/BLE)
DC 3.0V with CR2032 button cell for remote controller.

Cable(s): About 0.8m x 3 wires unscreened AC mains cable.

Operation Frequency Band(s): Band H: 433.05-434.79MHz

Modulation Type: ASK

Antenna Type: PCB antenna

Receiver Category: 2

Number of Channels: 1

Antenna Gain: 0 dBi declared by manufacture

OCW: 50 kHz declared by manufacture

Operation Frequency: 433.92 MHz

Remark: The information in this section is provided by the applicant or manufacturer, SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

4.2 Description of Support Units

Description	Manufacturer	Model No.	Serial No.
--	--	--	--
The EUT has been tested as an independent unit.			

4.3 Environment Parameter

Environment Parameter	Selected Values During Tests	
Relative Humidity	Ambient	
Value	Temperature(°C)	Voltage
NTNV	25	AC 230 V 50 Hz & DC 3 V
LTLV	-10	AC 198 V 50 Hz & DC 2.55 V
HTLV	55	AC 198 V 50 Hz & DC 2.55 V
LTHV	-10	AC 264 V 50 Hz & DC 3 V
HTHV	55	AC 264 V 50 Hz & DC 3 V
Note:		
NV:Normal Voltage	LV:Low Extreme Test Voltage	HV:High Extreme Test Voltage
NT:Normal Temperature	LT:Low Extreme Test Temperature	HT:High Extreme Test Temperature

4.4 Measurement Uncertainty

Test Item	Measurement Uncertainty
Operating frequency	7.25×10^{-8}
Unwanted emissions in the spurious domain	$\pm 3.87\text{dB}$ (30MHz-1GHz); $\pm 4.82\text{dB}$ (Above 1GHz)
Effective Radiated Power	$\pm 3.87\text{dB}$ (30MHz-1GHz); $\pm 4.82\text{dB}$ (Above 1GHz)
Duty Cycle	$\pm 0.029\%$
Occupied Bandwidth	$\pm 0.274\%$
Tx Out of Band Emissions	$\pm 0.75\text{dB}$
Transient power	$\pm 0.75\text{dB}$
TX behaviour under Low Voltage Conditions	$\pm 0.75\text{dB}$
Blocking	$\pm 2.61\text{dB}$

Remark:

The U_{lab} (lab Uncertainty) is less than U_{CISPR} (CISPR Uncertainty) or U_{ETSI} (ETSI Uncertainty).

Emission decision rule:

- Compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit, marked as Pass in the report.
- Non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit, marked as Fail in the report.

4.5 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Guangzhou Branch EMC Laboratory,
No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou,
Guangdong, China 510663

Tel: +86 20 82155555

No tests were sub-contracted.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch EMC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

4.6 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

● **ACMA**

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory can also perform testing for the Australian/New Zealand Regulatory Compliance Mark (RCM).

● **SGS UK(Certificate No.: 32), SGS-TUV SAARLAND and SGS-FIMKO**

Have approved SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory as a supplier of EMC TESTING SERVICES and SAFETY TESTING SERVICES.

● **FCC Recognized Accredited Test Firm(Registration No.: 486818)**

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory has been accredited and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Designation Number: CN5016, Test Firm Registration Number: 486818.

● **ISED (Registration No.: 4620B, CAB identifier: CN0052)**

SGS-CSTC Standards Technical Services Co., Ltd., has been registered by Innovation Science and Economic Development Canada for Wireless Device Testing laboratories to test to Canadian radio equipment requirements. Registration No. 4620B, CAB identifier: CN0052.

● **VCCI (Registration No.: R-12460, C-12584, G-20107 and T-11179)**

The 10m Semi-anechoic chamber, 966 Anechoic Chamber and Shielded Room of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-12460, C-12584, G-20107 and T-11179 respectively.

● **CBTL (Lab Code: TL129)**

SGS-CSTC Standards Technical Services Co., Ltd., E&E Laboratory has been assessed and fully comply with the requirements of ISO/IEC 17025:2017, the Basic Rules, IECEE 01 and Rules of procedure IECEE 02, and the relevant IECEE CB-Scheme Operational documents.

4.7 Deviation from Standards

None

4.8 Abnormalities from Standard Conditions

**: The EUT passed Unwanted emissions in the spurious domain test after modification.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Qoccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch EMC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号

t (86-20) 82155555 www.sgs.com.cn
t (86-20) 82155555 sgs.china@sgs.com

5 Equipment List

Operating frequency					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
MXA Signal Analyzer (10Hz-8.4GHz)	Agilent Technologies	N9020A	SEM004-10	2024-12-03	2025-12-02
MI CABLE	SGS-EMC	0.8M	EMC2136	2023-11-02	2025-11-01

Unwanted emissions in the spurious domain					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Signal Generator (9kHz-6GHz)	Rohde & Schwarz	SMB100A	EMC2093	2024-10-14	2025-10-13
1GHz-26.5 GHz Pre-Amplifier	Agilent	8449B	EMC0521	2024-10-14	2025-10-13
EMI Test Receiver (10Hz-26.5GHz)	Rohde & Schwarz	ESIB26	EMC0522	2024-09-02	2025-09-01
Chamber cable (Above 1GHz)	Scoflex	KMKM-8.0m	EMC0545	2024-08-19	2026-08-18
Chamber Cable (Below 1GHz)	Scoflex	KMKM-8.0m	EMC0546	2024-08-19	2026-08-18
Trilog Broadband Antenna (25MHz-1GHz)	SCHWARZBECK	VULB 9160	EMC2025	2025-05-12	2027-05-11
Horn Antenna (1GHz-18GHz)	SCHWARZBECK MESS-ELEKTRONIK	BBHA 9120D	EMC2026	2025-05-13	2027-05-12
Pre-Amplifier MH648A (100kHz-1.2GHz)	ANRITSU CORP	MH648A	EMC2086	2024-10-14	2025-10-13
966 Anechoic Chamber	C.R.T	9m x 6m x 6m	EMC2142	2023-12-20	2026-12-19
Test Software E3	Audix	Ver.6.120110a	GZE100-61	N/A	N/A

Effective Radiated Power					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Signal Generator (9kHz-6GHz)	Rohde & Schwarz	SMB100A	EMC2093	2024-10-14	2025-10-13
EMI Test Receiver (10Hz-26.5GHz)	Rohde & Schwarz	ESIB26	EMC0522	2024-09-02	2025-09-01
Chamber Cable (Below 1GHz)	Scoflex	KMKM-8.0m	EMC0546	2024-08-19	2026-08-18
Trilog Broadband Antenna (25MHz-1GHz)	SCHWARZBECK	VULB 9160	EMC2025	2025-05-12	2027-05-11
Pre-Amplifier MH648A (100kHz-1.2GHz)	ANRITSU CORP	MH648A	EMC2086	2024-10-14	2025-10-13
966 Anechoic Chamber	C.R.T	9m x 6m x 6m	EMC2142	2023-12-20	2026-12-19
Test Software E3	Audix	Ver.6.120110a	GZE100-61	N/A	N/A
Temperature Chamber	GZ GongWen Co.Ltd.	GDJW-100	EMC0039	2024-12-03	2025-12-02



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Qoccheck@sgs.com

Duty Cycle					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
MXA Signal Analyzer (10Hz-8.4GHz)	Agilent Technologies	N9020A	SEM004-10	2024-12-03	2025-12-02
MI CABLE	SGS-EMC	0.8M	EMC2136	2023-11-02	2025-11-01

Occupied Bandwidth					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Temperature Chamber	GZ GongWen Co.Ltd.	GDJW-100	EMC0039	2024-12-03	2025-12-02
MXA Signal Analyzer (10Hz-8.4GHz)	Agilent Technologies	N9020A	SEM004-10	2024-12-03	2025-12-02
MI CABLE	SGS-EMC	0.8M	EMC2136	2023-11-02	2025-11-01

Tx Out of Band Emissions					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Temperature Chamber	GZ GongWen Co.Ltd.	GDJW-100	EMC0039	2024-12-03	2025-12-02
MXA Signal Analyzer (10Hz-8.4GHz)	Agilent Technologies	N9020A	SEM004-10	2024-12-03	2025-12-02
MI CABLE	SGS-EMC	0.8M	EMC2136	2023-11-02	2025-11-01

Transient power					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
MXA Signal Analyzer (10Hz-8.4GHz)	Agilent Technologies	N9020A	SEM004-10	2024-12-03	2025-12-02
MI CABLE	SGS-EMC	0.8M	EMC2136	2023-11-02	2025-11-01

TX behaviour under Low Voltage Conditions					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
MXA Signal Analyzer (10Hz-8.4GHz)	Agilent Technologies	N9020A	SEM004-10	2024-12-03	2025-12-02
MI CABLE	SGS-EMC	0.8M	EMC2136	2023-11-02	2025-11-01

Blocking					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
MXA Signal Analyzer (10Hz-8.4GHz)	Agilent Technologies	N9020A	SEM004-10	2024-12-03	2025-12-02
MI CABLE	SGS-EMC	0.8M	EMC2136	2023-11-02	2025-11-01
EXG Analog Signal Generator (9kHz-3GHz)	Agilent Technologies	N5171B	SEM006-04	2024-12-03	2025-12-02
Step Attenuator	SHX	GKTS2-9-70-8-HB	EMC2269	2024-08-19	2025-08-18



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgsgroup.com.cn
Guangzhou Branch Inspection & Testing Laboratory 中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

EMC-TRF-01 Rev 2.0

Report No.: GZCR250500072911

Page: 12 of 42

General used equipment					
Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date
DMM	Fluke	73	EMC0006	2025-06-03	2026-06-02



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch, EMC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

6 Radio Spectrum Matter Test Results

6.1 Operating frequency

Test Requirement EN 300 220-2 V3.1.1 clause 4.2.1

Test Method: EN 300 220-1 V3.1.1 clause 5.1.2

Limit:

Operating channel(s) shall be entirely within operational frequency bands allowed by annex B or any NRI.

6.1.1 E.U.T. Operation


Operating Environment:

Temperature: 23.9 °C Humidity: 68.2 % RH Atmospheric Pressure: 1004 mbar

6.1.2 Test Mode Description

Pre-scan /	Mode	Description
Final test	Code	
Final test	13	Tx mode

6.1.3 Test Setup Diagram



6.1.4 Measurement Procedure and Data

Declared by the manufacturer

Test Mode: 13

Nominal Operating frequency band(s)	Nominal Lower frequency of operating Channel (F_{low}) (MHz)	Nominal Higher frequency of operating Channel (F_{High}) (MHz)	Operating frequency Limit	Nominal Operating Frequency ($(F_{low} + F_{High})/2$) (MHz)	OCW ($F_{High} - F_{low}$) (kHz)	Result
Band H: 433,050 MHz to 434,790 MHz	433.895	433.945	Band H: 433,050 MHz to 434,790 MHz	433.92	50	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

6.2 Unwanted emissions in the spurious domain

Test Requirement EN 300 220-2 V3.1.1 clause 4.2.2

Test Method: EN 300 220-1 V3.1.1 clause 5.9.3

Limit:

Table 19: Spurious domain emission limits

State \ Frequency	47 MHz to 74 MHz; 87,5 MHz to 118 MHz; 174 MHz to 230 MHz; 470 MHz to 790 MHz	Other frequencies below 1 000 MHz	Frequencies above 1 000 MHz
TX mode	-54 dBm	-36 dBm	-30 dBm
RX and all other modes	-57 dBm	-57 dBm	-47 dBm

6.2.1 E.U.T. Operation

Operating Environment:

Temperature: 25.2 °C



Humidity: 63.0 % RH

Atmospheric Pressure: 1004 mbar

6.2.2 Test Mode Description

Pre-scan / Mode	Description
Final test Code	
Final test 13	Tx mode
Final test 14	Rx mode

6.2.3 Test Setup Diagram



6.2.4 Measurement Procedure and Data

Below 1GHz test procedure as below:

- 1) The EUT was powered ON and placed on a 1.5m high table in the chamber. The antenna of the transmitter was extended to its maximum length. Modulation mode and the measuring receiver shall be tuned to the frequency of the transmitter under test.
- 2) The disturbance of the transmitter was maximized on the test receiver display by raising and lowering from 1m to 4m the receive antenna and by rotating through 360° the turntable. After the fundamental emission was maximized, a field strength measurement was made.
- 3) Steps 1) and 2) were performed with the EUT and the receive antenna in both vertical and horizontal polarization.
- 4) The transmitter was then removed and replaced with another antenna. The center of the antenna was approximately at the same location as the center of the transmitter.
- 5) A signal at the disturbance was fed to the substitution antenna by means of a non-radiating cable. With both the substitution and the receive antennas horizontally polarized, the receive antenna was raised and lowered to obtain a maximum reading at the test receiver. The level of the signal generator was adjusted until the measured field strength level in step 2) is obtained for this set of conditions.
- 6) The output power into the substitution antenna was then measured.
- 7) Steps 5) and 6) were repeated with both antennas polarized.
- 8) Calculate power in dBm by the following formula:

$$ERP(dBm) = Pg(dBm) - \text{cable loss (Db)} + \text{antenna gain (dBd)}$$
 where: Pg is the generator output power into the substitution antenna.

Above 1GHz test procedure as below:

- 1) Different between above is the test site, change from Semi- Anechoic Chamber to fully Anechoic Chamber and receiving antenna is moved from 1m to 2m.
- 2) Calculate power in dBm by the following formula:

$$EIRP(dBm) = Pg(dBm) - \text{cable loss (Db)} + \text{antenna gain (dBi)}$$

$$EIRP = ERP + 2.15dB$$
 where:
 Pg is the generator output power into the substitution antenna. Standby mode test procedure as below:
 - 1) Below 1GHz test procedure Steps 1) to 8) and Above 1GHz test procedure 1) to 2) shall be repeated with the transmitter in the standby condition if this option is available.
 - 2) Tests were conducted in all four frequency bands and the worst case is reported only.
 - 3) The Radiated Emissions measurement results above 1GHz-range have a margin of at least 10dB



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Qoccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch, EMC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Test Mode: 13; Polarity: Vertical

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	1303.666	-49.67	4.24	-45.43	-30.00	-15.43	VERTICAL
2	1733.375	-47.49	5.68	-41.81	-30.00	-11.81	VERTICAL
3	2172.398	-55.52	9.34	-46.18	-30.00	-16.18	VERTICAL
4	2401.685	-60.86	9.94	-50.92	-30.00	-20.92	VERTICAL
5	3233.621	-59.01	2.68	-56.33	-30.00	-26.33	VERTICAL
6	5106.433	-62.96	11.30	-51.66	-30.00	-21.66	VERTICAL

Test Mode: 13; Polarity: Horizontal

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	1299.003	-49.11	3.91	-45.20	-30.00	-15.20	HORIZONTAL
2	1733.375	-48.87	6.21	-42.66	-30.00	-12.66	HORIZONTAL
3	2172.398	-51.94	9.30	-42.64	-30.00	-12.64	HORIZONTAL
4	2693.504	-57.75	4.53	-53.22	-30.00	-23.22	HORIZONTAL
5	3600.627	-61.94	4.40	-57.54	-30.00	-27.54	HORIZONTAL
6	5254.943	-59.81	12.22	-47.59	-30.00	-17.59	HORIZONTAL



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Test Mode: 13; Polarity: Horizontal

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	56.792	-79.28	-3.18	-82.46	-54.00	-28.46	VERTICAL
2	61.346	-79.37	-2.67	-82.04	-54.00	-28.04	VERTICAL
3	95.093	-77.96	-5.91	-83.87	-54.00	-29.87	VERTICAL
4	190.405	-78.65	-4.33	-82.98	-54.00	-28.98	VERTICAL
5	510.044	-75.32	1.42	-73.90	-54.00	-19.90	VERTICAL
6	661.151	-76.96	4.80	-72.16	-54.00	-18.16	VERTICAL

Test Mode: 13; Polarity: Horizontal

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	50.409	-79.51	-1.29	-80.80	-54.00	-26.80	HORIZONTAL
2	61.346	-79.31	-2.87	-82.18	-54.00	-28.18	HORIZONTAL
3	92.462	-78.40	-9.73	-88.13	-54.00	-34.13	HORIZONTAL
4	185.138	-78.24	-6.13	-84.37	-54.00	-30.37	HORIZONTAL
5	558.730	-76.09	1.59	-74.50	-54.00	-20.50	HORIZONTAL
6	633.907	-76.46	3.59	-72.87	-54.00	-18.87	HORIZONTAL



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Test Mode: 14; Polarity: Vertical

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	1129.072	-67.99	3.21	-64.78	-47.00	-17.78	VERTICAL
2	1507.470	-70.09	6.84	-63.25	-47.00	-16.25	VERTICAL
3	2507.129	-71.15	7.15	-64.00	-47.00	-17.00	VERTICAL
4	4560.559	-71.92	6.56	-65.36	-47.00	-18.36	VERTICAL
5	7411.461	-71.44	16.91	-54.53	-47.00	-7.53	VERTICAL
6	9312.588	-70.66	17.20	-53.46	-47.00	-6.46	VERTICAL

Test Mode: 14; Polarity: Horizontal

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	1129.072	-68.45	4.12	-64.33	-47.00	-17.33	HORIZONTAL
2	1663.137	-68.99	5.97	-63.02	-47.00	-16.02	HORIZONTAL
3	2514.386	-71.51	7.01	-64.50	-47.00	-17.50	HORIZONTAL
4	4560.559	-71.85	6.88	-64.97	-47.00	-17.97	HORIZONTAL
5	7347.474	-72.43	17.00	-55.43	-47.00	-8.43	HORIZONTAL
6	9641.257	-71.20	17.90	-53.30	-47.00	-6.30	HORIZONTAL



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Test Mode: 14; Polarity: Horizontal

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	57.594	-79.20	-2.85	-82.05	-57.00	-25.05	VERTICAL
2	99.180	-77.56	-5.23	-82.79	-57.00	-25.79	VERTICAL
3	146.888	-76.80	-3.93	-80.73	-57.00	-23.73	VERTICAL
4	304.610	-75.99	-2.64	-78.63	-57.00	-21.63	VERTICAL
5	495.934	-75.04	1.88	-73.16	-57.00	-16.16	VERTICAL
6	863.056	-76.11	8.08	-68.03	-57.00	-11.03	VERTICAL

Test Mode: 14; Polarity: Horizontal

	Freq	Read Level	Correction Factor	Level	Limit Line	Over Limit	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB	
1	37.548	-78.31	2.33	-75.98	-57.00	-18.98	HORIZONTAL
2	63.536	-78.59	-3.69	-82.28	-57.00	-25.28	HORIZONTAL
3	171.393	-77.61	-6.16	-83.77	-57.00	-26.77	HORIZONTAL
4	280.024	-75.69	-2.42	-78.11	-57.00	-21.11	HORIZONTAL
5	485.609	-74.96	0.36	-74.60	-57.00	-17.60	HORIZONTAL
6	839.182	-75.72	7.19	-68.53	-57.00	-11.53	HORIZONTAL



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

6.3 Effective Radiated Power

Test Requirement EN 300 220-2 V3.1.1 clause 4.3.1

Test Method: EN 300 220-1 V3.1.1 clause 5.2.2

Limit:

Operational Frequency Band		Maximum effective radiated power, e.r.p.	Channel access and occupation rules (e.g. Duty cycle or LBT + AFA)	Maximum occupied bandwidth	Other usage restrictions
A	26,957 MHz to 27,283 MHz	10 mW e.r.p.	No requirement	The whole band	
C	40,660 MHz to 40,700 MHz	10 mW e.r.p.	No requirement	The whole band	Video applications excluded.
H	433,050 MHz to 434,790 MHz	10 mW	10 %	The whole band	
I	433,050 MHz to 434,790 MHz	1 mW e.r.p. -13 dBm/10 kHz power spectral density for bandwidth modulation larger than 250 kHz	No requirement	The whole band	Audio and video applications are excluded.
J	434,040 MHz to 434,790 MHz	10 mW	No requirement	25 kHz	Audio and video applications are excluded.
K	863 MHz to 865 MHz	25 mW e.r.p.	≤ 0,1 % duty cycle or polite spectrum access	The whole band except for audio & video applications limited to 300 kHz	
L	865 MHz to 868 MHz	25 mW e.r.p.	≤ 1 % duty cycle or polite spectrum access	The whole band	
M	868,000 MHz to 868,600 MHz	25 mW e.r.p.	≤ 1 % duty cycle or polite spectrum access	The whole band	
N	868,700 MHz to 869,200 MHz	25 mW e.r.p.	≤ 0,1 % duty cycle or polite spectrum access	The whole sub-band	
P	869,400 MHz to 869,650 MHz	500 mW e.r.p.	≤ 10 % duty cycle or polite spectrum access	The whole band	
Q	869,700 MHz to 870,000 MHz	5 mW e.r.p.	No requirement	The whole band	Audio and video applications are excluded.
R	869,700 MHz to 870,000 MHz	25 mW e.r.p.	≤ 1 % duty cycle or polite spectrum access	The whole band	Analogue audio applications are excluded. Analogue video applications are excluded.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

6.3.1 E.U.T. Operation


Operating Environment:

Temperature: 25.2 °C Humidity: 63.0 % RH Atmospheric Pressure: 1004 mbar

6.3.2 Test Mode Description

Pre-scan /	Mode	Description
Final test	Code	
Final test	13	Tx mode

6.3.3 Test Setup Diagram



6.3.4 Measurement Procedure and Data

- 1) The EUT was powered ON and placed on a 1.5m high table in the chamber. The antenna of the transmitter was extended to its maximum length. Receiver mode and the measuring receiver shall be tuned to the frequency of the transmitter under test.
- 2) The disturbance of the transmitter was maximized on the test receiver display by raising and lowering from 1m to 4m the receive antenna and by rotating through 360° the turntable. After the fundamental emission was maximized, a field strength measurement was made.
- 3) Steps 1) and 2) were performed with the EUT and the receive antenna in both vertical and horizontal polarization.
- 4) The transmitter was then removed and replaced with another antenna. The center of the antenna was approximately at the same location as the center of the transmitter.
- 5) A signal at the disturbance was fed to the substitution antenna by means of a non-radiating cable. With both the substitution and the receive antennas horizontally polarized, the receive antenna was raised and lowered to obtain a maximum reading at the test receiver. The level of the signal generator was adjusted until the measured field strength level in step 2) is obtained for this set of conditions.
- 6) The output power into the substitution antenna was then measured.
- 7) Steps 5) and 6) were repeated with both antennas polarized.
- 8) Calculate power in dBm by the following formula: $ERP(dBm) = Pg(dBm) - \text{cable loss (dB)} + \text{antenna gain (dBd)}$ where: Pg is the generator output power into the substitution antenna.

ERP in normal condition

Measurement Conditions (in Normal)	Freq. (MHz)	Read Level (dBm)	Correction Factor (dB)	Level (dBm)	Max Limit (dBm)	Verdict
NTNV	433.92	-67.75	0.21	-67.54	10	Pass

ERP in extreme condition

Remark: Radiated ERP in extreme=Radiated Baseline - Conducted baseline + Conducted extreme.

The limit for ERP is 10mW (i.e. 10dBm)

Measurement Conditions (in Extreme)	Frequency (MHz)	Conducted extreme Level (dBm)	Radiated Baseline (dBm)	Conducted baseline (dBm)	ERP Level (dBm)	Max Limit (dBm)	Result
LTLV	433.92	-20.39	-67.54	-20.16	-67.77	10	Pass
LTHV	433.92	-20.33	-67.54	-20.16	-67.71	10	Pass
HTLV	433.92	-20.56	-67.54	-20.16	-67.94	10	Pass
HTHV	433.92	-20.63	-67.54	-20.16	-68.01	10	Pass

Max ERP -67.54 dBm



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

6.4 Duty Cycle

Test Requirement EN 300 220-2 V3.1.1 clause 4.3.3

Test Method: EN 300 220-1 V3.1.1 clause 5.4.2

Limit:

Operational Frequency Band		Maximum effective radiated power, e.r.p.	Channel access and occupation rules (e.g. Duty cycle or LBT + AFA)	Maximum occupied bandwidth	Other usage restrictions
A	26,957 MHz to 27,283 MHz	10 mW e.r.p.	No requirement	The whole band	
C	40,660 MHz to 40,700 MHz	10 mW e.r.p.	No requirement	The whole band	Video applications excluded.
H	433,050 MHz to 434,790 MHz	10 mW	10 %	The whole band	
I	433,050 MHz to 434,790 MHz	1 mW e.r.p. -13 dBm/10 kHz power spectral density for bandwidth modulation larger than 250 kHz	No requirement	The whole band	Audio and video applications are excluded.
J	434,040 MHz to 434,790 MHz	10 mW	No requirement	25 kHz	Audio and video applications are excluded.
K	863 MHz to 865 MHz	25 mW e.r.p.	≤ 0,1 % duty cycle or polite spectrum access	The whole band except for audio & video applications limited to 300 kHz	
L	865 MHz to 868 MHz	25 mW e.r.p.	≤ 1 % duty cycle or polite spectrum access	The whole band	
M	868,000 MHz to 868,600 MHz	25 mW e.r.p.	≤ 1 % duty cycle or polite spectrum access	The whole band	
N	868,700 MHz to 869,200 MHz	25 mW e.r.p.	≤ 0,1 % duty cycle or polite spectrum access	The whole sub-band	
P	869,400 MHz to 869,650 MHz	500 mW e.r.p.	≤ 10 % duty cycle or polite spectrum access	The whole band	
P	869,700 MHz to 870,000 MHz	5 mW e.r.p.	No requirement	The whole band	Audio and video applications are excluded.
Q	869,700 MHz to 870,000 MHz	25 mW e.r.p.	≤ 1 % duty cycle or polite spectrum access	The whole band	Analogue audio applications are excluded. Analogue video applications are excluded.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

6.4.1 E.U.T. Operation


Operating Environment:

Temperature: 23.9 °C Humidity: 68.2 % RH Atmospheric Pressure: 1004 mbar

6.4.2 Test Mode Description

Pre-scan /	Mode	Description
Final test	Code	
Final test	13	Tx mode

6.4.3 Test Setup Diagram



6.4.4 Measurement Procedure and Data

An assessment of the overall Duty Cycle shall be made for a representative period of Tobs over the observation bandwidth Fobs. Unless otherwise specified, Tobs is 1 hour and the observation bandwidth Fobs is the operational frequency band.

The representative period shall be the most active one in normal use of the device. As a guide "Normal use" is considered as representing the behaviour of the device during transmission of 99 % of transmissions generated during its operational lifetime.

Procedures such as setup, commissioning and maintenance are not considered part of normal operation.

Where an acknowledgement is used, the additional transmitter on-time from a message responder shall be declared only once whether included in the message initiator Duty Cycle or in the message responder Duty Cycle.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch, Inspection & Testing Services

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

According to the declaration of the manufacture, the transmitting time of EUT is less than 30 s within 1 hour for each channel.

Operating frequency band(s) (F _{obs})	Nominal Operating Frequency (MHz)	Measured sequence (s)		T _{obs} (s)	Duty Cycle*	Max Limit	Result
		T _{on} cumulative	T _{off} cumulative				
Band H: 433,050 MHz to 434,790 MHz	433.92	30	3570	3600	0.833%	10.000%	Pass

*Remark: Duty Cycle= $\left(\frac{T_{on_{cum}}}{T_{obs}} \right) \times 100\% = \left(\frac{T_{on_{cum}}}{T_{on_{cum}} + T_{off_{cum}}} \right) \times 100\%$



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch, EMC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

6.5 Occupied Bandwidth

Test Requirement EN 300 220-2 V3.1.1 clause 4.3.4

Test Method: EN 300 220-1 V3.1.1 clause 5.6.3

Limit:

Operational Frequency Band		Maximum effective radiated power, e.r.p.	Channel access and occupation rules (e.g. Duty cycle or LBT + AFA)	Maximum occupied bandwidth	Other usage restrictions
A	26,957 MHz to 27,283 MHz	10 mW e.r.p.	No requirement	The whole band	
C	40,660 MHz to 40,700 MHz	10 mW e.r.p.	No requirement	The whole band	Video applications excluded.
H	433,050 MHz to 434,790 MHz	10 mW	10 %	The whole band	
I	433,050 MHz to 434,790 MHz	1 mW e.r.p. -13 dBm/10 kHz power spectral density for bandwidth modulation larger than 250 kHz	No requirement	The whole band	Audio and video applications are excluded.
J	434,040 MHz to 434,790 MHz	10 mW	No requirement	25 kHz	Audio and video applications are excluded.
K	863 MHz to 865 MHz	25 mW e.r.p.	≤ 0,1 % duty cycle or polite spectrum access	The whole band except for audio & video applications limited to 300 kHz	
L	865 MHz to 868 MHz	25 mW e.r.p.	≤ 1 % duty cycle or polite spectrum access	The whole band	
M	868,000 MHz to 868,600 MHz	25 mW e.r.p.	≤ 1 % duty cycle or polite spectrum access	The whole band	
N	868,700 MHz to 869,200 MHz	25 mW e.r.p.	≤ 0,1 % duty cycle or polite spectrum access	The whole sub-band	
P	869,400 MHz to 869,650 MHz	500 mW e.r.p.	≤ 10 % duty cycle or polite spectrum access	The whole band	
Q	869,700 MHz to 870,000 MHz	5 mW e.r.p.	No requirement	The whole band	Audio and video applications are excluded.
R	869,700 MHz to 870,000 MHz	25 mW e.r.p.	≤ 1 % duty cycle or polite spectrum access	The whole band	Analogue audio applications are excluded. Analogue video applications are excluded.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

6.5.1 E.U.T. Operation


Operating Environment:

Temperature: 23.9 °C Humidity: 68.2 % RH Atmospheric Pressure: 1004 mbar

6.5.2 Test Mode Description

Pre-scan /	Mode	Description
Final test	Code	
Final test	13	Tx mode

6.5.3 Test Setup Diagram



6.5.4 Measurement Procedure and Data

The spectrum analyser shall be configured as appropriate for the parameters shown in Table 12.

Step 1:

Operation of the EUT shall be started, on the highest operating frequency as declared by the manufacturer, with the appropriate test signal.

The signal attenuation shall be adjusted to ensure that the signal power envelope is sufficiently above the noise floor of the analyser to avoid the noise signals on either side of the power envelope being included in the measurement.

Step 2:

When the trace is completed the peak value of the trace shall be located and the analyser marker placed on this peak.

Step 3:

The 99 % occupied bandwidth function of the spectrum analyser shall be used to measure the occupied bandwidth of the signal.

Test Mode: 13

Measurement Conditions	Nominal Operating Frequency (MHz)	Lower Operating frequency (MHz)	Higher Operating frequency (MHz)	OBW (kHz)	Limit (OCW)		Result
					F _{Low} (MHz)	F _{High} (MHz)	
NTNV	433.92	433.919	433.9399	20.919	433.895	433.945	Pass
LTLV	433.92	433.9149	433.9358	20.918	433.895	433.945	Pass
LTHV	433.92	433.9215	433.9424	20.918	433.895	433.945	Pass
HTLV	433.92	433.9160	433.9369	20.915	433.895	433.945	Pass
HTHV	433.92	433.9163	433.9372	20.918	433.895	433.945	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

6.6 Tx Out of Band Emissions

Test Requirement EN 300 220-2 V3.1.1 clause 4.3.5

Test Method: EN 300 220-1 V3.1.1 clause 5.8.3

Limit:

Table 15: Emission limits in the Out of Band Domains

Domain	Frequency Range	RBWREF	Max power limit
OOB limits applicable to Operational Frequency Band (See Figure 6)	$f \leq \text{flow_OFB} - 400 \text{ kHz}$	10 kHz	-36 dBm
	$\text{Flow_OFB} - 400 \text{ kHz} \leq f \leq \text{flow_OFB} - 200 \text{ kHz}$	1 kHz	-36 dBm
	$\text{flow} - 200 \text{ kHz} \leq f < \text{flow_OFB}$	1 kHz	See Figure 6
	$f = \text{flow_OFB}$	1 kHz	0 dBm
	$f = \text{fhigh_OFB}$	1 kHz	0 dBm
	$\text{Fhigh_OFB} < f \leq \text{fhigh_OFB} + 200 \text{ kHz}$	1 kHz	See Figure 6
	$\text{Fhigh_OFB} + 200 \text{ kHz} \leq f \leq \text{fhigh_OFB} + 400 \text{ kHz}$	1 kHz	-36 dBm
	$\text{Fhigh_OFB} + 400 \text{ kHz} \leq f$	10 kHz	-36 dBm
OOB limits applicable to Operating Channel (See Figure 5)	$f = \text{fc} - 2.5 \times \text{OCW}$	1 kHz	-36 dBm
	$\text{fc} - 2.5 \times \text{OCW} \leq f \leq \text{fc} - 0.5 \times \text{OCW}$	1 kHz	See Figure 5
	$f = \text{fc} - 0.5 \times \text{OCW}$	1 kHz	0 dBm
	$f = \text{fc} + 0.5 \times \text{OCW}$	1 kHz	0 dBm
	$\text{fc} + 0.5 \times \text{OCW} \leq f \leq \text{fc} + 2.5 \times \text{OCW}$	1 kHz	See Figure 5
	$f = \text{fc} + 2.5 \times \text{OCW}$	1 kHz	-36 dBm

NOTE: f is the measurement frequency.
fc is the Operating Frequency.
Flow_OFB is the lower edge of the Operational Frequency Band.
Fhigh_OFB is the upper edge of the Operational Frequency Band.
OCW is the operating channel bandwidth.

6.6.1 E.U.T. Operation

Operating Environment:

Temperature: 23.9 °C

Humidity: 68.2 % RH

Atmospheric Pressure: 1004 mbar

6.6.2 Test Mode Description

Pre-scan / Mode	Description
Final test Code	
Final test 13	Tx mode




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgsgroup.com.cn
Guangzhou Branch Inspection & Testing Services Laboratory 中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com

6.6.3 Test Setup Diagram



6.6.4 Measurement Procedure and Data

The test equipment shall be configured as appropriate for the parameters shown in Table 16.

Step 1:

Operation of the EUT shall be started, on the highest operating frequency as declared by the manufacturer, with the appropriate test signal.

The signal shape is recorded when stable and shall be below the spectrum mask Out Of Band for operating channel.

Step 2:

The test equipment shall be reconfigured as appropriate for the parameter shown in Table 17.

Operation of the EUT is restarted, with the appropriate test signal, on the lowest operating frequency as declared by the manufacturer.

If the equipment is using only one operating Frequency in the operational Frequency Band, measurement shall be performed the nominal operating frequency.

The signal shape is recorded when stable; and shall be below the spectrum mask for operating channel and the spectrum mask for operational frequency band.

Step 3:

The test equipment shall be reconfigured as appropriate for the parameter shown in Table 18.

Operation of the EUT is restarted, with the appropriate test signal, on the highest Operating Frequency as declared by the manufacturer.

If the equipment is using only one Operating Frequency in the Operational Frequency Band, measurement shall be performed at the nominal Operating Frequency

The signal shape is recorded when stable and shall be below the spectrum mask for Out Of Band emissions for operating channel and for operational Frequency Band.

Step 4:

For frequency agile devices, the measurement shall be repeated in each Operational Frequency Band.

Step 5:

Where required (see clause 5.8.3.1 condition 1), the measurements in step 1 to step 5 shall be repeated under extreme test conditions.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Qoccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch
Inspection & Testing Services

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Test Mode: 13

OOB of Operating channels

Measurement Conditions	Frequency (MHz)	Level (dBm/1kHz)	Limit (dBm/1kHz)	Result
NTNV	433.795	-75.86	-36	Pass
	433.895	-73.96	0	Pass
	433.92	-67.54	/	Fundamental
	433.945	-76.45	0	Pass
	434.045	-75.09	-36	Pass
LTLV	433.795	-74.09	-36	Pass
	433.895	-72.94	0	Pass
	433.92	-67.77	/	Fundamental
	433.945	-74.54	0	Pass
	434.045	-75.35	-36	Pass
LTHV	433.795	-72.67	-36	Pass
	433.895	-74.73	0	Pass
	433.92	-67.71	/	Fundamental
	433.945	-73.98	0	Pass
	434.045	-76.23	-36	Pass
HTLV	433.795	-74.59	-36	Pass
	433.895	-74.85	0	Pass
	433.92	-67.94	/	Fundamental
	433.945	-75.77	0	Pass
	434.045	-74.59	-36	Pass
HTHV	433.795	-72.99	-36	Pass
	433.895	-74.97	0	Pass
	433.92	-68.01	/	Fundamental
	433.945	-73.18	0	Pass
	434.045	-74.99	-36	Pass

OOB of Operational Frequency Band

Measurement Conditions	Frequency (MHz)	Level (dBm/1kHz)	Limit (dBm/1kHz)	Result
NTNV	432.85	-75.87	-36	Pass
	433.05	-73.86	0	Pass
	433.92	-67.54	/	Fundamental
	434.79	-74.57	0	Pass
	434.99	-74.68	-36	Pass
LTLV	432.85	-74.73	-36	Pass
	433.05	-73.25	0	Pass
	433.92	-67.77	/	Fundamental
	434.79	-73.7	0	Pass
	434.99	-76.35	-36	Pass
LTHV	432.85	-73.08	-36	Pass
	433.05	-72.74	0	Pass
	433.92	-67.71	/	Fundamental
	434.79	-74.56	0	Pass
	434.99	-77.24	-36	Pass
HTLV	432.85	-73.45	-36	Pass
	433.05	-73.78	0	Pass
	433.92	-67.94	/	Fundamental
	434.79	-76.89	0	Pass
	434.99	-77	-36	Pass
HTHV	432.85	-73.63	-36	Pass
	433.05	-75.66	0	Pass
	433.92	-68.01	/	Fundamental
	434.79	-74.28	0	Pass
	434.99	-74.21	-36	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Qoccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

6.7 Transient power

Test Requirement EN 300 220-2 V3.1.1 clause 4.3.6

Test Method: EN 300 220-1 V3.1.1 clause 5.10.3

Limit:

Table 23: Transmitter Transient Power limits

Absolute offset from centre frequency	RBW _{REF}	Peak power limit applicable at measurement points
≤ 400 kHz	1 kHz	0 dBm
> 400 kHz	1 kHz	-27 dBm

6.7.1 E.U.T. Operation

Operating Environment:

Temperature: 23.9 °C


Humidity: 68.2 % RH

Atmospheric Pressure: 1004 mbar

6.7.2 Test Mode Description

Pre-scan / Mode	Description
Final test Code	
Final test 13	Tx mode

6.7.3 Test Setup Diagram



6.7.4 Measurement Procedure and Data

The output of the EUT shall be connected to a spectrum analyser or equivalent measuring equipment.

The measurement shall be undertaken in zero span mode. The analyser's centre frequency shall be set to an offset from the operating centre frequency. These offset values and their corresponding RBW configurations are listed in Table 24.

The used modulation shall be D-M3. The analyser shall be set to the settings of Table 25 and a measurement shall be started for each offset frequency. The EUT shall transmit at least five D-M3 test signal. The peak value shall be recorded and the measurement shall be repeated at each offset frequency mentioned in Table 24.

Test Mode: 13

Measurement points:	Measurement points (MHz)	Transient Power (dBm) analyser RBW	Transient Power (dBm) REF	Max Limit (dBm)	Result
-0,5 x OCW - 3 kHz	433.892	-64.352	-64.352	0	Pass
0,5 x OCW + 3 kHz	433.948	-78.236	-78.236	0	Pass
-12,5 kHz or -OCW	433.87	-83.257	-88.03	0	Pass
+12,5 kHz or +OCW	433.97	-76.592	-81.36	0	Pass
-0,5 x OCW - 400 kHz	433.495	-75.829	-95.83	-27	Pass
0,5 x OCW + 400 kHz	434.345	-71.653	-91.65	-27	Pass
-0,5 x OCW -1 200 kHz	432.695	-74.386	-99.16	-27	Pass
0,5 x OCW + 1 200 kHz	435.145	-73.821	-98.59	-27	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
s (86-20) 82155555 sgs.china@sgs.com

6.8 TX behaviour under Low Voltage Conditions

Test Requirement EN 300 220-2 V3.1.1 clause 4.3.8

Test Method: EN 300 220-1 V3.1.1 clause 5.12.3

Limit:

The equipment shall either:

- a) remain in the Operating Channel OC without exceeding any applicable limits (e.g. Duty Cycle); or
 - b) reduce its effective radiated power below the Spurious Emission limits without exceeding any applicable limits(e.g. Duty Cycle); or
 - c) shut down, (ceasing function);
- as the voltage falls below the manufacturers declared operating voltage.

6.8.1 E.U.T. Operation

Operating Environment:

Temperature: 23.9 °C


Humidity: 68.2 % RH

Atmospheric Pressure: 1004 mbar

6.8.2 Test Mode Description

Pre-scan /	Mode	Description
Final test	Code	
Final test	13	Tx mode

6.8.3 Test Setup Diagram



6.8.4 Measurement Procedure and Data

Step 1:

Operation of the EUT shall be started, on Operating Frequency as declared by the manufacturer, with the appropriate test signal and with the EUT operating at nominal operating voltage.

The centre frequency of the transmitted signal shall be measured and noted.

Step 2:

The operating voltage shall be reduced by appropriate steps until the voltage reaches zero.

The centre frequency of the transmitted signal shall be measured and noted.

Any abnormal behaviour shall be noted.

Test Mode: 13

Test Voltage (V)	Test frequency result (MHz)	Test emission result (output power for relative value) (dBm)	Frequency Limit	Max Output power limit (dBm)	Result
$V_{\text{norm}}=3 \text{ VDC}$	433.92	-20.16	Band H: 433,050 MHz to 434,790 MHz	10	Pass
$V_{\text{ext}}=2.55 \text{ VDC}$	433.92	-39.25	Band H: 433,050 MHz to 434,790 MHz	10	Pass
$V_{\text{ext}}=0.8 \text{ VDC}$	433.92	-65.12	Band H: 433,050 MHz to 434,790 MHz	10	Pass
$V_{\text{lowest}}=0.3 \text{ VDC}$	None	Cease function	Band H: 433,050 MHz to 434,790 MHz	10	Pass

Remark:1) (Any abnormal behaviour shall be noted here.)



6.9 Blocking

Test Requirement EN 300 220-2 V3.1.1 clause 4.4.2

Test Method: EN 300 220-1 V3.1.1 clause 5.18.6

Limit:

Table 41: Blocking level parameters for RX category 2

Requirement	Limits
	Receiver category 2
Blocking at ± 2 MHz from OC edge f_{high} and f_{low}	≥ -69 dBm
Blocking at ± 10 MHz from OC edge f_{high} and f_{low}	≥ -44 dBm
Blocking at ± 5 % of Centre Frequency or 15 MHz, whichever is the greater	≥ -44 dBm

Table 42: Blocking level parameters for RX category 1.5

Requirement	Limits
	Receiver category 1.5
Blocking at ± 2 MHz from OC edge f_{high} and f_{low}	≥ -43 dBm
Blocking at ± 10 MHz from OC edge f_{high} and f_{low}	≥ -33 dBm
Blocking at ± 5 % of Centre Frequency or 15 MHz, whichever is the greater	≥ -33 dBm

Table 41: Blocking level parameters for RX category 1

Requirement	Limits
	Receiver category 1
Blocking at ± 2 MHz from OC edge f_{high} and f_{low}	≥ -20 dBm
Blocking at ± 10 MHz from OC edge f_{high} and f_{low}	≥ -20 dBm
Blocking at ± 5 % of Centre Frequency or 15 MHz, whichever is the greater	≥ -20 dBm

6.9.1 E.U.T. Operation

Operating Environment:

Temperature: 23.9 °C Humidity: 68.2 % RH Atmospheric Pressure: 1004 mbar

6.9.2 Test Mode Description

Pre-scan / Mode	Description
Final test Code	
Final test 11	Operation(433.92MHz):Keep the EUT pairing with another devices.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgsgroup.com.cn
Guangzhou Branch Inspection & Testing Services Laboratory. 中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com

6.9.3 Test Setup Diagram




Figure 10: Blocking measurement arrangement

6.9.4 Measurement Procedure and Data

Signal generator A shall be set to an appropriate modulated test signal at the operating frequency of the EUT receiver.

Signal generator B shall be unmodulated.

Measurements shall be carried out at frequencies of the unwanted signal at approximately the frequency(ies) offset(s) defined in technical requirement avoiding those frequencies at which spurious responses occur. Additional measurement points may be requested by technical requirements clause.

If several operational frequency bands are used by the equipment, at least one blocking measurement by bands has to be performed.

Step 1:

Signal generator B shall be powered off. Signal generator A shall be set to the minimum level which gives the wanted performance criterion of EUT or the reference level in Table 32, whichever is the higher. The output level of generator A shall then be increased by 3 dB unless otherwise specified in technical requirement.

Step 2:

Signal generator B is powered on and set to operate at the nominal operating frequency - offset frequency.

Signal generator B is then switched on and the signal amplitude is adjusted to the minimum level at which the wanted performance criterion is not achieved.

With signal generator B settings unchanged, the receiver shall be replaced with a suitable RF power measuring equipment. The power into the measuring equipment shall be measured and noted.

The blocking level is then the conducted power received from generator B at the EUT antenna connector.

This can either be measured on the antenna connector for conducted test or be calculated for radiated test (see clause C.5.4).

The blocking level shall be higher or equal to the blocking power level requested in the technical requirement clause.

Step 3:

The measurement in steps 1 to 3 shall be repeated with signal offsets at required frequencies.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Qoccheck@sgs.com

Test Mode: 13

F_{High}(MHz): 433.945 F_{Low}(MHz): 433.895

Receiver Category	Frequency Offset	Test Frequency (MHz)	Value (dBm)	Min Limit (dBm)	Result
2	+2MHz	435.945	-16.23	-69	Pass
2	-2MHz	431.895	-15.96	-69	Pass
2	+10MHz	443.945	-15.87	-44	Pass
2	-10MHz	423.895	-16.23	-44	Pass
2	+5 % of Centre Frequency or 15 MHz, whichever is the greater	455.616	-15.85	-44	Pass
2	-5 % of Centre Frequency or 15 MHz, whichever is the greater	412.224	-16.17	-44	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

7 Test Setup Photo

Unwanted emissions in the spurious domain



Effective Radiated Power



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

8 EUT Constructional Details (EUT Photos)

Refer to Appendix_Photographs of EUT Constructional Details for GZCR2601000153HS

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

EMC-TRF-03 Rev 2.0

Report No.: GZCR250500072912

Page: 1 of 9

RF EXPOSURE EVALUATION REPORT

Application No.: GZCR2601000153HS
Applicant: Jiangxi EQi Industrial Co., Ltd
Address of Applicant: Luliang Avenue, Yining Town, Xiushui, Jiujiang, Jiangxi, China
Manufacturer: Jiangxi EQi Industrial Co., Ltd
Address of Manufacturer: Luliang Avenue, Yining Town, Xiushui, Jiujiang, Jiangxi, China
Factory: Jiangxi EQi Industrial Co., Ltd
Address of Factory: Luliang Avenue, Yining Town, Xiushui, Jiujiang, Jiangxi, China
Product Name: Household electric treadmill
Model No.: P12, T3803D, WFTM015(T3823), T5009, T5006, SP38240/T3837, SP38242/T3807, A4003D, T3899, CS-WP3, TM037 ♣
 ♣ Please refer to section 2 of this report which indicates which item was actually evaluated and which were electrically identical.
Standard(s) : EN 62479: 2010
Date of Receipt: 2025-05-21
Date of Evaluation: 2025-06-06
Date of Issue: 2026-01-28

Evaluation Result:	Pass*
---------------------------	--------------

* In the configuration evaluated, the EUT complied with the standards specified above.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
 Guangzhou Branch / EMC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
 中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
 t (86-20) 82155555 sgs.china@sgs.com

Revision Record			
Version	Report No.	Date	Remark
01	GZCR250500072906	2025-08-04	Original
02	GZCR250500072912	2026-01-28	Amendment report: Updated Model No., added appearance photos and NVLAP logo.

Authorized for issue by:			
			
		Damon Guan/Project Engineer	
Approved By			
		Vico Cui/Reviewer	



2 Evaluation Summary

Note:

E.U.T./EUT means Equipment Under Test.

Pass means the test result passed the test standard requirement, please find the detailed decision rule in the report relative section.

Remark for the report GZCR250500072906:

♣ Declaration of EUT Family Grouping:

Model No.: P12, T3803D, WFTM015(T3823), WFTM020(T4254C), T5009, T5006, SP38240, T3837, SP38242, T3807, A4003D

According to the declaration from the applicant, the electrical circuit design, layout, components used and internal wiring were identical for all models, only different on the appearance decoration, appearance color and model name.

Therefore, only one model **P12** was evaluated in this report.

Remark for the report GZCR250500072912:

This report GZCR250500072912 is based on original report GZCR250500072906, with the following changes:

1. Added Model No.: Updated Model No.: P12, T3803D, WFTM015(T3823), T5009, T5006, SP38240/T3837, SP38242/T3807, A4003D, T3899, CS-WP3, TM037.

According to the declaration from the applicant, the models in this report and model **P12** in original report are totally same, only being different in the model name, appearance and color.

2. Added NVLAP logo.

3. Appearance photos.

No further evaluation is needed for above differences, evaluated data in **GZCR250500072906** was kept in this report **GZCR250500072912**.

3 Contents

	Page
1 Cover Page	1
2 Evaluation Summary.....	3
3 Contents.....	4
4 General Information	5
4.1 Details of E.U.T.	5
4.2 Evaluating Location	5
4.3 Facility	6
4.4 Deviation from Standards.....	6
4.5 Abnormalities from Standard Conditions	6
5 Technical Requirements Specification	7
5.1 General Description of Applied Standards	7
5.2 RF Exposure Evaluation.....	7
5.2.1 Limit & Test Method	7
5.2.2 Conclusion	8
6 EUT Constructional Details (EUT Photos)	9



4 General Information

4.1 Details of E.U.T.

Power supply:	AC 220V-240V 50/60Hz for main unit (433.92 MHz and BT/BLE) DC 3.0V with CR2032 button cell for remote controller.
Cable(s):	About 0.8m x 3 wires unscreened AC mains cable.
RF character	Please refer to the report GZCR250500072903, GZCR250500072904 and GZCR250500072905 issued by SGS.

Remark: The information in this section is provided by the applicant or manufacturer, SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

4.2 Evaluating Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Guangzhou Branch EMC Laboratory,
No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou,
Guangdong, China 510663

Tel: +86 20 82155555

No tests were sub-contracted.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch EMC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

4.3 Facility

The facility is recognized, certified, or accredited by the following organizations:

- **ACMA**

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory can also perform testing for the Australian/New Zealand Regulatory Compliance Mark (RCM).

- **SGS UK(Certificate No.: 32), SGS-TUV SAARLAND and SGS-FIMKO**

Have approved SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory as a supplier of EMC TESTING SERVICES and SAFETY TESTING SERVICES.

- **FCC Recognized Accredited Test Firm(Registration No.: 486818)**

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory has been accredited and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Designation Number: CN5016, Test Firm Registration Number: 486818.

- **ISED (Registration No.: 4620B, CAB identifier: CN0052)**

SGS-CSTC Standards Technical Services Co., Ltd., has been registered by Innovation Science and Economic Development Canada for Wireless Device Testing laboratories to test to Canadian radio equipment requirements. Registration No. 4620B, CAB identifier: CN0052.

- **VCCI (Registration No.: R-12460, C-12584, G-20107 and T-11179)**

The 10m Semi-anechoic chamber, 966 Anechoic Chamber and Shielded Room of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-12460, C-12584, G-20107 and T-11179 respectively.

- **CBTL (Lab Code: TL129)**

SGS-CSTC Standards Technical Services Co., Ltd., E&E Laboratory has been assessed and fully comply with the requirements of ISO/IEC 17025:2017, the Basic Rules, IECEE 01 and Rules of procedure IECEE 02, and the relevant IECEE CB-Scheme Operational documents.

4.4 Deviation from Standards

None

4.5 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch EMC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

5 Technical Requirements Specification

5.1 General Description of Applied Standards

General Description of Applied Standards

Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)

Human exposure to the Electromagnetic fields

This International Standard provides simple conformity assessment methods for low-power electronic and electrical equipment to an exposure limit relevant to electromagnetic fields (EMF). If such equipment cannot be shown to comply with the applicable EMF exposure requirements using the methods included in this standard for EMF assessment, then other standards, including IEC 62311 or other (EMF) product standards, may be used for conformity assessment.

5.2 RF Exposure Evaluation

5.2.1 Limit & Test Method

According to EN 62479 clause 4.2 Low-power electronic and electrical equipment is deemed to comply with the provisions of this standard if it can be demonstrated using routes B, C or D that the available antenna power and/or the average total radiated power is less than or equal to the applicable low-power exclusion level $P_{\max}$.

$P_{\max} = 20$ mW (13 dBm) according to ICNIRP guidelines, since the EUT is General public used.

Remark:

B: The input power level to electrical or electronic components that are capable of radiating electromagnetic energy in the relevant frequency range is so low that the available antenna power and/or the average total radiated power cannot exceed the low-power exclusion level defined in EN 62479 clause 4.2

C: The available antenna power and/or the average total radiated power are limited by product standards for transmitters to levels below the low-power exclusion level defined in EN 62479 clause 4.2

D: Measurements or calculations show that the available antenna power and/or the average total radiated power are below the low-power exclusion level defined in EN 62479 clauses 4.2.



5.2.2 Conclusion

For Household electric treadmill

BT BLE:

The max EIRP of the EUT in report 2507P26950E-RF-01 is 2.261 dBm(1.683)mW for BT BLE; the max EIRP of the EUT in report 2507P26950E-RF-02 is -1.68 dBm(0.679)mW for BT Class with total EIRP was 2.362 mW, which is below the max permitted sending level of 20 mW, and then the EUT is not needed to conduct SAR measurement.

For remote controller

The ERP of the EUT in report GZCR250400082505 is -67.54 dBm(0.00000018)mW which is below the max permitted sending level of 20 mW, and then the EUT is not needed to conduct SAR measurement.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch, EMC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

6 EUT Constructional Details (EUT Photos)

Refer to Appendix_Photographs of EUT Constructional Details for GZCR2601000153HS

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

TEST REPORT

Report No.: GZES260300406531

Date: 2026-03-12

The following sample(s) was/were submitted and identified on behalf of the client as:

Applicant: Jiangxi EQi Industrial Co., Ltd.
Luliang Avenue, Yining Town, Xiushui County, Jiujiang, Jiangxi, China

Manufacturer: Same as applicant

Name of Testing Laboratory preparing the Report: SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch
198 Kezhu Road, Science City, Economic & Technology Development Area, Guangzhou, Guangdong, China


The standards: EN ISO 20957-1: 2024, EN 957-6: 2010 + A1: 2014
ISO 20957-1: 2024, ISO 20957-6: 2021

Test item description: Household electric treadmill

Model/Type reference: P12, T3899, T3803D, WFTM015, T3823, T5009, T5006, SP38240/T3837, SP38242/T3807, A4003D, TM037, CS-WP3

Test Requested	Standards	Test result:
Stationary training equipment - Part 1: General safety requirements and test methods	EN ISO 20957-1: 2024 ISO 20957-1: 2024	Pass
Stationary training equipment - Part 6: Treadmills, additional specific safety requirements and test methods	EN 957-6: 2010 + A1: 2014 ISO 20957-6: 2021	Pass (Except clause 6.10.1, 6.10.2, 6.10.3)
Remark:	--	


Vickie Luo
Reviewer


Holon Li
Project Engineer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch, Inspection & Testing Services

No. 198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgs.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT**Report No.: GZES260300406531****Date: 2026-03-12****Summary of testing:**

Tests according to the following standard was carried out:

EN ISO 20957-1: 2024, EN 957-6: 2010 + A1: 2014

ISO 20957-1: 2024, ISO 20957-6: 2021

After reviewing, full tests were carried out on model P12, T3899 and CS-WP3.

The submitted samples fulfil the requirements of specified standards.

Test Location:

Xiamen Products Quality Supervision & Inspection Institute

259, Huanmei North Road, Jimei, Xiamen, Fujian, China

This report is based on report GZES260100169431.

Possible test case verdicts:

- test case does not apply to the test object: N/A (not applicable)
- not tested as per client's request.: N/T
- test object does meet the requirement: P (Pass)
- test object does not meet the requirement: F (Fail)

Testing

Date of receipt of test item: 2025-06-03

Date (s) of performance of tests: 2025-06-03 to 2025-06-10

General product information:

Household electric treadmill for indoor use.

All models are same except trade mark, model no., decoration and colour of enclosure.

1. **Usage Class:** H
2. **Accuracy Class:** C
3. **Maximum user weight:** 120kg
4. **Maximum speed:** 6,0 km/h



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CHINA Standards Technical Services Co., Ltd.
Guangzhou Branch, CMAA, CNAS, EEC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgs.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

Report No.: GZES260300406531

Date: 2026-03-12

Test Conducted:

- Based on EN ISO 20957-1: 2024 and ISO 20957-1: 2024 Stationary training equipment - Part 1: General safety requirements and test methods

Test Results: Details shown as following table

EN ISO 20957-1: 2024 and ISO 20957-1: 2024			
Clause	Requirement – Test	Results-Remarks	Verdict
5	Safety requirements		
5.2	Stability The stationary training equipment shall be stable in any direction, in training, folding and storage positions.		P
	Test in training position Place the equipment on a $(10^{+1}_{-0})^{\circ}$ incline surface, in the most onerous position. Perform exercise(s) that involve(s) the user's mass, with the equipment loaded with a person weighing (100 ± 5) kg, using the minimum as well as the maximum load, over the full range of exercise motion. In addition, if applicable, perform exercise(s) that does not involve the user's mass, using the minimum as well as the maximum load, over the full range of exercise motion. The equipment shall not tip over in either test. The test person shall not lean or try to influence the balance of the machine.	Not tip over in either test	P
	Test in folded or storage position Place the equipment, folded according to the user's manual, on a $(10^{+1}_{-0})^{\circ}$ incline surface. The equipment shall not tip over in either test.		P
5.3	External construction		
5.3.1	General Equipment shall be free of burrs.		P
5.3.2	Edges and corners All edges and corners of surfaces supporting bodies shall have a radius $r \geq 2,5\text{mm}$. All edges within the accessible hand and foot area shall be rounded or protected. Test by measuring the radius and by visual and tactile examination.		P
5.3.3	Tube ends All tube ends within the accessible hand and foot area shall		P



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CS (Guangzhou) Technical Services Co., Ltd.
Guangzhou Branch of SGS (China) EEC Laboratory

No. 198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgs.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

Report No.: GZES260300406531

Date: 2026-03-12

EN ISO 20957-1: 2024 and ISO 20957-1: 2024

Clause	Requirement – Test	Results-Remarks	Verdict
	be closed off, for example by parts of the equipment or by plugs. If plugs are used, they shall remain in position at the end of the endurance load test, as described in the relevant part(s) of the ISO 20957 series. If no endurance test is described in the applicable part, the pull-out force of the plug shall be ≥ 20 N. A visual inspection of the unit to verify that all tube ends in the accessible hand and foot area are closed off shall be performed. The pull-out test shall be performed using a constant force.		
5.3.4	Squeeze and shear points Squeeze points and/or shear points within the accessible hand and foot area, whether between moving parts, between moving parts and fixed parts, or between a moving part and the floor, shall be guarded by a protective cover or shall have a minimum clearance of at least 60 mm, with the following exceptions.		P
	a) If only the fingers are at risk, the distance shall be at least 25 mm.		P
	b) If third party access is prevented by the user's body position, and where the user is able to immediately stop the movement, the distance shall be at least 25 mm.		P
	c) If the distance between the moving part and the fixed part, or between two moving parts, does not change during use or setup, the distance shall be greater than 25 mm or less than 9,5 mm.		P
	d) If the angle between two adjacent moving parts or between a rigid part and an adjacent moving part is always 50 degrees or greater, it is not considered a shear point.		P
	e) Open and obvious stops are excluded; however, if the stop is the part which is moving, then it shall pass no closer than 25mm from any fixed frame member throughout its range of movement.		P
	f) If the following three requirements are simultaneously met during folding and unfolding, it is not considered a squeeze or shear point. 1) Inadvertent movement is not possible during folding, unfolding, transportation and/or storage. 2) Access to squeeze points and shear points remains at all times in the user's field of vision. 3) The user can stop the motion at any time.		P



SGS-CS (Guangzhou) Technical Services Co., Ltd.
Guangzhou Branch of SGS (China) EEC Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663

t (86-20) 82155555 www.sgs.com.cn

中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

Report No.: GZES260300406531

Date: 2026-03-12

EN ISO 20957-1: 2024 and ISO 20957-1: 2024

Clause	Requirement – Test	Results-Remarks	Verdict
5.3.5	Weights and other resistance means The range of motion of all weights attached to the stationary training equipment shall be limited to that required to perform the exercise. Weights and other resistance means with stored energies (e.g. bungee cords, elastic tubes, springs) shall move freely and return to the starting point. Weights shall be securely retained during use. A functional test using the maximum and minimum resistance or weights including added resistance or weights (e.g. incremental weights) shall be carried out over the maximum range of movement.		N/A
5.4	Entrapment of the user Users shall be able to exit the equipment when using it according to the user's manual. If necessary, means of escape shall be provided. A visual and functional test shall be carried out to determine whether or not the user can become entrapped.		P
5.5	Adjustment components and locking mechanisms Adjustment components and locking mechanisms on the stationary training equipment shall function securely and be conspicuous, self-evident and safely accessible to the user. The possibility of unintended change shall be avoided. Adjustment components and locking mechanisms, for example knobs and levers, shall not interfere with the user's range of movement. Weight selection pins shall be fitted with a retention device to prevent unintended change or movement during the exercise. Perform a visual and functional examination before, during and after every test.		P
5.6	Ropes, belts, chains and attachment components		
5.6.1	General Ropes, belts, chains and their attachment components (e.g. snap links, shackles, carabiners, clamps or similar) shall withstand tension equal to 6 times the maximum possible tension that can be developed. The design of the pulleys and the bending radius should be in accordance with the applicable requirements of the rope, belt or chain manufacturers. After the test, the training equipment shall not be broken or have visible signs of fracture or cracking and shall still function as intended by the manufacturer.		N/A



SGS-CS Standards Technical Services Co., Ltd.
Guangzhou Branch, CEC Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgs.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com


Member of the SGS Group (SGS SA)

TEST REPORT

Report No.: GZES260300406531

Date: 2026-03-12

EN ISO 20957-1: 2024 and ISO 20957-1: 2024

Clause	Requirement – Test	Results-Remarks	Verdict
5.6.2	Ropes and belts Rope and belt ends shall be, as a minimum, flush with the end of the termination means and shall be visible for inspection. Pressed connections shall not be subjected to bending. Rope and belt ends and grips shall have no sharp edges or frayed ends. Measure the tension of the rope, belt or chain as well as the attachment components while statically applying the maximum specified training load. Then perform a tensile test, with 6 times the maximum measured tension for the whole functional system.		N/A
5.6.3	Rope and belt guides A means shall be provided to prevent a rope or a belt becoming unintentionally disengaged during use or set-up.		N/A
5.7	Pull-in points		
5.7.1	General The test finger shall not become trapped.  Key 1 handle R _a -value ≤ 0,40 µm Surface hardness ≥ HRC 40 (hardness Rockwell c-scale) Figure 1 — Test finger Approach the pull-in point with the test finger probe in the most onerous direction to determine whether the test finger can become trapped, while the equipment is in normal operation.		P
5.7.2	Pulleys Pull-in points of rope or belt drives up to 1 800mm height shall be guarded, except a) if the surface pressure is ≤ 90 N/cm ² , or b) when access to the pull-in point is prevented by the user's body during exercising. If a guard is required, the angle between the rope or belt and the guard shall be ≥ 50° in all positions. The guard shall not rotate around the axis of the pulley as the pulley rotates. If guarded, measure the angle between the rope or belt and the guard. If unguarded, measure the pressure between the		N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CT (Guangzhou) Technical Services Co., Ltd.
Guangzhou Branch of SGS-CT EEC Laboratory

No. 198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgs.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

Report No.: GZES260300406531

Date: 2026-03-12

EN ISO 20957-1: 2024 and ISO 20957-1: 2024

Clause	Requirement – Test	Results-Remarks	Verdict
	pulley and the rope or belt. The test shall be performed with the maximum load.		
5.7.3	Chains, gears and sprockets Pull-in points for chains, gears and sprockets shall be protected in accordance with ISO 12100:2010. Perform a visual check that guarding prevents access to chains, gears and sprockets.		P
5.8	Hand grips		
5.8.1	Integral handgrips Gripping positions shall be easily identifiable and designed to reduce slipping (e.g. textured, coated, knurled).		P
5.8.2	Applied handgrips Applied handgrips shall not be removed. Applied handgrips shall be equipped with a surface that reduces hand slip. Apply a force of 70 N to the handgrip in the most onerous direction. The load shall be applied for at least 1 minute.		N/A
5.8.3	Rotating handgrips Rotating handgrips shall be secured during use and shall be designed to reduce slipping (e.g. textured).		N/A
5.9	Endurance The training equipment shall withstand for: a) class H: 12 000 cycles; b) class S: 100 000 cycles; After the test, the training equipment shall not be broken or have visible signs of fracture or cracking and shall still function as intended by the manufacturer. Carry out the test as close as possible to normal exercise frequency and free of shocks: a) with maximum load; b) in the direction of the load in accordance with the exercise instructions over 80 % of the possible range of movement; c) with a frequency of movement simulating normal use. If the equipment offers multiple exercise stations, the test shall be done with all stations and functions as described in the user's manual.	Class H: 12 000 cycles	P



SGS-CHINA
Guangzhou Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgs.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

Report No.: GZES260300406531

Date: 2026-03-12

EN ISO 20957-1: 2024 and ISO 20957-1: 2024

Clause	Requirement – Test	Results-Remarks	Verdict
5.10	Isometric test function Stationary training equipment designed to perform an isometric test shall have the load or force on the user's body displayed with an accuracy of $\pm 10\%$ in the range of measurement given in the user's manual. Measure the static output force or torque of the body in the position(s) as described in the user's manual and compare this value to the displayed value. Perform the test using the following three values: --minimum; --maximum; --a third random value between these two points.		N/A
5.11	Heart rate measurement system		
5.11.1	Indication The function of the heart rate measurement system shall be indicated on the display when the equipment is receiving a usable signal from the user, e.g, a blinking heart.		N/A
5.11.2	Heart rate control mode For equipment using the heart rate measurement system to control resistance, speed or other effort intensity, the loss of heart rate signal shall result in effort intensity remaining at the same intensity for maximum 60 s and then decrease until the minimum intensity is reached. The rate of decrease shall be at least 10 % in each 20 s time period. Set the equipment to the heart rate control mode with a target of 120 bpm. Operate the product according to the manufacturer's specifications, then use a heart rate simulator or a person to activate the control mode. Cut off the signal and then check if the resistance or the load reduces according to the requirements shown in 5.11.2. If there is more than one heart rate control system, each system shall be tested.		N/A
5.12	Electrical safety For electrical and electronic aspects of stationary training equipment, IEC 60335-1 shall be applied. For medical devices, IEC 60601-1 shall be applied.		P



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CHINA
Guangzhou Branch Laboratory
SGS-CHINA
Guangzhou Branch Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgs.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

Report No.: GZES260300406531

Date: 2026-03-12

EN ISO 20957-1: 2024 and ISO 20957-1: 2024

Clause	Requirement – Test	Results-Remarks	Verdict
5.13	Loading Stationary training equipment that is loaded with the user's body mass, training load, or a combination of body mass and training load shall withstand a test load F_{test} as calculated in accordance with formula: $F_{test} = S(W_p + 1,5F_a)$; After the test, the training equipment shall not be broken or have visible signs of fracture or cracking and shall still function as intended by the manufacturer.	The maximum user's bodymass:120kg. Test load:300kg.	P
5.14	Care and maintenance Care and, if applicable, maintenance advice shall be provided with each piece of equipment. The advice shall include at least: a) a warning notice indicating that the safety level of the equipment can be maintained only if it is examined regularly for damage and wear, e.g. ropes, pulleys, connection points; b) advice to replace defective components immediately and/or keep the equipment out of use until repair; c) special attention to components most susceptible to wear.		P
5.15	Assembly instructions If the stationary training equipment requires assembly, an assembly manual in the national language shall be available, including at least: a) warning and precautions for safe handling of the stationary training equipment during the assembly process; b) clear and accurate assembly instructions; c) a list of tools needed; d) a comprehensive parts list including part numbers; e) the total mass and the total surface area (e.g. footprint) of the equipment; f) instruction that freestanding equipment shall be installed on a flat, stable and horizontal base; g) if stationary training equipment is attached or anchored, for example to a wall or to the floor, instructions including the attaching or anchoring operations with the minimum value (force) each attachment shall withstand.		P
5.16	General instructions for use An owner's manual shall be available for each stationary training equipment in the national language including at least: a) customer service contact information (e.g. address, website, etc.); b) name and full address of the manufacturer or importer;		P



SGS-CT (Guangzhou) Technical Services Co., Ltd.
Guangzhou Branch of SGS-CT EEC Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgs.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

Report No.: GZES260300406531

Date: 2026-03-12

EN ISO 20957-1: 2024 and ISO 20957-1: 2024

Clause	Requirement – Test	Results-Remarks	Verdict
	c) indication that the field of application is for indoor use only and an explanation of the usage class (e.g. H or S); d) a dedicated figure to illustrate the free area and training area with an indication that: 1) the free area shall be at least 0,6 m greater than the training area in the directions from which the equipment is accessed; 2) the free area shall include the area for emergency dismount; 3) where equipment are positioned adjacent to each other, the free area may be shared. e) information on the correct use of the equipment and its features with the emphasis on safe operation, and the importance of keeping unsupervised children away from the equipment; f) exercise instructions with advice on the correct biomechanical positioning of the user on the stationary training equipment for every major exercise type for which the equipment is designed, including a warning indicating that injuries to health can result from incorrect or excessive training; g) statement that the owner shall provide the user with all warnings and instructions; h) design illustration; i) illustrations to accompany texts concerning difficult or complicated manoeuvres; j) instruction on how to safely use access and escape assist means; k) setting of the load and equipment further adjustments (e.g. seat adjustments); l) warning, if applicable, that if any of the adjustment devices are left projecting, they can interfere with the user's movement; m) warning that free standing equipment shall be positioned on a flat, stable and horizontal base; n) indication of the maximum user body mass; o) indication of the maximum training load, if applicable; p) explanation of the displayed data, if applicable; q) if a heart rate system exists, a warning with the following content: "WARNING! Heart rate monitoring systems can be inaccurate. If you feel faint, stop exercising immediately"; r) for accuracy classes B and C, indication that the equipment is not suitable for high accuracy purposes.		
5.17	Marking		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CT (Guangzhou Branch) EEC Laboratory
Guangzhou Branch of SGS-CT EEC Laboratory

No. 198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgs.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

Report No.: GZES260300406531

Date: 2026-03-12

EN ISO 20957-1: 2024 and ISO 20957-1: 2024

Clause	Requirement – Test	Results-Remarks	Verdict
5.17.1	Permanent marking Stationary training equipment shall be permanently marked with the following minimum information: a) name or trademark and full address of the manufacturer, supplier or importer; b) maximum body mass of user and the maximum training load for the individual exercise stations (if applicable); c) usage classes S, H or I and accuracy classes A, B or C, which can be combined (e.g. SA) if both classes are specified in the relevant part(s) of the ISO 20957 series, if applicable; d) individual code number (which contains information about type and year of manufacture); e) graphical symbol or written information in the national language(s) instructing the user to read the information supplied by the manufacturer; f) for class S and I equipment, a conspicuous graphical symbol or written information in the national language(s) shall be applied if the equipment needs attachment/anchoring for safe operation. It is the responsibility of the manufacturer to display conformity to this document by the additional indication of ISO 20957 in connection with the letter symbol of the usage class(es) (class S, H and I).		P
5.17.2	Additional marking If a heart rate system exists, for classes S and I, a warning with the following content shall be provided: “WARNING - Heart rate monitoring systems can be inaccurate. If you feel faint, stop exercising immediately.” The heart rate warning shall be placed in a conspicuous position on or near the console visible during training or the warning shall be shown on the display at any time while the heart rate system is active.		N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CHINA (Guangzhou Branch) EEC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
 中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgs.com.cn
 t (86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

Report No.: GZES260300406531

Date: 2026-03-12

- Based on EN 957-6: 2010 + A1: 2014 and ISO 20957-6: 2021 Stationary training equipment - Part 6: Treadmills, additional specific safety requirements and test methods

Test Result: details shown as following table:

EN 957-6: 2010 + A1: 2014 and ISO 20957-6: 2021																																																									
Clause	Requirement – Test	Results-Remarks	Verdict																																																						
4	List of significant hazards Table 1 shows the significant hazards, hazardous situations and events, as far as they are dealt with in this European Standard, identified by risk assessment as significant for this type of equipment and which require action to eliminate or reduce the risk. NOTE For a particular treadmill, a risk assessment should be carried out by the manufacturer to identify any additional significant hazards so that suitable protective measures can be taken. Additional hazards are outside the scope of this standard. For identification and evaluation of hazards EN ISO 12100 applies. Table 1 — List of significant hazards and major sources of these hazards associated with treadmills <table><tr><th>*)</th><th>Description</th><th>Associated activity/situation</th></tr><tr><td>1.</td><td>Mechanical hazards</td><td></td></tr><tr><td>1.1.</td><td>Crushing</td><td>Inclining Folding</td></tr><tr><td>1.2.</td><td>Shearing</td><td>Inclining Folding</td></tr><tr><td>1.3.</td><td>Drawing-in or Trapping</td><td>Rear roller Drive system</td></tr><tr><td>1.4.</td><td>Falling</td><td>Sudden starts/stops Excessive speed variation Support failure</td></tr><tr><td>1.5.</td><td>Abrasion</td><td>Contact with moving running surface</td></tr><tr><td>1.6.</td><td>Slippery surfaces</td><td>Slipping and Falling</td></tr><tr><td>1.7.</td><td>Stored energy</td><td>Folded treadmills falling down Springs or elastomeric devices prior to assembly</td></tr><tr><td>2.</td><td>Electrical hazards</td><td></td></tr><tr><td>2.1.</td><td>Electrocution</td><td>Contact with live components</td></tr><tr><td>3.</td><td>Thermal Hazards</td><td></td></tr><tr><td>3.1.</td><td>Burns</td><td>Contact with hot surfaces</td></tr><tr><td>4.</td><td>Hazards generated by neglecting ergonomic principles in design process</td><td></td></tr><tr><td>4.1.</td><td>Ineffective ergonomics</td><td>Size or location of support surfaces Running surface dimensions</td></tr><tr><td>4.2.</td><td>Human errors, human behaviour</td><td>Reasonably foreseeable misuse</td></tr><tr><td>5.</td><td>Noise Hazards</td><td></td></tr><tr><td>5.1.</td><td>Disturbing acoustic communication</td><td>Moving treadmill motor and belt</td></tr></table>	*)	Description	Associated activity/situation	1.	Mechanical hazards		1.1.	Crushing	Inclining Folding	1.2.	Shearing	Inclining Folding	1.3.	Drawing-in or Trapping	Rear roller Drive system	1.4.	Falling	Sudden starts/stops Excessive speed variation Support failure	1.5.	Abrasion	Contact with moving running surface	1.6.	Slippery surfaces	Slipping and Falling	1.7.	Stored energy	Folded treadmills falling down Springs or elastomeric devices prior to assembly	2.	Electrical hazards		2.1.	Electrocution	Contact with live components	3.	Thermal Hazards		3.1.	Burns	Contact with hot surfaces	4.	Hazards generated by neglecting ergonomic principles in design process		4.1.	Ineffective ergonomics	Size or location of support surfaces Running surface dimensions	4.2.	Human errors, human behaviour	Reasonably foreseeable misuse	5.	Noise Hazards		5.1.	Disturbing acoustic communication	Moving treadmill motor and belt		P
	*)	Description	Associated activity/situation																																																						
	1.	Mechanical hazards																																																							
	1.1.	Crushing	Inclining Folding																																																						
	1.2.	Shearing	Inclining Folding																																																						
	1.3.	Drawing-in or Trapping	Rear roller Drive system																																																						
	1.4.	Falling	Sudden starts/stops Excessive speed variation Support failure																																																						
	1.5.	Abrasion	Contact with moving running surface																																																						
	1.6.	Slippery surfaces	Slipping and Falling																																																						
	1.7.	Stored energy	Folded treadmills falling down Springs or elastomeric devices prior to assembly																																																						
	2.	Electrical hazards																																																							
	2.1.	Electrocution	Contact with live components																																																						
	3.	Thermal Hazards																																																							
	3.1.	Burns	Contact with hot surfaces																																																						
	4.	Hazards generated by neglecting ergonomic principles in design process																																																							
	4.1.	Ineffective ergonomics	Size or location of support surfaces Running surface dimensions																																																						
	4.2.	Human errors, human behaviour	Reasonably foreseeable misuse																																																						
5.	Noise Hazards																																																								
5.1.	Disturbing acoustic communication	Moving treadmill motor and belt																																																							
5	Classification																																																								



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CS (China) Standards Technical Services Co., Ltd.
Guangzhou Branch, EEC Laboratory

No. 198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgs.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

Report No.: GZES260300406531

Date: 2026-03-12

EN 957-6: 2010 + A1: 2014 and ISO 20957-6: 2021

Clause	Requirement – Test	Results-Remarks	Verdict
	Key 1 display 2 safety stop (cord type) 3 safety stop (mushroom type) 4 heart rate hand sensor 5 front handlebar 6 side handrail 7 front protective cover 8 foot rail 9 non slip surface 10 running deck 11 running surface 12 rear roller 13 rear roller protective cover 14 marking of the running surface Figure 1 — Example of a treadmill Key - A line located at 1/3 of the length of the running surface measured from B - B front end of the running surface * identifiable feature according to 6.3 - b width of the running surface - b_{min} minimum required width of the running surface according to Table 2 - l length of the running surface Figure 2 — Definition of main measures		
6	Safety requirements and/or protective measures		
6.1	General The equipment shall comply with the safety requirements and/or protective measures of this clause. In addition, the equipment shall be designed according to the principles of EN ISO 12100 for relevant but not significant hazards, which are not dealt with by this document. Fixed guards shall be fixed by systems that can be opened or removed only with tools. Fixed guards that have to be removed for maintenance, adjustment or inspection shall be retained by fasteners that are retained in the guard or machine when the guard is removed.		P
6.2	Squeeze and shear points within the accessible area All parts of treadmills, including any folding mechanism, shall be in accordance with EN ISO 20957-1 in folded position, during folding and in useable position. For folding treadmills the lock for securing the equipment is excluded. Where the inclination can be changed during operation thus causing the distance between any part of the equipment and the floor to become smaller than 60 mm, the speed of inclination		P



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CT (Guangzhou Branch) EEC Laboratory

No. 198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663


t (86-20) 82155555 www.sgs.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

Report No.: GZES260300406531

Date: 2026-03-12

EN 957-6: 2010 + A1: 2014 and ISO 20957-6: 2021			
Clause	Requirement – Test	Results-Remarks	Verdict
	shall not exceed 1°/s and the user shall be able to stop this movement.		
6.3	Transmission elements and rotating parts Drawing-in shall be prevented at all points between the running surface and fixed or moving parts of the treadmills or the floor. Identifiable feature(s) indicating the acceptable lateral position(s) of the running surface shall be provided on the treadmill [see in Figure 2 and Clause 10 g)]. Adjust the running surface in the most onerous position according to the user's manual. Set the treadmill speed at (3 ± 0,5) km/h. Try to insert the test finger in all drawing-in points at least between the: a) running surface and the rear roller guard; b) running surface and the rear roller; c) running surface and the running deck. The test finger shall not be trapped. it shall not be possible that the test finger becomes trapped between the rear roller guard and the running surface. With the running surface centred, the rear roller guard shall overlap the edges of the running surfaces by min. 10 mm and max. 40 mm (see Figure 3). The vertical gap between the running surface and the rear roller guard or overlapping foot rails shall not be more than 9,5 mm. Dimensions in millimetres  Figure 3 — Example of a rear roller guard (min. 10 mm and max. 40 mm)		P
6.4	Temperature rise Accessible parts of the treadmill shall not have a temperature greater than 65 °C.		P
6.5	Safety stop (emergency stop)		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgs.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

Report No.: GZES260300406531

Date: 2026-03-12

EN 957-6: 2010 + A1: 2014 and ISO 20957-6: 2021			
Clause	Requirement – Test	Results-Remarks	Verdict
6.5.1	General All power driven treadmills shall be equipped with a safety stop switch, which shall include a push-button operated switch and/or a pull-cord operated switch. The push-button type or pull cord safety stop actuator shall be in a reachable position in front of the user and in an area of ± 180 mm parallel to the centreline of the running surface. If the push-button type safety stop actuator is outside this area it shall be duplicated on the opposite side except when a pull-cord actuator is provided.	Equipped with a pull-cord operated switch.	P
6.5.2	Characteristics Operating the safety stop shall result in the machine cutting off the main power of the motor and the inclination system without relying on any software functions. The contacts of manually operated safety stop devices shall ensure positive opening. The achievement of contacts separation shall be the direct result of a specified movement of the switch actuator through non resilient members. Emergency stop relays or manually reset fail-safe relays may be used. It shall not be possible to restore the circuit until the actuator of the safety stop device has been manually reset. After restoring the circuit, the equipment shall restart with standstill and the incline shall stay the same or reset according to 6.2. Where several safety stop devices are provided, the circuit shall not be restored until all actuators previously operated have been reset.		P
6.5.3	Actuator(s) Actuators of safety stop devices shall be coloured RED. The actuator of a push-button operated switch shall be of the palm or mushroom head type and shall have a yellow background. The background around the actuator shall be at least 5 mm wider than the actuator itself on all sides. Pull-cord safety stop actuators shall release with a maximum force of 50 % of the force required to release the attachment device when attached to the user according to the manufacturers' recommendation. The actuator cord shall have a suitable length so that the actuator releases at a position not more than 70 % of the length of the running surface. Visual inspection, measurement and dimensional test. Attach the pull-cord safety stop according to the manufacturer's recommendations. Measure the release force while pulling the actuator cord progressively in the direction parallel to the running surface and in the normal direction of motion. If the attachment device clamps to the fabric of the user's shirt, then simulate the shirt with the test fabric according to ISO 12947-1:1998, Table 1.		P



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CS (Guangzhou Branch) EEC Laboratory

No. 198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
 中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgs.com.cn
 t (86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

Report No.: GZES260300406531

Date: 2026-03-12

EN 957-6: 2010 + A1: 2014 and ISO 20957-6: 2021			
Clause	Requirement – Test	Results-Remarks	Verdict
6.6	Immobilization method For power driven treadmills there shall be an immobilization method for the treadmill to prevent uncontrolled usage of third parties. This method shall be explained in the instructions for use.		P
6.7	Stability The treadmill shall be stable in both training and storage positions		P
	Testing in training position Carry out the test with a test person of (100 ± 5) kg with the running surface operating at a speed of (9 ± 1) km/h: at $+10^{\circ+1}$ and $-10^{\circ+1}$ in the running direction and at $5^{\circ+1}$ in all the other directions, through the maximum and minimum ranges of inclinations. Carry out an emergency dismount test using the front handlebars/foot rails on flat surface with a maximum inclination of the treadmill at a speed of (9 ± 1) km/h or where this is not possible at maximum speed.		P
	Testing in folded position Carry out the test at $10^{\circ+1}$ in the most unfavourable direction.		P
	Testing of the foot rail support system Apply the load in the most unfavourable position and measure the distance vertically to the floor where the load is applied before and immediately after the test. Determine the permanent deformation as a percentage of the length of the running surface.		P
6.8	Static strength of the running surface Classes H, S and I treadmills shall withstand a load four times the maximum user weight specified by the manufacturer or 4 000 N whichever is greater without fracture, cracking or permanent deformation. Apply the test load over an area of (300 ± 5) mm $\times$ (300 ± 5) mm in the middle of the running surface, the centre of which is lined up with line A in Figure 2. The running surface may be restrained to prevent movement. The duration of the test shall be (60 ± 5) s. If inclination is applicable, apply the load at the flat, the mid and the highest inclination. --The treadmill shall withstand the test in flat, mid and maximum inclination, where inclination is applicable. --the running surface shall show no permanent deformation of more than 3 %.	Class H Maximum weight of user: 120kg, Test load:480kg.	P



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CS (Guangzhou) Technical Services Co., Ltd.
Guangzhou Branch of SGS (China) EEC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgs.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

Report No.: GZES260300406531

Date: 2026-03-12

EN 957-6: 2010 + A1: 2014 and ISO 20957-6: 2021			
Clause	Requirement – Test	Results-Remarks	Verdict
6.9	Endurance The treadmill shall withstand: a) 12 000 impacts for class H and b) 100 000 impacts for classes S and I. The test shall not cause any fracture, cracking, or permanent deformation to the treadmill. After the test, the treadmill shall be capable of functioning correctly according to the information given in the user's manual.	Class H After the test, the treadmill functioned well.	P
6.10	Handrails		
6.10.1	General Treadmills shall be equipped with two side handrails or with two side handrails and a front handlebar for user support and emergency dismount.	See Risk Assessment report EN ISO 12100: 2010 (test report: 12100: GZES260300406631)	N/T
6.10.2	Treadmills with side handrails only The top of the side handrails shall be at a height between 800 mm and 950 mm above the running surface measured vertically, which may not be perpendicular to the running surface at all incline positions. The distance between the side handrails shall not exceed 900 mm (inside to inside). Each side handrail shall extend beyond line A (see Figure 2). The side handrails shall show no permanent deformation of more than 3 %. The length of the handrails to the rear of the vertical projection of line B or a vertical projection of a line from the edge of any part of the front protection cover overlapping the running surface (see Figure 2) shall be measured. The measurement shall be made in the non-inclined position. Apply a test force of $(1\,000 \pm 50)$ N vertically in the most onerous position of the side handrails/front handlebar by means of a belt with a width of (80 ± 5) mm for a period of minimum 5 min. Measure the maximum permanent deformation after removing the load. Apply a force of (500 ± 25) N horizontally using the belt in the same position as in the vertical test but in the most onerous horizontal direction of the side handrail/front handlebar for a period of minimum 5 min. Measure the maximum permanent deformation after removing the load. Determine the permanent deformation as a percentage of the side handrail length as measured in accordance with the first paragraph of this subclause.		N/T



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CHINA Inspection & Testing Services Co., Ltd.
Guangzhou Branch, EEC Laboratory

No. 198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgs.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

Report No.: GZES260300406531

Date: 2026-03-12

EN 957-6: 2010 + A1: 2014 and ISO 20957-6: 2021			
Clause	Requirement – Test	Results-Remarks	Verdict
6.10.3	Treadmills with front handlebar and side handrails Either the side handrails shall be in accordance with 6.10.2 or the front handlebar shall be at a height between 800 mm and 950 mm above the running surface in any inclination. The front handle bar shall consist of a single grip-able length of minimum 500 mm or two grip-able lengths of minimum 175 mm located symmetrically to the longitudinal axis of the running surface with a minimum distance of 375 mm and a maximum distance of 675 mm from centre to centre. The side handrails and the front handlebar shall show no permanent deformation of more than 3%. In the case of treadmills having both the side handrails and a front handlebar, both shall fulfil this requirement. The length of the handrails to the rear of the vertical projection of line B or a vertical projection of a line from the edge of any part of the front protection cover overlapping the running surface (see Figure 2) shall be measured. The measurement shall be made in the non-inclined position. Apply a test force of $(1\ 000 \pm 50)$ N vertically in the most onerous position of the side handrails/front handlebar by means of a belt with a width of (80 ± 5) mm for a period of minimum 5 min. Measure the maximum permanent deformation after removing the load. Apply a force of (500 ± 25) N horizontally using the belt in the same position as in the vertical test but in the most onerous horizontal direction of the side handrail/front handlebar for a period of minimum 5 min. Measure the maximum permanent deformation after removing the load. Determine the permanent deformation as a percentage of the side handrail length as measured in accordance with the first paragraph of this subclause.		N/T



SGS-CHINA Inspection & Testing Services Co., Ltd.
Guangzhou Branch, CMAA Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgs.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

Report No.: GZES260300406531

Date: 2026-03-12

EN 957-6: 2010 + A1: 2014 and ISO 20957-6: 2021			
Clause	Requirement – Test	Results-Remarks	Verdict
6.11	Foot rails Treadmills shall be equipped with foot rails, see Figure 1. The foot rails shall be a minimum length of 70 % of the length of the running surface / (see Figure 2) and have a minimum width of 80 mm. The foot rails shall cover at least 25 % of the length of the running surface / in front of line A and at least 45 % of the length of the running surface / behind line A, see Figure 2. The upper surface of the foot rails shall have a minimum width of 70 mm. They shall have a slip resistant upper surface over minimum 70 % of the exposed length of the foot rail. The slip resistant surface shall have a coefficient of friction in the most onerous direction of more than 0,5, when tested in accordance with ISO 5904. The lowest measured force shall be used for the friction factor calculation. Apply a force of twice the maximum user weight indicated in the user's manual or (2 000 ± 50) N, whichever is greater, by means of a test sole (305 ± 1) mm × (80 ± 1) mm in the middle of the non-slip surface of each foot rail for a period of minimum 5 min, the foot rail shall not break. The attachment of the side handrails to foot rails shall avoid a trip hazard.	Test load: 240kg	P
6.12	Running surface Permanent marking in a contrasting colour is required on the running surface to determine if the belt is either moving or stationary. At least one marking shall be visible from the top view in any position of the running surface. The markings on the running surface shall have a length between 150 mm and 450 mm and a width between 50 mm and 100 mm. The space between markings shall not be less than the width of the markings measured in the direction of travel. This requirement is only applicable for classes S and I.	Class H	N/A
6.13	Acceleration For motorised treadmills, the initial starting speed of the running surface shall not exceed the speed given in Table 2. The acceleration of the running surface, with the treadmill in an unloaded condition, shall not exceed 0,9 m/s². Remove all loads from the treadmill. Provide a means of recording the instantaneous speed of the running surface. Measure the speed in 5 s intervals from the minimum to the maximum speed and calculate the acceleration between measured values.	Initial starting speed: 1.0km/h.	P



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CS Standards Technical Services Co., Ltd.
Guangzhou Branch, CMAA Laboratory

No. 198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgs.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

Report No.: GZES260300406531

Date: 2026-03-12

EN 957-6: 2010 + A1: 2014 and ISO 20957-6: 2021			
Clause	Requirement – Test	Results-Remarks	Verdict
6.14	Heart rate control mode If a heart rate control mode is incorporated into the treadmill, the function of the heart rate system shall be indicated on the display, e.g. by a blinking heart or any other means. The loss of heart rate signal shall result in speed remaining at the same level for maximum 60 s and then decrease until the minimum speed is reached. The rate of decrease shall be at least 0,014 m/s ² (1 km/h in 20 s). Set the treadmill to the heart rate control mode at a speed of 8 km/h and 0 % inclination. Use a heart pulse simulator or a person to activate the control mode. Cut off the signal and then check that the speed reduces according to the requirements shown in 6.14. If there are more than one heart rate control system, each system shall be tested.		N/A
6.15	Folding treadmills A folding treadmill shall be equipped with a safe locking system to keep it in a folded position where the running surface is designed to be folded up for storage. A folding treadmill shall be equipped with a safe locking system to keep it in the useable position when the side handrails are designed to be folded down when stored. The folding portion shall not be capable of reaching a stable position of equilibrium before being locked. The maximum vertical handling force shall be less than 150 N. If there is stored energy, e.g. compressed gas spring, in the packaged position or in folded position, a safety device to avoid inadvertent release of the stored energy shall be provided.		P
6.16	Noise Information on airborne noise emission measured, it shall be given in the instructions for use of the motorized treadmill (see 10 l) and 10 m)). Measure the A-weighted emission sound pressure level at trainer's ears, LpA in accordance with ISO 11201 or ISO 11202 at a speed of the running surface of 8 km/h for class H equipment and 12 km/h for class S and I equipment in an unloaded situation.	The maximum noise: 57dB(A).	P
6.17	Electrical safety Concerning electrical and electronic aspects, the equipment shall meet the requirements of EN 60335-1 for general use and EN 60601-1 for medical use. The running surface or the incline mechanism shall not restart automatically after an interruption of the power supply.		P
6.18	Additional classified requirements Classes A, B and C shall fulfil the requirements of Table 2.		P



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CS (China) Standards Technical Services Co., Ltd.
Guangzhou Branch, CMAA Laboratory

No. 198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgs.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

Report No.: GZES260300406531

Date: 2026-03-12

EN 957-6: 2010 + A1: 2014 and ISO 20957-6: 2021

EN 957-6: 2010 + A1: 2014 and ISO 20957-6: 2021				
Clause	Requirement – Test		Results-Remarks	Verdict
Table 2-Classified basic requirements				
	Class A	Class B	Class C	Testing
Read out (display indicator)	speed, inclination (if fitted) in % (see Figure 4) distance, time in SI units	speed, inclination (if fitted) in %, distance, time in SI units	none	visual test, performance test
Accuracy	time ± 1 % distance ± 5 % speed ± 5 % up to 2 km/h ± 0,1 km/h inclination (if any) ± 10 % accuracy above 2 % inclination	time ± 1 % ^a distance ± 10 % speed ± 10 % up to 2 km/h ± 0,2 km/h inclination (if any) ± 15 % accuracy above 2 % inclination	none ^b	A1 7.15 A1
Minimum length and width of the running surface for motor driven treadmills in mm	≤ 8 km/h: 1 000 × 400 > 8 km/h to 16 km/h: 1 200 × 400 > 16 km/h: 1 300 × 400	≤ 8 km/h: 1 000 × 400 > 8 km/h to 16 km/h: 1 200 × 400 > 16 km/h: 1 300 × 400	1 000 × 325 ≤ 6 km/h (walking) > 6 km/h see class B	references to speed measuring test
Minimum length and width of the running surface <i>l</i> for manual driven treadmills in mm	not applicable	1 000 × 400	1 000 × 325	—
Minimum speed	≤ 0,5 km/h, increments 0,1	≤ 2 km/h, increments 0,5	≤ 3 km/h	A1 7.15 A1
^a For mechanical timing devices ± 5 % is allowed. ^b If included: – time ± 2 % ^a – distance ± 20 % – speed ± 20 % up to 3 km/h ± 0,3 km/h – inclination ± 25 % accuracy above 2 % inclination.				
6.19	Additional warning label If a heart rate system exists: For classes S and I, a warning label with the following content shall be attached: "WARNING! Heart rate monitoring systems may be inaccurate. Over exercising may result in serious injury or death. If you feel faint stop exercising immediately. The above label shall be placed in a conspicuous position on the display console.		Class H	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CS Standards Technical Services Co., Ltd.
Guangzhou Branch, CMAA Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgs.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

Report No.: GZES260300406531

Date: 2026-03-12

EN 957-6: 2010 + A1: 2014 and ISO 20957-6: 2021			
Clause	Requirement – Test	Results-Remarks	Verdict
9	Marking In addition to the marking requirements of EN ISO 20957-1, motor driven treadmills shall be marked visibly, legibly and indelibly.		P
10	Additional instructions for use In addition to EN ISO 20957-1 easy-to-understand instructions for use shall be supplied with each treadmill.		P



SGS-CHINA Inspection & Testing Services Co., Ltd.
Guangzhou Branch (CMAA, CNAS, EEC Laboratory)

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgs.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

Report No.: GZES260300406531

Date: 2026-03-12

ANNEX 1: Photo documentation



P12



T3899 and TM037



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CS 标准技术服务公司
Guangzhou Branch, EEC Laboratory

No. 198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgs.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

Report No.: GZES260300406531

Date: 2026-03-12



CS-WP3

The testing report/certificate only refers to the sample(s) tested.

--- End of Report ---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CHINA Inspection & Testing Services Co., Ltd.
Guangzhou Branch, EEC Laboratory

No. 198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgs.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Risk Assessment Report

EN ISO 12100:2010

Safety of machinery –General principles for design- Risk assessment and risk reduction

Report Reference No.: GZES260300406631

Tested by (name + signature): Holon *Li*

Approved by (name + signature): Vickie Lub *Luo*

Date of issue.....: 2026-03-18

Testing Laboratory: SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

Address: 198 Kezhu Road, Science City, Economic & Technology
Development Area, Guangzhou, Guangdong, China

Applicant's name: Jiangxi EQi Industrial Co., Ltd.

Address: Luliang Avenue, Yining Town, Xiushui County, Jiujiang, Jiangxi,
China

Test specification:

Standard: EN ISO 12100: 2010

Test procedure: SGS-CSTC

Non-standard test method.....: N/A

Test Report Form No.....: EN ISO 12100A

TRF Originator.....: SGS-CSTC

Master TRF.....: Dated 2025-12

Test item description: Household electric treadmill

Trade Mark: N/A

Model/Type reference.....: P12, T3899, T3803D, WFTM015, T3823, T5009, T5006,
SP38240/T3837, SP38242/T3807, A4003D, TM037, CS-WP3

Ratings: Usage Class: H; Accuracy Class: C; Maximum user weight: 120kg



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch, the CNVET EEC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Test item particulars	
Classification of installation and use	Stationary appliance
Possible test case verdicts	See page 4-9 for hazards situation
Summary: Risk assessment was carried according to EN ISO 12100:2010. Followed by risk assessment, protective measures have been implemented by the manufacturer for risk reduction. Iteration of this process have been carried out to eliminate hazards as far as practicable and to achieve appropriate risk reduction.	



SGS-CSH Inspection & Testing Services Co., Ltd.
Guangzhou Branch, CMAA, CNAS, EEC Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

General remarks:

Throughout this report a ☒ comma / ☐ point is used as the decimal separator.

This document is issued by the Company subject to its General Conditions of Service, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

General product information:

Household electric treadmill for indoor use. The maximum speed is 6,0 km/h.

All models are same except trade mark, model no., decoration and colour of enclosure.



SGS-CS (China) Technical Services Co., Ltd.
Guangzhou Branch, CMAA, CNAS, EEC Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

No.	Type or group	Hazard	Y/N	Notes
1	Mechanical hazards	Being run over	N	
		Being thrown	N	
		Crushing	Y	Inclining; folding
		Cutting or severing	N	
		Drawing-in or trapping	Y	Rear roller; Drive system
		Entanglement	N	
		Friction or abrasion	Y	Contact with moving running surface
		Impact	N	
		Injection	N	
		Shearing	Y	Inclining; folding
		Slipping, tripping and falling	Y	Sudden starts/stops; Excessive speed variation; Support failure; Slipping and Falling
		Stabbing or puncture	N	
		Suffocation	N	
2	Electrical hazards	Stored energy	Y	Folded treadmills falling down; Springs or elastomeric devices prior to assembly
		Burn	N	
		Chemical effects	N	
		Effects on medical implants	N	
		Electrocution	Y	Contact with live components
		Falling, being thrown	N	
		Fire	N	
		Projection of molten particles	N	
3	Thermal hazards	Shock	N	
		Burn	Y	Contact with hot surfaces
		Dehydration	N	



SGS-CS (Guangzhou) Technical Services Co., Ltd.
Guangzhou Branch of SGS (China) EEC Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

No.	Type or group	Hazard	Y/N	Notes
		Discomfort	N	
		Frostbite	N	
		Injuries by the radiation of heat sources	N	
		Scald	N	
4	Noise hazards	Discomfort	N	
		Loss of awareness	N	
		Loss of balance	N	
		Permanent hearing loss	N	
		Stress	N	
		Tinnitus	N	
		Tiredness	N	
		Any other (e.g. mechanical, electrical) as a consequence of an interference with speech communication or with acoustic signals	Y	Moving treadmill motor and belt
5	Vibration hazards	Discomfort	N	
		Low-back morbidity	N	
		Neurological disorder	N	
		Osteo-articular disorder	N	
		Trauma of spine	N	
		Vascular disorder	N	
6	Radiation hazards	Burn	N	
		Damage to eyes and skin	N	
		Effects on reproductive capability	N	
		Genetic mutation	N	
		Headache, insomnia, etc.	N	
7	Material/substance hazard	Breathing difficulties suffocation	N	
		Cancer	N	
		Corrosion	N	
		Effects on reproductive capability	N	
		Explosion	N	
		Fire	N	
		Infection	N	
		Mutation	N	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CS (Guangzhou) Standards Technical Services Co., Ltd.
Guangzhou Branch of the SGS EEC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgs.com.cn
t (86-20) 82155555 sgs.china@sgs.com

No.	Type or group	Hazard	Y/N	Notes
		Poisoning	N	
		Sensitization	N	
8	Ergonomic hazards	Discomfort	N	
		Fatigue	N	
		Musculoskeletal disorder	N	
		Stress	N	
		Ineffective ergonomics	Y	Size or location of support surfaces; Running surface dimensions
		Any other (e.g. mechanical, electrical) as a consequence of human error	Y	Reasonably foreseeable misuse
9	Hazards associated with environment in which the machine is used	Burn	N	
		Slight disease	N	
		Slipping, falling	N	
		Suffocation	N	
		Any other as a consequence of the effect caused by the sources of the hazards on the machine or parts of the machine	N	
10	Combination of hazards	e.g. dehydration, loss of awareness, heat stroke	N	



SGS-CSI (Guangzhou) Technical Services Co., Ltd.
Guangzhou Branch of the SGS-CEE Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 www.sgs.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com

Each hazards situation is allocated a risk index according to the following matrix:

		Risk index calculation					
		O1		O2		O3	
		A1	A2	A1	A2	A1	A2
S1	F1	1				2	
	F2						
S2	F1	2			3	4	
	F2	3	4	5		6	

- a risk index of 1 or 2 corresponds to the lowest priority of action (priority 3)
- a risk index of 3 or 4 corresponds to a medium priority of action (priority 2)
- a risk index of 5 or 6 corresponds to the highest priority of action (priority 1)

Severity of harm: S

- 1) S1 slight injury (usually reversible)
- 2) S2 serious injury (usually irreversible, including fatality)

Frequency and/or duration of exposure to hazard: F

- 1) F1 twice or less per work shift or less than 15 min cumulated exposure per work shift
- 2) F2 more than twice per work shift or more than 15 min cumulated exposure per work shift

Probability of occurrence of the hazardous event: O

- 1) O1 mature technology, proven and recognized in safety application; robustness
- 2) O2 technical failure observed in the two last years:
 - inappropriate human action by a well-trained person aware of the risks and having more than six months experience on the work station
- 3) O3 technical failure regularly observed (every six months or less):
 - inappropriate human action by an untrained person having less than six months experiences on the work station;
 - similar accident observed in the plant in the preceding ten years

Possibility of avoidance or reduction of harm: A

- 1) A1 possible under some conditions:
 - if parts move at a speed less than 0,25 m/s

And the exposed worker is familiar with the risks and with the indications of a hazardous situation or impending hazardous event;

 - depending on particular conditions (temperature, noise, ergonomics, etc.)
- 2) A2 impossible



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CS (Guangzhou) Technical Services Co., Ltd.
Guangzhou Branch of SGS Technical Services Co., Ltd. EEC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Risk assessment (hazard identification)									
Ref. no.	Task	Hazard	Hazardous situation	Hazardous events	S	F	O	A	Risk index
1.	Operation mode (Inclining or folding)	Mechanical hazards (crushing and shearing)	Approaching the moving parts	Crushing and shearing by the moving parts, and risk reduced by safe locking system or protect guard, test assessment by EN ISO 20957-1, ISO 20957-1, EN 957-6, ISO 20957-6.	1	1	1	1	1
2.	Normal use	Mechanical hazards (Drawing-in or trapping)	Approaching the transmission elements and rotating parts	Drawing-in or trapping, and risk reduced by Identifiable features and the rear roller guard, test assessment by EN ISO 20957-1, ISO 20957-1, EN 957-6, ISO 20957-6.	1	1	1	1	1
3.	Normal use	Mechanical hazards (Slipping, tripping or falling)	Emergency use of the appliance	Slipping, tripping or falling, and risk reduced by a safety stop switch, test assessment by clause 6.5.1, 6.5.2, 6.5.3 for EN 957-6 and ISO 20957-6.	2	1	1	1	2
4.	Normal use	Mechanical hazards (Slipping, tripping or falling)	Emergency use of the appliance	Slipping, tripping or falling, and risk reduced by foot rails, test assessment by EN ISO 20957-1, ISO 20957-1, EN 957-6, ISO 20957-6.	2	1	1	1	2
5.	Operation mode	Electrical hazards (Electrocution)	Contact with live components	Failure of insulation, Electric shock due to unsafe design and risk reduced by biased-off switch, test	1	1	1	1	1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSL Standards Technical Services Co., Ltd.
Guangzhou Branch (Guangzhou EEC Laboratory)

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgs.com.cn
t (86-20) 82155555 sgs.china@sgs.com

				assessment by EN 60335-1.					
6.	Normal use	Thermal Hazards (Burn)	Use of the appliance	Burn is possible by overload, and risk reduced by temperature limit, test assessment by EN ISO 20957-1, ISO 20957-1, EN 957-6, ISO 20957-6, EN 60335-1.	1	1	1	1	1
7.	Normal use	Ergonomic hazards (Human errors, human behaviour)	Use of the appliance	Reasonably foreseeable misuse, and risk reduced by immobilization method, test assessment by EN ISO 20957-1, ISO 20957-1, EN 957-6, ISO 20957-6.	1	1	1	1	1
8.	Normal use	Noise hazards (Disturbing acoustic communication)	Use of the appliance	Disturbing acoustic communication by moving treadmill motor and belt, and risk informed by the related Information given in the instructions, test assessment by EN ISO 20957-1, ISO 20957-1, EN 957-6, ISO 20957-6.	1	2	1	1	1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CT (Guangzhou) Technical Services Co., Ltd.
Guangzhou Branch, ISO 17025:2017 CMAA Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Photo Document:

Details of: Appearance of model P12

View:

- ☒ general
- ☐ front
- ☐ rear
- ☐ right
- ☐ left
- ☐ top
- ☐ bottom



Details of: Appearance of model T3899 and TM037

View:

- ☒ general
- ☐ front
- ☐ rear
- ☐ right
- ☐ left
- ☐ top
- ☐ bottom



SGS-CS (Guangzhou Branch) Technical Services Co., Ltd.
Guangzhou Branch of SGS (China) EEC Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Details of: Appearance of model CS-WP3

View:

- ☒ general
- ☐ front
- ☐ rear
- ☐ right
- ☐ left
- ☐ top
- ☐ bottom



--- End of Report ---



SGS-CS (Shanghai) Technical Services Co., Ltd.
Guangzhou Branch, CN-198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT IEC 60335-1 Safety of household and similar electrical appliances	
Report Number..... :	GZES250501015601
Date of issue..... :	2025-06-23, Amendment 02: 2026-02-10
Total number of pages	5
Name of Testing Laboratory preparing the Report	SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch
Applicant's name	Jiangxi EQi Industrial Co., Ltd.
Address	Luliang Avenue, Yining Town, Xiushui County, Jiujiang, Jiangxi, China
Test specification: Standard : IEC 60335-1:2010/COR1:2010/COR2:2010 /AMD1:2013/COR1:2014/AMD2:2016/COR1:2016 Test procedure : SGS-CSTC Non-standard test method : N/A	
Test Report Form No. :	IEC60335_1X
Test Report Form(s) Originator :	Nemko AS
Master TRF	Dated 2016-10
Copyright © 2016 IEC System of Conformity Assessment Schemes for Electrotechnical Equipment and Components (IECEE System). All rights reserved. This publication may be reproduced in whole or in part for non-commercial purposes as long as the IECEE is acknowledged as copyright owner and source of the material. IECEE takes no responsibility for and will not assume liability for damages resulting from the reader's interpretation of the reproduced material due to its placement and context. This report is not valid as a CB Test Report unless signed by an approved CB Testing Laboratory and appended to a CB Test Certificate issued by an NCB in accordance with IECEE 02.	
General disclaimer: The test results presented in this report relate only to the object tested. This report shall not be reproduced, except in full, without the written approval of the Issuing CB Testing Laboratory. The authenticity of this Test Report and its contents can be verified by contacting the NCB, responsible for this Test Report.	

Test item description	Motorized Treadmill (Product name: Household electric treadmill)	
Trade Mark	—	
Manufacturer	Same as applicant	
Model/Type reference.....	P12, T3803D, WFTM015(T3823), T5009, T5006, SP38240/T3837, SP38242/T3807, A4003D, T3899, CS-WP3, TM037	
Ratings.....	220 V – 240 V; 50 Hz - 60 Hz; 551 W	
Responsible Testing Laboratory (as applicable), testing procedure and testing location(s):		
☒	CB Testing Laboratory:	SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch
Testing location/ address		198 Kezhu Road, Science City, Economic & Technology Development Area, Guangzhou, Guangdong, China
Tested by (name, function, signature)		Romy Huang / Project Engineer <i>Romy Huang</i>
Approved by (name, function, signature) ..		Vickie Luo / Reviewer <i>Vickie Luo</i>
Testing procedure: CTF Stage 1:		
☐	N/A	
Testing location/ address		
Tested by (name, function, signature)		
Approved by (name, function, signature) ..		
Testing procedure: CTF Stage 2:		
☐	N/A	
Testing location/ address		
Tested by (name + signature).....		
Witnessed by (name, function, signature) . :		
Approved by (name, function, signature) .. :		
Testing procedure: CTF Stage 3:		
☐	N/A	
Testing procedure: CTF Stage 4:		
☐	N/A	
Testing location/ address		
Tested by (name, function, signature)		
Witnessed by (name, function, signature) . :		
Approved by (name, function, signature) .. :		
Supervised by (name, function, signature) :		

List of Attachments (including a total number of pages in each attachment):

Attachment 1: 1 page of photo document

Summary of testing:**Tests performed (name of test and test clause):**

The tests were carried out according to the following standards:
IEC 60335-1: 2010 + A1: 2013+ A2: 2016

Amendment 02:

Add model no need to add testing.

The submitted samples were in compliance with above standards.

Testing location:

SGS-CSTC Standards Technical Service Co., Ltd.
Guangzhou Branch.


198 Kezhu Road, Science City, Economic & Technology Development Area, Guangzhou, Guangdong, China

Summary of compliance with National Differences (List of countries addressed):

European group differences

Copy of marking plate:

The artwork below may be only a draft. The use of certification marks on a product must be authorized by the respective NCBs that own these marks.



Location: the plate is affixed on the rear of the unit.

Remark:

All model' label are identical except for model name.

The Height of CE logo shall not be less than 5 mm; Height of WEEE logo shall not be less than 7 mm.

As declared by the applicant, the importer (and manufacturer, if it is different)'s name, registered trade name or registered trade mark and the postal address will be marked on the products before being place on the market. The contact details shall be in a language easily understood by end-users and market surveillance authorities.

Marking on the packaging or in a document accompanying the electrical equipment is only acceptable if it is not possible to place such markings on the product.

Test item particulars :	
Classification of installation and use : Stationary appliance	
Supply Connection..... : Inlet	
Possible test case verdicts: - test case does not apply to the test object : N/A - test object does meet the requirement : P (Pass) - test object does not meet the requirement : F (Fail)	
Testing :	
Date of receipt of test item : 2026-02-09	
Date (s) of performance of tests..... : —	
General remarks:	
"(See Enclosure #)" refers to additional information appended to the report. "(See appended table)" refers to a table appended to the report. Throughout this report a ☒ comma / ☐ point is used as the decimal separator. This document is issued by the Company subject to its General Conditions of Service, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx . Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This report (GZES250501015601 Amendment 02) was not valid without used with original report GZES250501015601 and GZES250501015601 Amendment 01.	
Manufacturer's Declaration per sub-clause 4.2.5 of IEC 60335-1:	
The application for obtaining a CB Test Certificate includes more than one factory location and a declaration from the Manufacturer stating that the sample(s) submitted for evaluation is (are) representative of the products from each factory has been provided	☐ Yes ☒ Not applicable
When differences exist; they shall be identified in the General product information section.	
Name and address of factory (ies)..... : Same as applicant	

General product information:

Electrical treadmill for indoor use. It contains incline motor, main motor, display panel, control panel.
All models have the same construction except for decoration, colour of enclosure and model name.

Amendment 01:

The original Test Report Ref. No. GZES250501015601, dated 2025-06-23, was modified on 2026-01-27 to include the following changes, which were considered technical modifications:

1. Delete model WFTM020(T4254C) and add new model T3899, CS-WP3.

Amendment 02:

The original Test Report Ref. No. GZES250501015601 Amendment 01, dated 2026-01-27, was modified on 2026-02-10 to include the following changes, which were considered technical modifications:

1. Add new model TM037.
2. Add model TM037 and CS-WP3 photo.

The product fulfils the requirements of:

EN 60335-1: 2012 + A11: 2014 + A13: 2017 + A1: 2019 + A14: 2019 + A2: 2019 + A15: 2021 + A16: 2023
EN 62233: 2008

---End of main Report---

Photo documentation

Type of equipment, model: Motorized Treadmill / P12, T3803D, WFTM015(T3823), T5009, T5006, SP38240/T3837, SP38242/T3807, A4003D, T3899, CS-WP3, TM037

Details of: General view for model T3899, TM037



Details of: General view for model CS-WP3



VERIFICATION OF COMPLIANCE

No.: GZES2602003007HS

Applicant: Jiangxi EQi Industrial Co., Ltd.
Luliang Avenue, Yining Town, Xiushui County, Jiujiang,
Jiangxi, China

Manufacturer: Same as applicant

Product Name: Household electric treadmill

Product Description: Motorized Treadmill

Model No.: P12, T3803D, WFTM015(T3823), T5009, T5006,
SP38240/T3837, SP38242/T3807, A4003D, T3899, CS-WP3,
TM037

Trade Mark: —

Rating: 220 V – 240 V; 50 Hz - 60 Hz; 551 W

Protection against Electric Shock: Class I

Additional Information (if any): This verification replaces GZES2601001693HS.

Sufficient samples of the product have been tested and found to be in conformity with

Test Standard: EN 60335-1: 2012 + A11: 2014 + A13: 2017 + A1: 2019
+ A14: 2019 + A2: 2019 + A15: 2021 + A16: 2023
EN 62233: 2008

as shown in the

Test Report Number(s): GZES250501015601 Amendment 02

This Verification of Compliance has been granted to the applicant based on the results of tests, performed by Laboratory of SGS-CSTC Standards Technical Services Co., Ltd. on sample of the above-mentioned product in accordance with the provisions of the relevant specific standards.

David Guo

Technical Manager

SGS-CSTC Standards Technical Services Co., Ltd.

2026-02-12

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS-CSTC Standards Technical Services Co., Ltd.
16F, Century Yu Hui Mansion, No.73, Fucheng Road, Haidian
District, Beijing, 100142, CHINA
www.sgsgroup.com.cn
Member of the SGS Group (SGS SA)

EU TYPE EXAMINATION CERTIFICATE

Radio Equipment Directive 2014/53/EU

SGS

Certificate Number

NB2906.2026.000121

Project Number

GZ-CERT260200908

Product Model Number(s)

P12, T3803D, WFTM015(T3823), T5009, T5006,
SP38240/T3837, SP38242/T3807,
A4003D, T3899, CS-WP3, TM037

Brand/Trade Name

N/A

Product Type

Household electric treadmill

Manufacturer

Jiangxi EQi Industrial Co., Ltd

Address

Luliang Avenue, Yining Town, Xiushui County,
Jiujiang, Jiangxi,
China

Essential Requirements

Results

Article 3.1(a) - Health
Article 3.1(a) - Safety
Article 3.1(b) - EMC
Article 3.2 - Radio Spectrum

Conforms
Conforms
Conforms
Conforms

Technical Documentation:

GZ-CERT260200908-01

Based upon an examination of the Technical Documentation and supporting evidence, the above listed equipment was found to conform with those essential requirements of the Radio Equipment Directive 2014/53/EU as noted above.

This certificate is issued for only the equipment mentioned above and is subject to the conditions and restrictions listed in the Annex. This type examination certification is issued under Module B of the Radio Equipment Directive 2014/53/EU, applying the Notified Body Identification Number adjacent to the CE Marking is NOT permitted. No changes/modifications to the equipment which would require a re-assessment are allowed - any such change will invalidate this type examination certificate.

This certificate is valid for 5 years from the date of issue unless changes/modifications have been made to the applied standard(s) or assessed type of equipment.


Authorized By:

Certificate Issue Date

March 2, 2026

Sen Lv
Certifier

NB2906



EU TYPE EXAMINATION CERTIFICATE

Radio Equipment Directive 2014/53/EU



ESSENTIAL REQUIREMENTS

APPLIED STANDARD(S)

Article 3.1(a) - Health	EN 62479: 2010
Article 3.1(a) - Safety	EN 60335-1: 2012 + A11: 2014 + A13: 2017 + A1: 2019 + A14: 2019 + A2: 2019 + A15: 2021 + A16: 2023 EN 62233: 2008
Article 3.1(b) - EMC	EN IEC 55014-1: 2021 EN IEC 55014-2: 2021 EN 301 489-1 V2.2.3 EN 301 489-3 V2.3.2 EN 301 489-17 V3.3.1 EN IEC 61000-3-2: 2019 +A1:2021 +A2:2024 EN 61000-3-3: 2013 +A1:2019 +A2:2021
Article 3.2 - Spectrum	EN 300 328 V2.2.2 EN 300 220-2 V3.2.1

PRODUCT TECHNICAL DETAILS

Model Number(s)	P12, T3803D, WFTM015(T3823), T5009, T5006, SP38240/T3837, SP38242/T3807, A4003D, T3899, CS-WP3, TM037
HW Version:	HV01
SW Version:	SV01

EQUIPMENT DETAIL

Radio	Frequency range (MHz)	Antenna Type	Modulation	Transmit Power
BT LE	Transceiver: 2402 - 2480	Note 1	GFSK	2.261dBm EIRP
BT classic	Transceiver: 2402 - 2480	Note 1	GFSK, ($\pi/4$)DQPSK	-1.68dBm EIRP
SRD	Transmitter: 433.92	Note 2	ASK	-67.54dBm ERP
SRD	Receiver: 433.92	Note 3	ASK	N/A

- Notes
- 1) PCB Antenna, 0 dBi
 - 2) PCB Antenna, 0 dBi
 - 3) PCB Antenna

CONDITIONS/RESTRICTIONS

- The following conditions and restrictions apply:
- 1) None

MODEL DIFFERENCE DESCRIPTION

Model Numbers: P12, T3803D, WFTM015(T3823), T5009, T5006, SP38240/T3837, SP38242/T3807, A4003D, T3899, CS-WP3, TM037

Above models are identical on circuitry design, PCB layout, electrical components used, internal wiring and functions, only difference being the model name and appearance color.