

Plus qu'une étape : inscrivez-vous pour commencer à créer dans Notion dès aujourd'hui.

Créez un compte ou connectez-vous

Media Technical Standards - Amazon Prime Video

I - File Names

- Spaces, Unicode characters, or other special characters are not allowed.
- You may use underscores (" _ ") to separate different words within a file name section.
- Periods are not permitted in file names.

II - Video Files

- Video and audio durations must be identical.
- Audio language tags must follow ISO standards.
- Include only usable images: no slates, clapperboards at the beginning, or black/neutral frames at the end.
- Starting timecode must be **00:00:00.00**

▼ HD mezzanine specifications

HD must be at least 1280 pixels horizontally or at least 720 pixels vertically.

Video Codec	ProRes 422 HQ	MPEG-2	AVC/H.264
Container	MOV	MPG, MPEG, M2T, M2TS, TS	MP4, M2T, TS
Profile	HQ	Main or High	High
Level	n/a	High	4.1
Recommended Bitrate	88 Mbps or higher	80 Mbps or higher	30 Mbps or higher
Minimum Bitrate	n/a	50 Mbps	20 Mbps
GOP Length	n/a	1 second or less	1 second or less
Preferred I-Frame Interval	—	—	2 seconds or less
Display Aspect Ratio	4:3, 1.66:1, 16:9, 1.85:1, 2:1, 2.20:1, 2.35:1, 2.39:1, 2.40:1	4:3, 1.66:1, 16:9, 1.85:1, 2:1, 2.20:1, 2.35:1, 2.39:1, 2.40:1	4:3, 1.66:1, 16:9, 1.85:1, 2:1, 2.20:1, 2.35:1, 2.39:1, 2.40:1
Scan Type	Progressive, Interlaced, or MBAFF	Progressive, Interlaced, or MBAFF	Progressive, Interlaced, or MBAFF
Color Space	Rec. 709	Rec. 709	Rec. 709
Chroma Subsampling	4:2:0, 4:2:2	4:2:0, 4:2:2	4:2:0, 4:2:2
Chroma Bit Depth	8-bit, 10-bit	8-bit, 10-bit	8-bit, 10-bit
Frame Rate (constant)	23.976p, 24p, 25i, 25p, 29.97i, 29.97p, 30i, 30p, 60i	23.976p, 24p, 25i, 25p, 29.97i, 29.97p, 30i, 30p, 60i	23.976p, 24p, 25i, 25p, 29.97i, 29.97p, 30i, 30p, 60i

SD mezzanine specifications

SD must be at least 640 pixels horizontally and at least 260 pixels vertically.

Video Codec	ProRes 422 HQ	MPEG-2	AVC/H.264
Container	MOV	MPG, MPEG, M2T, M2TS, TS	MP4, M2T, TS
Profile	HQ	Main or High	High
Level	n/a	High	4.1
Recommended Bitrate	50 Mbps or higher	30 Mbps or higher	15 Mbps or higher
Minimum Bitrate	n/a	15 Mbps	10 Mbps
GOP Length	n/a	1 second or less	1 second or less
Preferred I-Frame Interval	—	—	2 seconds or less
Display Aspect Ratio	4:3, 1.66:1, 16:9, 1.85:1, 2:1, 2.20:1, 2.35:1, 2.39:1, 2.40:1	4:3, 1.66:1, 16:9, 1.85:1, 2:1, 2.20:1, 2.35:1, 2.39:1, 2.40:1	4:3, 1.66:1, 16:9, 1.85:1, 2:1, 2.20:1, 2.35:1, 2.39:1, 2.40:1
Scan Type	Progressive, Interlaced, or MBAFF	Progressive, Interlaced, or MBAFF	Progressive, Interlaced, or MBAFF
Color Space	Rec. 601	Rec. 601	Rec. 601
Chroma Subsampling	4:2:0, 4:2:2	4:2:0, 4:2:2	4:2:0, 4:2:2
Chroma Bit Depth	8-bit, 10-bit	8-bit, 10-bit	8-bit, 10-bit
Frame Rate (constant)	23.976p, 24p, 25i, 25p, 29.97i, 29.97p, 30i, 30p, 60i	23.976p, 24p, 25i, 25p, 29.97i, 29.97p, 30i, 30p, 60i	23.976p, 24p, 25i, 25p, 29.97i, 29.97p, 30i, 30p, 60i

Unsupported or Not Recommended Video Formats

- .mkv video sources
- .ts files containing AC-3 audio

- .mov files using codecs other than ProRes (e.g., AVC/H.264, MPEG-2, DNxHD)
- .vob files
- .wmv files

III - Embedded audio

Audio Codec	PCM (LPCM)	MPEG-2 Layer II
Video Format	ProRes 422 or MPEG-2	MPEG-2
Minimum Bitrate	Lossless	Stereo: 384 kbps
Sample Rate	48 kHz	48 kHz
Bit Depth	16-bit, 24-bit	16-bit, 24-bit
Mono Channel Layout	Mono mix	Mono mix
Stereo Channel Layout (single track!)	Stereo mix mapped as: L-R / Lt-Rt or Dual Mono	Stereo mix mapped as: L-R / Lt-Rt or Dual Mono

Audio tracks must be tagged with the ISO 639-2 language code (e.g., ENG for English, FRA for French, etc.).

IV - Additional Audio Track for Multilanguage Content

Prime Video accepts the following audio source formats:

Only deliver fully mixed program tracks. Additional tracks, like music and effects (M&E) and silent (MOS), must be removed prior to delivery:

- PCM (ipcm) audio in a QuickTime .mov container
- PCM (ipcm) audio in an MPEG-2 transport stream
- AAC audio in an .mp4 container
- PCM (ipcm) audio in a self-contained .wav file

Prime Video also accepts .wav files for stereo-only sources, due to the 4-GB size limit of this format.

Audio tracks must be tagged with the ISO 639-2 language code (e.g., ENG for English, FRA for French, etc.).

V - Subtitles

Prime Video accepts the following file types for delivery of timed text:

- DFXP Full/TTML (Timed Text Markup Language) with a .dfxp file extension
- Lambda Cap with a .cap file extension (only format that supports discrete Japanese timed text delivery)
- EBU-STL with a .stl file extension
- iTT (iTunes Timed Text) files with a .itt file extension
- SCC (Scenarist Closed Caption) with a .scc file extension
- SMPTE-TT (RP-2052) with an .xml file extension
- SRT

Supported Characters

Prime Video supports the full UTF-8 character set, **excluding musical notes**.

Timecode Offset

All timed text files must start with a **00:00:00.00** timecode offset to match the video file.

Accepted Subtitle Types:

- Full Subtitles
- Forced Subtitles
- SDH (Subtitles for the Deaf and Hard-of-Hearing)